Cleaning of hospital floors with oiled mops

BY J. R. BABB, H. A. LILLY AND E. J. L. LOWBURY

Medical Research Council Industrial Injuries and Burns Research Unit, Birmingham Accident Hospital

(Received 18 April 1963)

Large numbers of bacteria are dispersed into the air when untreated floors are swept with a broom. Contamination from this source has been controlled by treating floors with spindle oil (van den Ende, Lush & Edward, 1945), but the method has some drawbacks, in particular the damage that it causes to leather shoes. An effective alternative to oiling of floors which is free from these drawbacks is the use of vacuum cleaners with adequate filters (Rogers, 1951; Bate, 1961). Another method by which the dispersal of floor dust may be reduced is the use of impregnated mops (Burnham, 1962). We describe here a comparative study of floor cleaning in a hospital ward by mops impregnated with a mixture of oils, by a vacuum cleaner and by brooms; the methods were compared in respect of their removal of bacteria from the floor and the contamination of air during their use.

MATERIALS AND METHODS

Floor-cleaning equipment

The special mops ('Kex') (see Pl. 1) had been treated with a mixture containing mineral and vegetable oils and other ingredients. It was claimed by the manufacturers that the mops would absorb dust and prevent its dispersal into the air. These properties would be retained on storage for about 2 weeks, after which it was recommended that the treatment with oils should be repeated; for this purpose a service of fortnightly collection and delivery had been established, ward mops being replaced from the hospital store every 2 or 3 days. During the experiments described here a supply of treated mops was delivered 2 or 3 days before they were used for sweeping a ward, and collected at the time of delivery of freshly treated mops for the next experiment. A special handle and frame for the mops was provided by the manufacturer.

The vacuum cleaner used in these studies was an 'Electrolux' Model 33, with an air filter attached to the outlet of the tank container.

Sampling of floors for bacteria

Impression plates were taken from selected areas of floor by a method described by Foster (1960). Strips of sterile bandage, $1\frac{1}{2}$ in. wide, were laid across the bottom of sterile Petri dishes before a nutrient agar medium was poured into them. Samples were taken by removing the disk of medium, with the aid of forceps, by the projecting ends of the bandage; the outer surface of the Petri dish was applied over the medium, and with it the medium was pressed gently but firmly for 394

15 sec. over the selected area of floor. The agar disk was then transferred to the lid of the Petri dish, and incubated at 37° C. for 24 hr. In most of these experiments the medium used was phenolphthalein diphosphate agar (with 4% New Zealand agar), which allowed a presumptive count of *Staphylococcus aureus* as well as total viable counts (Barber & Kuper, 1951); in other experiments horse blood agar with 4% New Zealand agar was used. Surface viable counts were made with the aid of a hand lens.

Air sampling for bacteria

The air of the ward was tested with a large slit sampler, 11.5 cu.ft. of air being sampled on phenolphthalein diphosphate agar or horse blood agar.

Comparison of three methods of floor cleaning

Two open wards with wooden floors were used for the experiment. In one of the wards (I) the floor had not been treated with any oil for 6 months. In the other ward (II) the floor (2175 sq.ft.) had been treated 1 week before the first of three weekly experiments with 500 ml. of a mixture of linseed oil (1 part) and 'O'Cedar' oil (2 parts). The oil was applied with a polishing machine to improve the appearance of the floor, and was not expected to have any dust-laying properties; our tests confirmed this supposition.

In the first part of the experiment weekly tests were made in ward I; no beds were made during the hour before the test and while the test was in progress. Three tests were made with each of the three floor-cleaning methods, fresh oiled mops, vacuum cleaner and brooms; the three methods were used in rotation (i.e. a different method was used each week). Eight marked areas of floor in the middle of the ward were sampled before and immediately after the whole area of the floor had been cleaned. Air samples were taken before, during and immediately after cleaning. The time taken in cleaning the floor was noted.

In the second part of the experiment three further tests were made with each of the three cleaning methods. This time the oiled mops were tested when fresh and again 2 days later during their seventh use for cleaning the floor of ward I. Three further tests were made with a broom in ward II, and three further tests with the vacuum cleaner, two of them in ward I and one in ward II. Bacterial samples were taken as in the first part of the experiment.

RESULTS

Floor sampling

The bacterial counts of impression plates (mean of eight plates in each experiment) taken before and after floor cleaning are shown in Table 1. In each experiment the greatest reduction was found after the use of oiled mops; results were approximately the same with fresh oiled mops and with oiled mops used seven times. Bacterial counts were not reduced after the use of a broom. There was a significant difference in the mean percentages of initial counts in the comparison of the broom and the oiled mop (t = 4.67, P < 0.001), and in the comparison of the broom and the vacuum cleaner (t = 3.33, P < 0.01). Presumptive counts of *Staph. aureus* (Table 3) showed a reduction after cleaning with the vacuum cleaner and the oiled mop, but a slight increase after the use of a broom; the numbers were small, and differences of means did not reach the level of statistical significance.

Table 1. Removal of bacteria from floor by alternative cleaning methods

Mean	viable	counts	of	floor	samples

			Defere	After	cleaning
Cleaning method	Exp.	Ward	Before , cleaning (initial count)	No.	% of initial count
Broom	1	I	1003	798	79.6
	2	Ι	773	579	$74 \cdot 9$
	3	Ι	522	657	$125 \cdot 9$
	4	II	524	547	$104 \cdot 4$
	5	II	316	270	85.4
	6	II	456	448	$98 \cdot 2$
	Mean		599.0	$549 \cdot 8$	$94{\cdot}61\pm7{\cdot}7$
Oiled mop (fresh)	1	Ι	387	119	30.7
1 · · · ·	2	Ι	539	271	50.3
	3	Ι	$\bf 864$	300	34.7
	4	Ι	462	322	69 ·7
	5	I	394	224	56.8
	6	Ι	473	252	$53 \cdot 3$
	Mean		519.8	248.0	$49{\boldsymbol{\cdot}3} \pm 5{\boldsymbol{\cdot}9}$
Oiled mop (used 7 times)	1	Ι	286	126	44 ·1
	2	Ι	303	163	$53 \cdot 8$
	3	I	349	188	$53 \cdot 8$
	Mean		312.6	159.0	$50{\cdot}5\pm3{\cdot}3$
Vacuum cleaner	1	Ι	500	198	39.6
	2	Ι	547	287	$52 \cdot 5$
	3	Ι	546	305	$55 \cdot 9$
	4	Ι	669	486	72.6
	5	I	821	715	87.1
	6	II	848	464	54.7
	\mathbf{Mean}	_	$655 \cdot 2$	409 ·2	$60{\cdot}4\pm 6{\cdot}8$

Air sampling

The results of total counts are summarized in Table 2. They show a consistent rise (approximately a doubling) of airborne bacteria during the use of a broom, and a persistence of the raised air flora after the period of sweeping. By contrast, there was no increase (sometimes a fall) of airborne bacteria during the use of the vacuum cleaner, and after cleaning a consistent fall to a lower level than that found before cleaning. The oiled mop caused a small increase in airborne bacteria when used for the first time, but counts fell after cleaning to the numbers present at the beginning of the test. There was a significant difference in mean percentages of initial counts in the comparison of brooms with fresh oiled mops (during cleaning: t = 3.71, P < 0.01; after cleaning: t = 4.55, P < 0.01; also between the broom and the

vacuum cleaner (during cleaning: t = 6.80, P < 0.001; after cleaning: t = 8.82, P < 0.001) and between fresh oiled mops and vacuum cleaner (during cleaning: t = 2.51, P < 0.05; after cleaning: t = 3.71, P < 0.01). In the comparison of oiled mops used seven times with brooms there was no significant difference in tests made during cleaning, but the differences in counts obtained after cleaning were significant (t = 3.16, P < 0.02). When the mops had been used seven times they caused almost as much contamination of the air during sweeping as the broom, but these contaminants (unlike those dispersed by sweeping with a broom) fell rapidly from the air.

		Viat	le counts	of bacteria pe	r cu.tt.	of air
		Before	During	g cleaning	After	cleaning
Cleaning method	Exp.	cleaning (initial count)	No.	% of initial count	No.	% of initial count
Broom	1	124	270	217.7	270	217.7
	2	38	62	$163 \cdot 2$	80	210.5
	3	67	134	200.0	124	185·1
	4	116	247	$212 \cdot 9$	227	195.7
	5	82	168	$204 \cdot 9$	190	231.7
	6	65	101	155.4	82	126.1
	Mean	82.0	163.7	$192{\cdot}3\pm10{\cdot}8$	$162 \cdot 2$	$194{\cdot}0\pm15{\cdot}2$
Oiled mop (fresh)	1	51	49	96-1	51	100.0
	2	28	31	110.7		
	3	143	169	118.2	103	72.0
	4	186	226	121.5	183	98·4
	5	68	131	192.6	107	157.3
	6	116	147	126.7	100	86·2
	Mean	98.7	125.5	$127 \cdot 6 \pm 13 \cdot 7$	108-8	$102{\cdot}8\pm14{\cdot}5$
Oiled mop (used 7 times)	1	137	243	177.4	152	110.9
	2	75	131	174.7	79	$105 \cdot 3$
	3	48	105	218.7	69	143.7
	\mathbf{Mean}	86.7	159.7	$190{\cdot}3\pm14{\cdot}3$	100·0	$120{\cdot}0\pm12{\cdot}0$
Vacuum cleaner	1	16	16	100.0	7	43 ·7
	2	237	293	$123 \cdot 6$	149	62.9
	3	140	136	97.1	77	55.0
	4	76	40	$52 \cdot 6$	38	50.0
	5	69	34	4 9·3	40	58.0
	6	85	58	68.2	14	16.5
	Mean	103-8	96.2	$81{\cdot}8\pm12{\cdot}1$	$54 \cdot 2$	$47{\cdot}7\pm6{\cdot}8$

Table 2. Contamination of air by alternative floor-cleaning methods

Viable counts of bacteria per cu ft, of air

Although the differences in counts of presumptive staphylococci in the air did not reach the levels of statistical significance, they showed changes in relation to floor-cleaning methods similar to those shown by counts of total bacteria (see Table 3).

o air
into
rsed
dispe
and
floor
from
ved j
s remc
is aureus
ccus
000
taphy
ie Sti
nptiı
resu
3. P ₁
Table 3

Mean viable counts per cu.ft. of air

		Mean viable	viable counts in floor sample	or samples		During cl	g cleaning	After	After cleaning
	No. of	Before cleaning	A fi.ou	Mean % of	Before cleaning		Mean % of	L	Mean % of
Cleaning method	ments	count)	cleaning	count	(minut	No.	count	No.	count
Broom	4	4.19	5.16	140.7	0.37	1.28	346.9	1.00	268.7
Fresh oiled mop	4	7.10	4.39	70-7	0.50	0.80	203-3	0.783	145.1
Oiled mop used 7 times	თ	4.54	2.13	73.8	0.29	0.58	300.0	0.44	233.3
Vacuum cleaner	4	5.78	3.25	67.7	0.35	0.24	116-7	0.41	112.5

Impressions of use

The mean times taken in cleaning the ward by the three methods were as follows: oiled mops (two in use, one of 20 in. and one of 12 in.): $12\cdot3$ min. (s.e. = $1\cdot0$), vacuum cleaner: $37\cdot8$ min. (s.e. $3\cdot0$), brooms (two in use): $12\cdot6$ min. (s.e. $= 1\cdot4$).

The broom caused an unpleasant cloud of dust in both wards. Airborne dust was not noticed when using the oiled mops or the vacuum cleaner. The floor surface of ward I, which was unoiled, acquired a pleasant slightly polished appearance after repeated use of the oiled mop.

COMMENTS

In their removal of bacteria from the floor oiled mops compare favourably with the vacuum cleaner. The fresh oiled mop is also effective in reducing the dispersal of floor dust into the air, but although the results are sometimes as good as those obtained with a vacuum cleaner, they vary considerably. Oiled mops have certain advantages; they are quicker, quieter and easier to use than vacuum cleaners; in addition they give the floor a clean and lightly polished appearance. On repeated use they disperse large numbers of bacteria into the air; although these settle more quickly than the bacterial dust raised by a broom, it is probably desirable to cleanse and re-impregnate mops after a single use.

SUMMARY

A comparison was made of three methods for the removal of dust from a hospital ward floor.

The viable bacterial counts of impression plates from the floor showed a mean reduction of 51 % after cleaning with fresh oiled mops, 40 % after cleaning with a tank model vacuum cleaner and 5 % after sweeping with a broom.

The mean proportions of airborne bacteria, compared with viable counts before cleaning, were 192 % during and 194 % after cleaning with a broom; 128 % during and 103 % after cleaning with an oiled mop, and 82 % during and 48 % after cleaning with a vacuum cleaner. On repeated use the oiled mop dispersed almost as much dust as a broom, but this settled rapidly from the air.

The effects of these cleaning methods on counts of presumptive *Staph. aureus* on the floor and in the air were similar to those found in counts of total organisms.

We wish to thank Mr M. D. Wilkins for valuable assistance, the Domestic Superintendent and staff and the nursing staff for their co-operation, and Messrs Leeming Brothers Limited for supplies of 'Kex' mops and equipment.



J. R. BABB, H. A. LILLY AND E. J. L. LOWBURY

(Facing p. 399)

REFERENCES

BARBER, M. & KUPER, S. W. A. (1951). Identification of *Staph. pyogenes* by the phosphatase reaction. J. Path. Bact. 63, 65.

BATE, J. G. (1961). Bacteriological investigation of exhaust air from hospital vacuum cleaners. Lancet, i, 159.

- BURNHAM, F. E. (1962). Floor maintenance in hospital wards. *Hospital* (Lond.), August 1962, p. 543.
- FOSTER, W. D. (1960). Environmental staphylococcal contamination: a study by a new method. Lancet, i, 670.

ROGERS, K. B. (1951). The use of cylinder model vacuum cleaners. J. Hyg., Camb., 49, 497.

VAN DEN ENDE, M., LUSH, D. & EDWARD, D. G. ff. (1940). Reduction of dust-borne bacteria by treating floors. *Lancet*, ii,133.

EXPLANATION OF PLATE

An oiled mop (20 in.) in use on a ward floor.