

Recent Entomology Books from CAB INTERNATIONAL

Hymenoptera and Biodiversity

Edited by J. LaSalle, International Institute of Entomology, and I. D. Gauld, The Natural History Museum, London

This volume concentrates on three key issues: how species of Hymenoptera affect diversity in other organisms; whether Hymenoptera is a group prone to extinction; and the consequences if Hymenoptera species are differentially removed from terrestrial ecosystems. The book is essential reading for entomologists and those concerned with biodiversity and conservation.

May 1993 368 pages Hardback

ISBN 0 85198 830 X

Price: £49.50 (US\$94.00 Americas only)

Decision Tools for Pest Management

Edited by G. A. Norton, Cooperative Research Centre for Tropical Pest Management, University of Queensland, Australia and J. D. Mumford, Imperial College at Silwood Park, UK

This book uses an interdisciplinary perspective encompassing the political, social and economic dimensions of pest problems, as well as their agronomic, ecological and technological features. The authors provide a working manual covering problem definition tools, computer tools (including modelling and database or information systems) and implementation tools.

December 1993 288 pages Hardback

ISBN 0 85198 783 4

Price: £37.50 (US\$71.25 Americas only)

Principles of Acarology

G. O. Evans, former Professor of Agricultural Zoology, University College, Dublin, Ireland

Provides a detailed introduction to the Acari, concentrating on their functional morphology, but also covering their classification and economic importance. It will serve as a text and reference for advanced-level students.

December 1992 576 pages Hardback

ISBN 0 85198 822 9

Price: £65.00 (US\$123.50 Americas only)

The Identification and Characterization of Pest Organisms

Edited by D. L. Hawksworth, International Mycological Institute, UK

This volume consists of 34 papers presented at the Third Workshop on the Ecological Foundations of Sustainable Agriculture (WEFSA III), organized by CAB INTERNATIONAL and the Systematics Association, held in June 1993. The book is divided into four parts: biosystematic services, biosystematic characters and biochemical and molecular biosystematics. It demonstrates how biosystematics can contribute to improved crop protection and which techniques are appropriate to address particular identification problems.

April 1994 HB 500 pages

ISBN 0 85198 904 7

Price: £49.95 (US\$85.00 Americas only)

Insects of Economic Importance: A Checklist of Preferred Names

Compiled by Alan Wood, International Institute of Entomology, UK

In order to standardize nomenclature, the International Institute of Entomology (IIE) maintains an index of about 100 000 names. This book contains a selection of the most important names. It consists of more than 5 500 preferred names and 1 500 non-preferred names, arranged alphabetically.

September 1989 160 pages

ISBN 0 85198 652 8

Price: £16.00 (US\$29.50 Americas only)

Biodiversity and Biosystematic Priorities: Microorganisms and Invertebrates

D. L. Hawksworth and J. M. Ritchie

Includes: Biosystematics and biodiversity assessments; Biosystematics and sustainability; Biosystematic resources in developing countries; Biosystematic resources in developed countries; Priority actions to strengthen biosystematics in support of biodiversity in developing countries.

1993 126 pages Paperback

ISBN 0 85198 887 3

Price: £20.00 (US\$37.00 Americas only)

Published by CABI and available from any of the following addresses:

CAB INTERNATIONAL

Headquarters
Wallingford
Oxon OX10 8DE
UK
Tel: (0491) 832111
Telex: 847964 (COMAGG G)
Fax: (0491) 833508

North America
845 North Park Avenue
Tucson, Arizona 85719
USA
Tel: (800) 528 4841
(602) 621 7897
Fax: (602) 621 3816

Asia
PO Box 11872
50760 Kuala Lumpur
Malaysia
Tel: (03) 255 2922
Telex: 28031 (MA CABI)
Fax: (03) 255 1888

Caribbean
Gordon Street
Curepe
Trinidad and Tobago
Tel: (809) 662 4173
Telex: 0294 24438 (CARIRI)
Fax: (809) 663 2859

NOTES FOR AUTHORS

The *Bulletin of Entomological Research* publishes original research papers concerning insects, mites, ticks or other arthropods of economic importance in agriculture, forestry, stored products, biological control, medicine, animal health and natural resource management. The geographical scope of the *Bulletin* is worldwide but with emphasis on the tropics. Taxonomic papers are accepted if relevant. Short review papers, although normally by invitation, will also be considered for publication.

Page Format. The *Bulletin* is printed in a two-column format (column width of 80 mm) with a text area of 170×225 mm.

Text. Papers should be typed, on one side of the paper only, with double line spacing and ample margins (at least 1.5 cm) on each side and with no underlining or bold in text except for scientific names. Draft quality print from a word-processor is not acceptable. Standard abbreviations (e.g. fig. and figs) and metric units must be used. Guidelines for taxonomic papers are available.

When the paper has been accepted word-processed text stored on floppy disk is encouraged, providing the software is IBM/DOS compatible, but floppy discs must be accompanied by a hard copy. This will enable papers to be handled rapidly, and with fewer type-setting errors.

Abstract. Each paper must commence with a carefully prepared, accurate, informative abstract, in one paragraph, that is complete in itself and intelligible without reference to text or figures. It should not exceed 250 words. A short title should be provided as a running head.

Tables. Tables should be reduced to the simplest form, and should not be used where text or illustrations give the same information. They should be submitted on separate sheets at the end of the article and must fit conveniently into single column, full width or landscape (if absolutely necessary) format. Table captions should be typed on a separate sheet.

Illustrations. Copies only of artwork should be submitted. The original illustrations should accompany the paper after acceptance and revision. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds. Half-tone photographs are acceptable where they are a real contribution to the text. Figure and captions should be typed on a separate sheet

in the following format:

Figs 23–26. Figs 23–24, *Urophora* eggs: 23, *U. hispanica*; 24, *U. stigma*. Figs 25–26, spermathecae: 25, *U. maura*; 26, *U. stigma*; scale lines=0.05 mm.

Voucher specimens. The deposition of voucher specimens should be considered where appropriate.

References. References must be based on the name and year system, give full journal titles and conform to the following styles:

Powell, W. (1986) Enhancing parasitoid activity in crops. pp. 319–340 in Waage, J. & Greathead, D. (Eds) *Insect parasitoids*. London, Academic Press (Symposium, Royal Entomological Society of London No. 13).

Southwood, T.R.E. (1978) *Ecological methods with particular reference to the study of insect populations*. 2nd edn. 524 pp. London, Chapman & Hall.

Zhou, X., Carter, N. & Mumford, J. (1989) A simulation model describing the population dynamics and damage potential of the rose grain aphid, *Metopolophium dirhodum* (Walker) (Hemiptera: Aphididae), in the UK. *Bulletin of Entomological Research* **79**, 373–380.

Citation of authors in the text should appear in the form: Polaszek (1990) or (Polaszek, 1990). More than one author should be cited in chronological order as: (Holloway et al., 1987; Walker & Huddleston, 1988).

Offprints. 50 copies of each paper are provided free to the author (or major author) of each paper. Further copies may be obtained on payment, and the number required should be specified and ordered at proof stage.

Manuscripts. Three copies of the manuscript and artwork should be submitted to:

The Editor
Bulletin of Entomological Research
International Institute of Entomology
56, Queen's Gate
London
SW7 5JR, UK.

Bulletin of Entomological Research

Editorial Comment	001
Boot, W. J., Sisselaar, D. J. A., Callis, J. N. M. & Beetsma J. Factors affecting invasion of <i>Varroa jacobsoni</i> (Acari: Varroidae) into honeybee, <i>Apis mellifera</i> (Hymenoptera: Apidae), brood cells.....	003
French-Constant, R. H., Steichen, J. C. & Brun, L. O. A molecular diagnostic for endosulfan insecticide resistance in the coffee berry borer <i>Hypothenemus hampei</i> (Coleoptera: Scolytidae)...	011
Gregg, P. C., Fitt, G. P., Coombs, M. & Henderson, G. S. Migrating moths collected in tower-mounted light traps in northern New South Wales, Australia: influence of local and synoptic weather.....	017
James, D. G. The development of suppression tactics for <i>Biprorulus bibax</i> (Heteroptera: Pentatomidae) as part of an integrated pest management programme in citrus in inland south-eastern Australia.....	031
Jayawardena, K. G. L., Karunaratne, S. H. P. P., Ketterman, A. J. & Hemingway, J. Determination of the role of elevated B ₂ esterase in insecticide resistance in <i>Culex quinquefasciatus</i> (Diptera: Culicidae) from studies on the purified enzyme.....	039
Krespi, L., Dedryver, C. A., Rabasse, J. M. & Nénon, J. P. A morphometric comparison of aphid mummies containing diapausing vs. non-diapausing larvae of <i>Aphidius rhopalosiphii</i> (Hymenoptera: Braconidae, Aphidiinae).....	045
LaSalle, J. & Huang, D. Two new Eulophidae (Hymenoptera: Chalcidoidea) of economic importance from China.....	051
Pennachio, F., Digilio, M. C., Tremblay, E. & Tranfaglia, A. Host recognition and acceptance behaviour in two aphid parasitoid species: <i>Aphidius ervi</i> and <i>Aphidius microlophii</i> (Hymenoptera: Braconidae).....	057
Polaszek, A., Fitton, M. G., Bianchi, G. & Huddleston, T. The parasitoids of the African white rice borer, <i>Maliarpha separatella</i> Ragonot (Lepidoptera: Pyralidae).....	065
Sales, F. J. M. Assessment of the behaviour patterns of the lemon leaf-cutting ant, <i>Atta sexdens rubropilosa</i> (Hymenoptera: Formicidae), to natural sources of allelochemicals.....	091
Service, M. W. The biology of <i>Culiseta morsitans</i> and <i>Culiseta litorea</i> (Diptera: Culicidae) in England.....	097
Shufran, K. A. & Wilde, G. E. Clonal diversity in overwintering populations of <i>Schizaphis graminum</i> (Homoptera: Aphididae).....	105
Steiner, E. C., Harrington, S. A., Watson, K. V. & Monzu, N. A technique for initiating cutaneous myiasis (flystrike) on sheep.....	115
Uygun, N., Şengonca, Ç., Ulusoy, M. R. & Kersting, U. Toxicity of some pesticides to <i>Eretmocerus debachi</i> (Hymenoptera: Aphelinidae), an important parasitoid of <i>Parabemisia myricae</i> (Homoptera: Aleyrodidae).....	119
Vale, G. A., Wilcox, J., Abson, J. Prospects for using odour-baited trees to control tsetse flies (Diptera: Glossinidae).....	123
Woodley, N. E. A new species of <i>Lydella</i> (Diptera: Tachinidae) from Mexico with a discussion of the definition of the genus.....	131
Yuval, B. & Fritz, G. N. Multiple mating in female mosquitoes—evidence from a field population of <i>Anopheles freeborni</i> (Diptera: Culicidae).....	137
Book Reviews	141

© CAB INTERNATIONAL, 1994

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without prior permission of the copyright owner.