# JOURNAL OF DAIRY RESEARCH

#### EDITED BY

H. BURTON, D.Sc., C.Eng., M.I.E.E. National Institute for Research in Dairying, Shinfield, Reading, Berkshire

J. A. B. SMITH, C.B.E., Ph.D., D.Sc. Hannah Dairy Research Institute, Ayr, Scotland

#### ASSISTED BY

DR A. T. ANDREWS (Reading)

DR C. C. BALCH (Reading)

DR T. E. BARMAN (Reading)

DR N. J. BERRIDGE (Reading)

DR J. A. BINES (Reading)

MR B. F. BONE (Reading)

DR W. H. BROSTER (Reading)

DR G. C. CHEESEMAN (Reading)

DR D. T. DAVIES (Ayr)

DR F. H. DODD (Reading)

DR M. G. B. DREW (Reading)

PROFESSOR P. F. FOX (Cork)

DR M. L. GREEN (Reading)

MISS Z. D. HOSKING (Reading)

DR E. A. JONES (Reading)

DR J. L. LINZELL (Reading)

DR R. L. J. LYSTER (Reading)

DR L. A. MABBITT (Reading)

DR W. A. McGILLIVRAY (New Zealand)

DR T. B. MEPHAM (Nottingham)

PROFESSOR G. MOCQUOT (Jouy-en-Josas)

DR L. W. PHIPPS (Reading)

DR J. A. B. ROY (Reading)

DR J. E. STORRY (Reading)

DR R. WAITE (Ayr)

DR V. A. WELCH (Reading)

DR J. C. D. WHITE (Ayr)

VOLUME 41, 1974

#### CAMBRIDGE UNIVERSITY PRESS

# PUBLISHED BY THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB American Branch: 32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge

## **Contents**

# No. 1 (February 1974)

	PAGE
Cavitation and separated flow in a simple homogenizing valve and its influence on the break-up of fat globules in milk. L. W. Phipps	1
The influence of lysolecithin on the complex formation between $\beta$ -lactoglobulin and $\kappa$ -casein. O. Korver and H. Meder	9
Influence of dietary proteins on rennin and pepsin content of preruminant calf vell. P. Garnot, E. Valles, JL. Thapon, R. Toullec, R. Tomassone and B. Ribadeau-Dumas	19
Separation and estimation of diacetyl and acetoin in milk. B. Walsh and T. M. Cogan	25
Further studies on the estimation of diacetyl by the methods of Prill and Hammer and Owades and Jakovac. B. Walsh and T. M. Cogan	31
The effect of reduction and alkylation on the primary phase of rennin action on unheated and heated milk. G. A. Wilson, J. V. Wheelock and A. Kirk	37
Physico-chemical properties of casein micelles reformed from urea-treated milk. T. C. A. McGann and P. F. Fox	45
A laboratory-scale ultra-high-temperature milk sterilizer for batch operation.  A. G. Perkin	55
Diacetyl, acetoin, 2,3-butyleneglycol, 2-butanone and 2-butanol concentrations in ripening Cheddar cheese. A. R. Keen and N. J. Walker	65
Formation of methyl ketones during ripening of Cheddar cheese. N. J. WALKER and A. R. KEEN	73
Sulphur compounds in relation to Cheddar cheese flavour. D. J. Manning .	81
The structure of the deposit formed on the membrane during the concentration of milk by reverse osmosis. F. A. Glover and B. E. Brooker.	89
Hour-to-hour variation in amino-acid arterio-venous concentration differences across the lactating goat mammary gland. T. B. Mepham and J. L. Linzell	95
Effects of intramammary arterial infusion of essential amino acids in the lactating goat. J. L. Linzell and T. B. Мернам	101
Effects of intramammary arterial infusion of non-essential amino acids and glucose in the lactating goat. T. B. Mepham and J. L. Linzell	111
The effect of phosphates in lowering the amount of deposit formation during the heat treatment of milk. M. BURDETT	123

iv Contents

Milk gel structure. II. Relation between firmness and ultrastructure of heat-	PAGE
induced skim-milk gels containing 40-60% total solids. M. Kalab and V. R. Harwalkar	131
The release of intracellular dipeptidase from starter streptococci during Cheddar cheese ripening. B. A. Law, M. E. Sharpe and B. Reiter .	137
A rennin-sensitive bond in $\alpha_{\rm sl}$ $\beta$ -casein. R. D. Hill, E. Lahav and D. Givol	147
No. 2 (June 1974)	
The responses in milk solids-not-fat and protein contents to improved feeding of cows receiving winter-stall diets and underfed for varying periods. J. A. Wright, J. A. F. Rook and P. D. P. Wood	155
Responses in rumen fermentation and milk-fat secretion in cows receiving low-roughage diets supplemented with protected tallow. J. E. Storry, P. E. Brumby, A. J. Hall and V. W. Johnson	165
Synthesis of milk fat from $\beta$ -hydroxybutyrate and acetate in lactating goats. G. H. Smith, S. McCarthy and J. A. F. Rook	175
Reproducibility of the electronic cell-count procedure for counting somatic cells in milk. J. K. L. Pearson, D. O. Greer and D. A. Stewart	193
Microcalorimetry applied to certain species of bacteria growing in sterilized separated milk. N. J. Berridge, C. M. Cousins and A. J. Cliffe	203
The quantitative partition of the albumin fraction of milk serum proteins by gel chromatography. D. T. Davies	217
Bovine milk acid phosphatase. II. Binding to casein substrates and heat-inactivation studies. A. T. Andrews	229
Comparative micelle structure. II. Structure and composition of casein micelles in ovine and caprine milk as compared with those in bovine milk. B. C. RICHARDSON, L. K. CREAMER, K. N. PEARCE and R. E. MUNFORD	239
The formation of 2-butanone and 2-butanol in Cheddar cheese. A. R. Keen, N. J. Walker and M. F. Peberdy	249
A quantitative gel-filtration method for analysis of the proteinaceous fraction of Cheddar cheese. P. M. D. Foster and M. L. Green	259
Comparison of the rates of proteolysis during ripening of Cheddar cheeses made with calf rennet and swine pepsin as coagulants. M. L. Green and P. M. D. Foster	269
The structure of a bitter peptide derived from casein by digestion with papain.  K. M. Clegg, C. L. Lim and W. Manson	283

Contents v

# No. 3 (October 1974)

	PAGE
Molassed sugar-beet pulp nuts supplemented with urea and phosphate used as a milk production concentrate for dairy cows. J. J. Parkins, R. G. Hemingway and N. S. Ritchie	289
Measurements in vivo of the rate of production of protozoa in the rumen. U. B. Singh, A. Varma, D. N. Verma and S. K. Ranjhan	299
The effect of nitrogen source in the diet on milk production and amino acid uptake by the udder. R. C. Kellaway, S. S. E. Ranawana, J. H. Buchanan and L. D. Smart	305
Some factors associated with the late-winter decline in the lactose content of herd bulk milks. R. B. Dawson, J. A. F. Rook and P. D. P. Wood .	317
Milk fat globule membrane material in skim-milk. F. B. P. WOODING	331
Some operating characteristics of a simple homogenizing poppet valve; pressure profiles and separation: zone of fat globule dispersion. L. W. Phipps	339
Studies on the heat stability of milk protein. I. Interconversion of type A and type B milk heat-stability curves. A. W. M. SWEETSUR and J. C. D. WHITE	349
The nature of casein aggregates in heated and stored milk. G. C. Cheeseman and D. Knight	359
The role of $\beta$ -lactoglobulin in the primary phase of rennin action on heated casein micelles and heated milk. J. V. Wheelock and A. Kirk	367
The precipitation of whey proteins by carboxymethyl cellulose of differing degrees of substitution. R. D. Hill and J. G. Zadow	373
A method for the quantitative analysis of the enzyme complement of commercial rennets. P. A. O'LEARY and P. F. Fox	381
Electron microscope studies of the development of structure in Cheddar cheese. A. L. Kimber, B. E. Brooker, D. G. Hobbs and J. H. Prentice	389
The determination of acetic, propionic and butyric acids in cheese. A. R. KEEN and N. J. WALKER	397

### **Index of Subjects**

Acetic acid, determination, cheese, 397 Acetoin, estimation, milk, 25

Albumin, fraction, whey proteins, partition, chromatography, 217

Amino acids, mammary gland, arterio-venous differences, 95, 101

infusion, 101, 111

uptake, casein dietary supplement, 305

Bacteria, milk, detection, microcalorimetry, 203 Blood, mammary gland, amino acids, arteriovenous differences, 95, 101

infusion, 101, 111

uptake, casein dietary supplement, 305

glucose, infusion, 111

Butterfat, see Milk fat

Butyric acid, determination, cheese, 397

Carboxymethyl cellulose, precipitation of whey proteins, 373

Casein, as dietary supplement, milk yield, amino acid uptake, mammary gland, 305

micelles, heated, rennin, action, effect of  $\beta$ lactoglobulin, 367

structure, heat-induced milk gels, 131 composition, milk, sheep, goat, cow, 239

urea treatment, 45

papain treatment, bitter peptide, 283 polymerization, UHT sterilized milk, stored,

substrates, acid phosphatase, affinity, 229  $\alpha_{\rm sl}$ B-Casein, rennin-sensitive bond, 147

κ-Casein, β-lactoglobulin, complex formation, lysolecithin, influence, 9

Cheddar cheese, 2-butanone, 2-butanol, formation, 249

flavour compounds, 65, 73, 81, 249

ripening, intracellular dipeptidase release, starter streptococci, 137

proteolysis, determination, gel filtration, 259 rates, calf rennet, swine pepsin, coagulants, 269

structure, development, study, electron microscopy, 389

Cheese, fatty acids, acetic, propionic, butyric, determination, 397

Cheesemaking, see Cheddar cheese, Cheese

Cheese ripening, proteolysis, determination, gel filtration, 259

rates, calf rennet, swine pepsin, coagulants, 269

Chromatography, whey proteins, 217

Clotting, see Coagulation

Coagulation, time-pH curves, milk protein, heated, 349

Concentrates, see Diet

Concentration, milk, reverse osmosis, membrane deposit, 89

Coulter Counter, reliability, cell counts, milk, 193

Diacetyl, estimation, milk, 25, 31

Diet, casein supplement, milk yield, amino acid uptake, mammary gland, 305

low-roughage, tallow supplement, rumen fermentation, milk fat yield, 165

milk-, whey-proteins, rennin, pepsin content, calf vell, 19

molassed sugar-beet pulp, urea, phosphate added, milk yield, 289

underfeeding, followed by supplementary concentrates, milk composition, 155

Dipeptidase, intracellular release, starter streptococci, Cheddar cheese flavour, 137

Disease, see Mastitis

Electron microscopy, study, structure, development, Cheddar cheese, 389

Enzymes, see Dipeptidase, Papain, Phosphatase, Rennet, Rennin

Fatty acids, acetic, propionic, butyric, determination, cheese, 397

milk fat,  $\beta$ -hydroxybutyrate, acetate, contributions, lactating goats, 175

low-roughage diet, tallow supplement, 165

Flavour, bitter, peptide from casein, after treatment, papain, 283

Cheddar cheese, compounds, 65, 73, 81, 249
2-butanone, 2-butanol, formation, 249
intracellular dipeptidase release, starter streptococci, 137

Formaldehyde-treated casein, in concentrates, milk yield, amino acid uptake, mammary gland, 305

Gel filtration, analysis, proteinaceous fraction, Cheddar cheese, 259

Glucose, infusion, mammary gland, 111

Goats, milk, casein micelles, structure, composition, 239

milk fat, synthesis, 175

Heat stability, see Coagulation, milk protein, heated

Heat treatment, see also Sterilization

milk, acid phosphatase, inactivation, 229 deposits, reduction, phosphates, addition, 123 rennin action, effect of,  $\beta$ -lactoglobulin, 367 reduction, alkylation, 37

skim-milk, 40-60% total solids, gel structure,

Homogenization, valve, action, flow separation, cavitation, zone, 1, 339 pressure profiles, 339

β-Hydroxybutyrate, acetate, milk fat synthesis, lactating goats, 175 β-Lactoglobulin, κ-casein, complex formation, lysolecithin, influence, 9

inhibition, rennin action, heated casein micelles, heated milk, 367

Lactose, content, milk, decline, late winter, 317 Lysolecithin, influence, complex formation,  $\beta$ -lactoglobulin,  $\kappa$ -casein, 9

Mammary gland, amino acids, arterio-venous differences, 95, 101

infusion, 101, 111

uptake, casein dietary supplement, 305 glucose, infusion, 111

Mastitis, detection, cell counts, Coulter Counter, reliability, 193

Microcalorimetry, detection, bacterial content, milk, 203

Micro-organisms, see also Bacteria, Streptococcus cremoris

2-butanone, 2-butanol, formation, Cheddar cheese, 249

Milk, acid phosphatase, affinity to casein substrates, heat inactivation, 229

cell counts, Coulter Counter, efficiency, factors, 193

coagulation, see Coagulation

concentration, reverse osmosis, membrane deposit, 89

heated, rennin action, effect of,  $\beta$ -lactoglobulin, 367

reduction, alkylation, 37

homogenization, fat globule break-up, homogenizing valve, flow separation, cavitation, 1
pressure profiles, separation, 339

UHT sterilization, casein polymerization, storage, 359

Milk composition, diacetyl, acetoin, separation, estimation, 25, 31

lactose content, decline, late winter, 317 underfeeding, followed by supplementary concentrates, 155

Milk deposits, on heat treatment, reduction, phosphates, addition, 123

Milk fat, fatty acids, milk, low-roughage diet, tallow supplement, 165

synthesis,  $\beta$ -hydroxybutyrate, acetate, roles, lactating goats, 175

globule, break-up, homogenizing valve, flow separation, cavitation, 1

pressure profiles, separation, 339 membrane material, skim-milk, 331

Milk fat yield, low-roughage diet, tallow supplement, 165

Milk protein(s), breakdown, see Proteolysis content, milk, underfeeding, followed by supplementary concentrates, 155

diet, rennin, pepsin content, calf vell, 19 heat stability, factors, 349

Milk protein yield, amino acid availability, 101,

Milk quality, estimation, microcalorimetry, 203
Milk sampling, bulk milk, cell counts, Coulter
Counter, efficiency, factors, 193

Milk serum proteins, see Whey proteins Milk solids, see Solids-not-fat

Milk yield, casein as dietary supplement, 305 feeding, molassed sugar-beet pulp, urea, phosphate added, 289

underfeeding, followed by supplementary concentrates, 155

#### Nutrition, see Diet

Papain, action, casein, bitter peptide, 283
Pepsin, content, calf vell, dietary proteins, influence, 19

swine, proteolysis, ripening, Cheddar cheese, 269 **Peptide**, bitter, action, papain on casein, 283 pH, milk protein, heat stability, 349

Phosphatase, acid, milk, binding to casein substrates, heat inactivation, 229

Phosphate, urea, supplement, molassed sugar-beet pulp, milk yield, 289

Propionic acid, determination, cheese, 397
Proteins, see Milk protein(s), Whey proteins
Proteolysis, Cheddar cheese, calf rennet, swine
pepsin, coagulants, 269

determination, gel filtration, 259

Protozoa, production rate, rumen, 299

Rennet, calf, proteolysis, ripening, Cheddar cheese, 269

commercial, enzyme complement, determination, 381.

Rennin, action,  $\alpha_{\rm sl}$ B-casein, 147

casein micelles, heated, effect of  $\beta$ -lactoglobulin, 367

milk, heated, effect of,  $\beta$ -lactoglobulin, 367 reduction, alkylation, 37

content, calf vell, dietary proteins, influence, 19 Rumen, fermentation, low-roughage diet, tallow supplement, 165

protozoa, production rate, 299

Season, winter, milk composition, lactose, decline, 317

underfeeding, followed by supplementary concentrates, 155

Separated milk, see Skim-milk

Sheep, milk, casein micelles, structure, composition, 239

Skim-milk, bacterial content, detection, microcalorimetry, 205

milk fat globule membrane material, 331

40-60% total solids, heat treatment, gel structure, 131

Solids-not-fat, content, milk, decline, late winter,

underfeeding, followed by supplementary concentrates, 155

Starters, intracellular dipeptidase, release, Cheddar cheese ripening, 137

Sterilization, UHT, milk, casein polymerization, storage, 359

laboratory-scale sterilizer, 55

Storage, milk, UHT sterilized, casein polymerization, 359

Streptococcus cremoris, intracellular dipeptidase release, Cheddar cheese ripening, 137 Sugar-beet, pulp, molassed, urea, phosphate added, milk yield, 289

Tallow, supplement, low-roughage diet, rumen fermentation, milk fat yield, 165

Total solids, content, skim-milk, milk gel structure, after heating, 131

Urea, effects on casein micelles, 45
phosphate, supplement, molassed sugar-beet
pulp, milk yield, 289

Whey proteins, albumin fraction, partition, chromatography, 217 diet, rennin, pepsin content, calf vell, 19 precipitation by carboxymethyl cellulose, 373

#### Index of Authors

Andrews, A. T., 229

Berridge, N. J., 203 Brooker, B. E., 89, 389 Brumby, P. E., 165 Buchanan, J. H., 305 Burdett, Marion, 123

Cheeseman, G. C., 359 Clegg, K. Mary, 283 Cliffe, A. J., 203 Cogan, T. M., 25, 31 Cousins, Christina M., 203 Creamer, L. K., 239

DAVIES, D. T., 217 DAWSON, R. R., 317

FOSTER, P. M. D., 259, 269 Fox, P. F., 45, 381

Garnot, Pascaline, 19 Givol, D., 147 Glover, F. A., 89 Green, Margaret L., 259, 269 Greer, D. O., 193

Hall, A. J., 165 Harwalkar, V. R., 131 Hemingway, R. G., 289 Hill, R. D., 147, 373 Hobbs, D. G., 389

JOHNSON, V. W., 165

KALAB, MILOSLAV, 131 KEEN, A. R., 65, 73, 249, 397 KELLAWAY, R. C., 305 KIMBER, ALWYN M., 389 KIRK, A., 37, 367 KNIGHT, DOROTHY, 359 KORVER, O., 9

Lahav, E., 147 Law, B. A., 137 Linzell, J. L., 95, 101, 111

McCarthy, S., 175 McGann, T. C. A., 45 Manning, D. J., 81 MANSON, W., 283 MEDER, H., 9 MEPHAM, T. B., 95, 101, 111 MUNFORD, R. E., 239

O'LEARY, P. A., 381

Parkins, J. J., 289
Pearce, K. N., 239
Pearson, J. K. L., 193
Peberdy, M. F., 249
Perkin, A. G., 55
Phipps, L. W., 1, 339
Prentice, J. H., 389

RANAWANA, S. S. E., 305 RANJHAN, S. K., 299 REITER, B., 137 RIBADEAU-DUMAS, B., 19 RICHARDSON, B. C., 239 RITCHIE, N. S., 289 ROOK, J. A. F., 155, 175, 317

Sharpe, M. Elisabeth, 137 Singh, U. B., 299 Smart, L. D., 305 Smith, G. H., 175 Stewart, D. A., 193 Storry, J. E., 165 Sweetsur, A. W. M., 349

THAPON, J.-L., 19 TOMASSONE, R., 19 TOULLEC, R., 19

Valles, E., 19 Varma, A., 299 Verma, D. N., 299

Walker, N. J., 65, 73, 249, 397 Walsh, B., 25, 31 Wheelock, J. V., 37, 367 White, J. C. D., 349 Wilson, G. A., 37 Wood, P. D. P., 155, 317 Wooding, F. B. P., 331 Wright, J. A., 155

ZADOW, J. G., 373

#### INDIAN JOURNAL OF DAIRY SCIENCE

Volume 27, No. 3

September 1974

#### CONTENTS

Composition of casein micelles of buffalo milk during lactation. By SKARIAH OOMEN and N. C. GANGULI

Relative mobilities and abundance of various casein components in buffalo milk. By R. SENGUPTA, U. B (MISS) BHARATI ROY CHOUDHURY and A. GUHA

Flavour control and microbiological and chemical manifestations of ripening changes in direct acidified curd slurries. By S. SINGH and T. KRISTOFFERSEN

Changes in microbial population during manufacture of ice-cream. By GIAN SINGH VERMA

The chemical composition and nutritive value of ground-nut (Arachis hypogaea Linn.). By M. N. AMRIT KUMAR and S. R. SAMPATH

Effect of banana leaves tannin and tannic acid on protein degradation. By A. K. TRIPATHI

The utilisation of sal seed (Shorea robusta) meal as a feed supplement in the ration of growing heifers. By S. N. SONAWANE and V. D. MUDGAL

Blood type J and production characteristics in cattle. By R. R. MISHRA, H. K. BHAGI and S. S. PRABHU

Studies on persistency and its relationship with some economic traits in Sahiwal, Red Sindhi and Brown Swiss crossbreds. By R. C. SHARMA and D. S. BHATNAGAR

Studies on the estimation of body surface area of Indian cattle. Part 1: Body surface area from body weight. By S. N. Pani, S. Guha and P. Bhattacharya

Genetic study on alkaline phosphatase in Hariana cattle. By E. J. EAPEN and C. B. GOSWAMI

Economics of mixed farming with dairying having cross-bred cows and buffaloes on bullock operated and mechanised farm. By S. S. GILL and GURMUKH SINGH

#### Short Communications

The effect of body condition at calving upon the energetic efficiency of milk production in dairy cow. By R. K. YADAVA, H. R. CONRAD and L. O. GILMORE

Effect of feeding sea weed to lactating cows on composition of milk. By M. C. DESAI and P. C. SUKLA

Prediction of voluntary intake and nutritive value index of forages. By P. C. GUPTA and K. PRADHAN

A new simpler method for reduction of least squares equation for disproportionate sub-class numbers. By H. K. B. PAREKH

Price Rs. 20/- (\$6.00 or £2.00) per annum

Published by INDIAN DAIRY SCIENCE ASSOCIATION W-IIIA, Greater Kailash, New Delhi-110 048, INDIA

# The Journal of Applied Bacteriology

edited for the Society for Applied Bacteriology by F. A. Skinner and G. Sykes

Long-established as an international medium for original papers embracing the many aspects of applied bacteriology, the Journal serves the widening interests of microbiologists in all fields of research.

Subscription Volume 37, 1974 UK £13.00 overseas £14.80; including postage

**Publication** March, June, September, December

#### Contents of Volume 37 Number 1:

A. Mates: The effect of alcohols on growth and lipase formation by Staphylococcus aureus. R. B. Quadri, K. A. Buckle and R. A. Edwards: Rapid methods for the determination of faceal contamination in oysters. J. C. G. Ottow: Detection of hippurate hydrolase among Bacillus species by thin layer chromatography and other methods. J. E. L. Corry: The effects of sugars and polyols on the heat resistance of Salmonellae. A. W. Hoadley and C. M. Cheng: The recovery of indicator bacteria on selective media. H. Jackson: Loss of viability and metabolic injury of Staphylococcus areus resulting from storage at 5 °C. J. Downs and D. E. F. Harrison: Studies on the production of pink pigment in Pseudomonas extorquens NCIB 9399 growing in continuous culture. D. A. Stafford: The effect of phenols and heterocyclic bases on nitrification in activated sludges. S. Thomas and A. D. Russell: Studies on the mechanism of the sporticidal action of glutaraldehyde. J. Steinborn and R. J. Roughley: Sodium chloride as a cause of low numbers of rhizobium in legume inoculants. J. V. A. Robinson and A. L. James: Some observations on the colony morphology of corroding bacilli. S. Hall and P. A. Ayres: A membrane filtration technique for the enumeration of Escherichia coli in seawater. F. H. Grau and M. G. Smith: Salmonella contamination of sheep and mutton carcasses related to preslaughter holding conditions. S. F. Bloomfield: The effect of the phenolic antibacterial agent fentichlor on energy coupling in Staphylococcus aureus. H. Foissy: A method for demonstrating bacterial proteolytic isoactivities after electrophoresis in acrylamide gels. J. Jowens: The egg yolk reaction produced by several species of bacteria. D. J. Jayne-Williams and C. D. Burgess: Further observations on the toxicity of navy beans (Phaseolus vulgaris) for Japanese Quail (Cournix coturnix japonica). Short communications: J. M. Barea, E. Navarro, A. Palomares and E. Montoya: A rapid microbiological assay method for auxins, gibberellic acid and kinetin using yeast. R. T. Belly Bacillus coagulans in hot springs. Book reviews.

# **ACADEMIC PRESS**

London and New York

24-28 Oval Road, London NW 1, England 111 Fifth Avenue, New York, NY 10003, USA



# The Journal of General Microbiology

Volume 82, Part 2, June 1974

#### PHYSIOLOGY AND GROWTH

- Phototropic and Geotropic Responses During the Development of Normal and Mutant Fruit Bodies of the Basidiomycete Schizophyllum commune. By M. N. SCHWALB and A. SHANLER
- Characteristics of Arthrobacter Grown in Continuous Culture. By B. M. LUSCOMBE and T. R. G. GRAY
- Metabolism in Penicillium isariiforme on Exposure to Light, with Special Reference to Citric Acid Synthesis. By W. D. J. GRAAFMANS
- Mechanism of Ammonia Assimilation in Streptococci. By C. J. GRIFFITH and J. CARLSSON
- Trisporic Acid Synthesis in Homothallic and Heterothallic Mucorales. By B. A. Werkman and H. Van den Ende
- Response of Achyla ambisexualis E87 to the Hormone Antheridiol and Certain Other Steroids. By A. W. BARKSDALE, T. C. McMorris, R. SESHADRI, T. ARUNACHALAM, J. A. EDWARDS, J. SUNDEEN and D. M. GREEN
- RNA Metabolism during Morphogenesis in Histoplasma capsulatum. By S.-S. C. CHEUNG, G. S. KOBAYASHI, D. SCHLESSINGER and G. MEDOFF
- Quantitative Multiplication of Mycobacterium lepraemurium in a Cell-free Liquid Medium (NC-5). By M. NAKAMURA

#### **BIOCHEMISTRY**

- The Pyridine-nucleotide Transhydrogenase of Salmonella typhimurium. By A. P. SINGH and P. D. BRAGG
- Large-scale Production of Clavine Alkaloids by Claviceps fusiformis. By G. T. Banks, P. G. Mantle and C. A. Szczyrbak

#### GENETICS AND MOLECULAR BIOLOGY

- Characterization and Ultrastructure of Mutants of Escherichia coli Deficient in  $\alpha$ -1,4-Glucan- $\alpha$ -1,4-Glucan 6-Glucosyltransferase (Branching Enzyme). By C. LARES, C. FRIXON, N. CREUZET-SIGAL and P. THOMAS
- Staphylococcal Penicillinase Plasmids: Studies on the Reversion of a Temperature-sensitive Replication Mutant to Temperature Stability. By L. H. JOHNSTON and K. G. H. DYKE

- Biochemical and Genetic Characteristics of Deletion and other Mutant Strains of Salmonella typhimurium LT2 Lacking α-Keto Acid Dehydrogenase Complex Activities. By D. LANGLEY and J. R. GUEST
- Impaired Regulation of Aromatic Amino Acid Synthesis in a Mutant Resistant to p-Fluorophenylalanine. By C. Barker and D. Lewis
- Sporulation in Bacillus subtilis 168. Control of Synthesis of Alkaline Phosphatase. By W. D. GRANT
- Cytological Analysis of the Parasexual Cycle in Dictyostelium discoideum. By T. Brody and K. L. WILLIAMS
- Ineffective Rhizobium trifolii Mutants Examined by Immune-diffusion, Gel-electrophoresis and Electron Microscopy. By C. E. PANKHURST

#### MEDICAL MICROBIOLOGY

- Further Studies on Leptospiral Genus-specific Antigen: Its Ultrastructure and Immunochemistry. By A. Palit, R. C. Hamilton and J. GULASEKHARAM
- Factors Present in Serum and Seminal Plasma which Promote Germ-tube Formation and Mycelial Growth of Candida albicans. By A. J. E. BARLOW, T. ALDERSLEY and F. W. CHATTAWAY

#### **TAXONOMY**

Flexibacter polymorphus, a New Marine Species. By R. A. Lewin

#### SHORT COMMUNICATIONS

- Fertility Inhibition of an N Group R Factor by a Group X R Factor, R6K. By R. J. PINNEY and J. T. SMITH
- Lack of Correlation between Methicillin Resistance and Susceptibility to Lysostaphin in Staphylococcus aureus. By I. CHOPRA and R. W. LACEY
- Anaerobic Utilization of Uric Acid by Some Group D Streptococci. By G. C. MEAD
- A Norleucine-resistant Mutant of Salmonella typhimurium with a Possible Defect in Valine Uptake or Regulation. By A. C. Hobson

£5.50 net (US \$16.50 in USA and Canada)
1974 subscription £48.00 net (US \$159.00 in USA and Canada)

#### CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London NW1 2DB

American Branch: 32 East 57th Street, New York, N.Y. 10022

#### DIRECTIONS TO CONTRIBUTORS

#### GENERAL

Manuscripts should be sent to Dr H. Burton (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

#### FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the Shorter Oxford English Dictionary. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

#### TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number of tables should be kept to a minimum.

#### ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in *blue* or *grey*, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend;

(c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm × 150 mm all lines, axes and curves should be 0.4 mm thick, thus

Graph symbols in order of preference are  $\bigcirc$  •,  $\triangle$  •,  $\square$  •,  $\times$  +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

To minimize the cost of blockmaking, the number of illustrations should be kept to a minimum.

#### REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown et al.) provided that there is no possible ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). Journal of Dairy Research 18, 158. References to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). Dairying. London: Brown and Chester.

It is the duty of the author to check all references.

#### UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication PD 5686:1972, *The use of SI units*. Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

#### DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0·1 M-NaH<sub>2</sub>PO<sub>4</sub>. The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

#### REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

## Journal of Dairy Research Volume 41, Number 3, October 1974

### CONTENTS

Molassed sugar-beet pulp nuts supplemented with urea and phosphate used as a milk production concentrate for dairy cows  J. J. PARKINS, R. G. HEMINGWAY and N. S. RITCHIE pages	s 289–297
Measurements in vivo of the rate of production of protozoa in the rumen U. B. SINGH, A. VARMA, D. N. VERMA and S. K. RANJHAN	299-303
The effect of nitrogen source in the diet on milk production and amino-acid uptake by the udder  R. C. KELLAWAY, S. S. E. RANAWANA, J. H. BUCHANAN and L. D. SMART	305-315
Some factors associated with the late-winter decline in the lactose content of herd bulk milks  R. R. DAWSON, J. A. F. ROOK and P. D. P. WOOD	317-329
Milk fat globule membrane material in skim-milk F. B. P. WOODING	331-337
Some operating characteristics of a simple homogenizing poppet valve; pressure profiles and separation: zone of fat globule dispersion L. W. PHIPPS	339-347
Studies on the heat stability of milk protein. I. Interconversion of type A and type B milk heat-stability curves A. W. M. SWEETSUR and J. C. D. WHITE	349-358
The nature of casein aggregates in heated and stored milk G. C. CHEESEMAN and D. KNIGHT	359-366
The role of β-lactoglobulin in the primary phase of rennin action on heated casein micelles and heated milk  J. V. WHEELOCK and A. KIRK	367-372
The precipitation of whey proteins by carboxymethyl cellulose of differing degrees of substitution  R. D. HILL and J. G. ZADOW	373-380
A method for the quantitative analysis of the enzyme complement of commercial rennets P. A. O'LEARY and P. F. FOX	381-387
Electron microscope studies of the development of structure in Cheddar cheese  A. M. KIMBER, B. E. BROOKER, D. G. HOBBS and J. H. PRENTICE	389-396
The determination of acetic, propionic and butyric acids in cheese A. R. KEEN and N. J. WALKER	397-404

© Proprietors of The Journal of Dairy Research, 1974

Printed in Great Britain at the University Printing House, Cambridge