INDEX

P	A G E
Abbott, C. A., Barot, E. M., Bilyeu, R. G. & Lewis, P. W. Weak precompactness, strong boundedness, and weak complete continuity.	325
Abramovich, Y. A. & Lipecki, Z. On ideals and sublattices in linear lattices and <i>F</i> -lattices	
	79
Antoine, JP. & Inoue, A. Representability of invariant positive sesquilinear forms on partial *-algebras	337
Athanassopoulos, K. The flow near non-trivial minimal sets on 2-manifolds	569
Banaschewski, B. & Pultr, A. Samuel compactification and completion of uniform frames	63
Barot, E. M., Bilyeu, R. G., Lewis, P. W. & Abbott, C. A. Weak precompactness. strong	
· · ·	317
	365
Bilyeu, R. G., Lewis, P. W., Abbott, C. A. & Barot, E. M. Weak precompactness, strong boundedness, and weak complete continuity.	325
Blecher, D. P. Tensor products which do not preserve operator algebras	395
Bridges, T. J. Bifurcation of periodic solutions near a collision of eigenvalues of opposite signature	575
Chapman, P. B., Glover, J. N. & Mees, A. I. The dynamics of the Rikitake dynamo equations from the stiff limit	171
	127
	523
Drury, S. W. Degenerate curves and harmonic analysis	89
Eastwood, V. R. Some recent developments concerning asymptotic distributions of ponto-	
	559
Elmendorf, A. D. Function spectra	31
Ernst, C. & Sumners, D. W. A calculus for rational tangles: applications to DNA recombination.	. 489
	527
Gambaudo, J. M. Periodic orbits and fixed points of a C^1 orientation-preserving embedding	
	381
Glover, J. N., Mees, A. I. & Chapman, P. B. The dynamics of the Rikitake dynamo equa-	
	. 171
	461
	421
Hallenbeck, D. J. & Samotij, K. Radial variation of analytic functions with non-tangential	
	371
Harris, D. & Ostrowska-Maciejewska, J. Three-dimensional constitutive equations for	. 153
Heath, P. R. Lifting amalgams and other colimits of monoids	21
	467
- <u>-</u>	475
Hu, TY. & Lau, KS. The sum of Rademacher functions and Hausdorff dimension	97
Jaeger, F., Vertigan, D. L. & Welsh, D. J. A. On the computational complexity of the	
Jones and Tutte polynomials.	35
Johnstone, P. T. Fibrewise separation axioms for locales	247

iv Index

Inoue, A. & Antoine, JP. Representability of invariant positive sesquilinear forms on partial *-algebras	337
Kamada, S. Orientable surfaces in the 4-sphere associated with non-orientable knotted sur-	00.
•	299
	429
Korchmáros, G. & Mazzocca, F. On $(q+t)$ -arcs of type $(0,2,t)$ in a desarguesian plane of	120
	445
•	517
Lau, KS. & Hu, TY. The sum of Rademacher functions and Hausdorff dimension .	97
Lewis, P. W., Abbott, C. A., Bator, E. M. & Bilyeu, R. G. Weak precompactness, strong	01
boundedness. and weak complete continuity	325
Lipecki, Z. & Abramovich, Y. A. On ideals and sublattices in linear lattices and F-lattices	=0
	79
, , , , , , , , , , , , , , , , , , , ,	203
Maruyama, KI. Localization of self-homotopy equivalences inducing the identity on homology	291
Mazzocca, F. & Korchmáros, G. On $(q+t)$ -arcs of type $(0,2,t)$ in a desarguesian plane of	
	445
Mees, A. I., Chapman, P. B. & Glover, J. N. The dynamics of the Rikitake dynamo equations from the stiff limit	171
Ostrowska-Maciejewska, J. & Harris, D. Three-dimensional constitutive equations for	
	153
	475
Przytycki, J. H. The t_3 , t_4 moves conjecture for oriented links with matched diagrams .	55
Pultr, A. & Banaschewski, B. Samuel compactification and completion of uniform frames	63
Race, D. Some strong limit-2 and Dirichlet criteria for fourth order differential expressions	00
· · · · · · · · · · · · · · · · · · ·	409
Rennison, J. F. Closure properties of the quasi-centre of a Banach algebra	355
Roerdink, J. B. T. M. A Markov chain identity and monoticity of the diffusion constants	
•	111
	403
0 1	105
	539
Samotij, K. & Hallenbeck, D. J. Radial variation of analytic functions with non-tangential boundary limits almost everywhere	371
Schlickewei, H. P. & van der Poorten, A. J. A diophantine problem in harmonic analysis	417
Simon, AM. Some homological properties of complete modules	231
Smith, J. D. H. Entropy, character theory and centrality of finite quasigroups	435
	551
Sumners, D. W. & Ernst, C. A calculus for rational tangles: applications to DNA recom-	489
•	
,	257
	311
	197
Ulbrich, KH. On the correspondence between gerbes and bouquets	1
Van der Poorten, A. J. & Schlickewei, H. P. A diophantine problem in harmonic analysis	
	417
, , ,	219
Vertigan, D. L., Welsh, D. J. A. & Jaeger, F. On the computational complexity of the Jones and Tutte polynomials.	35

	Ind	ex								v
Weiss, R. Extended generalized hexagons										7
Welsh, D. J. A., Jaeger, F. & Vertigan, Jones and Tutte polynomials.										35
Yetter, D. Quantum groups and represent	ations	of r	nono	idal c	atego	ries		•		261
Zarzuela S A generalization of a theorem	of Sh	arn	on k	ia Co	han 1	faga	ulay r	nodul	00	102

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

 Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm. is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas Some applications of a theorem of G. H. Hardy would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2\sin\theta/(1+y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as $o, O, O, O, O, C, X, X, X, \phi, \Phi, \emptyset$; $1, 1; \epsilon, \epsilon; \kappa, k$.

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign I may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or greenlined graph paper, or tracing cloth or paper. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1. Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in Mathematical Reviews. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. Adams. On the non-existence of elements of Hopf invariant one. Ann. of Math. (2) 72 (1960). 20-104.
- [2] M. P. FOURMAN and D. S. Scott, Sheaves and logic, In Applications of Sheaves, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401
- [3] P. T. JOHNSTONE. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis. Columbia University (1963).

Mathematical Proceedings of the Cambridge Philosophical Society

MPCPCO 108 (Pt 3) 417-608 (1990) 0305-0041 November 1990

CONTENTS

VAN DER POORTEN, A. J. & SCHLICKEWEI, H. P. A diophantine problem in harmonic analysis
HALL, R. R. Uniform upper bounds for the complex divisor function
KELAREY, A. V. On the Jacobson radical of semigroup rings of commutative semigroups
SMITH, JONATHAN D. H. Entropy, character theory and centrality of finite quasigroups
Korchmáros, Gábor & Mazzocca, Francesco. On $(q+t)$ -arcs of type $(0,2,t)$ in
desarguesian plane of order q
Gudmundsson, Sigmundur. On the geometry of harmonic morphisms
HEMPEL, JOHN. One-relator surface groups
HOSTE, JIM & PRZYTYCKI, JÓSEF H. Homotopy skein modules of orientable 3-manifolds
ERNST, C. & SUMNERS, D. W. A calculus for rational tangles: applications to DNA
recombination
Kozlowski, A. Characteristic classes of Galois representations
Drewnowski, Lech. Copies of l_m in an operator space
FILALI, M. The uniform compactification of a locally compact abelian group
SAITO, KICHI-SUKE. Toeplitz operators associated with analytic crossed products .
STALLARD, GWYNETH M. Entire functions with Julia sets of zero measure
EASTWOOD, VERA R. Some recent developments concerning asymptotic distributions of
pontograms.
ATHANASSOPOULOS, KONSTANTIN. The flow near non-trivial minimal sets on 2-manifolds
Bridges, Thomas J. Bifurcation of periodic solutions near a collision of eigenvalues of
opposite signature

© The Cambridge Philosophical Society 1990

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
40 WEST 20TH STREET, NEW YORK, NY 10011, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £23.00 net (USA and Canada US \$54.00)
Subscription price £65.50 per volume (£131.00 per annum) net post free (US \$139.00 per volume (US \$278 per annum) in USA and Canada)

Printed in Great Britain by the University Press, Cambridge