

Ownership and Publication of *Mathematika*

Mathematika was founded in the early 1950s by Harold Davenport and is owned by University College London. Since 2010, the journal has been published on behalf of its owner by the London Mathematical Society (LMS). The LMS celebrated its 150th anniversary in 2015; it is the major British learned Society for mathematics and publishes twelve other journals, five of which are in collaboration with other learned societies. Cambridge University Press prints and distributes *Mathematika* under agreement with the London Mathematical Society.

All articles are available electronically via Cambridge Core.

Aims and Scope

Mathematika publishes both pure and applied mathematical articles of the highest quality. The traditional emphasis has been towards the purer side of mathematics but applied mathematics and articles addressing both aspects are equally welcome.

Submission of Manuscripts

Authors wishing to submit a paper for publication should follow the guidelines available via the webpage www.lms.ac.uk/publications.

Authors will be asked to assign copyright to University College London prior to publication.

No paper should have been published or be under consideration for publication elsewhere. Nor may the paper be submitted elsewhere while it remains under consideration by *Mathematika*.

Offprints

A URL giving free access to the final published article will be provided free of charge. Offprints can be ordered on the form which will accompany the page proofs.

Printed back numbers

Orders for volume 56 (2010) onwards should be sent to Cambridge University Press. Printed copies of volume 55 (2009) and earlier volumes are available from the Department of Mathematics, University College London. Please contact mathematika@math.ucl.ac.uk.

Copying

This journal is registered with the Copyright Clearance Centre, 222 Rosewood Drive, Danvers, MA 01923, USA. Organizations in the USA that are registered with the CCC may therefore copy material beyond the limits permitted by sections 107 and 108 of US copyright law subject to payment to CCC of the per-copy fee. This consent does not extend to multiple copying for promotional and commercial purposes. Code 0025-5793/2017.

Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Cambridge or the American branch of Cambridge University Press.

Published by the London Mathematical Society on behalf of University College London.

This journal has been printed on FSC-certified paper and cover board. See www.fsc.org.

Typeset by Sunrise Setting Ltd, Brixham, UK.

Printed in the UK by Bell and Bain Ltd.

Mathematika

VOLUME 63 PART 1 2017

Ana Grau de la Herrán and Steve Hofmann Generalized local T_b theorems for square functions	1–28
Sandro Bettin and Steven M. Gonek The $\theta = \infty$ conjecture implies the Riemann hypothesis	29–33
Stephan Baier and Anish Ghosh Restricted simultaneous Diophantine approximation	34–52
Youness Lamzouri Large values of $L(1, \chi)$ for k th order characters χ and applications to character sums	53–71
Carme Cascante and Joaquín M. Ortega Two-weight norm inequalities for vector-valued operators	72–91
Christopher Frei and Manfred Madritsch Forms of differing degrees over number fields	92–123
François Fillastre and Ivan Izmetiev Shapes of polyhedra, mixed volumes and hyperbolic geometry	124–183
M. Csörnyei , K. Héra and M. Laczkovich Closed sets with the Kakeya property	184–195
Marc Munsch Shifted moments of L -functions and moments of theta functions	196–212
Andreas Weingartner A sieve problem and its application	213–229
Michael A. Bennett , Vandita Patel and Samir Siksek Perfect powers that are sums of consecutive cubes	230–249
Morten Hein Tiljeset Intrinsic Diophantine approximation on general polynomial surfaces	250–259
Philip Brinkmann and Günter M. Ziegler A flag vector of a 3-sphere that is not the flag vector of a 4-polytope	260–271
Silouanos Brazitikos Brascamp–Lieb inequality and quantitative versions of Helly’s theorem	272–291
Trevor D. Wooley Approximating the main conjecture in Vinogradov’s mean value theorem	292–350

Cambridge Core

For further information about this journal
please go to the journal web site at:

cambridge.org/mtk

CAMBRIDGE
UNIVERSITY PRESS