

Quite apart from its possible value Stocker considers that there may be two main objections to its use: First, that in the scar-tissue under treatment it is possible some virulent organisms may yet only be lying dormant because of their encapsulation, and that the action of fibrolysin may lead to their release and thus to a recrudescence of the original disease; and secondly, that such softening or absorption of scar-tissue in certain cases may constitute a danger in itself. For instance, Kassel has seen haemoptysis recur, Békess an acute condition set up in a case of old endocarditis, and Teleky perforative peritonitis take place, due to giving way of an operation scar in the pylorus, all of which were attributed to injections of fibrolysin. The writer also quotes a case of his own which he thinks bears on this point.

A woman, aged thirty-seven, had suffered for five years, the result of some painful adhesions in the abdomen. Twenty-five years ago she had had some periostitis of the left radius, which soundly healed in a few weeks leaving only a small patch of "thickening" on the inner side of the forearm. Thirty years ago she had been successfully vaccinated, to which three large dead-white scars on the left upper arm bore witness.

An intra-muscular injection of 2·3 c.cm. of fibrolysin (Mendel) was given in the right upper arm. Slight local pain followed, with an evening temperature of 38·2° F. She complained of headache, and the left forearm was tender, hot and oedematous. As these symptoms had improved in the course of forty-eight hours another injection of the same quantity was then given. A few hours afterwards Stocker was called to see her and found the temperature 39° C., pulse 100. The patient felt very ill. No local reaction was apparent around the site of the injection, but the left forearm was swollen, painful, hot, and pitted on pressure, whilst the vaccination scars were also soft and tender.

Under suitable treatment these symptoms disappeared in some two weeks' time, and fortunately he is able to report that the adhesions in the abdomen did not continue to give rise to any more pain; but Stocker remarks that although the issue in this case was happy, these facts should form a valuable warning against the unrestricted use of fibrolysin, and concludes by remarking that only by carefully considering each individual case shall we be able to exhibit this drug in accordance with the highest principles of medicine, viz. *Nil nocere.*

Alex. R. Tweedie.

NEW APPLIANCE.

THE KLORAM INHALER.

Frank A. Rogers, 327, Oxford Street, London, W.

Although the inhalation of nascent chloride of ammonium is much less in vogue than formerly it would be highly regrettable if it were to drop out of our list of remedies, as it is most valuable in appropriate cases. A convenient means of producing it is certainly a most acceptable addition to our armamentarium.

For simplicity and economy we can highly recommend the Kloram inhaler, designed and manufactured by Mr. Frank A. Rogers, who is identified with very excellent spray-producers and other appliances for use in our specialities. The ammonia and the acid are kept in well-stoppered glass bottles, which contain sufficient of both for very prolonged use and can be replenished by any chemist at very small cost.

INDEX TO VOLUME XXV, 1910.

SUBJECTS.

| | PAGE |
|--|-------------------|
| ABDUCTOR paralysis, <i>vide</i> Vocal cords. | |
| Accidental Injuries to Workmen (H. N. Barnett) (review) | 54 |
| Acoumetric formula (J. Möller) | 385 |
| — methods (Gradénigo) | 383 |
| Adenoids, nasal, offshoots of (A. Meyer) | 667 |
| — sequelæ of (L. Smith) | 160 |
| — simulated by syphilis (Trapanard) | 102 |
| Adrenalin-cocaine anaesthesia, death after (T. J. Harris) | 271 |
| Aërophagia (Castex and Parrel) | 431 |
| Air-passages, changes in, in pregnancy, etc. (Imhofer) | 580 |
| — direct examination of (discussion) | 605 |
| American Laryngological Association | 96, 150, 261, 316 |
| — Laryngological, Rhinological and Otological Society | 486, 551, 581 |
| Anæsthesia, local, in ear surgery (J. J. Harley) | 444 |
| Angioma of auricle (G. Wilkinson) | 146 |
| — of pharynx (H. J. Davis) | 311 |
| Antrum, maxillary, <i>vide</i> Sinus, maxillary. | |
| Aphonia, ? diagnosis (C. Horsford) | 640 |
| Asthma, nasal (Dan McKenzie) | 202 |
| — nasal cauterisation in (A. Francis) | 534 |
| Audition, <i>vide</i> Hearing. | |
| Auditory and facial nerves, affections of (Is. Braun) | 94 |
| — nerve, tumours of (M. A. Starr) | 444 |
| Auricle, angioma of, pulsating (G. Wilkinson) | 146 |
| — deformity of (M. A. Castex) | 259 |
| — congenital (A. Cheattle) | 641 |
| — — operation (E. Ruttin) | 94 |
| — dermatitis of (C. E. West) | 653 |
| — fibroma of (E. Pistre) | 106 |
| — infiltration of (D. McKenzie) | 652 |
| — rheumatic nodules on (H. D. Rolleston) | 558 |
| — thickening of (Dan McKenzie) | 214 |
| — tuberculoma of (Frey) | 92 |
| Austrian Otological Society | 92, 156, 491 |
| Baber, the late E. Cresswell, obituary notice | 237 |
| Bier's hyperæmia in aural suppuration (Biehl, Isemer, Spira) | 107, 321, 414 |
| — — — in laryngeal tuberculosis (W. Howarth) | 368 |
| Brain, abscess of (Compaire, Mr. C. Smith) | 328, 671 |
| — — — encapsulated (Mosher) | 110 |
| — — — otogenic (O. Levy) | 443 |
| — — — <i>vide</i> also Cerebrum, and Cerebellum, abscess of. | |
| British Medical Association Meeting | 449 |
| — — — — Laryngological Section | 478, 529 |
| — — — — Otological Section | 457, 523 |
| Bronchoscopy (Brünings) | 479 |
| — discussion on | 479 |

| | PAGE |
|---|-------------------------|
| Bronchoscopy, fatal (Chiari) | 669 |
| — in thoracotomy (O. Gaub and C. Jackson) | 439 |
| Bronchus, foreign bodies in, removal (H. Tilley, C. W. Richardson) | 251, 586 |
| Calcium lactate in haemorrhage (W. R. Simpson) | 98, 166 |
| Cancer, delayed recurrence of (H. Tilley) | 28 |
| — protracted duration of (H. Smith) | 263 |
| Cerebellum, abscess of, simulated (H. Tod) | 375 |
| — abscess of (S. Scott, W. H. Kelson) | 649, 654 |
| — tumours of, diagnosis (E. Jones) | 110 |
| Cerebrum, abscess of, following pan-sinusitis (Guisez) | 432 |
| — — latent, diagnosis of (G. Ferreri) | 325 |
| — — otitic (M. Nicolas) | 443 |
| — frontal lobe of, rhinogenic abscess of (Guisez) | 432 |
| — temporal lobe of, abscess of (F. Alt, G. T. Ross) | 93, 392 |
| — — — without vomiting (A. L. Whitehead) | 370 |
| — temporo-sphenoidal lobe of, <i>vide</i> Temporal Lobe. | |
| Cervical abscess, deep, from peri-sinu-itis (S. Citelli) | 108 |
| Chloride of ammonium inhaler, "Vaporole" | 504 |
| Cholesteatoma, pathogeny of (W. Wingrave) | 339 |
| Chorea, naso-pharyngeal, origin of (S. L. de Ponthière) | 461 |
| Cirsoid aneurysm of auricle (G. Wilkinson). | 146 |
| Cocaine-adrenalin anaesthesia, death after (T. J. Harris) | 271 |
| Common colds, aetiology of (A. Coolidge, jun.) | 555 |
| Cricoid cartilage, tuberculous perichondritis of (H. Barwell) | 195 |
| Deaf-mutism, acquired, from congenital syphilis (M. Yearsley, O. Mayer) | 181, 234, 615 |
| — — — aetiology of (Urbantschitsch) | 657 |
| — — — pathology of (A. A. Gray, A. Denker, E. Ruttin) | 46, 225, 329, 658 |
| Deafness, chronic progressive, classification of (J. Möller) | 386 |
| — from auto-intoxication (S. F. Snow) | 321 |
| — from eclampsia (M. Yearsley) | 502 |
| — from myxoedema (S. M. Smith) | 616 |
| — naso-pharyngeal cancer (E. Law) | 141 |
| — hysterical (P. H. Abercrombie and D. McKenzie) | 372 |
| — in relation to public services, etc. (J. Horne) | 525 |
| — obstructive, unilateral, tests for (R. Bárány) | 156 |
| — simulation of, diagnosis (Bárány) | 656 |
| — syphilitic (A. Cheatle) | 643 |
| — tabetic (D. McKenzie) | 148 |
| Dentigerous cysts (D. C. Greene) | 150 |
| Diphtheria, latent (P. Watson Williams, R. M. Buchanan) | 2, 57, 59 |
| Direct examination, importance of (L. Hirschland) | 106 |
| — — — of upper air-passages (von Eicken, D. R. Paterson) | 605 |
| Diseases of Ear (A. A. Gray) (review) | 559 |
| — of Larynx, Nose, and Ear (R. Kayser) (review) | 168 |
| — of Nose, Throat, and Ear (C. H. Knight and W. S. Bryant) (review) | 279 |
| — of Throat (J. Walker Downie) (review) | 56 |
| Ear, anatomy and pathology of the (S. Scott) | 139 |
| — diseases of, and heredity (B. A. Randall) | 500 |
| — — — and the naso-pharynx (Leland, Pierce, Packard, E. Law) | 103, 141, 164, 316, 317 |
| — — — diagnosis (Sondern) | 663 |
| — — — effect of tobacco and alcohol on (H. O. Reik) | 583 |
| — — — diseases of the, in relation to insurance, etc. (J. Horne) | 525 |
| — — — X-rays in (G. Schwarz) | 558 |
| — — — embryology of the (J. J. Jenkins) | 145 |

Index.

675

| | <small>PAGE</small> |
|--|---------------------|
| Ear, examination of, in febrile affections (Maschke) | 614 |
| ——— external, <i>vide</i> Auricle. | |
| ——— functional examination of; histology after (R. Panse) | 411 |
| ——— influence of eye on (Ryerson) | 670 |
| ——— injury of, by hat-pin (A. Mann) | 501 |
| ——— middle, carcinoma of (R. Leidler) | 276 |
| ——— catarrh of, chronic (E. C. Balur) | 322 |
| ——— ——— ——— facial paralysis (H. J. Davis) | 219 |
| ——— disease of, and affections of mucous membranes (M. Hovell) | 526 |
| ——— ——— ——— and sense of smell (Urbantschitsch) | 334, 669 |
| ——— ——— ——— from pertussis (R. A. Banks) | 276 |
| ——— ——— ——— suppuration of, acute, aetiology of (Neumann and Ruttin) | 612 |
| ——— ——— ——— Bier's hyperæmia in (Isemer, Biehl, Spira) | |
| ——— ——— ——— 107, 321, 414 | |
| ——— ——— ——— from <i>Streptococcus mucosus</i> (Neumann and Ruttin) | 612 |
| ——— ——— ——— gravitation abscess in (Leidler) | 107 |
| ——— ——— ——— pouching of membrane in (Bourguignon) | 501 |
| ——— ——— ——— chronic, encephalitis from (Vierhuff, Lermoyez) | 109, 312 |
| ——— ——— ——— optic neuritis in (Alskne, J. S. Barr, and J. Rowan) | 110, 334 |
| ——— ——— ——— ossiculectomy for (M. Yearsley) | 523 |
| ——— ——— ——— vaccine therapy (Nagle) | 659 |
| ——— routes of infection from, to intra-cranium (J. Mouret) | 411 |
| ——— polypus of, tubercular (H. J. Marriage) | 655 |
| ——— surgery of the, local anaesthesia in (Hurley) | 444 |
| ——— syphilis of the (M. Yearsley, O. Mayer, A. H. Cheatle) | 181, 234, 615 |
| ——— tuberculosis of, in children (W. Milligan) | 467, 506 |
| Eclampsia, deafness during (M. Yearsley) | 502 |
| Education, annual report of Chief Medical Officer for (M. Yearsley) | 113 |
| ——— of the specialist in laryngology, etc. (P. Watson Williams) | 619 |
| Electrical apparatus (G. A. Weill) | 260 |
| Encephalitis from otitis (Vierhuff, Lermoyez) | 109, 312 |
| Endoscopic spatula (Killian) | 549 |
| Endothelioma of ethmoid (C. Nourse) | 85 |
| ——— of temporal bone (D. Grant, D. R. Paterson) | 143, 220 |
| Epiglottis, cyst of (J. C. Beck) | 275 |
| ——— epithelioma of (H. Barwell) | 309 |
| ——— fungating tumour of (H. J. Davis) | 311 |
| ——— tuberculous (W. H. Kelson) | 198 |
| ——— amputation of (H. Tilley) | 28 |
| Epipharyngeal periadenitis (Logan) | 317 |
| Epithelioma of larynx, <i>vide</i> Larynx. | |
| ——— of naso-pharynx, <i>vide</i> Naso-pharynx. | |
| Estoral in laryngo-rhinology (Feldt) | 110 |
| Ethmoid, endothelioma of (C. Nourse) | 85 |
| Ethmoidal neuroses (Killian) | 577 |
| Ethyl chloride, fatality following (Packard) | 609 |
| Eustachian tube, orifice of; bands (E. A. Peters) | 88 |
| ——— ——— polypus in (J. A. Jones) | 215 |
| Extra-dural abscess; sloughing of jugular vein (H. J. Davis) | 644 |
| Facial and auditory nerves, affections of (Braun) | 94 |
| ——— nerve, sensory symptomatology, etc., of (J. R. Hunt) | 405 |
| ——— ——— suture of (F. Sydenham) | 223 |
| ——— ——— paralysis in acute otitis (Munch) | 260 |
| ——— ——— in catarrhal otitis (H. J. Davis) | 219 |
| ——— ——— Ménière's symptoms with (Bruce and Fraser) | 393 |
| Falsetto voice (Myerson) | 333 |

| | PAGE |
|---|-------------------------|
| Fibrolysin, contra-indications of (Stocker) | 223 |
| Fibroma of auricle (Pistre) | 106 |
| Foreign body in bronchus (H. Tilley) | 251 |
| — — — in lung (H. J. Davis) | 125 |
| — — — in oesophagus (H. J. Davis, H. Tilley, Guisez, Jackson, Strazza) | 127, 303, 432, 558, 607 |
| Frontal bone, osteitis of (Lermoyez) | 312 |
| — — — osteomyelitis of (C. J. Symonds) | 33 |
| Galvano-cautery in laryngeal tuberculosis (D. Grant, H. Tilley, J. Donelan) | 134, 248, 363 |
| Goitre, exophthalmic (J. G. Mumford) | 500 |
| — specimen of (J. Donelan) | 32 |
| Graves' disease, <i>vide</i> Goitre, exophthalmic. | |
| Gravitation (subcephalic) otitic abscess (Leidler) | 107 |
| Hæmophilia (T. Hubbard) | 98 |
| Hæmorrhage, calcium lactate in (Simpson) | 98, 166 |
| — from upper air-passages (Chiari) | 101 |
| — nasal; post-operative; prevention (Casselberry) | 260 |
| Hay-fever, immunisation treatment of (Scheppegrrell) | 272 |
| Hay's rhinogoscope (W. Milligan) | 47 |
| Henderson's E. Urbantschitsch) | 440 |
| Hindoo ear-nose obstruction (L. H. Pegler) | 544 |
| Hearing, tests for (Bárány) | 656 |
| Heredity and ear-disease (Randall) | 500 |
| Hiatus semilunaris, removal of lip of, for catarrh (D. Grant) | 255 |
| Hoarseness, case of (G. C. Cathcart) | 24, 83 |
| Hyoid bone, fracture of (H. J. Davis) | 127 |
| Ictus laryngis (H. J. Davis) | 127 |
| Implantation cysts of mastoid (Schoetz) | 106 |
| Instruments for throat, etc., new joint for (Kuttner) | 577 |
| International Congress of Medicine, Section of Laryngology | 599 |
| — — — — — of Otology | 319, 383, 411, 495 |
| — Laryngo-Rhinological Congress | 101 |
| Interstitial keratitis, treatment of (S. Stephenson) | 440 |
| Intra-cranial complications, rhinogenic (Freudenthal) | 437 |
| Jugular bulb, operations on (Moure) | 388 |
| — vein, ligation of (Botev) | 327 |
| — — — sloughing of (H. J. Davis) | 644 |
| "Kloram" inhaler, the | 224 |
| Krankheiten der Nase, etc., Die (C. Zarniko) (review) | 503 |
| Kuhn's per-oral intubation (W. Milligan) | 210 |
| Labyrinth, affections of, in leukaemia (Krepuska) | 322 |
| — fistula of (Bárány, L. Sewell, G. Alexander) | 95, 96, 166, 670 |
| — — — closed with lead (Bárány) | 497 |
| — — — operative technique of surgery of (Bourguet) | 402 |
| — — — symptoms, the significance of (G. E. Shambaugh, G. Alexander) | 391, 670 |
| — — — tests (G. W. Mackenzie) | 440 |
| — — — galvanic (G. W. Mackenzie) | 335 |
| — — — in forensic medicine (Lermoyez and Hautant) | 427 |
| — — — post-operative (R. Lake and W. Pike) | 40 |
| Labyrinthitis, acute (G. Alexander) | 50 |
| — infective (Hautant, Alexander, R. Bárány, C. West) | 313, 451, 473, 474 |
| — chronic (C. E. West) | 653 |
| — — — indication for operation (Schmiegelow, Bárány) | 413, 495, 496 |

| | PAGE |
|---|------------------|
| Labyrinthitis, infective, pathology of (H. Neumann) | 496 |
| — unrecognised, meningitis (Luc) | 614 |
| Laryngeal, cases for diagnosis (H. J. Davis, N. Bardswell) | 204 |
| — stridor, congenital (J. Rothschild) | 48 |
| — vertigo (H. J. Davis) | 128 |
| Laryngectomy (H. Smith) | 263 |
| Laryngitis, chronic (H. B. Robinson) | 23 |
| — dolorosa (Freudenthal) | 594 |
| Laryngology. History of (A. Jurasz) (review) | 55 |
| Laryngostomy (Guisez, Sargnon, and Barlatier) | 606 |
| Larynx, abscess of (J. S. Waterman) | 553 |
| — carcinoma of, cases of (H. Tilley, H. Barwell, E. W. Roughton, G. S. Hett, P. Watson Williams, Fitzgerald Powell, E. A. Peters, C. Nourse, D. Grant, W. Hill) 28, 30, 33, 81, 84, 91, 306, 308, 310, 362, 368 | 368 |
| — diagnosis and treatment (Sir F. Semon, Chiari, Gluck) 599, 600 | 600 |
| — for thirteen years (H. Smith) | 263 |
| — hemi-laryngectomy for (Berens) | 588 |
| — operative treatment of (G. E. Brewer) | 49 |
| — congenital web of (W. A. Macdonald) | 275 |
| — disease of, in typhoid fever (Fränkel) | 163 |
| — foreign body in (Monson) | 557 |
| — functional disease of (L. H. Pegler) | 368 |
| — hyperkeratosis of (Zwillinger) | 604 |
| — in pregnancy, parturition, etc. (Imhofer) | 580 |
| — infiltration of, unilateral (D. Grant) | 310 |
| — lipoma of (M. A. Goldstein) | 222 |
| — neoplasm of, cases of (P. R. W. de Santi, P. Watson Williams, W. G. Porter) | 32, 84, 310, 390 |
| — œdema of, acute, after ether (Mason and Inglis) | 439 |
| — chronic (Veillard) | 315 |
| — papilloma of (W. Hill, A. Wylie, H. Tilley) | 139, 188 |
| — paralysis of, <i>vide</i> Vocal cords. | |
| — pemphigus affecting (H. J. Davis) | 127 |
| — perichondritis of (H. Barwell) | 196 |
| — tuberculous (H. Barwell) | 195 |
| — removal of, by suicide (E. A. Peters) | 194 |
| — sarcoma of (Salzburg) | 547 |
| — stenosis of (W. Hill, Guisez) | 203, 314 |
| — acute, intubation, etc. (Citelli) | 668 |
| — cure (StClair Thomson) | 29 |
| — inspiratory, of (StClair Thomson) | 198 |
| — stereoscopic telescope for (Hegener) | 576 |
| — tuberculosis of (H. Barwell, W. H. Kelson, Mahu, W. Hill) | 195, 198, 260 |
| — Bier's hyperæmia in (W. Howarth) | 368 |
| — cauterity in (D. Grant, H. Tilley, J. Donelan) | 134, 248, 363 |
| — in child (G. C. Cathcart) | 251 |
| — odynphagia, alcohol injections (D. Grant) | 359 |
| — tuberculin in (C. Wilkinson) | 538 |
| — syphilis of (D. McKenzie, W. Hill, Mahu) | 89, 138, 260 |
| — ulceration of (H. B. Robinson) | 22 |
| — ventricle of the, disease of (J. Horne) | 363 |
| — Vincent's angina of (H. Arrowsmith) | 591 |
| Leçons sur les Suppurations de l'Oreille Moyenne, etc. (Dr. Luc) (review) | 446 |
| Leukoplakia of soft palate (A. Wylie) | 131 |
| Lingual thyroid (W. G. Spencer) | 638 |
| Lip, syphilitic ulceration of (C. Nourse) | 91 |
| Lumbar puncture for aural vertigo (Weill, etc) | 257 |
| Lymphocytes, tonsillar, origin of (Wood) | 261 |
| Lympho-sarcoma of tonsil (G. Wilkinson) | 133 |

| | PAGE |
|---|-------------------------|
| Mastoid abscess from peri-sinusitis (Citelli) | 108 |
| cells, histology of (J. J. Jenkins) | 143 |
| epidermic, cysts of (Schoetz) | 106 |
| infantile (A. H. Cheatle) | 169, 205, 328 |
| operation, adventitious membrane after (H. J. Davis) | 218 |
| — after-treatment (Neubauer) | 319 |
| — deformity of auricle after (H. J. Davis) | 373 |
| — opening of antrum (Iglauer) | 392 |
| — retro-auricular openings after (Winckler) | 501 |
| X-ray examination of (Birkett) | 472 |
| Mastoiditis and osteomyelitis (H. Todd) | 217 |
| bacteræmia in (Leutert) | 50, 323 |
| from traumatic perforation (Zebrowsky) | 106 |
| from retro-pharyngeal abscess (Fallas) | 165 |
| vaccine treatment of (J. Scott) | 107 |
| with multiple lesions (Fouriné) | 165 |
| without perforation of membrane (Jacob) | 276 |
| Maxilla, superior, osteomyelitis of (Samenhoft) | 47 |
| Maxillary antrum. <i>vide</i> Sinus, maxillary. | |
| sinus, <i>vide</i> Sinus, maxillary. | |
| Meatus, external auditory, adventitious membrane in (H. J. Davis) | 218 |
| — affections of (Sheppard) | 596 |
| — atresia of, congenital (Ruttin, Váli, A. Cheatle) | 94, 417 |
| — cholesteatoma of (H. Tod) | 377 |
| — exostosis of (H. Tod) | 374 |
| — neoplasm of (W. Milligan) | 208 |
| — parasites of (Hemmeon) | 571 |
| Membrana tympani, artificial (Bárány) | 491 |
| papilloma of (H. J. Davis) | 219 |
| — pouching of, in acute otitis (Bourguignon) | 501 |
| — traumatic perforation of (Zebrowski) | 106 |
| Ménière's syndrome (D. McKenzie) | 211 |
| treatment of (B. Thornton) | 502 |
| with facial paralysis (A. Bruce and J. S. Fraser) | 393 |
| Meningitis, acute otitic, treatment (Dench) | 441, 502 |
| after labyrinthitis (H. Luc) | 614 |
| from frontal sinus disease (Campbell and Rowland) | 437 |
| otogenic, diagnosis, etc. (Lermoyez) | 387 |
| — recovery (Logan Turner) | 442 |
| — treatment by lavage of sub-arachnoid space (S. Barr) | 527 |
| Menthol dermatitis of nose (D. McKenzie) | 301 |
| Model of larynx, etc. (R. S. Spicer) | 25 |
| Mouth, congenital deformity of (A. R. Tweedie) | 191 |
| Mucosus otitis (Neumann and Ruttin) | 612 |
| Mucous membranes, affections of, relative to ear, etc. (M. Hovell) | 526 |
| Myxœdema, deafness from (S. M. Smith) | 616 |
| Naris, anterior occlusion of (N. Patterson) | 201 |
| posterior, occlusion of, congenital (D. McKenzie, D. R. Patterson, J. S. Fraser) | 137, 200, 486 |
| Nasal and pharyngeal conditions in aural diseases, etc. (G. A. Leland) | 316 |
| speech, surgical treatment of (Fröschels) | 158 |
| Naso-pharyngeal cannula (Bosviel) | 313 |
| origin of chorea (de Ponthière) | 461 |
| Naso-pharynx and disease of ear (G. A. Leland, E. Law, N. H. Pierce, F. R. Packard) | 103, 141, 164, 316, 317 |
| direct examination of (von Gyergyai) | 546 |
| epithelioma of (E. Law, G. Dupond) | 141, 222 |
| fibroma of (Guthrie) | 668 |
| neoplasms of (D. Grant, W. Milligan, F. Powell) | 90, 209, 365 |

| | PAGE |
|---|--------------------|
| Naso-pharynx, scleroma of (StC. Thomson) | 633 |
| — syphilis of (Trapenard) | 102 |
| Nose, accessory sinuses of, <i>vide</i> Sinuses, nasal. | |
| — and naso-pharynx in infancy (Ingersoll) | 269 |
| — and tonsils, lymphatics of (von Lénárt) | 102 |
| — bacteriology of (F. C. Cobb) | 268 |
| — carcinoma of (Salzburg) | 547 |
| — deformity of, congenital (G. Wilkinson) | 131 |
| — Diseases of (J. Garel) (review) | 167 |
| — extension of skin into (J. Donelan) | 138 |
| — lupus of (W. Stuart-Low) | 133 |
| — mucocele of (Mahu) | 315 |
| — mucous polypi of (J. Donelan) | 255 |
| — obstruction of (A. Wylie) | 366 |
| — — — and headache (L. H. Pegler) | 544 |
| — reflex neuroses of (A. A. Bliss) | 97 |
| — rodent ulcer of (W. H. B. Aikins) | 555 |
| — sarcoma of (J. Price-Brown, Luc, Madden) | 264, 314, 436 |
| — septum of, abscess of (J. Price-Brown) | 272 |
| — — — cartilage of, fenestræ (D. McKenzie) | 632 |
| — — — — transplantation (Greene) | 330 |
| — — — — deviations (G. C. Cathcart, J. Donelan, L. H. Pegler) | 91, 252, 254 |
| — — — — — Moure's operation (L. H. Pegler) | 252 |
| — — — — operations for (Ballenger, Glas) | 270, 611 |
| — — — fracture of (J. Donelan) | 136 |
| — — — papilloma of (Scarlett) | 666 |
| — — — submucous resection (Fein, Cobb, Lothrop) | 162, 433, 486, 611 |
| — — — tuberculosis of (L. H. Pegler) | 253 |
| — — — ulceration of, by turbinal (Leroux) | 428 |
| — — — surgery of (L. Polyak) | 418 |
| — — — synechiae of (von Eicken) | 422 |
| — — — teeth in (Scheier) | 610 |
| — — — tuberculoma of (Chavanne) | 105 |
| — — — tuberculosis of (L. H. Pegler, O. Freer, W. S. Renner) | 253, 266, 267 |
| — — — tumour of, for diagnosis (T. J. Faulder) | 638 |
| — — — vestibule of, menthol dermatitis of (D. McKenzie) | 301 |
| Ocular effects of sphenoidal sinus tumours (Halasz) | 162 |
| Odynphagia in a tuberculous subject (D. Grant) | 311 |
| Œsophage, Traité des Maladies de l' (Guisez) (review) | 671 |
| Œsophagus, carcinoma of (Pepler, W. Hill) | 323, 368 |
| — — — new apparatus (W. Hill) | 635 |
| — — — radium in (W. Hill) | 33, 203, 634 |
| — — — direct examination of (discussion) | 479 |
| — — — foreign bodies in (H. J. Davis, H. Tilley, Guisez, Strazza) | 127, 303, 432, 607 |
| — — — removal of (C. Jackson) | 558 |
| — — — paresis of (W. H. Kelson) | 136 |
| — — — physiology of (P. Nadal) | 106 |
| — — — spasm of (D. Tanturri) | 607 |
| — — — stenosis of (R. S. Spicer) | 203 |
| — — — surgery of (discussion) | 151 |
| — — — tuberculosis of (Guisez) | 608 |
| Open-air at Home (S. H. Bates) (review) | 336 |
| Optic neuritis from otitis media (Alskne) | 110 |
| — Nerve, The, and the Accessory Sinuses, etc. (A. Onodi) (review) | 446 |
| Ossiculectomy (Macleod Yearsley) | 523 |
| Osteomyelitis secondary to mastoiditis (H. Tod) | 217 |
| Otitis, <i>vide</i> Ear. | |
| Oto-laryngological library at Copenhagen (Mygind) | 300 |

| | PAGE |
|--|---------------|
| Otology, retrospect of | 18 |
| Otosclerosis (T. Heiman) | 277, 383 |
| Ozæna and breathing exercises (R. Foy) | 428, 432 |
| — atmocausis in (Möller) | 547 |
| — <i>vide also Rhinitis, atrophic.</i> | |
| Palate, congenital insufficiency of (A. B. Kelly, Laurence) | 281, 342, 368 |
| — deformity of (A. R. Tweedie) | 306 |
| — hard, lupus of (W. Stuart Low) | 133 |
| — papilloma of (A. Wylie) | 188 |
| — perforation of, post-operative (L. H. Pegler) | 310 |
| — soft, cyst of (E. Bergh) | 438 |
| — innervation of (Rethi) | 606 |
| — leukoplakia of (A. Wylie) | 131 |
| — malformation of (D. Grant) | 254 |
| — œdema of (Somers) | 667 |
| — — paresis of (W. H. Kelson) | 136 |
| — — posterior pillar, abscess of (Marc'hadour) | 259 |
| — — redness of (D. Grant) | 33 |
| — — teratoma of (Coffin) | 268 |
| — — ulceration of (F. Powell and Badgerow) | 637 |
| — spasms of (Castex and Parrel) | 431 |
| — tumours of (Badgerow) | 638 |
| — — aetiology of (de Colo) | 160 |
| — — ulceration of; syphilitic (Lawrence) | 367 |
| — — with sequestrum (D. Grant) | 90 |
| Palato-pharyngeal adhesions (J. O. Roe) | 274 |
| Palmer's speculum, modified (P. Laurens) | 260 |
| Pansinusitis (StC. Thomson, Guisez) | 200, 315, 432 |
| Parisian Society of Laryngology, Otology, etc. | 257, 312, 426 |
| Pemphigus of throat (L. M. Hurd) | 161 |
| — vegetans of larynx, etc. (H. J. Davis) | 127 |
| Per-oral intubation, Kuhn's method (W. Milligan) | 210 |
| Peri-sinusal abscess (Citelli) | 108 |
| Peri-tonsillar abscess, treatment of (Flatau) | 274 |
| Pharyngitis, syphilitic, with nerve symptoms (D. Grant) | 361 |
| Pharyngoscope, Hay's (W. Milligan) | 47 |
| Pharynx and Larynx for 1909 | 10 |
| — — party-wall of; cancer of (W. Hill) | 307 |
| — angioma of (H. J. Davis) | 311 |
| — neoplasm of (A. Evans) | 311 |
| — paresis of (W. H. Kelson) | 136 |
| — post-criocid stenosis of (W. Hill) | 138 |
| — rupture of vessels into (Griffiths and Riddell) | 160 |
| — syphilis of (D. Grant, W. Hill) | 21, 128 |
| — tuberculosis of (A. Wylie) | 83 |
| — — tumour of (A. Thorne) | 137 |
| Physiology and Pathology of Semi-circular Canals (Ibershoff and Copeland) (review) | 503 |
| Pinna, <i>vide Auricle.</i> | |
| Pituitary body, tumours of, surgery of (Kanavel) | 222 |
| Politzer, Prof., jubilee of | 1 |
| Presidential addresses : | |
| British Medical Association, Laryngological Section (H. Tilley) | 478 |
| — — Otological Section (E. Law) | 467 |
| Royal Society of Medicine, Laryngological Section (P. Watson Williams) | 619 |
| — — Otological Section (E. Law) | 34 |
| Pyæmia, otogenic (V. Uchermann, Nicolas) | 415, 443 |
| — — without sinus phlebitis (Rimini) | 109 |

| | PAGE |
|--|--|
| Radium in malignant disease of neck (W. Hill) | 32 |
| — in oesophageal cancer (W. Hill) | 33, 203 |
| Recurrent laryngeal nerve, paralyses of (J. Broeckhart) | 115 |
| Report of the Ear and Throat Department, etc. (W. G. Porter and G. M. Darling) | 171 |
| Retro-cerebellar abscess (S. Scott) | 649 |
| Retro-pharyngeal abscess and mastoiditis (Fallas) | 164 |
| Rhinitis, atrophic, early forms of (Baumgarten) | 161 |
| — tuberculosis after (Cabouche) | 433 |
| Rhinology ; a Text-book of Diseases of the Nose (P. Watson Williams) (review) | 445 |
| — retrospect of | 16 |
| Rhinophyma (Hoffmann) | 104 |
| Royal Society of Medicine, Laryngological Section | 21, 81, 125, 188, 248 303, 358, 632 |
| — — — Otological Section | 34, 139, 205, 369, 572, 641 |
| Scarlet fever, fatal haemorrhage in (Griffiths and Riddell) | 160 |
| School-children, throat examination of (Cones) | 274 |
| Scleroma of naso-pharynx (StC. Thomson) | 633 |
| Scottish Otological, etc., Association | 617 |
| Singers' node (E. A. Peters) | 194 |
| Singing, observations on pupils of (Nadoleczny) | 579 |
| Sinus, cavernous, thrombosis of (L. A. Coffin, H. J. Davis) | 267, 643 |
| Sinus, frontal, exostosis and mucocele of (Manasse) | 424 |
| — — — intra-nasal operation (Thompson) | 667 |
| — — — osteo-plastic operation on (P. Watson Williams) | 545 |
| — — — radical operation (StC. Thomson) | 308 |
| — — — the (A. Onodi) (review) | 166 |
| — — — lateral, abscess of (Citelli) | 108 |
| — — — obliteration of, by cholesteatoma (G. Wilkinson) | 378 |
| — — — phlebitis of (S. Kramm, Uchermann, S. Scott) | 109, 415, 646 |
| — — — ligature of jugular in (Botev, Török) | 327, 416 |
| — — — treatment (G. Wilkinson) | 441 |
| — — — with Klebs | (Briggs) |
| — — — maxillary, disease of (Boulay) | 616 |
| — — — epithelioma of (Voitslawsky and Braun) | 259 |
| — — — fibroma of (H. Tilley) | 436 |
| — — — fistula of (J. Donehan) | 190 |
| — — — — traumatic (L. H. Pegler) | 641 |
| — — — — operation on (Mounier) | 310 |
| — — — — operations on, under local anaesthesia (Denker) | 428 |
| — — — — suppuration of (Taptas) | 420 |
| — — — — cytological examination in (J. M. Darling) | 273 |
| — — — — in children (Wendling) | 390 |
| — — — — pemphigus (Culbert) | 273 |
| — — — — trocar for (J. A. Dickson) | 667 |
| — — — sigmoid, <i>vide</i> Sinus, lateral. | 499 |
| — — — sphenocephalic, anatomy of (W. S. Syme) | 31, 78 |
| — — — disease of, and paresis of third nerve (C. Ziem) | 242 |
| — — — mucocele of (Hajek) | 433 |
| — — — suppuration of (W. S. Syme) | 273 |
| — — — tumours of (Halasz) | 162 |
| Sinuses, nasal accessory, anatomy of (W. S. Syme) | 31, 78 |
| — — — catarrh of, treatment (D. Grant) | 255 |
| — — — diseases of; complications (Onodi) | 332 |
| — — — lymphatics of (Grünwald) | 389 |
| — — — suppuration of; bacteriology (A. Logan Turner and C. J. Lewis) | 434 |
| — — — — treatment (Hajek) | 331 |
| — — — X-ray examination of (Brünings) | 549 |

Index.

| | PAGE |
|---|--------------------|
| Sinusitis, frontal, meningitis from (Campbell and Rowland) | 437 |
| — — — treatment of (Citelli) | 330 |
| — — — with diplopia (C. Nourse) | 197 |
| — — — with fistula (H. Tilley) | 191 |
| — — — with necrosis (W. H. Kelson) | 22 |
| — — — influenzal (R. M. Mainwaring-White) | 162 |
| Smell, influence of ear-disease on (Urbantschitsch) | 334 |
| Sneezing (de Champeaux) | 272 |
| Society of German Laryngologists, Transactions | 418, 546, 576, 656 |
| Sound, perception (D. B. Kyle) | 278 |
| Sphenoid, sarcoma of (F. Voss) | 436 |
| Sphenoo-palatine fossa, fibroma of ; operation (Hansberg) | 422 |
| Stammering and nasal disease (R. S. Spicer) | 204 |
| Status lymphaticus, death from (T. J. Harris) | 271 |
| Styloid process, prolonged (C. W. Richardson) | 100 |
| Supra-tonsillar region, tumour of (W. Hill) | 256 |
| Syphilis, Die, der Nase, etc. (P. H. Gerber) (review) | 448 |
| — — — in relation to otology (discussion) | 572 |
| — — — treatment of (Cushing) | 111 |
| Syphilitic nerve-deafness (A. Cheatle) | 643 |
| Tabes, deafness from (D. McKenzie) | 148 |
| Teeth in nasal cavity (Scheier) | 610 |
| Temporal bone, endothelioma of (D. Grant, D. R. Paterson) | 143, 220 |
| — — — fracture of (G. J. Jenkins, A. Cheatle) | 382, 642 |
| — — — infantile type of (A. Cheatle) | 169, 205, 328 |
| — — — malignant growth of (P. Watson Williams) | 381 |
| — — — sarcoma of (Bowen and Carlyll) | 502 |
| Temporo-sphenoidal lobe, <i>vide</i> Cerebrum. | |
| Third nerve, paresis of (C. Ziem) | 242 |
| Throat, cancers of the, etc. (R. S. Spicer) | 545 |
| — — — Diseases of the (J. Walker Downie) (review) | 56 |
| — — — syphilis ending in cancer of (Massey) | 604, 610 |
| Thyroid cartilage, perichondritis of (H. Barwell) | 196 |
| — — — gland, <i>vide</i> Goitre. | |
| Tinnitus aurum, audible (H. Tilley, A. Sharp) | 39, 147, 214, 335 |
| Tissue antiseptics, etc. (Cushing) | 110 |
| Tobacco and alcohol, effect of, on ear, etc. (Reik) | 583 |
| Tongue, cancer of (R. C. Myles) | 100 |
| — — — excision of entire (H. J. Davis) | 305 |
| — — — tuberculous ulcer of (H. J. Davis) | 130 |
| Tonsil, anatomy of capsule of, etc. (G. S. Hett) | 540, 561 |
| — — — development of (H. A. Barnes) | 262 |
| — — — embryology of (E. B. Wood) | 261 |
| — — — enucleation of (J. S. Gibb, O. A. Lothrop, D. McKenzie) | 103, 153, 438, 541 |
| — — — — — haemorrhage after (Gilpatrick) | 609 |
| — — — — — with guillotine (Whillis and Pybus) | 609 |
| — — — — — haemorrhage from, compressor for (Bosviel) | 313 |
| — — — — — hypertrophy and atrophy of (Levinstein) | 102 |
| — — — — — lingual, hypertrophy of (D. Grant) | 362 |
| — — — — — lympho-sarcoma of (G. Wilkinson) | 133 |
| — — — — — metaplasia of epithelium of (E. B. Wood) | 261 |
| — — — — — naso-pharyngeal, <i>vide</i> Adenoids. | |
| — — — — — removal of : indications (Lance) | 556 |
| — — — — — fatalities after (T. J. Harris, F. R. Packard) | 271, 609 |
| — — — — — snare, Brüning's (Krelber) | 256 |
| — — — — — the, of the infant, child, and adult (Barnes) | 262 |
| — — — — — tuberculosis of (E. S. Carmichael) | 390 |
| — — — — — diagnosis (Hurd and Wright) | 610 |
| Tonsillectomy, <i>vide</i> Tonsil, enucleation of. | |

| | PAGE |
|---|---------------|
| Tonsillitis, acute, nephritis following (H. W. Loeb) | 551 |
| Tonsillolith (C. A. Parker) | 638 |
| Tonsils and adenoids, operations on (Ingersol) | 609 |
| lymphatics of (v. Lénárt) | 102 |
| physiology and pathology of (Schoenemann) | 48 |
| submerged, forceps for (H. Tilley) | 250 |
| Trachea, cancer of, primary (Berens) | 265 |
| direct examination of (discussion) | 479 |
| diverticulum of (Kahler) | 550 |
| foreign body in (D. J. G. Wishart) | 439 |
| papilloma of (H. Tilley) | 249 |
| swelling of lining of (Uffenorde) | 550 |
| syphilis of (Haenel) | 550 |
| tuberculosis of (T. Guthrie) | 240 |
| Tracheotomy, subglottic swelling after (H. Barwell) | 633 |
| Tuberculin in Diagnosis and Treatment (Bandelier and Röpke) (review) | 112 |
| Tuberculosis of larynx, <i>vide</i> Larynx. | |
| of Nose and Throat (L. B. Lockard) (review) | 111 |
| Turbinal hypertrophy (J. Donelan) | 31 |
| inferior, vascular tumour of (E. Bernard, S. Hastings) | 104, 192 |
| middle, bone cysts of (Skillern) | 551 |
| Turbinotomy, submucous (Zarniko) | 425 |
| Tympanic plates, congenital defect of (C. E. West) | 220 |
| Typhoid fever, laryngeal disease in (Frankel) | 163 |
| UVula, adhesion of, to tonsil (J. Horne) | 204 |
| carcinoma of (E. M. Holmes) | 581 |
| Vaccine treatment of aural suppuration (Nagle) | 659 |
| of mastoiditis (J. Scott) | 107 |
| Vaso-motor neuroses, nasal cauterisation in (A. Francis) | 534 |
| rhinitis (discussion) | 529 |
| Vertigo, aural; lumbar puncture (Weill) | 257 |
| galvanic, and aural troubles (Babinski) | 429 |
| laryngeal (H. J. Davis) | 128 |
| Vincent's angina (J. D. Rolleston) | 499 |
| of larynx (H. Arrowsmith) | 591 |
| Vocal cords, abductor paralysis of (H. J. Davis, Castex, D. McKenzie) | 304, 313, 365 |
| bilateral, chordectomy for (Gleitsmann) | 438 |
| " dents de Scie " of (J. Horne) | 636 |
| paralysis of (D. J. G. Wishart, Muecke) | 333 |
| traumatic (Prota) | 557 |
| after thyroidectomy (S. Hastings) | 358 |
| pathological anatomy of (Blumenfeld) | 668 |
| unilateral disease of (Scheier) | 275 |
| Vohsen's operation (G. Wilkinson) | 133 |
| Voice, impairment of, from lingual tonsil (D. Grant) | 362 |
| loss of, with dyspnoea (W. Stuart-Low) | 367 |
| Voice-production, respiratory muscles in (Makuen) | 269 |
| importance of primary tones (Stern) | 579 |
| observations on (Nadoleczny) | 579 |
| X rays in otology (Birkett, Schwarz) | 472, 558 |
| Zaufal, Prof., death of | 187 |
| Zuckerkandl, Emil, obituary notice | 525 |

AUTHORS.

| | PAGE |
|---|-------------|
| ABERCROMBIE (P. H.) and MCKENZIE (Dan), hysterical deafness | 372 |
| ADAMS, mnemonic tables, etc. | 630 |
| AIKINS (W. H. B.), rodent ulcer | 555 |
| ALEXANDER (G.), acute labyrinthitis | 50 |
| ——— purulent labyrinthitis | 451 |
| ——— nystagmus | 670 |
| ALSKNE, otitis and blindness | 110 |
| ALT (F.), cerebral abscess | 93 |
| ARROWSMITH (H.), Vincent's angina | 591 |
| BABER (E. Cresswell), otitis media | 322 |
| BABINSKI (M. J.), galvanic vertigo, etc. | 429 |
| BADGEROW (C. A.), palatal tumour | 638 |
| BALLINGER (W. L.), septal operations | 270 |
| BANKS (R. A.), pertussis | 276 |
| BÁRÁNY (R.), artificial drum | 491 |
| ——— cerebellar ataxia, etc. | 657 |
| ——— hearing tests | 156, 656 |
| ——— labyrinth fistula | 95, 96, 497 |
| ——— labyrinthitis | 437, 496 |
| BARDSWELL (Noel), case for diagnosis | 639 |
| BARLATIER, SARGNON and, laryngostomy | 606 |
| BARNES (H. A.), development of tonsil | 262 |
| BARR (J. Stoddart), treatment of meninges | 527 |
| ——— and ROWAN (J.), optic neuritis, etc. | 334 |
| BARRÉ, aural vertigo | 257 |
| BARWELL (H.), cancer of larynx | 30 |
| ——— epithelioma of epiglottis | 309 |
| ——— perichondritis | 196 |
| ——— subglottic stenosis | 633 |
| ——— tuberculous perichondritis | 195 |
| BAUMGARTEN (E.), ozena | 161 |
| BECK (J. C.), cyst of epiglottis | 275 |
| BERENS (T. P.), cancer of trachea | 265 |
| ——— hemi-laryngectomy | 588 |
| BERGH (E.), palatal cyst | 438 |
| BIEHL, Bier's hyperæmia | 321 |
| BIRKETT, mastoid radiography | 472 |
| ——— vaso-motor rhinitis | 529 |
| BLISS (A. A.), nerve disturbances, etc. | 97 |
| BLUMENFELD (F.), vocal cords | 668 |
| BOSVIEL, retro-nasal cannula | 313 |
| ——— tonsil compressor | 313 |
| BOTEY (R.), ligature of jugular | 327 |
| BOULAY (M.), maxillary antrum | 259 |
| BOURGUET, labyrinth operations | 402 |
| BOURGUIGNON (R.), pouching of membrane | 501 |
| BOWEN (W. H.), and CARLYLL (H. B.), sarcoma of petrous | 502 |
| BRAUN (Is.), auditory nerve affection | 94 |
| BREWER (G. E.), laryngeal cancer | 49 |
| BRIGGS (G. N.), sinus thrombosis | 616 |
| BROECKHART (J.), recurrent paralysis | 115 |
| BRUCE (Alex.), and FRASER (J. S.), Ménière's symptoms, etc. | 393 |
| BRÜNING (W.), new appliances | 548 |
| ——— radiography | 549 |
| BUCHANAN (R. M.), latent diphtheria | 59 |

| | PAGE |
|--|----------|
| CABOCHE, atrophic rhinitis | 433 |
| CAMPBELL and ROWLAND, frontal sinus meningitis | 437 |
| CARMICHAEL (E. SCOTT), tuberculous tonsils | 390 |
| CASSELBERRY (W. E.), nasal haemorrhage | 261 |
| CASTEX, deformity of auricles | 259 |
| — paralysis of abductors | 313 |
| — and PARREL, aérophagia | 431 |
| CASTINEL, aural vertigo | 257 |
| CATHCART (G. C.), hoarseness | 24, 83 |
| — occlusion of nostril | 91 |
| — tuberculosis of larynx | 251 |
| CHAVANNE (F.), tuberculosis of nose | 105 |
| CHEATLE (A. H.), aural syphilis | 572, 643 |
| — fracture of temporal bone | 642 |
| — infantile mastoid | 205, 328 |
| — malformation of auricle | 641 |
| CHIARI (O.), haemorrhage, etc. | 101 |
| — laryngeal cancer | 600 |
| — fatal bronchoscopy | 669 |
| CITELLI (S.), deep cervical abscess | 108 |
| — frontal sinusitis | 330 |
| — laryngeal stenosis | 668 |
| COBB (F. C.), bacteriology of nose | 268 |
| — submucous resection | 486 |
| COFFIN (L. A.), cavernous sinus thrombosis | 267 |
| — palatal teratoma | 268 |
| COMPRAIRE, brain abscess | 329 |
| CONES (W. P.), school examination | 274 |
| COOLIDGE (A., jun.), common colds | 555 |
| — Presidential address | 96 |
| CULBERT (W. L.), pemphigus | 667 |
| CUSHING (A. R.), tissue antiseptics | 111 |
| DARLING (J. M.), maxillary antrum | 390 |
| — PORTER (W. G.) and (report, etc.) | 171 |
| DAVIS (H. J.), abductor paralysis | 304 |
| — adventitious membrane, etc. | 218 |
| — angioma of pharynx | 311 |
| — cavernous sinus thrombosis | 643 |
| — excision of tongue | 305 |
| — extra-dural abscess | 644 |
| — facial paralysis | 219 |
| — foreign body in lung | 125 |
| — in oesophagus | 126 |
| — fracture of hyoid | 127 |
| — laryngeal case | 204 |
| — laryngeal vertigo | 128 |
| — papilloma of membrane | 219 |
| — pemphigus | 127 |
| — tuberculosis of tongue | 130 |
| DE CHAMPEAUX, sneezing | 272 |
| DE COLO (F.), palatal tumours | 610 |
| DE PONTHIERE (S. L.), chorea, etc. | 461 |
| DE SANTI (P. R. W.), laryngeal neoplasm | 32 |
| DENCH (E. B.), otitic meningitis | 441, 502 |
| DENKER (Alfred), deaf-mutism | 329 |
| — maxillary antrum | 420 |
| DICKSON (T. A.), antrum trocar | 499 |
| DONELAN (J.), extension of skin, etc. | 138 |
| — maxillary antrum fistula | 641 |
| — nasal polypus | 255 |

| | PAGE |
|---|----------|
| DONELAN (J.), septal deflection | 254 |
| ——— septal fracture | 136 |
| ——— specimen of goitre | 32 |
| ——— tuberculosis of epiglottis | 363 |
| ——— turbinal hypertrophy | 31 |
| DUPOND (G.), naso-pharyngeal cancer | 222 |
| EVANS (A.), pharyngeal neoplasm | 311 |
| FALLAS (A.), mastoiditis, etc. | 164 |
| FAULDER (T. Jefferson), case for diagnosis | 638 |
| FEIN (J.), window resection | 162 |
| FELDT (A.), estoral | 110 |
| FERRERI (Gherardo), cerebral abscess | 325 |
| FLATAU, peritonsillar abscess | 274 |
| FOURNIÉ (J.), mastoiditis | 165 |
| FOY (R.), ozaena | 428, 432 |
| FRANCIS (Alex.), asthma, etc. | 534 |
| FRÄNKEL, upper air-passages in typhoid | 163 |
| FRASER (J. S.), choanal occlusion | 486 |
| ——— BRUCE (A.) and, Ménière's symptoms, etc. | 393 |
| FREER (Otto), nasal tuberculosis | 266 |
| FREUDENTHAL (W.), endocranial complications, etc. | 437 |
| ——— laryngitis dolorosa | 594 |
| FREY (H.), tuberculoma of ear | 92 |
| FRÖSCHELS (E.), nasal speech | 158 |
| GAUB (O.) and JACKSON (C.), bronchoscopy | 439 |
| GIBB (J. S.), extirpation of tonsil | 103, 153 |
| GILPATRICK (H. H.), tonsil haemorrhage | 609 |
| GLAS (Emil), septal deviations | 611 |
| GLEITSMANN, chordectomy | 438 |
| GLUCK, cancer of larynx | 600 |
| GOLDSTEIN (M. A.), lipoma of larynx | 222 |
| GRADENIGO, acoumetric methods | 383 |
| ——— lateral sinus thrombosis | 441 |
| GRANT (J. Dundas), alcohol injections for odynphagia | 359 |
| ——— endothelioma of temporal bone | 143 |
| ——— laryngeal infiltration | 310 |
| ——— laryngeal tuberculosis | 134 |
| ——— lingual tonsil | 362 |
| ——— malformation of soft palate | 254 |
| ——— naso-pharyngeal growths | 90 |
| ——— odynphagia | 311 |
| ——— redness of soft palate | 33 |
| ——— removal of lip of hiatus, etc. | 255 |
| ——— secondary syphilis with nerve symptoms | 361 |
| ——— specific pharyngitis | 21 |
| ——— ulceration of palate, etc. | 90 |
| GRAY (Albert A.), deaf-mutism | 46, 225 |
| GREENE (D. C.), dentigerous cyst | 150 |
| ——— septal cartilage | 330 |
| GRIFFITHS (J. H.) and RIDDELL (D. F.), rupture of vessels, etc. | 160 |
| GRÜNWALD, sinus lymphatics | 389 |
| GUISEZ, foreign bodies, etc. | 432 |
| ——— laryngostomy | 314 |
| ——— œsophageal tuberculosis | 608 |
| ——— pansinusitis | 315, 432 |
| GUTHRIE (J.), tracheal tuberculosis | 240 |
| GUTHRIE (T.), naso-pharyngeal fibroma | 668 |
| HAENEL, syphilis of trachea | 550 |

| | PAGE |
|---|----------|
| HAJEK (M.), sinus suppuration | 331 |
| — sphenoidal mucocoele | 433 |
| HALASZ (H.), sphenoidal sinus tumours | 162 |
| HANSBERG, spheno-palatine fibroma | 422 |
| HARRIS (T. J.), cocaine-adrenalin ; death | 271 |
| HASTINGS (Somerville), bleeding polypus | 192 |
| HAUTANT, labyrinthitis | 313 |
| — and LERMOYEZ, vestibular nystagmus | 427 |
| HEGENER, stereoscopic laryngoscope | 576 |
| HELMAN (Theodor), otosclerosis | 277, 383 |
| HEMMEOON, parasite of meatus | 571 |
| HETT (G. Seccombe), capsule of tonsil | 540, 561 |
| — laryngeal cancer | 81 |
| HILL (W.), epithelioma of larynx | 368 |
| — epithelioma of œsophagus | 368 |
| — œsophageal intubation apparatus | 635 |
| — papilloma of larynx | 139 |
| — party-wall cancer | 307 |
| — post-cricoid stenosis | 138 |
| — radium in cancer of neck | 32, 203 |
| — — in œsophageal cancer | 33, 634 |
| — tonsillar tumour | 256 |
| — traumatic laryngeal stenosis | 203 |
| — tuberculoma of larynx | 635 |
| HIRSCHLAND (L.), direct examination | 106 |
| HOFFMANN (R.), rhinophyma | 104 |
| HOLMES (E. M.), cancer of uvula | 581 |
| HORNE (Jobson), adherent uvula | 204 |
| — deafness and work | 525 |
| — "Dents de Scie" | 636 |
| — ventricle of larynx | 363 |
| HORSFORD (Cyril), aphonia | 640 |
| HOVELL (Mark), affections of mucous membranes, etc. | 526 |
| HOWARTH (W.), laryngeal tuberculosis | 368 |
| HUBBARD (T.), haemophilia | 98 |
| HUNT (J. Ramsay), facial nerve | 405 |
| HURD (L. M.), pemphigus | 161 |
| — and WRIGHT (J.), tonsil tuberculosis | 610 |
| HURLEY (J. J.), local anaesthesia | 444 |
| IGLAUER (S.), mastoid operation | 392 |
| IMHOFER, air-passages in pregnancy, etc. | 580 |
| INGERSOL, tonsil operations | 609 |
| INGERSOLL (J. M.), infantile nose, etc. | 269 |
| ISEMER (F.), Bier's hyperæmia | 107 |
| JACKSON (Chevalier), safety-pin in gullet | 558 |
| — GAUB (Otto) and, bronchopneumony | 439 |
| JACOB (Etienne), " | 276 |
| JENKINS (G. J.), embryology of ear | 145 |
| — histology of mastoid | 146 |
| — fracture of temporal bone | 382 |
| JONES (E.), cerebellar tumour | 110 |
| JONES (J. Arnold), Eustachian polypus | 215 |
| KAHLER (O.), tracheal diverticulum | 550 |
| KANABEL (A. B.), pituitary tumours | 222 |
| KELLY (A. Brown), insufficiency of palate | 281, 343 |
| KELSON (W. H.), cerebellar abscess | 654 |
| — frontal sinusitis | 22 |
| — paresis of palate, etc. | 136 |
| — tuberculosis of epiglottis | 198 |

Index.

| | PAGE |
|---|----------|
| KILLIAN, endoscopic spatula | 549 |
| —— ethmoidal neuroses | 577 |
| KRAMM (S.), sinus phlebitis | 109 |
| KREBBER, Brünings' tonsil snare | 256 |
| KREPUSKA (Geza), labyrinth in leukæmia | 322 |
| KUTTNER (A.), new joint, etc. | 577 |
| KYLE (D. Braden), sound-perception | 278 |
| LAKE (R.), and PIKE (N.), labyrinth tests | 40 |
| LANCE (M.), removal of tonsils) | 566 |
| LAWRENS (Paul), speculum | 260 |
| LAW (E.), naso-pharyngeal epithelioma | 141 |
| —— Presidential addresses | 34, 467 |
| LAWRENCE (L.), absence of palate | 368 |
| —— syphilitic ulceration | 367 |
| LE MARC'HADOUR, palatal abscess | 259 |
| LEIDLER (R.), cancer of ear | 276 |
| —— gravitation abscess | 107 |
| LELAND (G. A.), naso-pharyngeal conditions, etc. | 103, 316 |
| LERMOYEZ, frontal osteitis | 312 |
| —— otogenic meningitis | 387 |
| —— serous encephalitis | 312 |
| —— and HAUTANT, vestibular nystagmus | 427 |
| LEROUX (Robert), nasal polypus | 428 |
| LEUTERT, blood examination | 50, 303 |
| LEVINSTEIN (O.), histology of tonsils, etc. | 102 |
| LEVY (Oskar), brain abscess | 443 |
| LOEB (H. W.), acute nephritis | 551 |
| LOGAN (Jas. E.), epipharyngeal peri-adenitis | 317 |
| LOTHROP (O. A.), submucous resection | 433, 611 |
| —— tonsillectomy | 438 |
| LUC (H.), jugular phlebitis | 614 |
| —— nasal sarcoma | 314 |
| MACDONALD (W. A.), laryngeal web | 275 |
| MCKENZIE (Dan), abductor paralysis | 365 |
| —— enucleation of tonsil | 541 |
| —— infiltration of auricles | 652 |
| —— laryngeal infiltration | 89 |
| —— Ménière's syndrome | 211 |
| —— menthol dermatitis | 301 |
| —— nasal asthma | 202 |
| —— occluded choana | 137 |
| —— septal cartilage fenestra | 632 |
| —— tubetic deafness | 148 |
| —— thickening of auricles | 214 |
| —— ABERCROMBIE (P. H.) and, hysterical deafness | 372 |
| MACKENZIE (Geo. W.), galvanic labyrinth tests | 335 |
| —— labyrinth tests | 440 |
| MADDEN, sarcoma of nose | 436 |
| MAHU, infiltration of larynx | 260 |
| —— nasal mucocele | 315 |
| MAINWARING-WHITE (R. M.), sinusitis | 162 |
| MAKUEN (G. Hudson), voice-production | 269 |
| MANASSE, exostoses of frontal sinus | 424 |
| MANN (A.), injury of ear | 501 |
| MARRIAGE (H. J.), tubercular ear polyp | 655 |
| MASCHKE, routine otoscopy | 614 |
| MASON (H. R.) and INGLIS (H. J.), œdema of larynx, etc. | 439 |
| MASSEI, syphilis and cancer | 604, 610 |
| MAYER (Otto), syphilitic deafness | 615 |

| | PAGE |
|---|----------|
| MCNAUGHTON-JONES, aid to hearing | 149 |
| MEYER (A.), tonsils | 667 |
| MILLIGAN (W.), aural tuberculosis | 467, 506 |
| — Hay's pharyngoscope | 47 |
| — Kuhn's per-oral intubation | 210 |
| — meatal neoplasm | 208 |
| — naso-pharyngeal growth | 209 |
| MÖLLER, ozæna | 547 |
| MÖLLER (Jörgen), acoumetric formula | 385 |
| — chronic deafness | 386 |
| MONSON, foreign body in larynx | 557 |
| MOSHER (H. C.), brain abscess | 110 |
| MOUNIER, maxillary sinusitis | 428 |
| MOURE, operations on jugular bulb | 388 |
| MOURET (J.), intra-cranial infection, etc. | 411 |
| MUECKE, laryngeal paralysis | 641 |
| MUMFORD (J. G.), Graves' disease | 500 |
| MUNCH, facial paralysis | 260 |
| MYERSON (A.), falsetto voice | 333 |
| MYGIND (Holger), oto-laryngological library | 300 |
| MYLES (R. C.), cancer of tongue | 100 |
| NADOLECZNY, singing | 579 |
| NAGLE (E. W.), vaccine therapy | 659 |
| NEUBAUER, radical mastoid | 319 |
| NEUMANN (H.), labyrinthitis | 496 |
| — and RUTTIN (E.), acute otitis | 612 |
| NICOLAS (M.), otitic pyæmia | 443 |
| NOURSE (Chichele), endothelioma of ethmoid | 85 |
| — epithelioma of larynx | 308 |
| — frontal sinusitis | 197 |
| — ulceration of lip | 91 |
| ONODI, sinus disease | 332 |
| PACKARD (F. R.), fatality after operation | 609 |
| — naso-pharynx and ear | 103, 164 |
| PANSE (R.), histology, etc., of ears | 411 |
| PARKER (C. A.), tonsillolith | 638 |
| PARREL (R.), adenectomy | 426 |
| — and CASTEX, aërophagia | 431 |
| PATERSON (D. R.), choanal occlusion | 200 |
| — direct examination, etc. | 479 |
| — endothelioma of temporal bone | 220 |
| PATTERSON (N.), occlusion of anterior naris | 201 |
| PEGLER (L. H.), functional laryngeal disease | 368 |
| — nasal headache, etc. | 544 |
| — perforation of bony palate | 310 |
| — septal fissure | 252 |
| — septal tuberculosis | 253 |
| PEPLER (W. H.), œsophageal cancer | 333 |
| PIERCE (N. H.), naso-pharynx and ear, etc. | 103 |
| PIERRE-NADAL (L.), physiology of œsophagus | 106 |
| PIKE (N.), LAKE (R.) and, labyrinth tests | 40 |
| PISTRE (E.), fibroma of auricle | 106 |
| POLYAK (L.), intra-nasal surgery | 418 |
| PORTER (W. G.), laryngeal tumours | 390 |
| — and DARLING (J. M.) (report, etc) | 171 |
| POWELL (Fitzgerald), laryngeal case | 91 |
| — naso-pharyngeal neoplasm | 365 |
| — post-nasal tumour | 637 |

Index.

| | PAGE |
|--|----------|
| POWELL (Fitzgerald) and BADGEROW, ulcer of soft palate | 637 |
| POYET (G.), X-rays | 432 |
| PRICE-BROWN (J.), nasal sarcoma | 264 |
| — septal abscess | 272 |
| PROTA (G.), paralysis of larynx | 557 |
| RANDALL (B. A.), heredity and ear disease | 500 |
| REIK (H. O.), effect of tobacco, etc. | 583 |
| RENNER (W. Scott), nasal tuberculosis | 267 |
| RÉTHI, innervation of palate | 606 |
| RICHARDSON (C. W.), bronchoscopy | 586 |
| — prolonged styloid process | 100 |
| RIDDELL (D. F.), GRIFFITHS (J. H.) and, rupture of vessels, etc. | 160 |
| RIMINI, otogenic pyæmia | 109 |
| ROBINSON (H. Betham), chronic laryngitis | 23 |
| — ulcer of arytenoid | 22 |
| ROE (J. O.), palatal adhesions | 274 |
| ROLLESTON (H. D.), rheumatic nodules | 558 |
| ROLLESTON (J. D.), Vincent's angina | 499 |
| ROSS (Geo. T.), temporo-sphenoidal abscess | 392 |
| ROTHSCHILD (J.), congenital laryngeal stridor | 48 |
| ROUGHTON (E. W.), cancer of larynx | 33 |
| ROWAN (J.), BARR (J. S.) and, optic neuritis, etc. | 334 |
| RUTTIN (E.), meatal atresia | 94 |
| — deaf-mutism | 658 |
| — NEUMANN (H.) and, acute otitis | 612 |
| RYERSON (G. S.), eye and ear | 670 |
| SALZBURG, sarcoma of larynx, etc. | 547 |
| SAMENHOF (L.), maxillary osteomyelitis | 47 |
| SARGNON and BARLATIER, laryngostomy | 606 |
| SCARLETT (R.), septal papilloma | 666 |
| SCHEIER (Max), unilateral laryngeal disease | 275 |
| — teeth in nose | 610 |
| SCHEPPEGRELL (W.), hay-fever | 272 |
| SCHMIEGELOW (E.), labyrinthitis | 413, 495 |
| SCHOENEMANN, physiology, etc., of tonsils | 48 |
| SCHOETZ (W.), mastoid epidermic cysts | 106 |
| SCHWARZ (G.), X rays in otology | 558 |
| SCOTT (Jas.), vaccine treatment | 107 |
| SCOTT (Sydney), lateral sinus thrombosis | 646 |
| — microscopy, etc., of ear | 139 |
| — retro-cerebellar abscess | 649 |
| SEMON (Sir Felix), laryngeal cancer | 599 |
| SEWELL (Lindley), labyrinth fistula | 166 |
| SHAMBAUGH (G. E.), labyrinth symptoms | 391 |
| SHARP (Alexander), audible tinnitus | 214, 335 |
| SHEPPARD (J. E.), affections of meatus | 596 |
| SIMPSON (W. K.) calcium lactate | 98, 166 |
| SKILLERN (R. H.), middle turbinates | 551 |
| SMITH (Harmon), laryngeal cancer | 263 |
| SMITH (L.), sequelæ of adenoids | 160 |
| SMITH (S. MacCuen), myxœdema | 616 |
| — brain abscess | 671 |
| SNOW (Sargent F.), catarrhal deafness | 321 |
| SOMERS (S. L.), œdema of palate | 667 |
| SONDERN (F. E.), otological diagnosis | 663 |
| SPENCER (W. G.), lingual thyroid | 638 |
| SPICER (R. Scanes), cancer of throat, etc. | 545 |
| — model | 25 |
| — œsophageal stenosis | 203 |
| — stammering | 204 |

| | PAGE |
|--|----------|
| SPIRA, Bier's hyperæmia | 414 |
| STARR (M. A.), auditory nerve-tumours | 444 |
| STEPHENSON (Sydney), interstitial keratitis | 440 |
| STERN (Hugo), voice-production | 579 |
| STOCKER (S.), fibrolysin | 223 |
| STRAZZA (G.), foreign body in œsophagus | 608 |
| STUART-Low (W.), loss of voice | 367 |
| — lupus | 133 |
| SYDENHAM (Fred), suture of facial nerve | 223 |
| SYME (W. S.), spheno-ethmoidal cells, etc. | 31, 78 |
| — sphenoidal sinusitis | 273 |
| SYMONDS (Charters J.), frontal osteomyelitis | 33 |
| TANTURRI (D.), œsophageal spasm | 607 |
| TAPTAS (N.), maxillary sinusitis | 273 |
| THOMPSON (J. A.), frontal sinus | 667 |
| THOMSON (StClair), frontal sinus operation | 308 |
| — pansinusitis | 200 |
| — laryngeal stenosis | 29, 198 |
| — scleroma of | 633 |
| THORNE (Atwood), | 137 |
| THORNTON (Bertram), vaso-constrictor drugs | 502 |
| TILLEY (H.), amputation of epiglottis | 28 |
| — audible tinnitus | 39, 147 |
| — cancer of larynx | 28 |
| — fibroma of antrum | 190 |
| — foreign body in bronchus | 251 |
| — in gullet | 303 |
| — frontal sinus fistula | 191 |
| — papilloma of larynx | 188 |
| — of trachea | 249 |
| — Presidential Address | 478 |
| — tonsil vulsellum | 250 |
| — tuberculous laryngitis | 248 |
| TOD (Hunter), cholesteatoma of meatus | 377 |
| — exostosis of meatus | 374 |
| — osteomyelitis and mastoiditis | 217 |
| — simulated cerebellar abscess | 375 |
| TÖRÖK, ligation of jugular | 416 |
| TRAPENARD, naso-pharyngeal syphilis | 102 |
| TURNER (A. Logan), otitic meningitis | 442 |
| — and LEWIS (C. J.), sinus suppuration | 484 |
| TWEEDIE (A. R.), congenital mouth deformity | 191 |
| — model of jaws | 306 |
| UCHERMANN (V.), otogenic pyæmia | 415 |
| UFFENORDE, curettage of trachea | 550 |
| URBANTSCHITSCH (Ernst), deaf-mutism | 657 |
| — head nystagmus | 440 |
| — position of head, etc. | 658 |
| URBANTSCHITSCH (Viktor), sense of smell, etc. | 334 |
| — olfactory perception, etc. | 669 |
| VÁLI (E.), congenital meatal atresia | 417 |
| VEILLARD, laryngeal oedema | 315 |
| VIERHUFF, otitic abscess | 109 |
| VOISLAWSKY and BRAUN, epithelioma of antrum | 436 |
| VON EICKEN, direct examination, etc. | 479, 605 |
| — synechiae of nose | 422 |
| VON GYERGAI, examination of naso-pharynx | 546 |

Index.

| | PAGE |
|---|----------|
| VON LÉNÁRT (Z.), lymphatics of nose | 102 |
| VOSS (F.), sarcoma of sphenoid | 436 |
| WAGGETT (E.), vaso-motor rhinitis | 531 |
| WATERMAN (J. S.), laryngeal abscess | 551 |
| WEILL (G. A.), aural vertigo | 257 |
| — electrical apparatus | 260 |
| WENDLING, maxillary antrum suppuration | 273 |
| WEST (C. E.), congenital defect, etc. | 220 |
| — dermatitis of pinna | 653 |
| — labyrinth surgery | 473 |
| — labyrinthitis | 653 |
| WHILLIS (S. S.) and PYBUS (F. C.), tonsil enucleation | 609 |
| WHITEHEAD (A. L.), temporo-sphenoidal abscess | 370 |
| WILKINSON (Carnac), laryngeal tuberculosis | 538 |
| WILKINSON (Geo.), angioma of auricle | 146 |
| — deformity of nose | 131 |
| — large cholesteatoma | 378 |
| — lymphosarcoma of tonsil | 133 |
| WILLIAMS (P. Watson), ? cancer of larynx | 641 |
| — laryngeal neoplasm | 84, 310 |
| — latent diphtheria | 2 |
| — malignant disease of temporal bone | 381 |
| — Presidential Address | 619 |
| — surgery of frontal sinus | 545 |
| WINCKLER (E.), retro-auricular fistulae | 501 |
| — submucous resection | 421 |
| WINGRAVE (V. Wyatt), pathogeny of cholesteatoma | 339 |
| WISHART (D. J. G.), foreign body in trachea | 439 |
| — laryngeal paralysis | 333 |
| WOOD (G. B.), embryology of tonsils, etc. | 261 |
| WYLIE (Andrew), leucoplakia | 131 |
| — obstruction of nostrils | 366 |
| — papilloma of larynx | 188 |
| — pharyngeal tuberculosis | 83 |
| YEARSLEY (P. Macleod), annual report, etc. | 113 |
| — deaf-mutism | 181, 234 |
| — deafness during eclampsia | 502 |
| — ossiculectomy | 523 |
| ZARNIKO (Carl), submucous turbinotomy | 425 |
| ZEBROWSKI (A.), mastoiditis | 106 |
| ZIEM (C.), paresis of third nerve | 242 |
| ZWILLINGER, laryngeal keratosis | 604 |

