MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

of the Cambridge Philosophical Society

VOLUME 146





Published by the Press Syndicate of the University of Cambridge The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

The Edinburgh Building, Cambridge CB2 8RU, United Kingdom 32 Avenue of the Americas, New York, NY 10013-2473, USA 477 Williamstown Road, Port Melbourne, VIC 3207, Australia Ruiz de Alarcón 13, 28014 Madrid, Spain Dock House, The Waterfront, Cape Town 8001, South Africa

© Cambridge Philosophical Society 2009

Printed in the United Kingdom at the University Press, Cambridge.

INDEX FOR VOLUME 146

	PAGE
Araújo, H. & Leite, M. L. How many maximal surfaces do correspond to one minimal surface?	165
Awodey, S. & Warren, M. A. Homotopy theoretic models of identity types	45
Bahri, A., Franz, M. & Ray, N. The equivariant cohomology ring of weighted projective space	395
Bludov, V. V. & Glass, A. M. W. On free products of right ordered groups with amalgamated	0,0
subgroups	591
Bourgain, J. & Garaev, M. Z. On a variant of sum-product estimates and explicit exponential sum	371
	1
bounds in prime fields	1
Hennings invariant	151
Cojocaru, A. C., Luca, F. & Shparlinski, I. E. Pseudoprime reductions of elliptic curves	513
	313
Dajczer, M. & Tojeiro, R. Submanifolds of codimension two attaining equality in an extrinsic	461
inequality	461
Defant, A. & Pérez, E. A. S. Domination of operators on function spaces	57
Diao, H. Freiman–Ruzsa-type theory for small doubling constant	269
Dokchitser, T. Quotients of functors of Artin rings	531
Dokchitser, T. & Dokchitser, V. Self-duality of Selmer groups	257
Dranishnikov, A. N. & Rudyak, Y. B. On the Berstein–Svarc theorem in dimension 2	407
Driver, B. K., Gross, L. & Saloff-Coste, L. Surjectivity of the Taylor map for complex nilpotent	
Lie groups	177
Duistermaat, J. J. & Pelayo, A. Reduced phase space and toric variety coordinatizations of Delzant	
spaces	695
Erdélyi, T. The Remez inequality for linear combinations of shifted Gaussians	523
Eremenko, A. E., Liao, L. & Ng, T. W. Meromorphic solutions of higher order Briot-Bouquet	
differential equations	197
Fukuhara, S. & Yang, Y. Period polynomials and explicit formulas for Hecke operators	
on $\Gamma_0(2)$	321
Garner, R. & Gurski, N. The low-dimensional structures formed by tricategories	551
González–Dávila, J. C. & Cabrera, F. M. Harmonic G-structures	435
Gray, R. & Truss, J. K. Cycle-free partial orders and ends of graphs	535
Hall, P. & Hosseini-Nasab, M. Theory for high-order bounds in functional principal components	
analysis,	225
Herzlich, M. The canonical Cartan bundle and connection in CR geometry	415
Herzog, I. & Rothmaler, P. Pure Projective Approximations	83
Hofmann, K. H. & Neeb, KH. Pro-Lie groups which are infinite-dimensional Lie groups	351
Horn, P. D. The first-order genus of a knot	135
Ingram, P. & Silverman, J. H. Primitive divisors in arithmetic dynamics	289
Kálmán, T. Meridian twisting of closed braids and the Homfly polynomial	649
Kawamuro, K. Connect sum and transversely non simple knots	661
Kong, L. & Kong, Q. Nodal solutions of second order nonlinear boundary value problems .	747
Kopotun, K. On moduli of smoothness of <i>k</i> -monotone functions and applications	213
Kuno, Y. A combinatorial formula for Earle's twisted 1-cocycle on the mapping class	
group \mathcal{M}_{σ} *	109
Lackenby, M. Large groups, property (τ) and the homology growth of subgroups	625
Laghi, N. A note on restricted X-ray transforms	719
Lau, YK. & Tsang, KM. On the mean square formula of the error term in the Dirichlet divisor	
problem	277
Lawson, T. The Bott cofiber sequence in deformation K -theory and simultaneous similarity in $\mathrm{U}(n)$	379
Lei, F. & Yang, G. A lower bound of genus of amalgamations of Heegaard splittings	615
Malicki, M. & Solecki, S. Isometry groups of separable metric spaces	67
Mannan, W. H. Realizing algebraic 2-complexes by cell complexes	671
Morton, H. R. Mutant knots with symmetry	95
Muñoz, V. Torelli theorem for the moduli spaces of pairs	675
Ochiai, T. & Trihan, F. On the Selmer groups of abelian varieties over function fields of character-	
istic $p > 0$	23
Paeng, SH. Distance to a focal point and singularity theorems with weak timelike convergence	
	475
condition	
multiplicative orders	303

ii Index

Saji, K., Umehara, M. & Yamada, K. Ak singlarities of wave fronts	731
Schulze, A. Existence and stability of static shells for the Vlasov–Poisson system with a fixed central	
point mass	489
Shumyatsky, P. & Silva, J. C. The restricted Burnside problem for multilinear commutators	603
Tange, M. Ozsváth Szabó's correction term and lens surgery	119
Wu I & Yu I The distribution of the largest digit in continued fraction expansions	207

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Preparation of Manuscripts

Two clear paper copies should be sent. Alternatively, a paper may also be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form together with the TeX file as attachment to an e-mail, i.e. not in the body of the e-mail. Authors are strongly encouraged to prepare their manuscripts in LaTeX 2e using the PSP class file. The class file, together with a guide, PSP2egui.tex, and sample pages, PSP2esam.tex, can be downloaded from ftp://ftp.cambridge.org/pub/texarchive/journals/latex/psp-cls in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

Papers produced in the recommended way can be printed directly from author-prepared electronic files: this substantially reduces errors at the printers. While the use of the PSP class file is preferred, other LaTeX or plain TeX files are also acceptable. In case standard electronic preparation is impossible papers may be typed, double-spaced, on one side of white paper (of which A4, 210 by 297mm is a suitable size). The pages must be numbered. Margins of 30mm should be left at the side and bottom of each page.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas, Some applications of a theorem of G. H. Hardy would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2 Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2 \sin \theta/(1+y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as $o, O, o, O, 0; x, X, x; \phi, \Phi, \emptyset; l, 1; e,k, \kappa,k$.

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit \square from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value...)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. A basis for . .

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way:

Table 1. A basis for . . .

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. Adams. On the non-existence of elements of Hopf invariant one. Ann of Math. (2) 72 (1960), 20-104.
- [2] M. P. Fouram and D. S. Scott. Sheaves and logic. In Applications of Sheaves Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.
- [3] P. T. JOHNSTONE. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication a hard copy of the final version, accompanied by the TeX file on a PC or Macintosh disk, should be sent to the Editor.

MATHEMATICAL PROCEEDINGS

$of the \\ Cambridge\ Philosophical\ Society$

VOLUME 146 PART 3, pages 513-763, May 2009

CONTENTS

Cojocaru, A. C., Luca, F. & Shparlinski, I. E. Pseudoprime reductions of elliptic
curves
Erdélyi, T. The Remez inequality for linear combinations of shifted Gaussians .
Dokchitser, T. Quotients of functors of Artin rings
Gray, R. & Truss, J. K. Cycle-free partial orders and ends of graphs
Garner, R. & Gurski, N. The low-dimensional structures formed by tricategories .
BLUDOV, V. V. & GLASS, A. M. W. On free products of right ordered groups with
amalgamated subgroups
Shumyatsky, P. & Silva, J. C. The restricted Burnside problem for multilinear
commutators
Lei, F. & Yang, G. A lower bound of genus of amalgamations of Heegaard splittings.
Lackenby, M. Large groups, property (7) and the homology growth of subgroups .
Kálmán, T. Meridian twisting of closed braids and the Homfly polynomial
KAWAMURO, K. Connect sum and transversely non simple knots
Mannan, W. H. Realizing algebraic 2-complexes by cell complexes
Muñoz, V. Torelli theorem for the moduli spaces of pairs
Duistermaat, J. J. & Pelayo, A. Reduced phase space and toric variety coordi-
natizations of Delzant spaces
Laghi, N. A note on restricted X-ray transforms
Saji, K., Umehara, M. & Yamada, K. A_k singlarities of wave fronts
Kong, L. & Kong, Q. Nodal solutions of second order nonlinear boundary value
problems

© The Cambridge Philosophical Society 2009

Cambridge Journals Online
For further information about this journal please
go to the journal website at:
journals.cambridge.org/psp

