

# THE EDINBURGH MATHEMATICAL SOCIETY

The Edinburgh Mathematical Society was instituted in 1883 for 'the promotion and extension of Mathematical Science, Pure and Applied'.

Members may subscribe to the *Proceedings* at a reduced rate. Further information about membership can be obtained from the Secretary.

The Society's address is The Secretary, The Edinburgh Mathematical Society, James Clerk Maxwell Building, The King's Buildings, Edinburgh EH9 3JZ, UK (edmathsoc@ed.ac.uk).

## Submission of papers

Papers to be considered for publication should be submitted by email (preferably) to pems@icms.org.uk (in the form of a single pdf, postscript or T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X attachment). Alternatively, papers may be submitted by post to PEMS Editorial Office, International Centre for Mathematical Sciences, The Bayes Centre, 47 Potterrow, Edinburgh EH8 9BT, UK.

Each manuscript should contain a short abstract of no more than 200 words and also a primary classification number from the American Mathematical Society's 2010 Mathematics Subject Classification Scheme. The style and arrangement of the paper should conform to current practice in the *Proceedings*.

Authors should include in their covering note a suggestion of an appropriate subject editor from the list of board members on the inside front cover.

Authors are encouraged to use T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X to prepare their papers. L<sup>A</sup>T<sub>E</sub>X is especially recommended, and a class file is available from <http://icms.org.uk/activities/pems> although it is not necessary to use this.

Once an article has reached its final form and is accepted for publication, authors will be asked to supply a T<sub>E</sub>X file for the paper (if available). This should be a single file, with any relevant macros included in the preamble. Figures in PostScript form are also welcome, and should be submitted at the same time as the T<sub>E</sub>X file for the paper (in zipped format if appropriate).

When a paper has been accepted for publication, the corresponding author will be able to choose to publish the paper under a regular publication agreement or under a fully Open Access agreement.

In the case where authors choose to publish a paper as a regular publication, they will need to sign the Journal's standard License to Publish form (<https://www.cambridge.org/core/journals/proceedings-of-the-edinburgh-mathematical-society/information/author-publishing-agreement>): under the conditions detailed on such form, when an article is accepted, its authors are free to post their version of the accepted manuscript on a website or repository. As such, *Proceedings of the Edinburgh Mathematical Society* is compliant with the Open Access mandates of the vast majority of academic institutions and funding sources.

In the case where authors choose to publish a paper under a fully Open Access agreement, they will be asked to sign the alternative Open Access form (<http://journals.cambridge.org/images/fileUpload/images/PEMS-ctf-oa.pdf>) and, upon payment of a one-off Article Processing Charge of UK£1780/US\$2835 (in 2016), the final published Version of Record shall be made freely available to all in perpetuity, and will be published under a creative commons licence, enabling its free re-use and re-distribution.

Please note that publication under a fully Open Access agreement is part of the Cambridge Open option (for more details, please see: <http://journals.cambridge.org/action/displaySpecialPage?pageId=4576>).

One proof is supplied, which should be corrected and returned promptly. Excessive corrections may be charged to authors. Authors will receive an electronic offprint in pdf format.

---

<b>Unit sphere fibrations in Euclidean space</b>	<b>287</b>
<i>Daniel Asimov, Florian Frick, Michael Harrison and Wesley Pegden</i>	
<b>The Schwarzian norm estimates for Janowski convex functions</b>	<b>299</b>
<i>Md Firoz Ali and Sanjit Pal</i>	
<b>A boundary maximum principle for stationary pairs of varifolds with fixed contact angle</b>	<b>316</b>
<i>Xuwen Zhang</i>	
<b>Structure of generalized Yamabe solitons and its applications</b>	<b>336</b>
<i>Shun Maeta</i>	
<b>Normalized solutions to the quasilinear Schrödinger equations with combined nonlinearities</b>	<b>349</b>
<i>Anmin Mao and Shuyao Lu</i>	
<b>Canonical decompositions and algorithmic recognition of spatial graphs</b>	<b>388</b>
<i>Stefan Friedl, Lars Munser, José Pedro Quintanilha and Yuri Santos Rego</i>	
<b><math>L^2</math> to <math>L^p</math> bounds for spectral projectors on the Euclidean two-dimensional torus</b>	<b>431</b>
<i>Ciprian Demeter and Pierre Germain</i>	
<b>On the fractional powers of a Schrödinger operator with a Hardy-type potential</b>	<b>460</b>
<i>Giovanni Siclari</i>	
<b>Proof of some conjectural congruences involving Apery and Apery-like numbers</b>	<b>508</b>
<i>Guo-Shuai Mao and Lilong Wang</i>	
<b>Discriminant and integral basis of number fields defined by exponential Taylor polynomials</b>	<b>528</b>
<i>Ankita Jindal and Sudesh K. Khanduja</i>	
<b>Unbounded Sturm attractors for quasilinear parabolic equations</b>	<b>542</b>
<i>Phillipo Lappicy and Juliana Fernandes</i>	
<b>On the structure of some One-generator braces</b>	<b>566</b>
<i>L A Kurdachenko and I Ya. Subbotin</i>	
<b>On the moduli of hypersurfaces in toric orbifolds</b>	<b>577</b>
<i>Dominic Bunnnett</i>	
<b>Minimal monoids generating varieties with complex subvariety lattices</b>	<b>617</b>
<i>Sergey V. Gusev</i>	
<b>A remark on a conjecture on the symmetric Gaussian problem</b>	<b>643</b>
<i>Nicola Fusco and Domenico Angelo La Manna</i>	

