GEOLOGICAL MAGAZINE

Edited by

O. M. B. BULMAN, S. R. NOCKOLDS, and W. B. HARLAND

assisted by

PROFESSOR W. G. FEARNSIDES PROFESSOR O. T. JONES
SIR WILLIAM PUGH

PROFESSOR C. E. TILLEY

CONTENTS

| P | AGE |
|---|-----|
| CLIFFORD, P., M. J. FLEUTY, J. G. RAMSAY, J. SUTTON, and J. WATSON. The Development of Lineation in Complex Fold Systems. | 1 |
| WHITTEN, E. H. T. The Petrogenetic Significance of the Contact Relationships of the Donegal Granite in Gweedore and Cloghaneely. | 25 |
| WARREN, S. H. On the Early Pebble Gravels of the Thames Basin from the Hertfordshire-Essex Border to Clacton-on-Sea | 40 |
| ERGUVANLI, K. Outline of Geology of the Dardanelles | 47 |
| EYLES, V. A., and C. R. K. BLUNDELL. On a Volcanic Vent and Associated Monchiquite Intrusions in Monmouthshire | 54 |
| CHAYES, F. A Provisional Reclassification of Granite | 58 |
| WEYMOUTH, J. H., and W. O. WILLIAMSON. Some Effects of Artificial Heating on Fluorite-Bearing Albite-Granite from St. Austell, Cornwall | 69 |
| RAO, S. R. N., B. S. TEWARI, K. MOHAN, and A. K. CHATTERJI. The | 0. |
| Miocene of Western India | 81 |

ANNOUNCEMENT

p. 80

REVIEW

pp. 86-88

STEPHEN AUSTIN & SONS, LTD.
CAXTON HILL, WARE ROAD, HERTFORD, HERTS

GEOLOGICAL MAGAZINE

founded in 1864

by the late Dr. H. Woodward, F.R.S., with which is incorporated

THE GEOLOGIST

(founded 1858)

Published every two months, price 45/- per annum (single numbers, 10/-).

Subscriptions for 1957, inquiries relating to back stock, advertising, etc., should be sent to Stephen Austin & Sons, Ltd., Caxton Hill, Ware Road, Hertford, Herts.

The Editors are directed to make it known to the public that the authors alone are responsible for the facts and opinions contained in their respective papers and for the correctness of their references.

Instructions to Contributors.

Articles submitted for publication in the Geological Magazine should be addressed to the Editors at the Sedgwick Museum, Cambridge, not to the Publishers.

Manuscripts should be typewritten, double-spaced, and preferably with a wide margin, and should be carefully revised; they should be as concise as possible and should not exceed 10,000 words. In the case of a long article allowance must be made for text-figures at the rate of approximately twenty words per sq. in. MS. must be accompanied by a short abstract, 50-100 words. References should not be given in footnotes, but arranged in alphabetic order of author's names at the end of the article; the author's name should be followed by date of publication, and the title of each paper should be given in addition to volume and page numbers of the Journal, thus:—

LAPWORTH, C. 1878. The Moffat Series. Quart. Journ. Geol. Soc., xxxiv, 240-343.

References should be cited in the text by author's name and date, with page reference if necessary, in brackets:—(Lapworth, 1878, p. 339).

Illustrations should be so drawn as to allow reduction to a maximum size of $6\frac{1}{4} \times 3\frac{1}{4}$ inches (the type-area of the Magazine) and originals must not exceed 40×22 inches. Map lettering should be such as to be clearly legible after reduction (equivalent to 5-point as a *minimum* on reduction), while lettering on text-figures should in general be left in pencil for printing.

Authors will receive 25 reprints free of cost.

THE

GEOLOGICAL MAGAZINE

VOL. XCIV OF WHOLE SERIES

JANUARY-DECEMBER, 1957

GEOLOGICAL MAGAZINE

with which is incorporated

THE GEOLOGIST

FOUNDED IN 1864 BY THE LATE DR. HENRY WOODWARD, F.R.S.

Edited by

O. M. B. BULMAN, Sc.D., A.R.C.Sc., F.R.S., S. R. NOCKOLDS, Ph.D.,

and

W. B. HARLAND, M.A.

assisted by

67153

Professor W. G. Fearnsides, M.A., F.R.S. Professor Leonard Hawkes, D.Sc., F.R.S. Professor O. T. Jones, M.A., D.Sc., F.R.S. Professor Sir William Pugh, O.B.E., D.Sc., F.R.S. Professor C. E. Tilley, Ph.D., F.R.S.

Vol. XCIV of Whole Series JANUARY—DECEMBER, 1957

STEPHEN AUSTIN & SONS, LTD CAXTON HILL, WARE ROAD, HERTFORD, HERTS

Stephen Austin & SONS LTD
ORDINAL AND OPERAL PRINTING
MARTINGO - MEETS

CONTENTS OF VOLUME XCIV, 1957

| No. 1 | January–February | PAGE |
|---|--|---------------------------------|
| P. CLIFFORD, M The Develo E. H. T. WHI Relationshi S. H. WARREN. the Hertfo K. ERGUVANLI. V. A. EYLES 2 ASSOCIATED F. CHAYES. A J. H. WEYMOUT | JANUARY-FEBRUARY I. J. FLEUTY, J. G. RAMSAY, J. SUTTON, and J. WATSON. opment of Lineation in Complex Fold Systems TTEN. The Petrogenetic Significance of the Contact ips of the Donegal Granite in Gweedore and Cloghaneely On the Early Pebble Gravels of the Thames Basin from rdshire-Essex Border to Clacton-on-Sea Outline of Geology of the Dardanelles and C. R. K. Blundell. On a Volcanic Vent and Monchiquite Intrusions in Monmouthshire Provisional Reclassification of Granite TH and W. O. WILLIAMSON. Some Effects of Artificial in Fluorite-Bearing Albite-Granite from St. Austell, | 1 25 40 47 54 58 |
| S. R. N. RAO, | B. S. Tewari, K. Mohan, and A. K. Chatterji. The | |
| Miocene of Announcement | f Western India | 81 |
| | r.—80. Etural Geology, 86. | |
| | | |
| No. 2 | March-April | |
| C. B. CRAMPTO of the Mo | N. Regional Study of Epidote, Mica, and Albite Fabrics ines | 89 |
| Lichacea (| | 10 |
| Sill near C | NSON. The Clinopyroxenes of a Differentiated Teschenite funnedah, New South Wales | 12 |
| Basalts | Banded Olivines in some Scottish Carboniferous Olivine. | 13. 14 |
| H. D. THOMAS | s and S. OMARA. The Cenomanian Compound Coral, cristatus (Lamarck), from Nezzazat, Western Sinai . | |
| G. A. GOODLE Fife . | т. A Megaphyton from the Limestone Coal Group in | 15 |
| REVIEWS.—The | I. I. PLATT. Cross-folds | 15 |
| CORRESPONDEN stone of V | Vestern Moray, 170; Erosion Surfaces in Uganda, 171; kings and Load-casts, 173; Primary Origin of the s-Shale Rhythm in the British Lower Lias, 175. | ; |
| No. 3 | May-June | |
| | NZIE. On the Relationship between Migmatization and in Mid-Strathspey | l . 17 |
| D. J. BLUNDEL Swarm | L. A Palaeomagnetic Investigation of the Lundy Dyke | 18 |
| | The Taele Gravel near Thriplow, Cambridgeshire Evolutionary Rates of Brachiopods | . 19 |

vi Contents

| J. P. T. BURCHELL. A Temperate Bed of the last Inter-glacial Period at Northfleet, Kent | 212 |
|---|------------|
| W. HOPKINS and G. M. BENNISON. A Palaeontological Link between the Midgeholme Outlier, Cumberland, and the Northumberland and Durham Coalfield | 215 |
| L. J. Chubb. The Pattern of Some Pacific Island Chains | 221 |
| G. A. L. JOHNSON. The Goniatite Girtyoceras cf. weetsense Moore from the shales above the Jew Limestone, Northumberland | 229 |
| W. J. ARKELL. Sutures and Septa in Jurassic Ammonite Systematics. | 235 |
| L. BERRY and B. P. RUXTON. Structure and Form of Cheung Chau Island, Hong Kong | 249 |
| CORRESPONDENCE.—Lineation in Complex Fold Systems, 261. REVIEWS.—Structural Geology for Petroleum Geologists, 262; Microscopic Petrography, 262; Petrographic Mineralogy, 262. | |
| Publications Received.—263. | |
| No. 4 July-August | |
| M. STONE. The Aberfoyle Anticline, Callander, Perthshire | 265 |
| H. I. Drever. A Note on the Occurrence of Rhythmic Layering in the Eilean Mhuire Sill, Shiant Isles | 277 |
| R. CAVE. Salterolithus caractaci (Murchison) from Caradoc Strata near Welshpool, Montgomeryshire | 281 |
| F. G. H. BLYTH. The Lustleigh Fault in North-East Dartmoor. | 291 |
| N. J. SNELLING. Notes on the Petrology and Mineralogy of the Barrovian Metamorphic Zones | 297 |
| W. H. C. RAMSBOTTOM. Namurian Goniatites in the U.S.S.R P. C. SYLVESTER-BRADLEY and F. HODSON. The Fuller's Earth of | 305 |
| Whatley, Somerset W. J. Arkell. Ammonites from the Fuller's Earth Rock, Whatley, | 312 |
| Somerset P. M. KIER. A New Upper Carboniferous Echinoid from Texas. | 322 326 |
| C. E. TILLEY. A note on the Pitchstones of Arran | 329 |
| G. F. ELLIOTT. Accessory Brachial Structures in Long-looped Brachiopods | 334 |
| C. J. Hughes, W. J. Wadsworth, and C. H. Emeleus. The contact | 551 |
| between Tertiary Granophyre and Torridonian Arkose on Minishal, Isle of Rhum | 337 |
| REVIEW.—Jurassic Geology of the World, 340. | |
| Correspondence.—Crataniophyllum, a New Name for a Carboniferous Coral Genus, 341; A Slow Tempo of Denudation Claimed for Eastern Australia, 341; Determination of [001] Axes in Muscovite, 342. | |
| No. 5 September-October | |
| A. H. V. Smith. The Sequence of Microspore Assemblages Associated with the Occurrence of Crassidurite in Coal Seams of Yorkshire. | 345 |
| N. SPJELDNÆS. A Redescription of some Type Specimens of British Ordovician Bryozoa | 364 |
| M. B. Bayly. The Lower Hecla Hoek Rocks of Ny Friesland, Spitsbergen | 377 |
| R. G. S. Hudson, F. E. Eames, and G. L. Wilkins. The Fauna of Some Recent Marine Deposits Near Basrah, Iraq | 393 |

Contents vii

| G. M. PHILIP. Interambulacral Plate Atrophy in Lovenia woodsi (Etheridge Fil) | 402 |
|--|-----|
| H. M. Pantin. A Variety of Quartzite from Craig-choinnich Lodge, near Blair Atholl, Perthshire | 409 |
| D. T. DONOVAN. Notes on the species Cymbites laevigatus (J. de C. Sowerby) and on the genus Cymbites Neumayr. | 413 |
| R. GOLDRING and C. J. STUBBLEFIELD. Brachymetopus (Brachymetopus) and B. (Brachymetopina) (Trilobita, Devonian to Upper Car- | |
| boniferous) | 421 |
| J. D. D. Smith. Graptolites with Associated Sedimentary Grooving. | 425 |
| Notice.—International Trust for Zoological Nomenclature | 428 |
| Correspondence.—The Limestone-Shale Rhythm in the British Lower Lias, 429; The Lustleigh Fault in North-East Dartmoor, 430; Determination of [001] Axes in Muscovite, 431. | |
| Publications Received.—431. | |
| | |
| No. 6 November-December | |
| W. A. CUMMINS. The Denbigh Grits; Wenlock Greywackes in Wales | 433 |
| K. Burke. An Outline of the Structure of the Galway Granite. | 452 |
| G. R. COOPE. The Insertion of Septa in the Later Growth Stages of | |
| Palaeosmilia murchisoni (Edwards and Haime) | 465 |
| A. LAMONT. Slow Anti-Dunes and Flow Marks | 472 |
| G. KELLING and E. K. WALTON. Load-cast Structures: Their Relation- | |
| ship to Upper-Surface Structures and their Mode of Formation . | 481 |
| J. T. TEMPLE. Growth of the glabella of Dalmanitina olini. | 491 |
| J. E. Mason. An Isolated Occurrence of Igneous Rocks at Gorei in the Las Anod District of the Somaliland Protectorate. | 498 |
| M. SUDBURY. Diplograptus spinulosus sp. nov., from the Ordovician of Syria. | 503 |
| J. S. HAMPTON. Some Holothurian Spicules from the Upper Bathonian | 505 |
| of the Dorset Coast | 507 |
| CORRESPONDENCE.—The Physique of Wales, 511; the Limestone-Shale | 50. |
| Rhythm in the British Lower Lias, 512; Association pour l'Étude | |
| Géologique des Zones Profondes de l'Écorce Terrestre, 514. | |
| REVIEWS.—Sedimentary Rocks, 516; The Quaternary Era, 516; The Origin of the African Flora, 517; The History of the British Flora; A Factual Basis for Phyto-Geography, 517; Principles of Stratigraphy, 518. | |
| Notice.—International Palaeontological Union | 520 |
| Publications Received.—520. | 0 |
| INDEX.—521 | |