Article: 1016

Topic: EPW04 - e-Poster Walk Session 04: Philosophy and Psychiatry, Sexual Disorders, Sexual Medicine and Mental Health, TeleMental Health, Classification, Guidelines/Guidance, Quality Management, Other

The Effects of Post-graduate Psychiatry Training On Junior Doctors' Attitudes Towards and Confidence in Managing Patients with Psychiatric Presentations

A. Ludvigsen¹, S. Dave², R. Thomas³

¹East Midlands School of Psychiatry, Trainee Psychiatrist, Ruddington Nottinghamshire, United Kingdom ;

²Derbyshire NHS Foundation Trust, Clinical Teaching Fellow Consultant Psychiatrist Foundation Training

Programme Director, Derby, United Kingdom ; ³NHS England, General Practitioner with a special interest in

statistics, Derby, United Kingdom

Introduction

The Foundation-Year 2 Psychiatry Teaching Programme (FY2PTP), was introduced by the East Midlands Foundation School to help junior

doctors attain the United Kingdom Foundation Training Program (UKFTP) curriculum competencies in psychiatry¹ (which are compulsory

before entering specialist training).

It is the only scheme of its kind and if successful will be implemented nationwide.

FY2PTP consisted of half a day of face-to-face teaching.

Objectives

To assess the impact of the FY2PTP.

Aims

- 1. To assess the change in doctors' confidence in each area of the psychiatry curriculum following participation.
- 2. To establish how FY2PTP participation changed doctors' attitudes towards patients with psychiatric symptoms.


Methods

All participants (258) completed identical pre- and post-teaching questionnaires.

Four questions related to how confident doctors felt about syllabus objectives using a five point Likert scale. Part two asked them to state the word that described how they felt when dealing with psychiatric patients. Results

The pre- and post-teaching scores were compared using the Mann-Whitney test which generated a p-value of < 0.0001 (one and two tailed) for each question.


Results of pre and post-teaching questionnaires




Mean Likert-scale rating (1 = strongly disagree, 5 = strongly agree)

The words from part two of the pre- and post-questionnaires were compared (*p*-value < 0.0001) following categorisation according to their emotional valence.

Questions





Conclusion

:

Doctors who participated in FY2PTP felt more confident and positive when encountering psychiatric patients.

FY2PTP should be rolled out to include all UK pre-specialisation doctors.

1. http://www.foundationprogramme.nhs.uk/pages/home/curriculum-and-assessment/curriculum2012