

SUBJECT INDEX

A

- Abel–Gontcharoff polynomial** generalized C. LEFÈVRE *AAP* **39** (2007) 492–509
- absorbing Markov chain** D. SIRL *et al.* *JAP* **44** (2007) 476–491
- adaptive simulation** with stochastic algorithm G. O. ROBERTS AND J. S. ROSENTHAL *JAP* **44** (2007) 458–475
- admission control** optimal H.-Q. YE *JAP* **44** (2007) 321–331
- ageing properties**
in repair process M. FINKELSTEIN *JAP* **44** (2007) 506–513
in series and parallel systems F. BELZUNCE *et al.* *JAP* **44** (2007) 928–937
- aggregated Ornstein–Uhlenbeck process** R. McVINISH *JAP* **45** (2008) 150–162
- aggregated risk** C. KLÜPPELBERG AND S. I. RESNICK *JAP* **45** (2008) 67–84
- allele frequency** in exchangeable coalescent tree F. FREUND AND M. MÖHLE *AAP* **41** (2009) 1082–1101
- allocation process** nonuniform J. K. MCSWEENEY AND B. G. PITTEL *AAP* **40** (2008) 1002–1032
- ALOHA protocol** C. BORDENAVE *et al.* *JAP* **46** (2009) 844–865
- ALOHA system** A. L. STOLYAR *JAP* **45** (2008) 297–313
- American option** perpetual R. V. IVANOV *JAP* **44** (2007) 409–419
- ancestral process** T. HUILLET AND M. MÖHLE *JAP* **46** (2009) 866–893
- ancestral recombination graph** E. PARDOUX AND M. SALAMAT *JAP* **46** (2009) 669–689
- approximation** negative binomial, to k -runs X. WANG AND A. XIA *JAP* **45** (2008) 456–471
- arc-sine law** in higher dimensions Y. ZHOU *JAP* **45** (2008) 1204–1206
- area interaction** in disc model J. MØLLER AND K. HELISOVÁ *AAP (SGSA)* **40** (2008) 321–347
- AR-GARCH model** D. B. H. CLINE *AAP* **39** (2007) 1115–1116
and collapsed process D. B. H. CLINE *AAP* **39** (2007) 462–491
- asset traded and nontradable** C. FREI AND M. SCHWEIZER *AAP* **40** (2008) 401–423
- asset allocation** C. LABBÉ AND A. J. HEUNIS *AAP* **39** (2007) 77–104
in mixed-risk model K. C. CHEUNG AND H. YANG *JAP* **45** (2008) 55–66
- asset-pricing model** long-range dependent R. FINLAY AND E. SENETA *JAP* **44** (2007) 950–959
- asymptotic matching** C. KNESSL AND D. E. DOMINICI *AAP* **40** (2008) 856–881
- asymptotic variance** and key renewal theorem S. P. CLARK AND P. C. KIESSLER *JAP* **44** (2007) 366–378
- automata** deterministic finite G. NUEL *JAP* **45** (2008) 226–243
- average reward** long-run expected H. JASSO-FUENTES AND O. HERNÁNDEZ-LERMA *JAP* **46** (2009) 372–391

B

- backward filtering equation** G. N. MILSTEIN AND M. V. TRETYAKOV *AAP* **41** (2009) 63–100
- backward stochastic differential equation** doubly reflected J.-F. CHASSAGNEUX *AAP* **41** (2009) 101–130
- balayage ordering** F. VERA AND J. LYNCH *AAP* **39** (2007) 105–127
- ballot-type formula** C. LEFÈVRE *AAP* **39** (2007) 492–509
- bandit problem** with availability constraint S. DAYANIK *et al.* *AAP* **40** (2008) 377–400
- bandits** multi-armed R. FILLIGER AND M.-O. HONGLER *JAP* **44** (2007) 554–559
- barrier** nonlinear U. T. ALPARSLAN *AAP* **41** (2009) 874–892
- barrier option pricing** B. CASELLA AND G. O. ROBERTS *AAP* **40** (2008) 273–291
- Bartlett spectrum** E. ROY *AAP (SGSA)* **39** (2007) 893–897
- baseline failure rate** J. H. CHA AND J. MI *JAP* **44** (2007) 151–163
- basin of attraction** S. JACKA AND M. SHEEHAN *JAP* **45** (2008) 670–688
- bathhtub** failure rate preserved in mixtures H. W. BLOCK *et al.* *JAP* **45** (2008) 260–270

- Bayesian estimation** of binary branching process D. PIAU *JAP* **45** (2008) 727–742
- Bernoulli bond percolation** D. BERTACCHI AND F. ZUCCA *JAP* **46** (2009) 463–478
- Bernoulli sequence** embedded L. HOLST *JAP* **45** (2008) 1181–1185
- Bernoulli trial** L. HOLST *JAP* **46** (2009) 1201–1208 and L. HOLST *JAP* **45** (2008) 1181–1185
failure strings in L. HOLST *JAP* **44** (2007) 824–830
in Hoppe urn L. HOLST *JAP* **45** (2008) 901–906
- Bessel and Riesz potentials** D. MÁRQUEZ-CARRERAS *AAP* **41** (2009) 893–910
- best-choice problem**
and planar Poisson process A. V. GNEDIN *JAP* **44** (2007) 996–1011
full-information A. V. GNEDIN AND D. I. MIRETSKIY *JAP* **44** (2007) 560–565
with sequential applicants M. TAMAKI *JAP* **46** (2009) 1086–1099
- best-ranked object** duration of owning A. KURUSHIMA AND K. ANO *JAP* **46** (2009) 402–414
- better-than-average rule** A. M. KRIEGER *et al.* *JAP* **45** (2008) 244–259
- bias optimality** and overtaking optimality Q. ZHU AND T. PRIETO-RUMEAU *JAP* **45** (2008) 417–429
- Bienaymé–Galton–Watson process** S. SAGITOV AND M. C. SERRA *AAP* **41** (2009) 225–246
- bin packing** with queueing D. SHAH AND J. N. TSITSIKLIS *JAP* **45** (2008) 922–939
- binomial approximation** three-parameter E. A. PEKÖZ *et al.* *JAP* **46** (2009) 1073–1085
- binomial mixture** Y. YU *JAP* **46** (2009) 244–254
- binomial tree** S. C. P. YAM *et al.* *JAP* **46** (2009) 651–668
- biosequence** with inexact repeats J. L. SPOUGE *JAP* **44** (2007) 514–527
- bipower variation** O. E. BARNDORFF-NIELSEN *et al.* *JAP* **46** (2009) 132–150
- birthday problem** P. NEAL *JAP* **45** (2008) 621–629
- birth–death process**
decay parameter for D. SIRL *et al.* *JAP* **44** (2007) 476–491
spatial X. QI *AAP* **40** (2008) 759–797
- birth–death process with catastrophes** P. POLLETT *et al.* *JAP* **44** (2007) 566–569
- bisexual Galton–Watson process** M. MOLINA *et al.* *JAP* **44** (2007) 492–505
- bisexual population process** S. MA AND M. MOLINA *JAP* **46** (2009) 993–1004
- bivariate phase-type distribution** A. L. BADESCU *et al.* *JAP* **46** (2009) 113–131
- Black–Scholes formula** robustness V. DURRLEMAN *JAP* **45** (2008) 542–550
- Blackwell optimality** for diffusion process H. JASSO-FUENTES AND O. HERNÁNDEZ-LERMA *JAP* **46** (2009) 372–391
- Blackwell’s theorem** E. LEHRER AND E. SHMAYA *JAP* **45** (2008) 580–586 and J. LIN *JAP* **45** (2008) 972–993
- Blaschke–Petkantschin formula** K. ALISHAHI AND M. SHARIFITABAR *AAP (SGSA)* **40** (2008) 919–938
- block transition probability matrix** A. DUDIN *et al.* *JAP* **45** (2008) 211–225
- bold play**
in red-and-black problem M.-R. CHEN *et al.* *JAP* **45** (2008) 1024–1038
optimal in subfair casino Y.-C. YAO AND M.-R. CHEN *JAP* **45** (2008) 403–416
- Boltzmann equation** E. CARLEN *et al.* *JAP* **45** (2008) 95–106
- bond percolation** M. AXELSON-FISK AND O. HÄGGSTRÖM *AAP* **41** (2009) 1102–1122
- Boolean model** with refined convergence P. CALKA *et al.* *AAP (SGSA)* **41** (2009) 940–957
- boundary crossing probability** in Markov random walk C.-D. FUH *AAP* **39** (2007) 826–852
- branching measure** E. BROMAN AND R. MEESTER *AAP* **40** (2008) 798–814
- branching particle system** S. CHAKRABORTY AND J. A. LOPEZ-MIMBELA *AAP* **40** (2008) 250–272
- branching process**
binary D. PIAU *JAP* **45** (2008) 727–742
continuous-state A. E. KYPRIANOU AND J. C. PARDO *JAP* **45** (2008) 1140–1160
dual Markov Y. LI *et al.* *JAP* **45** (2008) 176–189
ETAS model D. VERE-JONES *AAP* **40** (2008) 882–896
in random environment F. PELLERAY *JAP* **44** (2007) 142–150

- in seasonal environment T. BRITTON AND M. LINDHOLM *JAP* **46** (2009) 975–992
 iterated D. PIAU *JAP* **46** (2009) 917–924
 multitype S. SAGITOV AND M. C. SERRA *AAP* **41** (2009) 225–246
 near-critical bisexual M. MOLINA *et al.* *JAP* **44** (2007) 492–505
 population-size-dependent Y. LI *AAP* **41** (2009) 576–599 and Y. LI *JAP* **46** (2009) 453–462
 reduced Markov A. N. LAGERÅS AND S. SAGITOV *JAP* **45** (2008) 190–200
 two-sex S. MA AND M. MOLINA *JAP* **46** (2009) 993–1004
 weighted Markov A. CHEN *et al.* *JAP* **44** (2007) 279–283
 with immigration I. RAHIMOV *AAP* **39** (2007) 1054–1069 and V. BANSAYE *AAP* **41** (2009) 1059–1081
 with prolific individuals J. BERTOIN *et al.* *JAP* **45** (2008) 714–726
- branching random walk**
 on multigraph D. BERTACCHI AND F. ZUCCA *JAP* **45** (2008) 481–497
 truncated D. BERTACCHI AND F. ZUCCA *JAP* **46** (2009) 463–478
- branching transformation** F. C. KLEBANER *et al.* *AAP* **39** (2007) 1036–1053
- Breiman's theorem** D. DENISOV AND B. ZWART *JAP* **44** (2007) 1031–1046
- Brownian area** S. JANSON AND N. PETERSSON *JAP* **46** (2009) 593–600
- Brownian bridge**
 longest excursion A. LINDELL AND L. HOLST *JAP* **44** (2007) 1056–1067
 optimal stopping of E. EKSTRÖM AND H. WANNTORP *JAP* **46** (2009) 170–180
- Brownian motion with Lévy subordinator** T. R. HURD AND A. KUZNETSOV *JAP* **46** (2009) 181–198
- Brownian motion with drift** S.-K. T. WONG *AAP* **40** (2008) 163–182
- Brownian sheet** M. ELSHAMY *JAP* **44** (2007) 444–457
- Brownian web** C. F. COLETTI *et al.* *JAP* **46** (2009) 1184–1197
- buffer queue with critical loading** K. MAJEWSKI *AAP* **39** (2007) 407–428
- burstiness in data network** B. D'AURIA AND S. I. RESNICK *AAP* **40** (2008) 60–94
- busy cycle maximum** D. DENISOV AND V. SHNEER *AAP* **39** (2007) 221–244
- buy-and-hold/sell-at-once** S. C. P. YAM *et al.* *JAP* **46** (2009) 651–668
- buy-sell problem** P. ALLAART AND M. MONTICINO *JAP* **45** (2008) 33–44
- C**
- call option far from maturity** M. R. TEHRANCHI *JAP* **46** (2009) 629–650
- Cantor set** N. SHANK *AAP (SGSA)* **41** (2009) 38–62
- CARMA process** P. J. BROCKWELL *et al.* *JAP* **44** (2007) 977–989
- cascade independent random** J. BARRAL AND S. SEURET *AAP* **39** (2007) 162–188
- cascading failure** A. W. SWIFT *JAP* **45** (2008) 907–921 and M. GATHY AND C. LEFÈVRE *AAP* **41** (2009) 247–269
- casino model**
 primitive Y.-C. YAO AND M.-R. CHEN *JAP* **45** (2008) 403–416
 subfair I. GRIGORESCU *et al.* *JAP* **44** (2007) 199–211 and Y.-C. YAO *JAP* **44** (2007) 212–225
- catalytic reaction** M. BROWN *et al.* *JAP* **45** (2008) 1060–1070
- catastrophe insurance** F. BIAGINI *et al.* *JAP* **45** (2008) 831–845
- cell contamination** V. BANSAYE *AAP* **41** (2009) 1059–1081
- cell division by random hyperplanes** J. MECKE *et al.* *AAP (SGSA)* **40** (2008) 49–59
- censored Markov chain** W. K. GRASSMANN AND J. TAVAKOLI *AAP* **40** (2008) 1157–1173
- CGMY model** C. BENDER AND T. MARQUARDT *JAP* **46** (2009) 609–628
- chaos expansion** O. E. BARNDORFF-NIELSEN *et al.* *JAP* **46** (2009) 132–150
- chaos propagation** M. BEN ALAYA AND B. JOURDAIN *JAP* **44** (2007) 528–546
- chaoticity** C. GRAHAM *JAP* **45** (2008) 1196–1203
- Charlier polynomial** J. A. ADELL *et al.* *AAP* **40** (2008) 1033–1047
- Chen–Stein method for overlapping word sets** E. ROQUAIN AND S. SCHBATH *AAP* **39** (2007) 128–140
- chord length distribution** H. S. HARUTYUNYAN AND V. K. OHANYAN *AAP (SGSA)* **41** (2009) 358–366
- clinical trial urn-design** A. BALDI ANTOGNINI AND S. GIANNERINI *JAP* **44** (2007) 661–669

- closure theorem** for convolution equivalent distribution A. G. PAKES *JAP* **44** (2007) 295–305
- cluster model** F. COMETS AND F. SIMENHAUS *JAP* **45** (2008) 689–702
- clustering** and epidemic threshold T. BRITTON *et al.* *JAP* **45** (2008) 743–756
- coalescence time** nonuniform expected J. K. MCSWEENEY AND B. G. PITTEL *AAP* **40** (2008) 1002–1032
- coalescent**
with multiple collisions A. V. GNEDIN *et al.* *JAP* **45** (2008) 1186–1195 and F. FREUND AND M. MÖHLE *AAP* **41** (2009) 1082–1101
- coalescent process** A. IKSANOV AND M. MÖHLE *AAP* **40** (2008) 206–228
- coalescent tree** E. PARDOUX AND M. SALAMAT *JAP* **46** (2009) 669–689
- coalescing Brownian motion** C. F. COLETTI *et al.* *JAP* **46** (2009) 1184–1197
- code division multiple access** A. FEY *et al.* *AAP* **40** (2008) 1048–1071
- coherent system** ageing properties of components F. BELZUNCE *et al.* *JAP* **44** (2007) 928–937
- coin tossing** S. JACKA *JAP* **46** (2009) 812–826
- collapsed process** D. B. H. CLINE *AAP* **39** (2007) 1115–1116 and D. B. H. CLINE *AAP* **39** (2007) 462–491
- collection** controlled heterogeneous A. GERARDI AND P. TARDELLI *JAP* **45** (2008) 595–609
- collector problem**
generalised-coupon P. NEAL *JAP* **45** (2008) 621–629
with renewal arrival O. KELLA AND W. STADJE *JAP* **45** (2008) 610–620
- collector's waiting time** A. PÓSFAL *JAP* **46** (2009) 585–592
- collision branching process** A. V. GNEDIN *et al.* *JAP* **45** (2008) 1186–1195
- collision probability** T. NAKATA *JAP* **45** (2008) 430–439
- colour occupancy problem** P. DUPUIS *et al.* *JAP* **44** (2007) 115–141
- communications network** cyclic model C. MALLOWS AND L. SHEPP *JAP* **45** (2008) 271–278
- comonotonicity** conditional K. C. CHEUNG *JAP* **44** (2007) 607–617
- component** fixed-size J. DÍAZ *et al.* *AAP (SGSA)* **41** (2009) 344–357
- component dependence** A. W. SWIFT *JAP* **45** (2008) 907–921
- component failure** M. BURKSCHAT *JAP* **46** (2009) 1052–1072
- component lifetime** K. JASIŃSKI *et al.* *JAP* **46** (2009) 894–908
- component testing** T. AVEN *JAP* **46** (2009) 330–341
- composition chain** multinomial Markov H. ZHOU AND K. LANGE *AAP* **41** (2009) 270–291
- compound negative binomial model** P. VELLAISAMY AND N. S. UPADHYE *JAP* **46** (2009) 272–283
- compound pattern** frequency of occurrence K. INOUE AND S. AKI *JAP* **44** (2007) 71–81
- compound Poisson model** S. M. PITTS AND K. POLITIS *AAP* **39** (2007) 385–406
- compound sum** PH. BARBE *et al.* *JAP* **44** (2007) 670–684
- concordance order** inter-environmental F. PELLERÉY *JAP* **44** (2007) 142–150
- conditional distribution** K. C. CHEUNG *JAP* **44** (2007) 607–617
- conditioned Markov chain** S. JACKA *JAP* **46** (2009) 812–826
- conditioned process** A. E. KYPRIANOU AND J. C. PARDO *JAP* **45** (2008) 1140–1160 and L. CARAMELLINO AND B. PACCHIAROTTI *AAP* **40** (2008) 424–453
- congestion avoidance algorithm** T. J. OTT AND J. SWANSON *JAP* **44** (2007) 618–635
- congestion-dependent pricing** I. MAOUI *et al.* *AAP* **39** (2007) 898–921
- conjugate duality** in asset allocation C. LABBÉ AND A. J. HEUNIS *AAP* **39** (2007) 77–104
- connectivity** in random geometric graph P. BALISTER *et al.* *AAP (SGSA)* **41** (2009) 1–12
- connectivity threshold** J. DÍAZ *et al.* *AAP (SGSA)* **41** (2009) 344–357
- consecutive successes** L. HOLST *JAP* **46** (2009) 1201–1208
- conservative flow** U. T. ALPARSLAN AND G. SAMORODNITSKY *AAP* **39** (2007) 360–384
- contact process** in SIS epidemic P. NEAL *JAP* **45** (2008) 513–530
- contingent claim** super-replicable F. OERTEL AND M. OWEN *JAP* **44** (2007) 880–888
- continuous-time moving average process** P. J. BROCKWELL *et al.* *JAP* **44** (2007) 977–989
- control problem** in large dam V. M. ABRAMOV *JAP* **44** (2007) 249–258
- convergence** in Boolean model P. CALKA *et al.* *AAP (SGSA)* **41** (2009) 940–957

- convex body** and Matheron's conjecture G. AVERKOV AND G. BIANCHI *AAP (SGSA)* **39** (2007) 613–629
- convex grain** nonbounded D. DEREUDRE *AAP (SGSA)* **41** (2009) 664–681
- convex hull**
 on hemisphere R. COWAN AND R. E. MILES *AAP (SGSA)* **41** (2009) 1002–1004
 topological identity R. COWAN *AAP (SGSA)* **39** (2007) 630–644
- convex ordering** T. C. CHRISTOFIDES AND E. VAGGELATOU *JAP* **46** (2009) 255–271
- convex transform order** S. KOCHAR AND M. XU *JAP* **46** (2009) 342–352
- convexity** of payoff function A. SCHIED AND M. STADJE *JAP* **44** (2007) 865–879
- convolution** of long-tailed distribution S. FOSS *et al.* *JAP* **46** (2009) 756–767
- convolution equivalence** A. G. PAKES *JAP* **44** (2007) 295–305 *and* A. G. PAKES *JAP* **45** (2008) 1161–1180
- cooperative sequential adsorption** M. D. PENROSE AND V. SHCHERBAKOV *AAP (SGSA)* **41** (2009) 978–1001
- correlated random walk** P. ALLAART AND M. MONTICINO *JAP* **45** (2008) 33–44
- correlation matrix** large deviation of eigenvalues A. FEY *et al.* *AAP* **40** (2008) 1048–1071
- coupling**
 'forward' from the past E. A. PEKÖZ AND S. M. ROSS *JAP* **45** (2008) 568–574
 optimal co-adapted S. CONNOR AND S. JACKA *JAP* **45** (2008) 703–713
- coupon collection** A. PÓSFAL *JAP* **46** (2009) 585–592
- covariogram** determining a convex body G. AVERKOV AND G. BIANCHI *AAP (SGSA)* **39** (2007) 613–629
- coverage** of unit disk J. C. HANSEN *et al.* *AAP (SGSA)* **40** (2008) 22–30
- Cox process** Lévy-based G. HELLMUND *et al.* *AAP (SGSA)* **40** (2008) 603–629
- credit risk spread** Y.-T. CHEN *et al.* *JAP* **46** (2009) 71–84
- critical branching process** I. RAHIMOV *AAP* **39** (2007) 1054–1069 *and* S. V. NAGAEV AND V. WACHTEL *JAP* **44** (2007) 753–769
- Crofton cell** P. CALKA *et al.* *AAP (SGSA)* **41** (2009) 940–957
- cumulative damage** at failure F. BALLANI *et al.* *JAP* **44** (2007) 99–114
- curved boundary**
 and hitting time of double integral process J. TOUBOUL AND O. FAUGERAS *AAP* **40** (2008) 501–528
 and J. TOUBOUL AND O. FAUGERAS *AAP* **41** (2009) 309
- customer arrival** and time-average behaviour E. A. PEKÖZ *et al.* *JAP* **45** (2008) 963–971
- cut set** A. PIEVATOLO *JAP* **44** (2007) 1068–1077
- cylinder process** L. M. HOFFMANN *AAP (SGSA)* **39** (2007) 864–882
- D**
- dam** control policy V. M. ABRAMOV *JAP* **44** (2007) 249–258
- damage accumulation** F. BALLANI *et al.* *JAP* **44** (2007) 99–114
- data augmentation** P. J. FERNÁNDEZ *et al.* *AAP* **39** (2007) 973–990
- data storage** V. BANSAYE *JAP* **44** (2007) 901–927
- data transmission** failure probability S. ASMUSSEN *JAP* **46** (2009) 768–790
- de Finetti dividend problem** A. E. KYPRIANOU AND Z. PALMOWSKI *JAP* **44** (2007) 428–443
- dead leaves model** M. MÅNSSON *AAP (SGSA)* **39** (2007) 41–52
- debit interest** J. CAI *AAP* **39** (2007) 343–359
 at ruin A. A. BOROVKOV *AAP* **41** (2009) 1141–1160
- decay properties** of bulk arrival queue J. LI AND A. CHEN *AAP* **40** (2008) 95–121
- decision problem** entry-exit M. COSTENIUC *et al.* *JAP* **45** (2008) 1039–1059
- decision rule** D. BEREND *et al.* *JAP* **45** (2008) 994–1006
- decision-making** with uncertainty E. LEHRER AND E. SHMAYA *JAP* **45** (2008) 580–586
- default time** J. CAI *et al.* *AAP* **41** (2009) 495–522
- defaultable bond** Y.-T. CHEN *et al.* *JAP* **46** (2009) 71–84
- deficit at ruin** S. M. PITTS AND K. POLITIS *JAP* **44** (2007) 695–712
- degree sequence** of random graph X.-Y. WU *et al.* *JAP* **46** (2009) 1213–1220
- delayed feedback control** R. BEKKER *et al.* *JAP* **45** (2008) 314–332

- dependence** in bursty network B. D'AURIA AND S. I. RESNICK *AAP* **40** (2008) 60–94
- dependence order** for Markov process L. RÜSCHENDORF *JAP* **45** (2008) 279–286
- dependence structure** of asset return K. C. CHEUNG AND H. YANG *JAP* **45** (2008) 55–66
- dependency** of order statistics D. DUBHASHI AND O. HÄGGSTRÖM *JAP* **45** (2008) 575–579
- dependent stationary sequence** B. FRANKE AND T. SAIGO *AAP* **41** (2009) 452–468
- Dickman distribution** S. COVO *JAP* **46** (2009) 732–755
- diffusion process** with Lévy jumps Y. LI *JAP* **46** (2009) 453–462
- diffusion-generator approximation** R. C. GRIFFITHS *et al.* *AAP* **40** (2008) 473–500
- directional convexity** B. BŁASZCZYŚYŹYŃ AND D. YOGESHWARAN *AAP (SGSA)* **41** (2009) 623–646
- disc process** with interaction J. MØLLER AND K. HELISOVÁ *AAP (SGSA)* **40** (2008) 321–347
- discounted aggregate claim** tail behaviour Q. TANG *JAP* **44** (2007) 285–294
- discounted penalty at ruin** J. CAI *et al.* *AAP* **41** (2009) 495–522
- discounting** E. A. FEINBERG AND J. FEI *JAP* **46** (2009) 1209–1212
- discretization** weak local linear F. CARBONELL AND J. C. JIMENEZ *JAP* **45** (2008) 201–210
- distributed scheduling** in random access network A. L. STOLYAR *JAP* **45** (2008) 297–313
- dividend barrier** E. C. K. CHEUNG AND D. LANDRIault *JAP* **46** (2009) 521–541 *and* J. PAULSEN *AAP* **39** (2007) 669–689 *and* J.-F. RENAUD AND X. ZHOU *JAP* **44** (2007) 420–427
- DNA base substitution** V. B. YAP *JAP* **46** (2009) 497–506
- DNA replication** D. PIAU *JAP* **46** (2009) 917–924
- DNA sequence** M. R. KANTOROVITZ *et al.* *JAP* **44** (2007) 788–805 *and* N. TOUYAR *et al.* *JAP* **45** (2008) 440–455
- word counts in S. BEHRENS AND M. LÖWE *JAP* **46** (2009) 1020–1037
- double integral process**
- first hitting time J. TOUBOUL AND O. FAUGERAS *AAP* **40** (2008) 501–528 *and* J. TOUBOUL AND O. FAUGERAS *AAP* **41** (2009) 309
- double kernel estimation** R. ELIE *JAP* **46** (2009) 791–811
- drainage network** two-dimensional C. F. COLETTI *et al.* *JAP* **46** (2009) 1184–1197
- drug selection** optimal resource allocation in C. CHARALAMBOUS AND J. C. GITTINS *AAP* **40** (2008) 359–376
- dual branching property** Y. LI *et al.* *JAP* **45** (2008) 176–189
- duality** T. HUILLET AND M. MÖHLE *JAP* **46** (2009) 866–893
- space–time B. BAEUMER *et al.* *JAP* **46** (2009) 1100–1115
- Dubins–Savage problem** Y.-C. YAO *JAP* **44** (2007) 212–225
- dynamic bargaining market** R. FERLAND AND G. GIROUX *JAP* **45** (2008) 45–54
- dynamic product pricing** I. MAOUI *et al.* *AAP* **39** (2007) 898–921
- Dynkin's martingale** A. H. LÖPKER AND J. S. H. VAN LEEUWAARDEN *JAP* **45** (2008) 163–175
- E**
- EGARCH model** S. HAUG AND C. CZADO *JAP* **44** (2007) 960–976
- Ehrenfest chain** H. ZHOU AND K. LANGE *AAP* **41** (2009) 270–291
- Ehrenfest urn** A. BALDI ANTOGNINI AND S. GIANNERINI *JAP* **44** (2007) 661–669
- embedded Markov chain** C. MALLOWES AND L. SHEPP *JAP* **45** (2008) 271–278 *and* J. C. FU AND B. C. JOHNSON *AAP* **41** (2009) 292–308
- empirical process** marked Z. KABLUCHKO AND E. SPODAREV *AAP (SGSA)* **41** (2009) 13–37
- endemic infection** D. A. KESSLER *JAP* **45** (2008) 757–778
- endogeny** of tree-indexed problem S. JACKA AND M. SHEEHAN *JAP* **45** (2008) 670–688
- entrainment** in processor-sharing network J. C. HANSEN *et al.* *JAP* **44** (2007) 636–651
- epidemic**
- and vaccination strategy T. BRITTON *et al.* *AAP* **39** (2007) 922–948
- nonlinear D. HEINZMANN *JAP* **46** (2009) 296–307
- on network J. C. MILLER *JAP* **45** (2008) 498–512
- on random network T. BRITTON *et al.* *JAP* **45** (2008) 743–756

- SEIR-type F. BALL *et al.* *JAP* **44** (2007) 571–585
- SIR with term forcing T. BRITTON AND M. LINDHOLM *JAP* **46** (2009) 975–992
- SIR, cascade model M. GATHY AND C. LEFÈVRE *AAP* **41** (2009) 247–269
- SIR-type on network F. BALL *et al.* *AAP* **41** (2009) 765–796
- SIS great circle model P. NEAL *JAP* **45** (2008) 513–530
- SIS-type D. A. KESSLER *JAP* **45** (2008) 757–778
- with infector-dependent severity F. BALL AND T. BRITTON *AAP* **39** (2007) 949–972
- epidemic model** random-graph P. NEAL *JAP* **44** (2007) 41–57
- equal-sized wagering** D. HARTVIGSEN *JAP* **46** (2009) 35–54
- equilibrium selection** in evolutionary game H.-C. CHEN AND Y. CHOW *JAP* **45** (2008) 388–402
- Erlang B formula** A. J. E. M. JANSSEN *et al.* *AAP* **40** (2008) 122–143
- Euler scheme** with variable step size E. RAPOO *JAP* **45** (2008) 551–567
- evolutionary algorithm** L. RIGAL AND L. TRUFFET *AAP* **39** (2007) 141–161
- evolutionary game** L. A. IMHOF *AAP* **40** (2008) 1174–1197
- with imperfect monitoring H.-C. CHEN AND Y. CHOW *JAP* **45** (2008) 388–402
- with local interaction H.-C. CHEN AND Y. CHOW *AAP* **41** (2009) 154–176
- evolutionary model** A. BOBROWSKI *AAP* **40** (2008) 734–758
- exceedance** of sequence over renewal threshold X. HAO *et al.* *JAP* **46** (2009) 559–570
- exceedance probability** for power barriers U. T. ALPARSLAN *AAP* **41** (2009) 874–892
- exchangeability** within-class C. GRAHAM *JAP* **45** (2008) 1196–1203
- exchangeable coalescent** A. V. GNEDIN *et al.* *JAP* **45** (2008) 1186–1195
- with mutation F. FREUND AND M. MÖHLE *AAP* **41** (2009) 1082–1101
- exchangeable distribution** R. COWAN AND R. E. MILES *AAP (SGSA)* **41** (2009) 1002–1004
- exchangeable in-degree** J. C. HANSEN AND J. JAWORSKI *AAP* **40** (2008) 183–205
- exchangeable lifetime** M. BURKSCHAT *JAP* **46** (2009) 1052–1072
- excursion** longest, in tied random walk A. LINDELL AND L. HOLST *JAP* **44** (2007) 1056–1067
- excursion theory** A. E. KYPRIANOU AND X. ZHOU *JAP* **46** (2009) 1146–1156
- exit problem** for reflected Lévy process X. ZHOU *JAP* **44** (2007) 1012–1030
- exit time** for risk process E. J. BAURDOUX *JAP* **46** (2009) 542–558
- explosive branching** A. CHEN *et al.* *JAP* **44** (2007) 279–283
- explosive solution** E. CARLEN *et al.* *JAP* **45** (2008) 95–106
- explosivity** S. CHAKRABORTY AND J. A. LOPEZ-MIMBELA *AAP* **40** (2008) 250–272
- exponential utility** C. FREI AND M. SCHWEIZER *AAP* **40** (2008) 401–423
- extinction** in birth-death-catastrophe process P. POLLETT *et al.* *JAP* **44** (2007) 566–569
- extinction probability** P. JAGERS *et al.* *AAP* **39** (2007) 569–587
- extinction speed** for PSDBP Y. LI *AAP* **41** (2009) 576–599
- extinction time**
- in Galton–Watson process D. TOKAREV *JAP* **45** (2008) 472–480
- of multitype branching process D. HEINZMANN *JAP* **46** (2009) 296–307
- extreme** of random walk in random scenery B. FRANKE AND T. SAIGO *AAP* **41** (2009) 452–468
- extreme value**
- in risk estimation M. DEGEN AND P. EMBRECHTS *AAP* **40** (2008) 696–715
- of TAR process C. BRACHNER *et al.* *AAP* **41** (2009) 428–451
- extreme value theory** D. VERE-JONES *AAP* **40** (2008) 882–896
- F**
- factoid** A. G. PAKES *JAP* **45** (2008) 1161–1180
- failure** in random environment J. H. CHA AND J. MI *JAP* **44** (2007) 151–163
- failure intensity** in ageing process M. FINKELSTEIN *JAP* **44** (2007) 506–513
- failure model** cascading M. GATHY AND C. LEFÈVRE *AAP* **41** (2009) 247–269
- failure rate** bathtub-shaped, for mixtures H. W. BLOCK *et al.* *JAP* **45** (2008) 260–270
- failure string** in embedded sequence L. HOLST *JAP* **45** (2008) 1181–1185

failure system

with exchangeable components J. NAVARRO AND S. ERYILMAZ *JAP* **44** (2007) 82–98

with multistate components A. PIEVATOLO *JAP* **44** (2007) 1068–1077

feedback controlling congestion model R. BEKKER *et al.* *JAP* **45** (2008) 314–332

Feller process and Fisher–Wright model A. BOBROWSKI *AAP* **40** (2008) 734–758

Feynman–Kac formula I. GENTIL AND B. RÉMILLARD *AAP* **40** (2008) 454–472

filtering

and wear classes A. GERARDI AND P. TARDELLI *JAP* **45** (2008) 595–609

in portfolio optimization Y. HU AND B. ØKSENDAL *JAP* **44** (2007) 742–752

nonlinear G. N. MILSTEIN AND M. V. TRETYAKOV *AAP* **41** (2009) 63–100

of finite stochastic systems J. LEDOUX *et al.* *JAP* **45** (2008) 650–669

sequential Monte Carlo K. HEINE AND D. CRISAN *AAP* **40** (2008) 979–1001

financial market and minority-game modelling M. ORTISI *JAP* **45** (2008) 376–387

first crossing of partial sums C. LEFÈVRE *AAP* **39** (2007) 492–509

first-come–first-served matching R. CALDENTY *et al.* *AAP* **41** (2009) 695–730

fishing problem A. KARPOWICZ *JAP* **46** (2009) 415–428

fitness function maximum of L. RIGAL AND L. TRUFFET *AAP* **39** (2007) 141–161

flat section and mean normal measure M. KIDERLEN *AAP (SGSA)* **40** (2008) 31–48

fluid model Markov-modulated C. KNESSL AND D. E. DOMINICI *AAP* **40** (2008) 856–881

fluid queue

driven by local process T. KONSTANTOPOULOS *et al.* *AAP* **40** (2008) 1072–1103

in slow growth regime V. FASEN AND G. SAMORODNITSKY *AAP* **41** (2009) 393–427

overflow probability in Z. PALMOWSKI AND B. ZWART *JAP* **44** (2007) 349–365

with leaky bucket control F. M. GUILLEMIN *et al.* *JAP* **44** (2007) 332–348

force of interest X. HE AND Y. HU *JAP* **44** (2007) 685–694

forcing term-time T. BRITTON AND M. LINDHOLM *JAP* **46** (2009) 975–992

fourth moment inequality O. DURIEU *JAP* **45** (2008) 1086–1096

fractal

self-similar D. A. CROYDON *AAP* **39** (2007) 708–730

with overlap V. RUIZ *JAP* **45** (2008) 630–639

fractional Brownian motion V. FASEN AND G. SAMORODNITSKY *AAP* **41** (2009) 393–427

fractional diffusion B. BAEUMER *et al.* *JAP* **46** (2009) 1100–1115

fractional kinetic equation D. MÁRQUEZ-CARRERAS *AAP* **41** (2009) 893–910

fractional white noise A. SLY *JAP* **44** (2007) 393–408

free boundary in optimal stopping T. L. LAI *et al.* *AAP* **39** (2007) 753–775

full-history dependence M. TAMAKI *JAP* **46** (2009) 1086–1099

functional discretely sampled, of Lévy process M. SCHRÖDER *AAP* **39** (2007) 245–270

G

Gabriel graph L. DEVROYE *et al.* *AAP* **41** (2009) 1123–1140

Galton–Watson process

critical S. V. NAGAIEV AND V. WACHTEL *JAP* **44** (2007) 753–769

linear fractional F. C. KLEBANER *et al.* *AAP* **39** (2007) 1036–1053

survival in inhomogeneous E. BROMAN AND R. MEESTER *AAP* **40** (2008) 798–814

gambler model D. HARTVIGSEN *JAP* **46** (2009) 35–54

with rational-valued house limit M.-R. CHEN *et al.* *JAP* **45** (2008) 1024–1038

gambling strategy Y.-C. YAO *JAP* **44** (2007) 831–837

bold-play I. GRIGORESCU *et al.* *JAP* **44** (2007) 199–211 and Y.-C. YAO *JAP* **44** (2007) 212–225

game

continuous-time Markov X. GUO AND O. HERNÁNDEZ-LERMA *AAP* **39** (2007) 645–668

co-operative H.-C. CHEN AND Y. CHOW *AAP* **41** (2009) 154–176

lyng-oracle R. KOETHER *et al.* *AAP* **41** (2009) 1023–1040

- multiple-trial L. A. IMHOF *AAP* **40** (2008) 1174–1197
- game problem** J. FREIXAS *JAP* **44** (2007) 852–864
- common-interest S. ALPERN *JAP* **44** (2007) 1–15
- Dubins–Savage Y.-C. YAO AND M.-R. CHEN *JAP* **45** (2008) 403–416
- primitive-casino Y.-C. YAO *JAP* **44** (2007) 831–837
- game tree minimax** G. ALSMEYER AND M. MEINERS *JAP* **44** (2007) 586–606
- gamma distribution** E. S. ALLMAN *et al.* *AAP* **40** (2008) 229–249 and V. BAUMSTARK AND G. LAST *AAP (SGSA)* **41** (2009) 911–939
- gamma process** with self-similar limit R. FINLAY AND E. SENETA *JAP* **44** (2007) 950–959
- gamma random variable** P. VELLAISAMY AND N. S. UPADHYE *JAP* **46** (2009) 272–283
- gap length** in geometric distribution R. GRÜBEL AND P. HITCZENKO *JAP* **46** (2009) 1038–1051
- GARCH process** exponential continuous-time S. HAUG AND C. CZADO *JAP* **44** (2007) 960–976
- Gaussian bridge** L. CARAMELLINO AND B. PACCHIAROTTI *AAP* **40** (2008) 424–453
- Gaussian process** with stationary increments O. E. BARNDORFF-NIELSEN *et al.* *JAP* **46** (2009) 132–150
- Gaussian random field** H. P. CHAN *AAP (SGSA)* **41** (2009) 647–663
- GEM representation** F. XU *JAP* **46** (2009) 392–401
- gene flow** from transgenic species N. LANCHIER AND C. NEUHAUSER *JAP* **44** (2007) 770–787
- genetic algorithm**
- mutation-based L. RIGAL AND L. TRUFFET *AAP* **39** (2007) 141–161
 - mutation-selection C. DOMBRY *AAP* **39** (2007) 550–568
 - with tempererend restart F. MENDIVIL *et al.* *JAP* **46** (2009) 960–974
- genetic drift** in Feller process A. BOBROWSKI *AAP* **40** (2008) 734–758
- genetic hitchhiking** S. LEOCARD *AAP* **41** (2009) 731–764
- geometric distribution** with gaps R. GRÜBEL AND P. HITCZENKO *JAP* **46** (2009) 1038–1051
- geometric random sum** J. H. BLANCHET AND P. GLYNN *AAP* **39** (2007) 1070–1097
- Gerber–Shiu function** S. M. PITTS AND K. POLITIS *AAP* **39** (2007) 385–406
- germ–grain model** D. DEREUDRE *AAP (SGSA)* **41** (2009) 664–681
- Gilbert–Mosteller problem** A. V. GNEDIN AND D. I. MIRETSKIY *JAP* **44** (2007) 560–565
- Gittins index** for bandit process R. FILLIGER AND M.-O. HONGLER *JAP* **44** (2007) 554–559
- G-network** with state-dependent arrival S. C. LEITE AND M. D. FRAGOSO *JAP* **45** (2008) 347–362
- grain** convex M. MÅNSSON *AAP (SGSA)* **39** (2007) 41–52
- great circle model** P. NEAL *JAP* **45** (2008) 513–530
- grid computing** Y. KIM *et al.* *AAP* **41** (2009) 546–575
- group selection rule** A. M. KRIEGER AND E. SAMUEL-CAHN *AAP* **41** (2009) 1041–1058
- growth-collapse model** C. Y. ROBERT *AAP* **39** (2007) 189–220 and O. KELLA *JAP* **46** (2009) 363–371
- Gumbel distribution** A. MITRA AND S. I. RESNICK *AAP* **41** (2009) 797–828
- H**
- Halfin–Whitt model** A. J. E. M. JANSSEN *et al.* *AAP* **40** (2008) 122–143 and D. GAMARNIK AND P. MOMČILOVIĆ *AAP* **40** (2008) 548–577
- Hankel matrix** Q.-M. HE AND H. ZHANG *AAP* **39** (2007) 271–292
- hat-check problem** M. BROWN *et al.* *JAP* **45** (2008) 1060–1070
- Hausdorff dimension** V. RUIZ *JAP* **45** (2008) 630–639
- of fractal trees D. A. CROYDON *AAP* **39** (2007) 708–730
- Hawkes process** E. ROY *AAP (SGSA)* **39** (2007) 893–897
- heat equation** D. MÁRQUEZ-CARRERAS *AAP* **41** (2009) 893–910
- heavy tail index** H. LI AND Y. SUN *JAP* **46** (2009) 925–937
- heavy tails** of reduced branching process A. N. LAGERÅS AND S. SAGITOV *JAP* **45** (2008) 190–200
- heavy traffic** weak-sense limit in G-network S. C. LEITE AND M. D. FRAGOSO *JAP* **45** (2008) 347–362
- heavy-tailed data** B. KO AND Q. TANG *JAP* **45** (2008) 85–94
- heavy-tailed sum** S. WANG AND W. WANG *JAP* **44** (2007) 889–900
- heavy-traffic approximation** D. GAMARNIK AND P. MOMČILOVIĆ *AAP* **40** (2008) 548–577

- hedging** Delta-strategy A. SCHIED AND M. STADJE *JAP* **44** (2007) 865–879
- heritability** time-dependent R. IBRAGIMOV *JAP* **44** (2007) 58–70
- hidden Markov chain** J. LEDOUX *et al.* *JAP* **45** (2008) 650–669
Shannon entropy V. RUIZ *JAP* **45** (2008) 630–639
- high-frequency based inference** J. E. FIGUEROA-LÓPEZ *AAP* **41** (2009) 1161–1188
- hitchhiking allele** S. LEOCARD *AAP* **41** (2009) 731–764
- hitting time** and diffusivity characteristics V. DE LA PEÑA *et al.* *JAP* **45** (2008) 640–649
- HIV population model** T. M. LIGGETT AND R. B. SCHINAZI *JAP* **46** (2009) 601–607
- Hölder exponent** A. SLY *JAP* **44** (2007) 393–408
- homozygosity** with large mutation rate F. XU *JAP* **46** (2009) 392–401
- Hoppe–Pólya urn** L. HOLST *JAP* **45** (2008) 901–906
- household model**
for infection F. BALL *et al.* *AAP* **41** (2009) 765–796
in epidemic F. BALL *et al.* *JAP* **44** (2007) 571–585
- Hurst index** K. J. E. CARPIO AND D. J. DALEY *JAP* **44** (2007) 1047–1055
- hyperbolic Brownian motion** E. ORSINGER AND A. DE GREGORIO *AAP* **39** (2007) 588–611
- hypercube** S. CONNOR AND S. JACKA *JAP* **45** (2008) 703–713
- hypersurface** with Poisson process L. M. HOFFMANN *AAP (SGSA)* **39** (2007) 307–317
- I**
- identifiability** of Markovian evolutionary model E. S. ALLMAN *et al.* *AAP* **40** (2008) 229–249
- identity by descent (IBD)** V. T. STEFANOV AND F. BALL *AAP* **41** (2009) 523–545
- image analysis** I. ARMENDÁRIZ *et al.* *AAP (SGSA)* **41** (2009) 311–322
- immigration** generation-dependent I. RAHIMOV *AAP* **39** (2007) 1054–1069
- implementation delay** in disinvestment M. COSTENIUC *et al.* *JAP* **45** (2008) 1039–1059
- importance sampling**
for failure probability S. ASMUSSEN *JAP* **46** (2009) 768–790
state-dependent J. H. BLANCHET AND J. LIU *AAP* **40** (2008) 1104–1128
- impulse control** T. TAMURA *AAP* **40** (2008) 673–695
- inactivity time** P. ZHAO *et al.* *JAP* **45** (2008) 1113–1125
- incomplete market** F. OERTEL AND M. OWEN *JAP* **44** (2007) 880–888
- independent increments** G. DELIGIANNIDIS *et al.* *JAP* **46** (2009) 1130–1145
- indifference valuation** C. FREI AND M. SCHWEIZER *AAP* **40** (2008) 401–423
- infected individuals** with different disease severity F. BALL AND T. BRITTON *AAP* **39** (2007) 949–972
- infection** competing L. P. R. PIMENTEL *AAP (SGSA)* **39** (2007) 53–76
- infection model**
endemic D. A. KESSLER *JAP* **45** (2008) 757–778
urn-based random-allocation G. S. TSITSIAHVILI *JAP* **44** (2007) 990–995
- infectivity and susceptibility** F. BALL AND T. BRITTON *AAP* **39** (2007) 949–972
variable P. NEAL *JAP* **44** (2007) 41–57
- infinite descent** J. BERTOIN *et al.* *JAP* **45** (2008) 714–726
- infinite divisibility** A. G. PAKES *JAP* **44** (2007) 295–305
- influenza virus** and phylogenetic tree model T. M. LIGGETT AND R. B. SCHINAZI *JAP* **46** (2009) 601–607
- inheritance model** multisex R. IBRAGIMOV *JAP* **44** (2007) 58–70
- input process** fluid cluster Poisson V. FASEN AND G. SAMORODNITSKY *AAP* **41** (2009) 393–427
- insensitivity** of stochastic network S. ZACHARY *JAP* **44** (2007) 238–248
- insider trading** Y. HU AND B. ØKSENDAL *JAP* **44** (2007) 742–752
- insurance claim**
discounted aggregate Q. TANG *JAP* **44** (2007) 285–294
in two-risk model S. WANG AND W. WANG *JAP* **44** (2007) 889–900
stationary stable U. T. ALPARSLAN AND G. SAMORODNITSKY *AAP* **39** (2007) 360–384
- insurance model** with borrowing A. A. BOROVKOV *AAP* **41** (2009) 1141–1160

insurance risk

and present value of dividend A. E. KYPRIANOU AND Z. PALMOWSKI *JAP* **44** (2007) 428–443 *and*
 J.-F. RENAUD AND X. ZHOU *JAP* **44** (2007) 420–427

Lévy model with tax A. E. KYPRIANOU AND X. ZHOU *JAP* **46** (2009) 1146–1156

Lévy-modelled H. S. PARK AND R. MALLER *AAP* **40** (2008) 716–733

integral transform growth in Galton–Watson process D. TOKAREV *JAP* **45** (2008) 472–480

integrated Gaussian process X. HE AND Y. HU *JAP* **44** (2007) 685–694

interacting diffusion L. RÜSCHENDORF *JAP* **45** (2008) 279–286

interacting particle system X. QI *AAP* **40** (2008) 759–797

interest rate insurer’s credit/debit J. ZHU AND H. YANG *JAP* **45** (2008) 818–830

internet neutrality T. KONSTANTOPOULOS *et al.* *AAP* **40** (2008) 1072–1103

internet transfer protocol T. J. OTT AND J. SWANSON *JAP* **44** (2007) 618–635

intersection density for hypersurface process L. M. HOFFMANN *AAP (SGSA)* **39** (2007) 307–317

invariance principle O. DURIEU *JAP* **45** (2008) 1086–1096

inverse gamma process F. BALLANI *et al.* *JAP* **44** (2007) 99–114

inverse problem V. DE LA PEÑA *et al.* *JAP* **45** (2008) 640–649

investment

Lévy-process return on C. C. HEYDE AND D. WANG *AAP* **41** (2009) 206–224

strategy for small investor J. A. LONDOÑO *JAP* **46** (2009) 55–70

investment timing problem S.-K. T. WONG *AAP* **40** (2008) 163–182

isolation and vaccination in epidemic model F. BALL *et al.* *JAP* **44** (2007) 571–585

isomorphic trees M. BÓNA AND P. FLAJOLET *JAP* **46** (2009) 1005–1019

J**Jiřina process**

extinction speed for Y. LI *AAP* **41** (2009) 576–599

generalized Y. LI *JAP* **46** (2009) 453–462

job replication on multiserver system Y. KIM *et al.* *AAP* **41** (2009) 546–575

jump

in random walk with barrier A. IKSANOV AND M. MÖHLE *AAP* **40** (2008) 206–228

size-ordered S. COVO *AAP* **41** (2009) 367–392

with rational transform A. L. LEWIS AND E. MORDECKI *JAP* **45** (2008) 118–134

jump density monotone R. L. LOEFFEN *JAP* **46** (2009) 85–98

jump diffusion Y.-T. CHEN *et al.* *JAP* **46** (2009) 71–84

and option pricing P. V. GAPEEV *JAP* **44** (2007) 713–731

jump process with diffusions R. FERLAND AND G. GIROUX *JAP* **45** (2008) 45–54

jump-free process reflected R. BEKKER *et al.* *AAP* **41** (2009) 177–205

K

Kac model with infinite energy E. CARLEN *et al.* *JAP* **45** (2008) 95–106

Karlin–Rinott inequality Y. YU *AAP* **40** (2008) 1223–1226

kernel estimator N. PRIVAULT AND X. WEI *JAP* **44** (2007) 806–823

Kesten–Stigum theorem R.-L. LIU *et al.* *JAP* **46** (2009) 479–496

killed diffusion B. CASELLA AND G. O. ROBERTS *AAP* **40** (2008) 273–291

Kolmogorov distance T. C. CHRISTOFIDES AND E. VAGGELATOU *JAP* **46** (2009) 255–271

k-out-of-n system with independent components P. ZHAO *et al.* *JAP* **45** (2008) 1113–1125

Krawtchouk polynomial J. A. ADELL *et al.* *AAP* **40** (2008) 1033–1047

L

ladder epoch for random walk V. WACHTEL *AAP* **41** (2009) 1189–1214

ladder height H. S. PARK AND R. MALLER *AAP* **40** (2008) 716–733

first ascending Z. CUI *et al.* *AAP* **41** (2009) 469–494

Lagrangian method for wave model S. ÅBERG *AAP* **39** (2007) 1020–1035

- Laguerre tessellation** random C. LAUTENSACK AND S. ZUYEV *AAP (SGSA)* **40** (2008) 630–650
- Lamperti's transformation** A. E. KYPRIANOU AND J. C. PARDO *JAP* **45** (2008) 1140–1160
- Laplace transform** on logarithmic scale A. G. ROSSBERG *JAP* **45** (2008) 531–541
- Laplace–Stieltjes transform** rational M. FACKRELL *AAP* **41** (2009) 1005–1022
- LARCH model** D. SURGAILIS *AAP* **40** (2008) 1198–1222
- large deviation** M. RAIČ *AAP* **39** (2007) 731–752
- in class-distinguishable occupancy problem P. DUPUIS *et al. JAP* **44** (2007) 115–141
- in Markov-modulated risk model F. GAO AND J. YAN *JAP* **45** (2008) 800–817
- in risk measurement S. WEBER *JAP* **44** (2007) 16–40
- large deviation estimate** for Weibull process K. R. DUFFY AND A. SAPOZHNIKOV *JAP* **45** (2008) 107–117
- lattice** one-dimensional periodic M. AXELSON-FISK AND O. HÄGGSTRÖM *AAP* **41** (2009) 1102–1122
- lattice path counting** and matrix analysis J. S. H. VAN LEEUWAARDEN *et al. JAP* **46** (2009) 507–520
- lattice perturbation** R. CONT AND E. TANIMURA *AAP (SGSA)* **40** (2008) 939–965
- law of large numbers** for random graph A. R. WADE *AAP (SGSA)* **39** (2007) 326–342
- leaky bucket** control in packet network F. M. GUILLEMIN *et al. JAP* **44** (2007) 332–348
- leaves** in random trees W. BRYC *et al. AAP* **41** (2009) 845–873
- level crossing** K. BOROVKOV AND G. LAST *AAP* **40** (2008) 815–834
- leverage effect** S. HAUG AND C. CZADO *JAP* **44** (2007) 960–976
- Lévy measure** upper truncated S. COVO *AAP* **41** (2009) 367–392
- Lévy model**
- dividends in A. E. KYPRIANOU AND Z. PALMOWSKI *JAP* **44** (2007) 428–443 and J.-F. RENAUD AND X. ZHOU *JAP* **44** (2007) 420–427
- for point process G. HELLMUND *et al. AAP (SGSA)* **40** (2008) 603–629
- time-changed J. E. FIGUEROA-LÓPEZ *AAP* **41** (2009) 1161–1188
- Lévy noise** D. APPLEBAUM AND M. SIAKALLI *JAP* **46** (2009) 1116–1129 and Z. KABLUCHKO AND E. SPODAREV *AAP (SGSA)* **41** (2009) 13–37
- Lévy process**
- approximating small jumps in S. COVO *JAP* **46** (2009) 732–755
- convoluted C. BENDER AND T. MARQUARDT *JAP* **46** (2009) 609–628
- inverse Gaussian M. SCHRÖDER *AAP* **39** (2007) 245–270
- reflected R. BEKKER *et al. JAP* **45** (2008) 314–332 and T. KONSTANTOPOULOS *et al. AAP* **40** (2008) 1072–1103 and X. ZHOU *JAP* **44** (2007) 1012–1030
- scale functions of spectrally negative B. A. SURYA *JAP* **45** (2008) 135–149
- scaled B. FRANKE *JAP* **44** (2007) 732–741
- spectrally negative E. J. BAURDOUX *JAP* **46** (2009) 542–558 and L. BREUER *JAP* **45** (2008) 779–799 and R. L. LOEFFEN *JAP* **46** (2009) 85–98
- with adaptable exponent R. BEKKER *et al. AAP* **41** (2009) 177–205
- with overshoot and undershoot H. S. PARK AND R. MALLER *AAP* **40** (2008) 716–733
- with positive jumps A. L. LEWIS AND E. MORDECKI *JAP* **45** (2008) 118–134
- Lévy subordinator** T. R. HURD AND A. KUZNETSOV *JAP* **46** (2009) 181–198
- Lévy-stable behaviour** D. SURGAILIS *AAP* **40** (2008) 1198–1222
- lifetime** failure-dependent M. BURKSCHAT *JAP* **46** (2009) 1052–1072
- linear nanosystem** N. EBRAHIMI *JAP* **45** (2008) 879–887
- linear probing hashing** S. JANSON AND N. PETERSSON *JAP* **46** (2009) 593–600
- linear regression** B. BERCU *et al. JAP* **46** (2009) 151–169
- $L \log L$ criterion** R.-L. LIU *et al. JAP* **46** (2009) 479–496
- load balancing** in communications network M. DRAIEF *et al. JAP* **46** (2009) 199–220
- local linear approximation** F. CARBONELL AND J. C. JIMENEZ *JAP* **45** (2008) 201–210
- local structure** of random mapping J. C. HANSEN AND J. JAWORSKI *AAP* **40** (2008) 183–205
- log skew-normal distribution** G. D. LIN AND J. STOYANOV *JAP* **46** (2009) 909–916
- logarithmic inversion** A. G. ROSSBERG *JAP* **45** (2008) 531–541

- log-concavity** Y. YU *JAP* **46** (2009) 244–254
of rank sequence K. MARKSTRÖM *JAP* **44** (2007) 1119–1121
- lognormal approximation** with large variance A. G. ROSSBERG *JAP* **45** (2008) 531–541
- log-Sobolev inequality** S. FENG AND F.-Y. WANG *JAP* **44** (2007) 938–949
- long-range percolation** B. N. B. DE LIMA AND A. SAPOZHNIKOV *JAP* **45** (2008) 287–291
- long-range dependence** V. V. ANH *et al.* *AAP* **40** (2008) 1129–1156
in crash process C. Y. ROBERT *AAP* **39** (2007) 189–220
of Markov chain K. J. E. CARPIO AND D. J. DALEY *JAP* **44** (2007) 1047–1055
of traffic with shared buffer K. MAJEWSKI *AAP* **39** (2007) 407–428
- loss re-estimation** F. BIAGINI *et al.* *JAP* **45** (2008) 831–845
- loss system** with resource reservation Y. LU AND A. RADOVANOVIĆ *JAP* **44** (2007) 1088–1102
- lumpability** and finite stochastic systems J. LEDOUX *et al.* *JAP* **45** (2008) 650–669
- lumped Markov chain** V. B. YAP *JAP* **46** (2009) 497–506
- Luria–Delbrück distribution** Q. ZHENG *JAP* **46** (2009) 1221–1224
- M**
- Malliavin calculus** E. ALÒS AND C.-O. EWALD *AAP* **40** (2008) 144–162 *and* N. PRIVAULT AND X. WEI *JAP* **44** (2007) 806–823
- marginal distribution** transformed C. KLÜPPELBERG AND S. I. RESNICK *JAP* **45** (2008) 67–84
- marked Poisson process** H. P. CHAN *AAP* (*SGSA*) **41** (2009) 647–663
- market model**
microstructure and volatility J. H. C. WOERNER *AAP* **39** (2007) 531–549
with friction R. FERLAND AND G. GIROUX *JAP* **45** (2008) 45–54
- Markov additive process** J. L. SPOUGE *JAP* **44** (2007) 1122
model for DNA sequence J. L. SPOUGE *JAP* **44** (2007) 514–527
with positive jumps L. BREUER *JAP* **45** (2008) 779–799
- Markov branching process**
explosive case A. CHEN *et al.* *JAP* **44** (2007) 279–283
extinction of subcritical P. JAGERS *et al.* *AAP* **39** (2007) 569–587
- Markov chain**
conditioned never to wait S. JACKA *JAP* **46** (2009) 812–826
infinite-state banded W. K. GRASSMANN AND J. TAVAKOLI *AAP* **40** (2008) 1157–1173
interest model M. DIASPARRA AND R. ROMERA *JAP* **46** (2009) 99–112
long-range dependent K. J. E. CARPIO AND D. J. DALEY *JAP* **44** (2007) 1047–1055
marginal H. ZHOU AND K. LANGE *AAP* **41** (2009) 270–291
optimal embedded G. NUEL *JAP* **45** (2008) 226–243
reducible R. ABRAHAM *et al.* *JAP* **44** (2007) 652–660
strongly ergodic O. DURIEU *JAP* **45** (2008) 1086–1096
with hybrid repeating row A. DUDIN *et al.* *JAP* **45** (2008) 211–225
- Markov chain Monte Carlo**
adaptive algorithm G. O. ROBERTS AND J. S. ROSENTHAL *JAP* **44** (2007) 458–475
in forest simulation H. DAI *AAP* **40** (2008) 897–917
optimal transition kernel H. DADUNA AND R. SZEKLI *JAP* **45** (2008) 846–878
- Markov chain transform** F. C. KLEBANER *et al.* *AAP* **39** (2007) 1036–1053
- Markov decision process** I. MAOUI *et al.* *AAP* **39** (2007) 898–921
continuous-time jump Q. ZHU AND T. PRIETO-RUMEAU *JAP* **45** (2008) 417–429
- Markov jump process** S. N. SOCOLL AND A. D. BARBOUR *JAP* **46** (2009) 690–708
- Markov population process** density-dependent S. N. SOCOLL AND A. D. BARBOUR *JAP* **46** (2009) 690–708
- Markov random walk** with small drift C.-D. FUH *AAP* **39** (2007) 826–852
- Markov renewal process** diffusion approximation for S. P. CLARK AND P. C. KIESSLER *JAP* **44** (2007) 366–378

- Markovian arrival process** perturbed, in risk model E. C. K. CHEUNG AND D. LANDRIAULT *JAP* **46** (2009) 521–541
- Markovian switching** F. XI AND G. YIN *JAP* **46** (2009) 221–243
- Markov-modulated Ornstein–Uhlenbeck process** X. XING *et al. JAP* **46** (2009) 709–720
- Martin boundary** P. JAGERS *et al. AAP* **39** (2007) 569–587
- martingale**
 ASCLT for B. BERCU *et al. JAP* **46** (2009) 151–169
 positive affine F. BIAGINI *et al. JAP* **45** (2008) 831–845
- matching** infinite bipartite R. CALDENTEY *et al. AAP* **41** (2009) 695–730
- matching problem** in DNA sequence M. R. KANTOROVITZ *et al. JAP* **44** (2007) 788–805
- Matérn process** M. L. HUBER AND R. L. WOLPERT *AAP (SGSA)* **41** (2009) 958–977
- matrix-analytic method** W. K. GRASSMANN AND J. TAVAKOLI *AAP* **40** (2008) 1157–1173
- matrix-exponential distribution** M. FACKRELL *AAP* **41** (2009) 1005–1022 *and* Q.-M. HE AND H. ZHANG *AAP* **39** (2007) 271–292
- maximin** fixed-point equation G. ALSMEYER AND M. MEINERS *JAP* **44** (2007) 586–606
- maximum exceedance** of a sequence of random variables X. HAO *et al. JAP* **46** (2009) 559–570
- maximum of moving sum** H. P. CHAN *AAP (SGSA)* **41** (2009) 647–663
- m*-discount optimality** H. JASSO-FUENTES AND O. HERNÁNDEZ-LERMA *JAP* **46** (2009) 372–391
- mean field model** F. XI AND G. YIN *JAP* **46** (2009) 221–243
- median of products of averages (MPA)** W. NIEMIRO AND P. POKAROWSKI *JAP* **46** (2009) 309–329
- message delivery** in small-world model A. GHATE *AAP (SGSA)* **40** (2008) 966–978
- Metropolis algorithm** G. O. ROBERTS AND J. S. ROSENTHAL *JAP* **44** (2007) 458–475
- Metropolis–Hastings algorithm** J.-F. DELMAS AND B. JOURDAIN *JAP* **46** (2009) 938–959
- minimum contrast estimation** R. MCVINISH *JAP* **45** (2008) 150–162
- Minkowski content** B. PATEIRO-LÓPEZ AND A. RODRIGUEZ-CASAL *AAP (SGSA)* **40** (2008) 348–358 *and* I. ARMENDÁRIZ *et al. AAP (SGSA)* **41** (2009) 311–322
- minority game** continuum-time M. ORTISI *JAP* **45** (2008) 376–387
- mixed system** K. JASIŃSKI *et al. JAP* **46** (2009) 894–908
- mixture** continuous H. W. BLOCK *et al. JAP* **45** (2008) 260–270
- mixture model** for residual lifetime J. NAVARRO *et al. JAP* **45** (2008) 1097–1112
- molecular evolution** with gamma-distributed rates E. S. ALLMAN *et al. AAP* **40** (2008) 229–249
- moment determinacy** G. D. LIN AND J. STOYANOV *JAP* **46** (2009) 909–916
- monotone safety system** T. AVEN *JAP* **46** (2009) 330–341
- monotone-separable network** M. LELARGE *JAP* **44** (2007) 306–320
- monotonicity**
 complete A. ES-SAGHOUANI AND M. MANDJES *JAP* **45** (2008) 940–952
 stochastic L. RÜSCHENDORF *JAP* **45** (2008) 279–286
- Monte Carlo estimator** C. BORDENAVE AND G. L. TORRISI *AAP (SGSA)* **40** (2008) 293–320
- Monte Carlo filter** K. HEINE AND D. CRISAN *AAP* **40** (2008) 979–1001
- Monte Carlo method** for nonlinear filtering G. N. MILSTEIN AND M. V. TRETYAKOV *AAP* **41** (2009) 63–100
- Monte Carlo simulation** N. PRIVAULT AND X. WEI *JAP* **44** (2007) 806–823
 fixed-precision W. NIEMIRO AND P. POKAROWSKI *JAP* **46** (2009) 309–329
 of killed diffusion B. CASELLA AND G. O. ROBERTS *AAP* **40** (2008) 273–291
- Moran model** mixed multitype T. HUILLET AND M. MÖHLE *JAP* **46** (2009) 866–893
- most recent common ancestor** J. K. MCSWEENEY AND B. G. PITTEL *AAP* **40** (2008) 1002–1031
- multiarmed bandit** S. DAYANIK *et al. AAP* **40** (2008) 377–400
- multiclass system** C. GRAHAM *JAP* **45** (2008) 1196–1203
- multifractal product** of Ornstein–Uhlenbeck process V. V. ANH *et al. AAP* **40** (2008) 1129–1156
- multifractal structure** of self-similar measure J. BARRAL AND S. SEURET *AAP* **39** (2007) 162–188
- multifractional Brownian motion** A. SLY *JAP* **44** (2007) 393–408

- multigraph** with branching random walk D. BERTACCHI AND F. ZUCCA *JAP* **45** (2008) 481–497
- multilinear extension** J. FREIXAS *JAP* **44** (2007) 852–864
- multinormal distribution** truncated P. J. FERNÁNDEZ *et al.* *AAP* **39** (2007) 973–990
- multiple-access protocol** with user interaction C. BORDENAVE *et al.* *JAP* **46** (2009) 844–865
- multiproposal algorithm** J.-F. DELMAS AND B. JOURDAIN *JAP* **46** (2009) 938–959
- multistate trial** Markov-dependent J. C. FU AND B. C. JOHNSON *AAP* **41** (2009) 292–308
- multitype branching** D. HEINZMANN *JAP* **46** (2009) 296–307 and R. AGUECH *JAP* **46** (2009) 827–843
- multitype shape** L. P. R. PIMENTEL *AAP (SGSA)* **39** (2007) 53–76
- multivariate elliptical distribution** H. LI AND Y. SUN *JAP* **46** (2009) 925–937
- mutant distribution** Q. ZHENG *JAP* **46** (2009) 1221–1224
- mutation** as escape from extinction S. SAGITOV AND M. C. SERRA *AAP* **41** (2009) 225–246
- mutation rate** decreasing F. MENDIVIL *et al.* *JAP* **46** (2009) 960–974
- N**
- nanostructure** reliability of manufactured N. EBRAHIMI *JAP* **45** (2008) 879–887
- nearest-neighbour graph** A. R. WADE *AAP (SGSA)* **39** (2007) 326–342 and P. BALISTER *et al.* *AAP (SGSA)* **41** (2009) 1–12
on Cantor set N. SHANK *AAP (SGSA)* **41** (2009) 38–62
- necklace process** C. MALLOWS AND L. SHEPP *JAP* **45** (2008) 271–278 and T. NAKATA *JAP* **46** (2009) 284–295
- negative association** K. MARKSTRÖM *JAP* **44** (2007) 1119–1121
- negative binomial approximation** X. WANG AND A. XIA *JAP* **45** (2008) 456–471
- neighbours** T. BRITTON *et al.* *AAP* **39** (2007) 922–948
- network**
maximal dater for M. LELARGE *JAP* **44** (2007) 306–320
multiclass, insensitive S. ZACHARY *JAP* **44** (2007) 238–248
peer-to-peer M. DRAIEF *et al.* *JAP* **46** (2009) 199–220
performance improved by increased admission H.-Q. YE *JAP* **44** (2007) 321–331
random wireless P. BALISTER *et al.* *AAP (SGSA)* **41** (2009) 323–343
two-layer feedforward S. C. LEITE AND M. D. FRAGOSO *JAP* **45** (2008) 347–362
with regulated flow F. M. GUILLEMIN *et al.* *JAP* **44** (2007) 332–348
- network optimization** with shortest routes D. J. ALDOUS AND W. S. KENDALL *AAP (SGSA)* **40** (2008) 1–21
- network resource** J. C. HANSEN *et al.* *JAP* **44** (2007) 636–651
- network traffic** dependence structure of individual applications B. D’AURIA AND S. I. RESNICK *AAP* **40** (2008) 60–94
- nonavailability** in failed system R. ROSSIGNOL *JAP* **44** (2007) 164–180
- non-Lévy model** perpetual option in P. BARRIEU AND N. BELLAMY *AAP* **39** (2007) 510–530
- nonlocal asymptotics** Z. CUI *et al.* *AAP* **41** (2009) 469–494
- nonparametric estimation** I. ARMENDÁRIZ *et al.* *AAP (SGSA)* **41** (2009) 311–322 and J. E. FIGUEROA-LÓPEZ *AAP* **41** (2009) 1161–1188
- nucleic acid sequence**
with dynamic markers C. CHEN AND S. KARLIN *AAP* **39** (2007) 799–825
with hairpins and stacks N. R. HANSEN *AAP* **39** (2007) 776–798
- numerical inversion** of scale function B. A. SURYA *JAP* **45** (2008) 135–149
- O**
- occupancy** with collisions T. NAKATA *JAP* **45** (2008) 430–439
- occupancy problem** with distinguishable classes P. DUPUIS *et al.* *JAP* **44** (2007) 115–141
- occupancy rate** in random environment P. ROBERT AND F. SIMATOS *AAP* **41** (2009) 600–622
- occupation number** A. GERARDI AND P. TARDELLI *JAP* **45** (2008) 595–609
- odds algorithm** with sequential updating F. T. BRUSS AND G. LOUCHARD *AAP* **41** (2009) 131–153

- offspring distribution** F. PELLERÉY *JAP* **44** (2007) 142–150
- offspring generating function** slowly varying S. V. NAGAEV AND V. WACHTEL *JAP* **44** (2007) 753–769
- ON/OFF process** with long-range dependence R. LEIPUS AND D. SURGAILIS *JAP* **44** (2007) 379–392
- operating costs** total discounted J. CAI *et al.* *AAP* **41** (2009) 495–522
- operational risk** M. DEGEN AND P. EMBRECHTS *AAP* **40** (2008) 696–715
- optimal allocation** E. BACHMAT *et al.* *AAP* **39** (2007) 1098–1114
- optimal boarding policy** E. BACHMAT *et al.* *AAP* **39** (2007) 1098–1114
- optimal control** of piecewise-deterministic process O. L. V. COSTA AND F. DUFOUR *JAP* **46** (2009) 1157–1183
- optimal coupling** S. CONNOR AND S. JACKA *JAP* **45** (2008) 703–713
- optimal dividend**
 from income process J. PAULSEN *AAP* **39** (2007) 669–689
 with terminal value R. L. LOEFFEN *JAP* **46** (2009) 85–98
- optimal Greek weight** R. ELIE *JAP* **46** (2009) 791–811
- optimal price** of swing contract S. M. ROSS AND Z. ZHU *JAP* **45** (2008) 1–15
- optimal resource allocation** S. DAYANIK *et al.* *AAP* **40** (2008) 377–400
 in series system N. MISRA *et al.* *JAP* **46** (2009) 19–34
- optimal selection** of candidate drugs C. CHARALAMBOUS AND J. C. GITTINS *AAP* **40** (2008) 359–376
- optimal selling time** S. C. P. YAM *et al.* *JAP* **46** (2009) 651–668
- optimal stationary strategy** X. GUO AND O. HERNÁNDEZ-LERMA *AAP* **39** (2007) 645–668
- optimal stopping**
 and relatively best object A. KURUSHIMA AND K. ANO *JAP* **46** (2009) 402–414
 boundary of Brownian motion T. L. LAI *et al.* *AAP* **39** (2007) 753–775
 continuous-time S. VILLENEUVE *JAP* **44** (2007) 181–198
 discounted P. V. GAPEEV *JAP* **44** (2007) 713–731
 double, in fishing problem A. KARPOWICZ *JAP* **46** (2009) 415–428
 in American exchange option problem S.-K. T. WONG *AAP* **40** (2008) 163–182
 in investment decision M. COSTENIUC *et al.* *JAP* **45** (2008) 1039–1059
 in perturbed market P. BARRIEU AND N. BELLAMY *AAP* **39** (2007) 510–530
 in rank selection F. T. BRUSS AND Y. C. SWAN *JAP* **46** (2009) 1–18
 infinite-horizon G. DELIGIANNIDIS *et al.* *JAP* **46** (2009) 1130–1145
 of Brownian bridge E. EKSTRÖM AND H. WANNTORP *JAP* **46** (2009) 170–180
 on last success F. T. BRUSS AND G. LOUCHARD *AAP* **41** (2009) 131–153
 suboptimal rule A. M. KRIEGER AND E. SAMUEL-CAHN *AAP* **41** (2009) 1041–1058
 with markers S. A. LIPPMAN *et al.* *JAP* **44** (2007) 843–851
 with rank-dependent loss A. V. GNEDIN *JAP* **44** (2007) 996–1011
- optimal strategy**
 in oracle game R. KOETHER *et al.* *AAP* **41** (2009) 1023–1040
 in red-and-black game M.-R. CHEN *et al.* *JAP* **45** (2008) 1024–1038
- optimization** of packing system D. SHAH AND J. N. TSITSIKLIS *JAP* **45** (2008) 922–939
- option**
 perpetual American, in market crisis P. BARRIEU AND N. BELLAMY *AAP* **39** (2007) 510–530
 perpetual American lookback P. V. GAPEEV *JAP* **44** (2007) 713–731
- option pricing** S. M. ROSS AND Z. ZHU *JAP* **45** (2008) 1–15
 and Malliavin differentiability E. ALÒS AND C.-O. EWALD *AAP* **40** (2008) 144–162
 for Canadian option G. DELIGIANNIDIS *et al.* *JAP* **46** (2009) 1130–1145
 in Lévy market R. V. IVANOV *JAP* **44** (2007) 409–419
- option valuation** M. SCHRÖDER *AAP* **39** (2007) 245–270
- order statistics** and positive association D. DUBHASHI AND O. HÄGGSTRÖM *JAP* **45** (2008) 575–579
- ordering** k -mart F. VERA AND J. LYNCH *AAP* **39** (2007) 105–127
- O-regular variation** C. BRACHNER *et al.* *AAP* **41** (2009) 428–451

- oriented mean normal measure** M. KIDERLEN *AAP (SGSA)* **40** (2008) 31–48
- oriented percolation** P. BALISTER *et al. AAP (SGSA)* **41** (2009) 323–343
- Ornstein–Uhlenbeck process**
- geometric V. V. ANH *et al. AAP* **40** (2008) 1129–1156
 - Lévy-driven P. J. BROCKWELL *et al. JAP* **44** (2007) 977–989
 - reflected X. XING *et al. JAP* **46** (2009) 709–720
 - tempered stable S. ZHANG AND X. ZHANG *JAP* **46** (2009) 721–731
- overlay optimization** M. DRAIEF *et al. JAP* **46** (2009) 199–220
- overshoot**
- and undershoot of random walk Z. CUI *et al. AAP* **41** (2009) 469–494
 - in random walk C.-D. FUH *AAP* **39** (2007) 826–852
- Owen’s multilinear extension** J. FREIXAS *JAP* **44** (2007) 852–864
- P**
- pair correlation function** F. BALLANI *AAP (SGSA)* **39** (2007) 1–15
- Palm duality** H. THORISSON *AAP (SGSA)* **39** (2007) 318–325
- parabolic evolution equation** M. BEN ALAYA AND B. JOURDAIN *JAP* **44** (2007) 528–546
- parallel mosaic** R. SCHNEIDER *AAP (SGSA)* **41** (2009) 682–694
- parallel processing** Y. KIM *et al. AAP* **41** (2009) 546–575
- parallel systems** with identical and nonidentical components S. KOCHAR AND M. XU *JAP* **46** (2009) 342–352
- parallel-series system** R. ROSSIGNOL *JAP* **44** (2007) 164–180
- parasite infection** in population model V. BANSAYE *AAP* **41** (2009) 1059–1081
- Pareto copula** C. KLÜPPELBERG AND S. I. RESNICK *JAP* **45** (2008) 67–84
- parking problem** E. BACHMAT *et al. AAP* **39** (2007) 1098–1114 and V. BANSAYE *JAP* **44** (2007) 901–927
- partial ordering of distributions** N. U. NAIR *et al. JAP* **45** (2008) 1126–1139
- partially observable system** E. LEHRER AND E. SHMAYA *JAP* **45** (2008) 580–586
- particle behaviour** and percolation clusters F. COMETS AND F. SIMENHAUS *JAP* **45** (2008) 689–702
- particle diffusion** in inaccessible region V. DE LA PEÑA *et al. JAP* **45** (2008) 640–649
- particle filtering** discrete-time K. HEINE AND D. CRISAN *AAP* **40** (2008) 979–1001
- particle model** for rheological stress M. BEN ALAYA AND B. JOURDAIN *JAP* **44** (2007) 528–546
- particle motion**
- finite-velocity A. D. KOLESNIK *JAP* **44** (2007) 838–842
 - saltation in fluid flow B. FRANKE *JAP* **44** (2007) 732–741
- particle system**
- and related Q -process B. WU AND Y.-H. ZHANG *JAP* **44** (2007) 226–237
 - interacting N. LANCHIER AND C. NEUHAUSER *JAP* **44** (2007) 770–787
- partitioning heuristic** iterated-tour A. BOMPADRE *et al. JAP* **44** (2007) 259–278
- PASTA property** E. A. PEKÖZ *et al. JAP* **45** (2008) 963–971 and E. A. PEKÖZ AND S. M. ROSS *JAP* **45** (2008) 568–574
- pattern compound**, in multistate trial K. INOUE AND S. AKI *JAP* **44** (2007) 71–81
- pattern Markov chain** G. NUEL *JAP* **45** (2008) 226–243
- penalty function** for RNA hairpin N. R. HANSEN *AAP* **39** (2007) 776–798
- percolation**
- conditional M. AXELSON-FISK AND O. HÄGGSTRÖM *AAP* **41** (2009) 1102–1122
 - first-passage L. P. R. PIMENTEL *AAP (SGSA)* **39** (2007) 53–76
 - in inhomogeneous Galton–Watson process E. BROMAN AND R. MEESTER *AAP* **40** (2008) 798–814
 - truncated long-range B. N. B. DE LIMA AND A. SAPOZHNIKOV *JAP* **45** (2008) 287–291
- percolation cluster** F. COMETS AND F. SIMENHAUS *JAP* **45** (2008) 689–702
- perfect sampling** P. J. FERNÁNDEZ *et al. AAP* **39** (2007) 973–990
- of random forest H. DAI *AAP* **40** (2008) 897–917
- perturbed random walk** Z. PALMOWSKI AND B. ZWART *JAP* **44** (2007) 349–365

- phase transition** B. N. B. DE LIMA AND A. SAPOZHNIKOV *JAP* **45** (2008) 287–291
on multigraph D. BERTACCHI AND F. ZUCCA *JAP* **45** (2008) 481–497
- phase-type distribution** Q.-M. HE AND H. ZHANG *AAP* **39** (2007) 271–292
of positive jumps L. BREUER *JAP* **45** (2008) 779–799
- phenotype distribution** R. IBRAGIMOV *JAP* **44** (2007) 58–70
- phylogenetic tree**
identifiability of E. S. ALLMAN *et al.* *AAP* **40** (2008) 229–249
under different mutation rates T. M. LIGGETT AND R. B. SCHINAZI *JAP* **46** (2009) 601–607
with isomorphism M. BÓNA AND P. FLAJOLET *JAP* **46** (2009) 1005–1019
- piecewise-deterministic process** O. L. V. COSTA AND F. DUFOUR *JAP* **46** (2009) 1157–1183
with level crossings K. BOROVKOV AND G. LAST *AAP* **40** (2008) 815–834
- pinned Gaussian process** crossing probability in small time L. CARAMELLINO AND B. PACCHIAROTTI
AAP **40** (2008) 424–453
- Pleijel identity** H. S. HARUTYUNYAN AND V. K. OHANYAN *AAP (SGSA)* **41** (2009) 358–366
- Poincaré half-space** E. ORSINGER AND A. DE GREGORIO *AAP* **39** (2007) 588–611
- point pattern**
data analysis D. SCHUHMACHER AND A. XIA *AAP (SGSA)* **40** (2008) 651–672
sequential M. D. PENROSE AND V. SHCHERBAKOV *AAP (SGSA)* **41** (2009) 978–1001
- point process**
distribution metric D. SCHUHMACHER AND A. XIA *AAP (SGSA)* **40** (2008) 651–672
Lévy-type G. HELLMUND *et al.* *AAP (SGSA)* **40** (2008) 603–629
- point stationarity** H. THORISSON *AAP (SGSA)* **39** (2007) 318–325
- Poisson approximation** centered E. A. PEKÓZ *et al.* *JAP* **46** (2009) 1073–1085
- Poisson arrival queue** with bin packing D. SHAH AND J. N. TSITSIKLIS *JAP* **45** (2008) 922–939
- Poisson distribution** applied to Erlang B formula A. J. E. M. JANSSEN *et al.* *AAP* **40** (2008) 122–143
- Poisson embedding** A. V. GNEDIN AND D. I. MIRETSKIY *JAP* **44** (2007) 560–565
- Poisson hyperplane tessellation** R. SCHNEIDER *AAP (SGSA)* **41** (2009) 682–694
- Poisson limit theorem** Gnedenko–Kolmogorov A. PÓSFAL *JAP* **46** (2009) 585–592
- Poisson line pattern** D. J. ALDOUS AND W. S. KENDALL *AAP (SGSA)* **40** (2008) 1–21
- Poisson process** in a square P. BALISTER *et al.* *AAP (SGSA)* **41** (2009) 1–12
- Poisson–Dirichlet distribution**
two-parameter F. XU *JAP* **46** (2009) 392–401 and S. FENG AND F.-Y. WANG *JAP* **44** (2007) 938–949
- Poisson–Voronoi cell** and Stienen sphere V. OLSBO *AAP (SGSA)* **39** (2007) 883–892
- Poisson–Voronoi tessellation** in high dimension K. ALISHAHI AND M. SHARIFITABAR *AAP (SGSA)* **40** (2008) 919–938
- Pólya sampling scheme** S. ERYILMAZ *JAP* **45** (2008) 1007–1023
- Pólya urn** G. ALETTI *et al.* *AAP* **39** (2007) 690–707 and T. NAKATA *JAP* **46** (2009) 284–295
generalized G. ALETTI *et al.* *AAP* **41** (2009) 829–844
- polymerase chain reaction** D. PIAU *JAP* **45** (2008) 727–742
- polynomial mixing bounds** M. ORTISI *JAP* **45** (2008) 376–387
- population extinction** and growth of integral transforms D. TOKAREV *JAP* **45** (2008) 472–480
- population gene frequency** S. FENG AND F.-Y. WANG *JAP* **44** (2007) 938–949
- population heterogeneity** and infectivity J. C. MILLER *JAP* **45** (2008) 498–512
- population model**
two-sex M. MOLINA *et al.* *JAP* **44** (2007) 492–505 and S. MA AND M. MOLINA *JAP* **46** (2009) 993–1004
with spatial restrictions D. BERTACCHI AND F. ZUCCA *JAP* **46** (2009) 463–478
- population statistics** large deviation in M. RAIČ *AAP* **39** (2007) 731–752
- population subdivision** R. C. GRIFFITHS *et al.* *AAP* **40** (2008) 473–500
- portfolio optimization** A. MITRA AND S. I. RESNICK *AAP* **41** (2009) 797–828 and J. A. LONDOÑO *JAP* **46** (2009) 55–70 and Y. HU AND B. ØKSENDAL *JAP* **44** (2007) 742–752
constrained C. LABBÉ AND A. J. HEUNIS *AAP* **39** (2007) 77–104

- with variable transaction costs T. TAMURA *AAP* **40** (2008) 673–695
- with worst-case dependence K. C. CHEUNG AND H. YANG *JAP* **45** (2008) 55–66
- power tessellation** C. LAUTENSACK AND S. ZUYEV *AAP (SGSA)* **40** (2008) 630–650 and J. MØLLER AND K. HELISOVÁ *AAP (SGSA)* **40** (2008) 321–347
- preservation of ageing properties** F. BELZUNCE *et al. JAP* **44** (2007) 928–937
- priority service discipline** K. MAJEWSKI *AAP* **39** (2007) 407–428
- prisoner's dilemma** with neighbour imitation H.-C. CHEN AND Y. CHOW *AAP* **41** (2009) 154–176
- processor sharing** U. AYESTA *JAP* **44** (2007) 1078–1087
- in queue with varying throughput P. MOYAL *JAP* **45** (2008) 953–962
- processor-sharing network** J. C. HANSEN *et al. JAP* **44** (2007) 636–651 and S. ZACHARY *JAP* **44** (2007) 238–248

Q

- q-matrix** of Markov branching process Y. LI *et al. JAP* **45** (2008) 176–189
- Q-process** multidimensional B. WU AND Y.-H. ZHANG *JAP* **44** (2007) 226–237
- quadratic ARCH model** with long memory D. SURGAILIS *AAP* **40** (2008) 1198–1222
- quasi-birth-and-death process** J. S. H. VAN LEEUWAARDEN *et al. JAP* **46** (2009) 507–520 and T.-H. DAO-THI AND J. MAIRESSE *AAP* **39** (2007) 429–461
- quermass-interaction** D. DEREUDRE *AAP (SGSA)* **41** (2009) 664–681
- queue**
- cyclic, with heavy traffic H. DADUNA *et al. JAP* **45** (2008) 333–346
- G/G/1/0, with heavy-tailed arrivals R. LEIPUS AND D. SURGAILIS *JAP* **44** (2007) 379–392
- GI/GI/1 U. AYESTA *JAP* **44** (2007) 1078–1087
- M/G/I retrial J. KIM *et al. JAP* **44** (2007) 1111–1118
- Markovian bulk-arriving J. LI AND A. CHEN *AAP* **40** (2008) 95–121
- multiserver, in Halfin–Whitt regime D. GAMARNIK AND P. MOMČILOVIĆ *AAP* **40** (2008) 548–577
- processor-sharing P. MOYAL *JAP* **45** (2008) 953–962
- stable zero-automatic T.-H. DAO-THI AND J. MAIRESSE *AAP* **39** (2007) 429–461
- with Lévy input A. ES-SAGHOUBI AND M. MANDJES *JAP* **45** (2008) 940–952
- with wasted spaces E. SOHN AND C. KNESSL *AAP* **40** (2008) 835–855
- queue length based random access** A. L. STOLYAR *JAP* **45** (2008) 297–313
- queueing model**
- and CLT for work arrival S. P. CLARK AND P. C. KIESSLER *JAP* **44** (2007) 366–378
- for large dam V. M. ABRAMOV *JAP* **44** (2007) 249–258
- queueing network**
- perturbed by routing H. DADUNA AND R. SZEKLI *JAP* **45** (2008) 846–878
- tandem, with dependent service time M. LELARGE *JAP* **44** (2007) 306–320
- with differentiated service H.-Q. YE *JAP* **44** (2007) 321–331

R

- random access system** A. L. STOLYAR *JAP* **45** (2008) 297–313
- random affine equation** D. DENISOV AND B. ZWART *JAP* **44** (2007) 1031–1046
- random allocation** and multidimensional infection model G. S. TSITSIASHVILI *JAP* **44** (2007) 990–995
- random difference** D. DENISOV AND B. ZWART *JAP* **44** (2007) 1031–1046
- random forest** perfect sampling H. DAI *AAP* **40** (2008) 897–917
- random geometric graph** with fixed-size components J. DÍAZ *et al. AAP (SGSA)* **41** (2009) 344–357
- random graph**
- geometric A. GANESH AND F. XUE *AAP (SGSA)* **39** (2007) 853–863
- with edge deletion X.-Y. WU *et al. JAP* **46** (2009) 1213–1220
- random mapping** with exchangeable in-degree J. C. HANSEN AND J. JAWORSKI *AAP* **40** (2008) 183–205
- random measure** infinitely divisible E. ROY *AAP (SGSA)* **39** (2007) 893–897
- random motion** planar A. D. KOLESNIK *JAP* **44** (2007) 838–842

- random permutation** in chemical reaction M. BROWN *et al.* *JAP* **45** (2008) 1060–1070
- random point set** covered by unit disk J. C. HANSEN *et al.* *AAP (SGSA)* **40** (2008) 22–30
- random replacement** R. ABRAHAM *et al.* *JAP* **44** (2007) 652–660
- random scenery** B. FRANKE AND T. SAIGO *AAP* **41** (2009) 452–468
- random tree** D. A. CROYDON *AAP* **39** (2007) 708–730
- symmetric nodes in M. BÓNA AND P. FLAJOLET *JAP* **46** (2009) 1005–1019
- random walk** with subexponential tail B. KO AND Q. TANG *JAP* **45** (2008) 85–94
- random walk**
- approximation T. L. LAI *et al.* *AAP* **39** (2007) 753–775
- correlated, with buy/sell rules P. ALLAART AND M. MONTICINO *JAP* **45** (2008) 33–44
- heavy-tailed D. DENISOV AND V. SHNEER *AAP* **39** (2007) 221–244 *and* J. H. BLANCHET AND J. C. LIU *AAP* **40** (2008) 1104–1128
- tied down A. LINDELL AND L. HOLST *JAP* **44** (2007) 1056–1067
- weighted C. DOMBRY *AAP* **39** (2007) 550–568
- with barrier A. IKSANOV AND M. MÖHLE *AAP* **40** (2008) 206–228
- random walk with drift** V. WACHTEL *AAP* **41** (2009) 1189–1214
- rank** minimizing the expected F. T. BRUSS AND Y. C. SWAN *JAP* **46** (2009) 1–18
- rank sequence** ultra-log-concave K. MARKSTRÖM *JAP* **44** (2007) 1119–1121
- ranked server** E. SOHN AND C. KNESSL *AAP* **40** (2008) 835–855
- ranking** of sequential arrivals A. KURUSHIMA AND K. ANO *JAP* **46** (2009) 402–414
- rare event** in occupancy scheme P. ROBERT AND F. SIMATOS *AAP* **41** (2009) 600–622
- rare event simulation** W. NIEMIRO AND P. POKAROWSKI *JAP* **46** (2009) 309–329
- for sums of heavy-tailed increments J. H. BLANCHET AND J. C. LIU *AAP* **40** (2008) 1104–1128
- with cost constraint A. LAGNOUX-RENAUDIE *JAP* **46** (2009) 429–452
- rate matrix** of QBD process J. S. H. VAN LEEUWAARDEN *et al.* *JAP* **46** (2009) 507–520
- ray method** C. KNESSL AND D. E. DOMINICI *AAP* **40** (2008) 856–881
- r-convexity** B. PATEIRO-LÓPEZ AND A. RODRÍGUEZ-CASAL *AAP (SGSA)* **40** (2008) 348–358
- real-world network** X.-Y. WU *et al.* *JAP* **46** (2009) 1213–1220
- record model** success/failure L. HOLST *JAP* **44** (2007) 824–830
- red-and-black game** with bet dependence L. PONTIGGIA *JAP* **44** (2007) 547–553
- reduced branching process** A. N. LAGERÅS AND S. SAGITOV *JAP* **45** (2008) 190–200
- redundancy allocation** component and system N. MISRA *et al.* *JAP* **46** (2009) 19–34
- reflected backward SDE** and game option J.-F. CHASSAGNEUX *AAP* **41** (2009) 101–130
- reflected diffusion** with positive and negative jumps F. J. PIERA *et al.* *AAP* **40** (2008) 529–547
- reflected process** R. McVINISH *JAP* **45** (2008) 150–162 *and* X. XING *et al.* *JAP* **46** (2009) 709–720
- reflection barrier** double J.-F. CHASSAGNEUX *AAP* **41** (2009) 101–130
- reflection map** F. J. PIERA *et al.* *AAP* **40** (2008) 529–547
- regeneration process**
- and ruin probability Z. PALMOWSKI AND B. ZWART *JAP* **44** (2007) 349–365
- long-range dependence in R. LEIPUS AND D. SURGAILIS *JAP* **44** (2007) 379–392
- regular polygon** H. S. HARUTYUNYAN AND V. K. OHANYAN *AAP (SGSA)* **41** (2009) 358–366
- reinforced process** G. ALETTI *et al.* *AAP* **41** (2009) 829–844
- reinforcement distribution** G. ALETTI *et al.* *AAP* **39** (2007) 690–707
- reinsurance** F. GAO AND J. YAN *JAP* **45** (2008) 800–817
- reliability**
- cascade failure model A. W. SWIFT *JAP* **45** (2008) 907–921
- of data transmission systems S. ASMUSSEN *JAP* **46** (2009) 768–790
- of manufactured nanosystem N. EBRAHIMI *JAP* **45** (2008) 879–887
- of parallel systems J. NAVARRO AND S. ERYILMAZ *JAP* **44** (2007) 82–98
- reliability system** coherent K. JASIŃSKI *et al.* *JAP* **46** (2009) 894–908
- rendezvous search** with revealed information S. ALPERN *JAP* **44** (2007) 1–15

renewal process

- alternating A. PIEVATOLO *JAP* **44** (2007) 1068–1077
- continuous-time Q. TANG *JAP* **44** (2007) 285–294
- in collector problem O. KELLA AND W. STADJE *JAP* **45** (2008) 610–620

renewal theorem Blackwell-type J. LIN *JAP* **45** (2008) 972–993**renewal theory** uniform J. H. BLANCHET AND P. W. GLYNN *AAP* **39** (2007) 1070–1097**Renyi's theorem** J. H. BLANCHET AND P. W. GLYNN *AAP* **39** (2007) 1070–1097**repair model**

- Brown–Proschan J. H. CHA AND M. FINKELSTEIN *JAP* **46** (2009) 353–362
- with ageing M. FINKELSTEIN *JAP* **44** (2007) 506–513

repeated sequence in stationary Markov chain N. TOUYAR *et al.* *JAP* **45** (2008) 440–455**replacement matrix** triangular balanced A. BOSE *et al.* *JAP* **46** (2009) 571–584**repulsive point process** M. L. HUBER AND R. L. WOLPERT *AAP (SGSA)* **41** (2009) 958–977**residual lifetime** P. ZHAO *et al.* *JAP* **45** (2008) 1113–1125

- of used system J. NAVARRO *et al.* *JAP* **45** (2008) 1097–1112

resource allocation in loss system Y. LU AND A. RADOVANOVIĆ *JAP* **44** (2007) 1088–1102**retrial queue** light-tailed asymptotics J. KIM *et al.* *JAP* **44** (2007) 1111–1118**reward criterion** expected average Q. ZHU AND T. PRIETO-RUMEAU *JAP* **45** (2008) 417–429**reward distribution** V. T. STEFANOV AND F. BALL *AAP* **41** (2009) 523–545**Rice's formula** K. BOROVKOV AND G. LAST *AAP* **40** (2008) 815–834**Riemannian sum** with random subintervals E. RAPOO *JAP* **45** (2008) 551–567**risk** rapidly varying A. MITRA AND S. I. RESNICK *AAP* **41** (2009) 797–828**risk capital** EVT-based estimation M. DEGEN AND P. EMBRECHTS *AAP* **40** (2008) 696–715**risk evaluation** S. WANG AND W. WANG *JAP* **44** (2007) 889–900**risk measure**

- comonotonic K. C. CHEUNG *JAP* **44** (2007) 607–617
- distribution-invariant S. WEBER *JAP* **44** (2007) 16–40

risk model

- compound Poisson J. ZHU AND H. YANG *JAP* **45** (2008) 818–830
- dependent A. L. BADESCU *et al.* *JAP* **46** (2009) 113–131
- Markov-modulated E. C. K. CHEUNG AND D. LANDRIAULT *JAP* **46** (2009) 521–541
- Markov-modulated with reinsurance F. GAO AND J. YAN *JAP* **45** (2008) 800–817
- with heavy-tailed claims C. C. HEYDE AND D. WANG *AAP* **41** (2009) 206–224

risk process

- and last passage time E. J. BAURDOUX *JAP* **46** (2009) 542–558
- growth-collapse O. KELLA *JAP* **46** (2009) 363–371
- Lévy-type with tax H. ALBRECHER *et al.* *JAP* **45** (2008) 363–375
- multivariate, with interacting intensities N. BÄUERLE AND R. GRÜBEL *AAP* **40** (2008) 578–601
- with proportional reinsurance M. A. DIASPARRA AND R. ROMERA *JAP* **46** (2009) 99–112

risk reserve process nonindependent N. BÄUERLE AND R. GRÜBEL *AAP* **40** (2008) 578–601**risk-dominant selection** H.-C. CHEN AND Y. CHOW *JAP* **45** (2008) 388–402**Robbins problem** A. V. GNEDIN *JAP* **44** (2007) 996–1011 *and* F. T. BRUSS AND Y. C. SWAN *JAP* **46** (2009) 1–18**routing**

- and network perturbation H. DADUNA AND R. SZEKLI *JAP* **45** (2008) 846–878
- shortest in low-cost network D. J. ALDOUS AND W. S. KENDALL *AAP (SGSA)* **40** (2008) 1–21
- unit-demand A. BOMPADRE *et al.* *JAP* **44** (2007) 259–278

r-scan statistic for sequence markers C. CHEN AND S. KARLIN *AAP* **39** (2007) 799–825**ruin**

- discounted penalty function at J. CAI *AAP* **39** (2007) 343–359
- impulse-controlled J. PAULSEN *AAP* **39** (2007) 669–689

- surplus at S. M. PITTS AND K. POLITIS *AAP* **39** (2007) 385–406
 with indebtedness A. A. BOROVKOV *AAP* **41** (2009) 1141–1160
- ruin probability**
 finite-time C. C. HEYDE AND D. WANG *AAP* **41** (2009) 206–224
 for integrated Gaussian process X. HE AND Y. HU *JAP* **44** (2007) 685–694
 in debit interest model J. ZHU AND H. YANG *JAP* **45** (2008) 818–830
 in Lévy-type process with tax H. ALBRECHER *et al.* *JAP* **45** (2008) 363–375
 of risk reserve process N. BÄUERLE AND R. GRÜBEL *AAP* **40** (2008) 578–601
 with reinsurance control M. A. DIASPARRA AND R. ROMERA *JAP* **46** (2009) 99–112
 with stationary stable claims U. T. ALPARSLAN AND G. SAMORODNITSKY *AAP* **39** (2007) 360–384
- rule balanced expert** D. BEREND *et al.* *JAP* **45** (2008) 994–1006
- run statistic** X. WANG AND A. XIA *JAP* **45** (2008) 456–471
- runs and patterns** in i.i.d. multistate trial J. C. FU AND B. C. JOHNSON *AAP* **41** (2009) 292–308
- S**
- SABR model** L. C. G. ROGERS AND L. A. M. VERAART *JAP* **45** (2008) 1071–1085
- saddlepoint approximation** M. R. TEHRANCHI *JAP* **46** (2009) 629–650
- scale function** of Lévy process with negative jumps B. A. SURYA *JAP* **45** (2008) 135–149
- scan statistics** with variable window size Z. KABLUCHKO AND E. SPODAREV *AAP (SGSA)* **41** (2009) 13–37
- scheduling discipline** work-conserving U. AYESTA *JAP* **44** (2007) 1078–1087
- secretary problem**
 full-information M. TAMAKI *JAP* **46** (2009) 1086–1099
 minimizing expected rank A. M. KRIEGER AND E. SAMUEL-CAHN *AAP* **41** (2009) 1041–1058
- security market** exponential Lévy-type R. V. IVANOV *JAP* **44** (2007) 409–419
- seismological model** Båth's law D. VERE-JONES *AAP* **40** (2008) 882–896
- selection policy** with marked units S. A. LIPPMAN *et al.* *JAP* **44** (2007) 843–851
- selection problem** A. M. KRIEGER *et al.* *JAP* **45** (2008) 244–259
- selective sweep** S. LEOCARD *AAP* **41** (2009) 731–764
- self-decomposability** S. ZHANG AND X. ZHANG *JAP* **46** (2009) 721–731
- self-similar random measure** J. BARRAL AND S. SEURET *AAP* **39** (2007) 162–188
- self-similarity** in continuous-state branching process A. E. KYPRIANOU AND J. C. PARDO *JAP* **45** (2008) 1140–1160
- semi-linear equation** nonexplosive S. CHAKRABORTY AND J. A. LOPEZ-MIMBELA *AAP* **40** (2008) 250–272
- semi-Markov decision process** in pharmaceutical test C. CHARALAMBOUS AND J. C. GITTINS *AAP* **40** (2008) 359–376
- semi-Markov process** in stopping problem A. KARPOWICZ *JAP* **46** (2009) 415–428
- sensitivity analysis** using Monte Carlo methods C. BORDENAVE AND G. L. TORRISI *AAP (SGSA)* **40** (2008) 293–320
- sensitivity estimation** R. ELIE *JAP* **46** (2009) 791–811
- sequence** J. L. SPOUGE *JAP* **44** (2007) 1122
 repeated, in genome N. TOUYAR *et al.* *JAP* **45** (2008) 440–455
- sequence analysis** J. L. SPOUGE *JAP* **44** (2007) 514–527 and V. BANSAYE *JAP* **44** (2007) 901–927
 biological S. BEHRENS AND M. LÖWE *JAP* **46** (2009) 1020–1037
- sequence change** stochastic C. CHEN AND S. KARLIN *AAP* **39** (2007) 799–825
- sequence comparison** alignment-free M. R. KANTOROVITZ *et al.* *JAP* **44** (2007) 788–805
- sequence of trials** Bernoulli, with failures L. HOLST *JAP* **44** (2007) 824–830
- sequential Monte Carlo (SMC)** I. GENTIL AND B. RÉMILLARD *AAP* **40** (2008) 454–472
- sequential packing** M. D. PENROSE AND V. SHCHERBAKOV *AAP (SGSA)* **41** (2009) 978–1001
- sequential selection** A. M. KRIEGER *et al.* *JAP* **45** (2008) 244–259
- sequential updating** of odds algorithm F. T. BRUSS AND G. LOUCHARD *AAP* **41** (2009) 131–153

- server** with bottleneck node H. DADUNA *et al.* *JAP* **45** (2008) 333–346
- service policy** with ranked servers E. SOHN AND C. KNESSL *AAP* **40** (2008) 835–855
- service system** FCFS R. CALDENTEY *et al.* *AAP* **41** (2009) 695–730
- service time** and point measure valued recursion P. MOYAL *JAP* **45** (2008) 953–962
- set completion** O. KELLA AND W. STADJE *JAP* **45** (2008) 610–620 *and* P. NEAL *JAP* **45** (2008) 621–629
- set covariance function** G. AVERKOV AND G. BIANCHI *AAP (SGSA)* **39** (2007) 613–629
- set estimation** with smoothness restriction B. PATEIRO-LÓPEZ AND A. RODRÍGUEZ-CASAL *AAP (SGSA)* **40** (2008) 348–358
- shifted binomial approximation** E. A. PEKÖZ *et al.* *JAP* **46** (2009) 1073–1085
- shock model** extreme versus cumulative J. H. CHA AND M. FINKELSTEIN *JAP* **46** (2009) 353–362
- shortest-distance problem** P. VELLAISAMY AND N. S. UPADHYE *JAP* **46** (2009) 272–283
- shortfall risk constraint** S. WEBER *JAP* **44** (2007) 16–40
- shot noise field** B. BŁASZCZYŚYŹYŃ AND D. YOGESHWARAN *AAP (SGSA)* **41** (2009) 623–646
- shot-noise process** and related growth collapse O. KELLA *JAP* **46** (2009) 363–371
- signature**
- of coherent system J. NAVARRO *et al.* *JAP* **45** (2008) 1097–1112
 - of failure system J. NAVARRO AND S. ERYILMAZ *JAP* **44** (2007) 82–98
- similar states** in Markov chains V. B. YAP *JAP* **46** (2009) 497–506
- similarity** of random strings H. M. MAHMOUD AND M. D. WARD *JAP* **45** (2008) 888–900
- simulation** of rare event A. LAGNOUX-RENAUDIE *JAP* **46** (2009) 429–452
- singularity analysis** Q. ZHENG *JAP* **46** (2009) 1221–1224
- SIR epidemic** P. NEAL *JAP* **44** (2007) 41–57
- skewness order** S. KOCHAR AND M. XU *JAP* **46** (2009) 342–352
- small-world graph** construction-independent R. CONT AND E. TANIMURA *AAP (SGSA)* **40** (2008) 939–965
- small-world Markov chain** A. GHATE *AAP (SGSA)* **40** (2008) 966–978
- small-world network** connectivity and diameter A. GANESH AND F. XUE *AAP (SGSA)* **39** (2007) 853–863
- smooth-fit principle** S. VILLENEUVE *JAP* **44** (2007) 181–198
- social contact** and infection rate F. BALL *et al.* *AAP* **41** (2009) 765–796
- social network** A. GANESH AND F. XUE *AAP (SGSA)* **39** (2007) 853–863
- infection in T. BRITTON *et al.* *AAP* **39** (2007) 922–948
 - small-world model of R. CONT AND E. TANIMURA *AAP (SGSA)* **40** (2008) 939–965
- sojourn time** in queue with increasing population H. DADUNA *et al.* *JAP* **45** (2008) 333–346
- spanning forest** minimal directed A. R. WADE *AAP (SGSA)* **39** (2007) 326–342
- spares** optimal allocation N. MISRA *et al.* *JAP* **46** (2009) 19–34
- Sparre Anderson model** A. L. BADESCU *et al.* *JAP* **46** (2009) 113–131 *and* S. M. PITTS AND K. POLITIS *JAP* **44** (2007) 695–712
- spatial interaction** C. BORDENAVE *et al.* *JAP* **46** (2009) 844–865
- spatial point process** with replacement K. BOROVKOV AND D. A. ODELL *AAP (SGSA)* **39** (2007) 293–306
- spatial stochastic process** X. QI *AAP* **40** (2008) 759–797
- sphere**
- decentralized search on A. GHATE *AAP (SGSA)* **40** (2008) 966–978
 - distribution on surface R. COWAN AND R. E. MILES *AAP (SGSA)* **41** (2009) 1002–1004
- spherical dynamical system** B. FRANKE *JAP* **44** (2007) 732–741
- splitting model** two-step branching A. LAGNOUX-RENAUDIE *JAP* **46** (2009) 429–452
- spot volatility** V. DURRLEMAN *JAP* **45** (2008) 542–550
- stability** of noise-driven SDE D. APPLEBAUM AND M. SIAKALLI *JAP* **46** (2009) 1116–1129
- stack score** in RNA sequence N. R. HANSEN *AAP* **39** (2007) 776–798
- state-dependent reflection** of jump-diffusion F. J. PIERA *et al.* *AAP* **40** (2008) 529–547
- stationary Boolean model** F. BALLANI *AAP (SGSA)* **39** (2007) 1–15
- stationary Poisson process** of k -flats V. BAUMSTARK AND G. LAST *AAP (SGSA)* **41** (2009) 911–939

- stationary random field** Palm version H. THORISSON *AAP (SGSA)* **39** (2007) 318–325
- stationary stable process** ergodic U. T. ALPARSLAN *AAP* **41** (2009) 874–892
- Stein–Chen method** S. N. SOCOLL AND A. D. BARBOUR *JAP* **46** (2009) 690–708
and occupancy model T. NAKATA *JAP* **45** (2008) 430–439
- Stein’s method** with Cramér transform M. RAIČ *AAP* **39** (2007) 731–752
- Stieltjes class** G. D. LIN AND J. STOYANOV *JAP* **46** (2009) 909–916
- Stienen model** M. MÅNSSON *AAP (SGSA)* **39** (2007) 41–52 and V. OLSBO *AAP (SGSA)* **39** (2007) 883–892
- stochastic differential equation**
Lévy noise-driven D. APPLEBAUM AND M. SIAKALLI *JAP* **46** (2009) 1116–1129
with jumps F. CARBONELL AND J. C. JIMENEZ *JAP* **45** (2008) 201–210
- stochastic domination** D. DUBHASHI AND O. HÄGGSTRÖM *JAP* **45** (2008) 575–579 and K. HOSAKA *JAP* **46** (2009) 1198–1200
- stochastic failure** and Poisson shock process J. H. CHA AND J. MI *JAP* **44** (2007) 151–163
- stochastic fixed point** G. ALSMEYER AND M. MEINERS *JAP* **44** (2007) 586–606
- stochastic game** nonconstant sum L. PONTIGGIA *JAP* **44** (2007) 547–553
- stochastic logistic model** D. SIRL *et al.* *JAP* **44** (2007) 476–491
- stochastic loss network** large Y. LU AND A. RADOVANOVIĆ *JAP* **44** (2007) 1088–1102
- stochastic order** Y. YU *JAP* **46** (2009) 244–254
convex, and martingale-type structure F. VERA AND J. LYNCH *AAP* **39** (2007) 105–127
- stochastic process** tessellation-valued J. MECKE *et al.* *AAP (SGSA)* **40** (2008) 49–59
- stochastic recursion**
nonlinear D. B. H. CLINE *AAP* **39** (2007) 1115–1116 and D. B. H. CLINE *AAP* **39** (2007) 462–491
- stochastic replicator dynamics** L. A. IMHOF *AAP* **40** (2008) 1174–1197
- stochastic system** Poisson-driven C. BORDENAVE AND G. L. TORRISI *AAP (SGSA)* **40** (2008) 293–320
- stochastic volatility** L. C. G. ROGERS AND L. A. M. VERAART *JAP* **45** (2008) 1071–1085
in Lévy-type model J. H. C. WOERNER *AAP* **39** (2007) 531–549
- stopped queue** decay properties J. LI AND A. CHEN *AAP* **40** (2008) 95–121
- stopped random product** heavy-tailed A. G. PAKES *JAP* **45** (2008) 1161–1180
- storage problem** with weakest link S. A. LIPPMAN *et al.* *JAP* **44** (2007) 843–851
- string** average similarity of random H. M. MAHMOUD AND M. D. WARD *JAP* **45** (2008) 888–900
- strong likelihood ratio** K. HOSAKA *JAP* **46** (2009) 1198–1200
- subexponential distribution** D. DENISOV AND V. SHNEER *AAP* **39** (2007) 221–244 and S. FOSS *et al.* *JAP* **46** (2009) 756–767
rapidly varying PH. BARBE *et al.* *JAP* **44** (2007) 670–684
- subexponential tail** B. KO AND Q. TANG *JAP* **45** (2008) 85–94
- subordinated distribution** PH. BARBE *et al.* *JAP* **44** (2007) 670–684
- subordinator**
pure-jump S. COVO *AAP* **41** (2009) 367–392 and S. COVO *JAP* **46** (2009) 732–755
variance gamma model R. FINLAY AND E. SENETA *JAP* **44** (2007) 950–959
- success** consecutive, in Bernoulli trial L. HOLST *JAP* **45** (2008) 901–906
- success run** F. S. MAKRI *et al.* *AAP* **39** (2007) 991–1019 and L. HOLST *JAP* **46** (2009) 1201–1208
in necklace model T. NAKATA *JAP* **46** (2009) 284–295
in two-colour urn model S. ERYILMAZ *JAP* **45** (2008) 1007–1023
- Sukhatme–Rényi representation** R. GRÜBEL AND P. HITCZENKO *JAP* **46** (2009) 1038–1051
- supercritical branching** J. BERTOIN *et al.* *JAP* **45** (2008) 714–726
- superdiffusion** and $L \log L$ criterion R.-L. LIU *et al.* *JAP* **46** (2009) 479–496
- superdiffusive noise** R. FILLIGER AND M.-O. HONGLER *JAP* **44** (2007) 554–559
- super-replication price** F. OERTEL AND M. OWEN *JAP* **44** (2007) 880–888
- supremum process** of Brownian motion S. JANSON AND N. PETERSSON *JAP* **46** (2009) 593–600
- surface motion** S. ÅBERG *AAP* **39** (2007) 1020–1035
- surface pair correlation** F. BALLANI *AAP (SGSA)* **39** (2007) 1–15

- surplus prior to ruin** S. M. PITTS AND K. POLITIS *JAP* **44** (2007) 695–712
- switching model** continuous-time-dependent F. XI AND G. YIN *JAP* **46** (2009) 221–243
- Sylvester’s problem** R. COWAN *AAP (SGSA)* **39** (2007) 630–644
- symmetric play** in search problem S. ALPERN *JAP* **44** (2007) 1–15
- systematic sampling** I. GENTIL AND B. RÉMILLARD *AAP* **40** (2008) 454–472
- T**
- tail behaviour** of risk-neutral returns S. BENAÏM AND P. FRIZ *JAP* **45** (2008) 16–32
- tail dependence** H. LI AND Y. SUN *JAP* **46** (2009) 925–937
- tail probability** of maximum of sequence X. HAO *et al. JAP* **46** (2009) 559–570
- tax**
- loss carry forward H. ALBRECHER *et al. JAP* **45** (2008) 363–375
 - paid until ruin A. E. KYPRIANOU AND X. ZHOU *JAP* **46** (2009) 1146–1156
- TCP** window size evolution A. H. LÖPKER AND J. S. H. VAN LEEUWAARDEN *JAP* **45** (2008) 163–175
- telegraph process** on geodesic lines E. ORSINGHER AND A. DE GREGORIO *AAP* **39** (2007) 588–611
- tempered random restart** F. MENDIVIL *et al. JAP* **46** (2009) 960–974
- tempered stable process** S. ZHANG AND X. ZHANG *JAP* **46** (2009) 721–731
- ternary set** N. SHANK *AAP (SGSA)* **41** (2009) 38–62
- tessellation**
- Poisson hyperplane V. BAUMSTARK AND G. LAST *AAP (SGSA)* **41** (2009) 911–939
 - Poisson–Voronoi V. BAUMSTARK AND G. LAST *AAP (SGSA)* **39** (2007) 16–40 *and* V. OLSBO *AAP (SGSA)* **39** (2007) 883–892
 - stable under iteration J. MECKE *et al. AAP (SGSA)* **40** (2008) 49–59
 - weighted Voronoi C. LAUTENSACK AND S. ZUYEV *AAP (SGSA)* **40** (2008) 630–650
- test interval** optimal T. AVEN *JAP* **46** (2009) 330–341
- thinning replacement** K. BOROVKOV AND D. A. ODELL *AAP (SGSA)* **39** (2007) 293–306
- threshold autoregressive (TAR) process** C. BRACHNER *et al. AAP* **41** (2009) 428–451
- threshold strategy** and random discounting S. VILLENEUVE *JAP* **44** (2007) 181–198
- threshold width** prescribable R. ROSSIGNOL *JAP* **44** (2007) 164–180
- time to ruin** J. CAI *AAP* **39** (2007) 343–359
- time-average behaviour** seen by arrivals E. A. PEKÖZ *et al. JAP* **45** (2008) 963–971
- time-average distribution** E. A. PEKÖZ AND S. M. ROSS *JAP* **45** (2008) 568–574
- Toeplitz structure** A. DUDIN *et al. JAP* **45** (2008) 211–225
- total discounted reward** E. A. FEINBERG AND J. FEI *JAP* **46** (2009) 1209–1212
- total variation distance** between binomial and Poisson distributions J. A. ADELL *et al. AAP* **40** (2008) 1033–1047
- transaction cost** fixed and variable T. TAMURA *AAP* **40** (2008) 673–695
- transceiver network** P. BALISTER *et al. AAP (SGSA)* **41** (2009) 323–343
- transformed distribution** ageing properties N. U. NAIR *et al. JAP* **45** (2008) 1126–1139
- transient moment** of TCP window size A. H. LÖPKER AND J. S. H. VAN LEEUWAARDEN *JAP* **45** (2008) 163–175
- transition matrix** block tridiagonal V. T. STEFANOV AND F. BALL *AAP* **41** (2009) 523–545
- transition phenomenon** V. WACHTEL *AAP* **41** (2009) 1189–1214
- transmissibility** of infection on network J. C. MILLER *JAP* **45** (2008) 498–512
- transmission control protocol** C. Y. ROBERT *AAP* **39** (2007) 189–220
- transport protocol** and TCP paradigm T. J. OTT AND J. SWANSON *JAP* **44** (2007) 618–635
- trees** uniformly random W. BRYC *et al. AAP* **41** (2009) 845–873
- trial**
- multistate K. INOUE AND S. AKI *JAP* **44** (2007) 71–81
 - two-state F. S. MAKRI *et al. AAP* **39** (2007) 991–1019
- triangular urn** A. BOSE *et al. JAP* **46** (2009) 571–584
- trie** m -ary with cousins H. M. MAHMOUD AND M. D. WARD *JAP* **45** (2008) 888–900

- trinucleotide repeat** D. PIAU *JAP* **46** (2009) 917–924
TTT transform order N. U. NAIR *et al.* *JAP* **45** (2008) 1126–1139
tunable clustering T. BRITTON *et al.* *JAP* **45** (2008) 743–756
two-locus model importance sampling in R. C. GRIFFITHS *et al.* *AAP* **40** (2008) 473–500
two-sided exit process X. ZHOU *JAP* **44** (2007) 1012–1030
typical face in Poisson–Voronoi tessellation V. BAUMSTARK AND G. LAST *AAP (SGSA)* **39** (2007) 16–40

U

- underdispersed configuration** M. L. HUBER AND R. L. WOLPERT *AAP (SGSA)* **41** (2009) 958–977
unit disk graph J. C. HANSEN *et al.* *AAP (SGSA)* **40** (2008) 22–30
urn
 random triangular R. AGUECH *JAP* **46** (2009) 827–843
 two-colour randomly reinforced G. ALETTI *et al.* *AAP* **41** (2009) 829–844
urn model G. S. TSITSIASHVILI *JAP* **44** (2007) 990–995
 continuous E. EKSTRÖM AND H. WANNTORP *JAP* **46** (2009) 170–180
 for success-failure trial F. S. MAKRI *et al.* *AAP* **39** (2007) 991–1019
 generalized Pólya with null balance A. BALDI ANTOGNINI AND S. GIANNERINI *JAP* **44** (2007) 661–669
 multicolour S. ERYILMAZ *JAP* **45** (2008) 1007–1023
 three-colour A. BOSE *et al.* *JAP* **46** (2009) 571–584
 two-colour randomly reinforced G. ALETTI *et al.* *AAP* **39** (2007) 690–707
 with random replacement R. ABRAHAM *et al.* *JAP* **44** (2007) 652–660
user interference in CDMA system A. FEY *et al.* *AAP* **40** (2008) 1048–1071
utility state-dependent J. A. LONDOÑO *JAP* **46** (2009) 55–70

V

- vanishing discount** O. L. V. COSTA AND F. DUFOUR *JAP* **46** (2009) 1157–1183
Varadhan’s lemma C. DOMBRY *AAP* **39** (2007) 550–568
Vardi casino I. GRIGORESCU *et al.* *JAP* **44** (2007) 199–211
 with limited play Y.-C. YAO *JAP* **44** (2007) 831–837
variable step size E. RAPOO *JAP* **45** (2008) 551–567
variance of total reward E. A. FEINBERG AND J. FEI *JAP* **46** (2009) 1209–1212
variance-gamma process T. R. HURD AND A. KUZNETSOV *JAP* **46** (2009) 181–198
vector martingale B. BERCU *et al.* *JAP* **46** (2009) 151–169
vehicle routing problem A. BOMPADRE *et al.* *JAP* **44** (2007) 259–278
vibration stochastic, stability of M. ELSHAMY *JAP* **44** (2007) 444–457
virus population model birth-and-death component T. M. LIGGETT AND R. B. SCHINAZI *JAP* **46** (2009) 601–607
volatility
 and risk estimation J. H. C. WOERNER *AAP* **39** (2007) 531–549
 at-the-money implied V. DURRLEMAN *JAP* **45** (2008) 542–550
 Heston-type E. ALÒS AND C.-O. EWALD *AAP* **40** (2008) 144–162
 implied M. R. TEHRANCHI *JAP* **46** (2009) 629–650
 local, and market volatility A. SCHIED AND M. STADJE *JAP* **44** (2007) 865–879
volatility clustering C. BENDER AND T. MARQUARDT *JAP* **46** (2009) 609–628
volatility smile L. C. G. ROGERS AND L. A. M. VERAART *JAP* **45** (2008) 1071–1085
 Black–Scholes implied S. BENAÏM AND P. FRIZ *JAP* **45** (2008) 16–32
volume degeneracy K. ALISHAHI AND M. SHARIFITABAR *AAP (SGSA)* **40** (2008) 919–938
volume-weighted face R. SCHNEIDER *AAP (SGSA)* **41** (2009) 682–694
Voronoi tessellation V. BAUMSTARK AND G. LAST *AAP (SGSA)* **39** (2007) 16–40 and K. BOROVKOV AND D. A. ODELL *AAP (SGSA)* **39** (2007) 293–306

voter model

- biased, for gene flow N. LANCHIER AND C. NEUHAUSER *JAP* **44** (2007) 770–787
noisy veto S. JACKA AND M. SHEEHAN *JAP* **45** (2008) 670–688

W**wagering**

- critical R. KOETHER *et al.* *AAP* **41** (2009) 1023–1040
strategy for action gambler D. HARTVIGSEN *JAP* **46** (2009) 35–54

waiting time in retrial queue J. KIM *et al.* *JAP* **44** (2007) 1111–1118

Wasserstein metric D. SCHUHMACHER AND A. XIA *AAP (SGSA)* **40** (2008) 651–672

waste-recycling Monte Carlo J.-F. DELMAS AND B. JOURDAIN *JAP* **46** (2009) 938–959

wave propagation planar A. D. KOLESNIK *JAP* **44** (2007) 838–842

wave steepness Gaussian versus Lagrangian models S. ÅBERG *AAP* **39** (2007) 1020–1035

weak isotropy L. M. HOFFMANN *AAP (SGSA)* **39** (2007) 864–882

weak stationarity L. M. HOFFMANN *AAP (SGSA)* **39** (2007) 864–882

wear increment J. H. CHA AND M. FINKELSTEIN *JAP* **46** (2009) 353–362

Weibull sojourn K. R. DUFFY AND A. SAPOZHNIKOV *JAP* **45** (2008) 107–117

weighted majority rule D. BEREND *et al.* *JAP* **45** (2008) 994–1006 *and* K. R. DUFFY AND A. SAPOZHNIKOV *JAP* **45** (2008) 107–117

weighted renewal function J. LIN *JAP* **45** (2008) 972–993

weighted sum of i.i.d. variables Y. YU *AAP* **40** (2008) 1223–1226

white noise excited M. ELSHAMY *JAP* **44** (2007) 444–457

Wiener process J. TOUBOUL AND O. FAUGERAS *AAP* **41** (2009) 309

integrated J. TOUBOUL AND O. FAUGERAS *AAP* **40** (2008) 501–528

Wiener–Hopf factorization A. L. LEWIS AND E. MORDECKI *JAP* **45** (2008) 118–134

win probability bet-dependent L. PONTIGGIA *JAP* **44** (2007) 547–553

wing behaviour S. BENAÏM AND P. FRIZ *JAP* **45** (2008) 16–32

wireless network

ad-hoc L. DEVROYE *et al.* *AAP* **41** (2009) 1123–1140

performance measures B. BŁASZCZYŚYŹYŃ AND D. YOGESHWARAN *AAP (SGSA)* **41** (2009) 623–646

word count S. BEHRENS AND M. LÖWE *JAP* **46** (2009) 1020–1037

word frequency J. L. SPOUGE *JAP* **44** (2007) 1122

in Markov chain E. ROQUAIN AND S. SCHBATH *AAP* **39** (2007) 128–140

word set rare overlapping E. ROQUAIN AND S. SCHBATH *AAP* **39** (2007) 128–140

workload level and Lévy exponent R. BEKKER *et al.* *AAP* **41** (2009) 177–205

workload process for Lévy-driven queue A. ES-SAGHOUBANI AND M. MANDJES *JAP* **45** (2008) 940–952

Wright–Fisher model E. PARDOUX AND M. SALAMAT *JAP* **46** (2009) 669–689 *and* T. PRINCE AND N. WEBER *JAP* **44** (2007) 1103–1110

XYZ

Yan–Chen dual comparison B. WU AND Y.-H. ZHANG *JAP* **44** (2007) 226–237

Yao graph L. DEVROYE *et al.* *AAP* **41** (2009) 1123–1140

Yule process R. AGUECH *JAP* **46** (2009) 827–843

and bin occupancy P. ROBERT AND F. SIMATOS *AAP* **41** (2009) 600–622

Yule tree W. BRYC *et al.* *AAP* **41** (2009) 845–873

zero-automatic queue and product form T.-H. DAO-THI AND J. MAIRESSE *AAP* **39** (2007) 429–461

zero-sum game for jump Markov process X. GUO AND O. HERNÁNDEZ-LERMA *AAP* **39** (2007) 645–668

zeta distribution P. POLLETT *et al.* *JAP* **44** (2007) 566–569

Zolotarev’s duality B. BAEUMER *et al.* *JAP* **46** (2009) 1100–1115

Zolotarev’s metric T. C. CHRISTOFIDES AND E. VAGGELATOU *JAP* **46** (2009) 255–271

zonoid associated L. M. HOFFMANN *AAP (SGSA)* **39** (2007) 307–317