

December 1949 ✓

J. F. Mitchell
Vol. LXIII. No. 12

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

WITH THE ASSISTANCE OF
G. H. BATEMAN R. G. MACBETH V. E. NEGUS
R. SCOTT STEVENSON J. F. SIMPSON

Contents

EXTENSIONS OF THE TYMPANIC CAVITY	VICTOR LAMBERT
PROBOSCIS LATERALIS: A RARE MALFORMATION OF THE NOSE—ITS GENESIS AND TREATMENT	J. J. BIBER
THE MEDRESKO IN THE SERVICE OF A DEAFNESS CLINIC	EDITH WHEYNALL
THE ENDOMEATAL SPINE AND FISSURE	A. TUMARKIN
CLINICAL RECORD— LARYNGEAL POLYPOID GROWTHS FOLLOWING ENDOTRACHEAL ANAESTHESIA	ALI EL-MOETI
CLINICAL NOTE— A NOTE ON AUDIOLOGY	
ABSTRACTS— THE EAR	THE PHARYNX
THE NOSE	MISCELLANEOUS
THE LARYNX	
LETTER	
GENERAL NOTES	

London

Headley Brothers

109 Kingsway, W.C.2

Monthly, 4/- net post free

Annual Subscriptions 40/- net

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

WITH THE ASSISTANCE OF

G. H. BATEMAN R. G. MACBETH V. E. NEGUS
R. SCOTT STEVENSON J. F. SIMPSON


1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no additional matter added.
4. Blocks illustrating articles are normally paid for by the *Journal*. Authors may, however, be required at the Editor's discretion, to contribute towards the cost of these in cases where this is particularly heavy.
5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.
6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.
8. The annual subscription commencing with the January, 1950 issue is three guineas sterling, post free, and is payable in advance.
9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.
10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

United States of America

Orders for this *Journal* may be sent either through a local bookseller, or to Messrs. G. E. STECHERT & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

THE AMPLIVOX AUDIOMETER



The Basic Instrument of Modern Otology

NEW TESTS NOW POSSIBLE

Speech-loss measurement in decibels now obtainable through dynamic microphone and speech input meter.

Loudness balance control gives measurement of the recruitment factor.

Input for group-test equipment and gramophone.

CONSISTENT ACCURACY OF RESULTS

Eleven exact test frequencies 125-12,000 c.p.s.

Voltage compensation ensures that signal intensity does not vary should mains voltage do so.

CALIBRATED MASKING TONE

Masking intensity varies equally with normal hearing acuity over range 125-4,000 c.p.s., permitting accurate masking control. Calibrated in decibels.

SIMPLICITY OF OPERATION

Twin matched headphones (on double headband) for all air conduction tests; bone conductor on single headband, or interchangeable with one 'phone.


Hearing Loss dial calibrated in 5 dB steps from minus 10 dB to plus 100 dB.

Same figures on dial are read for air and bone conduction, and for all frequencies.

Full details are available from the manufacturer, who will gladly arrange demonstrations, if required.

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1. (Welbeck 2591)


Please mention *The Journal of Laryngology* when replying to advertisements



ELECTRIC

“Stand by” Foot
Model, in case of
electric supply
failure. £3 3s. 0d.

*(Pump and Bottles)
(Suction Tube extra)*



FOOT POWER

**SUCTION
APPARATUS**



Or
WATER

Particulars on application

DOWN BROS. & MAYER & PHELPS Ltd.

Showrooms: 32/34 NEW CAVENDISH ST., LONDON, W.1

Telephone:
WELBECK 3764

DOWN BROS. AND MAYER & PHELPS HAVE AMALGAMATED.
THE PERSONAL MANagements REMAIN AS HERETOFORE.

Please mention *The Journal of Laryngology* when replying to advertisements

PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.



DROPPER ?



**DeVilbiss
ATOMIZERS**



ATOMIZER ?

These illustrations, which are based on X-ray research, clearly demonstrate the advantages of the atomizer as compared with the dropper
 The **AEROGRAPH Co., Ltd., Lower Sydenham, London, S.E.26**
 Sole Distributors of DeVilbiss Products in the United Kingdom.
 Telephones: Sydenham 6060—8 Lines.

CVS—225

For Personal Protection

VAPEX

The pleasant, unobtrusive aroma of Vapex, its efficacy in the relief of the common cold and as a prophylactic, make it particularly suitable for personal use by the medical profession.

INHALANT

A drop on the hand-kerchief or on the end of the pillow.

INHALER

Convenient and unobtrusive for use during the day. May be easily recharged.

VOLATOL

For topical application in chest colds. Non-greasy and does not stain.

THOMAS KERFOOT & Co. Ltd., Vale of Bardsley, Lancashire.

V260

Please mention *The Journal of Laryngology* when replying to advertisements



THE S.D. PORTABLE AUDIOMETER

A.C./D.C.

THIS genuinely portable Audiometer, built into a strong carrying case, offers great accuracy combined with convenience in use.

It incorporates an extremely stable beat frequency oscillator giving a continuous range of frequency, and a built-in valve voltmeter not only allows accurate zero setting of frequency but ensures a constant result whatever the conditions of voltage or of valve life.

A crystal microphone and amplifier give excellent speech reproduction and in addition enable speech level tests to be made. A masking note of mixed low frequency and a manual mute are also provided.

Our Peepshow for testing the hearing of young children can be used with this Audiometer.

ALFRED PETERS & SONS LTD.
FARGATE HOUSE · SHEFFIELD 1

Please mention *The Journal of Laryngology* when replying to advertisements



THE SD/2 AUDIOMETER

THIS instrument offers not only great accuracy but incorporates some unique features, which allow a most comprehensive range of tests to be made and ensures a constant result under all conditions of voltage and valve life.

It includes among many facilities an automatic interruptor circuit, as well as a continuous tone: twin matched earphones allowing the test and masking tones to be switched to either ear, while a balance control enables the response of each ear to be matched simultaneously.

A built-in crystal microphone and amplifier give excellent speech reproduction and allow speech level tests to be made, while the built-in meter and cathode ray tube ensure continuing accuracy of frequency and output.

Our Peepshow for testing young deaf children may be used with this Audiometer.

ALFRED PETERS & SONS LTD.
FARGATE HOUSE · SHEFFIELD 1

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

	PAGE
EXTENSIONS OF THE TYMPANIC CAVITY. Victor Lambert (Manchester)	711
PROBOSCIS LATERALIS : A RARE MALFORMATION OF THE NOSE—ITS GENESIS AND TREATMENT. J. J. Biber (London)	734
THE MEDRESCO IN THE SERVICE OF A DEAFNESS CLINIC. Edith Whetnall (London)	742
THE ENDOMEATAL SPINE AND FISSURE. A. Tumarkin (Liverpool)	756
CLINICAL RECORD—	
Laryngeal Polypoid Growths following Endotracheal Anaes- thesia. Ali El-Mofti (Cairo)	759
CLINICAL NOTE—	
A Note on Audiology	762
ABSTRACTS—	
Ear	766
Acute Mastoiditis in children treated with penicillin and sulphadiazine. A. J. Moffett and G. A. Dalton; Perilymph: Its relation to the Improvement of Hearing which follows Fenestration of the Vestibular Labyrinth in Clinical Otosclerosis. Julius Lempert, Ernest Glen Wever and Merle Lawrence, and Philip E. Meltzer; A New Treatment of Acute Aero-otitis Media. Barnard C. Trowbridge.	
Nose	767
Cancer of the Nose: Treatment and plastic repair. John B. Erich.	
Larynx	768
Contact Ulcers and Laryngeal Tuberculosis. Henrik Johansen and William Kiaer; Primary Amyloid Deposits in the Larynx. L. J. Kreissl, E. E. Muirhead and L. E. Darrough.	
Pharynx	768
Radium and the Lymphoid Tissue of the Nasopharynx and Pharynx: A New Universal Applicator. Wallace Morrison.	
Miscellaneous	768
Virus Vaccine Immunization against the Common Cold. Noah Fox and George S. Livingstone; Monostotic Fibrous Dysplasia: Report of Two Cases. Colonel S. L. Cooke and W. H. Powers; Tuberculosis of the Oesophagus treated by Streptomycin. H. Heimendinger, L. Fruhling and G. Klotz.	
LETTER	770
GENERAL NOTES	771

For Advertisement space in this Journal apply to :
HEADLEY BROTHERS, 109 Kingsway, London, W.C.2

Please mention *The Journal of Laryngology* when replying to advertisements

ERRATA—Vol. LXIII, No. 9.

- p. 515. Audiograph. In the key, note that *left* should read *right* and vice versa.
- p. 515. Para. 4, line 1. For *right* read *left*.
- p. 516. Last para., line 3. For *right* read *left*.

