

The Pathogenesis and Epidemiology of Klebsiella pneumoniae

#### **EDITORIAL**

The Pathogenesis and Epidemiology of Klebsiella pneumoniae, Symposium Introduction
John E. McGowan, Jr., MD

### **ORIGINAL ARTICLES**

**Habitat Association of Klebsiella Species** Susan T. Bagley, PhD

Klebsiella Marker Systems Sally Jo Rubin, PhD

# Resistance to Antibiotics in Clinical Isolates of Klebsiella pneumoniae

Thomas F. O'Brien, MD; Kenneth H. Mayer, MD; John D. Hopkins, PhD; John J. Farrell, BA; Lee Chao, MS; Ralph L. Kent, DSc

# The Epidemiology of Nosocomial Infections Caused by Klebsiella pneumoniae

William R. Jarvis, MD; Van P. Munn; Anita K. Highsmith; David H. Culver, PhD; James M. Hughes, MD

# Klebsiella pneumoniae: Selected Virulence Factors that Contribute to Pathogenicity Anita K. Highsmith; William R. Jarvis, MD

Clinical Pharmacology of Antibiotics:
The Cephalosporin Antibiotic Agents—
III. Third-Generation Cephalosporins
T. Donald Marsh, PharmD

# Infection Control and Employee Health: Update on AIDS William M. Valenti, MD



# Provides the 4 Most-Desired Benefits



# Mildness...



#### NEOTEC: Highly Effective Antiseptic Handwash

NEOTEC Antiseptic Handwash employs the revolutionary new concept of low-iodine technology to provide 4 to 5 times the amount of free iodine—the "major bactericidal agent"1—as in existing povidone-iodine solutions. NEOTEC has a rapid bactericidal effect against a wide range of organisms typically encountered in high-risk areas of the hospital?

### NEOTEC: Less Irritating Antiseptic Handwash

NEOTEC Antiseptic Handwash combines high efficacy with the mildness required by nurses and physicians who must wash their hands often every day. In a direct-comparison evaluation, NEOTEC caused no irritation or allergic reactions, whereas 25% of the subjects using a 10% povidone-iodine solution had adverse reactions. Thus, NEOTEC is ideal for use in the ER, ICU, CCU, nursery, or wherever high-risk procedures are routinely performed.

© 1984 Dow B. Hickam, Inc.

# of an Antiseptic Handwash

Non-Staining...

**Economy** 





#### **NEOTEC:** Non-Staining Antiseptic Handwash

NEOTEC Antiseptic Handwash works itself into a pure white, non-staining lather that won't discolor skin or uniform. Concentrated NEOTEC washes right out of clothing.

- (1) Anderson RL, Berkelman RL and Holland BW, "Microbiologic Investiga-tions with lodophor Solutions," Centers for Disease Control, Atlanta,
- (2) "Minimum inhibitory concentrations of a low iodine formulation against microorganisms," Final Report #8401-09-002D, March 22, 1984,

Skyland Scientific Services, Inc., Jeport on file.

(3) "Efficacy evaluation of low lodine formulation in a health care personnel handwash," Final Report #8401-09-001D, April 3, 1984, Skyland Scientific Services, Inc., Jeport on file.

#### NEOTEC: Highly Economical Antiseptic Handwash

NEOTEC fits any hospital cost-containment or DRG program because it's less expensive than other antiseptic handwashes presently on the market. Footoperated NEOTEC dispensers are available. Specify NEOTEC for use in all high-risk areas of the hospital where you require an effective, mild, non-staining, economical antiseptic handwash.

# DOW B. HICKAM, INC.

Pharmaceuticals P.O. Box 2006 Sugar Land, Texas 77478 (713) 240-1000





# Completely disinfects flexible and rigid scopes in 10 minutes with only 0.13% glutaraldehyde.

Safe to use... Does not cloud scope lenses nor harm metals, rubber and/or plastics. Does not stain or irritate the hands. No gloves are necessary for safety. Vapors do not irritate the eyes or nostrils.

**Most effective...** The only sterilizing solution which is fully effective against the tubercle bacillus, influenza, hepatitis and enteroviruses when diluted 1 in 16.

Stable... Fully effective for 30 days after activation.



# Proven...The most effective cold sterilant and disinfectant ever registered by the E.P.A.

"Sporicidin, diluted 1 in 16, (0.13% glutaraldehyde), is effective for high level hospital disinfection..."

Centers for Disease Control, Atlanta, GA (Guidelines...revised August 1982)

"This study has determined that although E.P.A. requirements for classifying a sterilizing agent were satisfied by Cidex, they were exceeded by Sporicidin."

Journal of Dental Research, Vol. 60, March 1981 (U.S. Army Institute of Dental Research, Wash., DC)

"Sporicidin...was both more stable and more active against test spores than...Cidex and Cidex-7."

Infection Control, 1(2): 90-93, 1980

## The Sporicidin Company

4000 Massachusetts Avenue, NW, Washington, DC 20016 Call Toll Free (800) 424-3733

# INFECTION CONTROL

# Table of Contents

#### **Editorial**

The Pathogenesis and Epidemiology of Klebsiella pneumoniae, Symposium Introduction John E. McGowan, Jr., MD			51
Original Articles			
Habitat Association of Klebsiella Species Susan T. Bagley, PhD			52
<i>Klebsiella</i> Marker Systems Sally Jo Rubin, PhD			59
Resistance to Antibiotics in Klebsiella pneumoniae Thomas F. O'Brien, MD; Ke John D. Hopkins, PhD; John Lee Chao, MS; Ralph L. Kei	nneth H. Mayer n J. Farrell, BA;		64
The Epidemiology of Nosocomial Infections Caused by Klebsiella pneumoniae William R. Jarvis, MD; Van P. Munn; Anita K. Highsmith; David H. Culver, PhD; James M. Hughes, MD			68
Klebsiella pneumoniae: Selected Virulence Factors that Contribute to Pathogenicity Anita K. Highsmith; William R. Jarvis, MD			75
Clinical Pharmacology of Antibiotics: The Cephalosporin Antibiotic Agents— III. Third-Generation Cephalosporins T. Donald Marsh, PharmD			78
Infection Control and Employee Health: Update on AIDS William M. Valenti, MD			85
Departments			
Letters to the Editor	50	<b>Calendar of Events</b>	88
<b>Book Reviews</b>	87		

## The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.

Publisher: Infection Control (ISSN-0195-9417) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare, New Jersey 08086. Telephone: Thorofare (609) 848-1000.

Copyright 1985: All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions: Subscription requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Scope Incorporated, 11-11, Shoto 2-chrome, Shibuya-Ku, Tokyo 150, Japan. Annual subscription price is: Individual: One year—\$35.00; Two years—\$60.00; Three years—\$75.00. Institutional: One year—\$50.00; Two years—\$75.00; Three years—\$90.00. All subscriptions, without exception, will start with the first issue published after the order is received. Back copies are available, but must be purchased separately. Cost per individual copy is \$5.00. Foreign subscribers add \$15.00 to regular rate: foreign orders, \$7.00.

Change of address: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086.

Postmaster: Form 3547 to SLACK Incorporated, 6900 Grove Road, Thorofare, NJ 08086.

As of Volume 1, Number 1, INFECTION CONTROL is listed in Index Medicus, Current Contents—Clinical Practice, Hospital Literature Index, and Cumulative Index to Nursing and Allied Health Literature.

# The Mediscus Mark V-A **Pressure Treatment System**



permeable, yet waterproof sacs. These sacs are arranged in five sections, each with its own pressure control dial and pressure gauge.

- The air flowing through the vapor permeable air sacs dries exudate, removing a breeding ground for bacteria, without dehydrating the patient.
- Draw sheets, made of the same material as the air sacs, protect the underlying air sacs from excessive ointments, drainage and perspiration.
- The polyurethane-coated nylon air sacs and draw sheets can easily be removed from the bed and laundered, disinfected and sterlized using standard hospital procedures.

#### **COST EFFECTIVE**

tions of immobilized patients and eliminates factors that retard the healing process, resulting in more rapid healing of wounds and decreased hospital stays. Nursing hours are saved because it is not necessary to turn patients for pressure relief.


The Mediscus Mark 

✓-A Pressure Treatment System and accessories are available through local distributors for **RENTAL** or **PURCHASE**. For more information **Call Toll Free 1-800-922-9065** In Texas Call 1-713-583-9232.



Mediscus Products, Inc.

13135 Champions Drive, Suite 120 Houston, Texas 77069 800-922-9065 Telex: 820-736 In Texas Call 713-583-9232



# INFECTION CONTROL® / Editorial Board

#### **EDITOR**

Richard P. Wenzel, MD Charlottesville, Virginia

## SENIOR ASSOCIATE EDITOR

William Schaffner, MD Nashville, Tennessee

#### ASSOCIATE EDITORS

Sue Crow, RN, MSN Shreveport, Louisiana

John E. McGowan, Jr., MD Atlanta, Georgia

Dennis G. Maki, MD Madison, Wisconsin

# **SLACK**

SLACK Incorporated 6900 Grove Road Thorofare, New Jersey 08086

Publisher

Richard N. Roash

**Managing Editor** 

Donna Carpenter

**Consulting Editor Eric Baloff** 

**Assistant Editor** 

Linda L. Jones

Circulation Manager Kevin J. Fenton

Advertising Manager

Advertising Manager Melissa Warner

Advertising Sales Representative

Wayne McCourt

Classified Advertising Representative

Lorraine Giles

## EDITORIAL ADVISORY BOARD

Robert C. Aber, MD Hershey, Pennsylvania

Charles S. Bryan, MD Columbia, South Carolina

John P. Burke, MD Salt Lake City, Utah

Marie B. Coyle, PhD Seattle, Washington

Burke A. Cunha, MD Mineola, New York

Richard E. Dixon, MD Trenton, New Jersey

Harvey A. Elder, MD Loma Linda, California

Bruce Farber, MD Pittsburgh, Pennsylvania

Peter C. Fuchs, MD, PhD Portland, Oregon

Richard A. Garibaldi, MD Farmington, Connecticut

Donald A. Goldmann, MD Boston, Massachusetts

Dieter H.M. Gröschel, MD Charlottesville, Virginia

Peter A. Gross, MD Hackensack, New Jersey

Karen Hadley, RN, MPH New Orleans, Louisiana

David K. Henderson, MD Bethesda, Maryland

Peter N.R. Heseltine, MD Los Angeles, California

Cyrus C. Hopkins, MD Boston, Massachusetts

Allen B. Kaiser, MD Nashville, Tennessee

Harold Laufman, MD, PhD New York, New York

William J. Ledger, MD New York, New York

Barbara McArthur, RN, PhD Detroit, Michigan

Rob Roy MacGregor, MD Philadelphia, Pennsylvania

C. Glen Mayhall, MD Richmond, Virginia

Ronald Lee Nichols, MD New Orleans, Louisiana

Harry C. Nottebart, Jr., JD, MD Richmond, Virginia

James E. Peacock, Jr., MD Winston-Salem, North Carolina

Frank S. Rhame, MD Minneapolis, Minnesota

William A. Rutala, PhD, MPH Chapel Hill, North Carolina

William E. Scheckler, MD Madison, Wisconsin

Robert J. Shannon, MSPH Boston, Massachusetts

Walter E. Stamm, MD Seattle, Washington

Charles W. Stratton, MD Nashville, Tennessee

Timothy R. Townsend, MD Baltimore, Maryland

William M. Valenti, MD Rochester, New York

James Veazey, MD Albany, New York

Kathy J. Wydra, RN Geneva, New York

## FOREIGN ADVISORY BOARD

Graham Ayliffe, MD, FRC Path. Birmingham, England

Professor G. Berencsi Szeged, Hungary

Professor Jaap Dankert Groningen, Netherlands

Professor Dr. F. Daschner Freiburg, West Germany

Lars O. Kallings, MD Stockholm, Sweden

Professor W.B. Kędzia Sieroca, Poland

Professor A.P. Krasilnikow Minsk, USSR

Professor Dr. W. Marget Munich, West Germany

Bertil Nyström, MD Huddinge, Sweden

Ian Phillips, MA, MD, MRC Path. London, England

Samuel Ponce de Leon, MD Mexico City, Mexico

Hans Reber, MD Basel, Switzerland

Professor Gerald Reybrouck Leuven, Belgium

Manfred L. Rotter, MD, DipBact Vienna, Austria

Theodore Sacks, MD Jerusalem, Israel

Dr. Bernhard M. Thimm Federal Republic of Germany

Professor Dr. med. H.P. Werner Mainz, West Germany

Professor Dr. W. Weuffen

Greifswald, German Democratic Republic