

Index

- η/s
 - at weak coupling, 38, 165
 - examples where $< 1/(4\pi)$, 167
 - from lattice QCD, 78
 - in $\mathcal{N} = 4$ SYM plasma, 163, 166
 - in heavy ion collisions, 16, 37, 166, 168
 - in hydrodynamics, 16, 37, 166
 - universality of, 163
- $\mathcal{N} = 4$ SYM plasma
 - η/s , 163, 165
 - and the AdS black brane, 109
 - at weak coupling, 154, 165
 - compared to QCD, 150, 156, 188, 282, 321
 - conductivity, 173
 - entropy, 154
 - heavy quark transverse momentum broadening, 268
 - jet quenching parameter, 315, 319
 - light quark stopping distance, 302, 306, 310
 - no jets in $\mathcal{N} = 4$ SYM theory, 301, 305, 312, 323
 - quarkonium in, 299, 356
 - quenching a gluon beam, 323
 - quenching colorless “jets”, 304
 - susceptibilities, 156
 - thermodynamics, 153, 156, 207
 - wake and Mach cone from heavy quark, 293, 296
- AdS black brane, 109, 201, 405, 410
- baryon number chemical potential μ_B in heavy ion collisions, 12
- Bjorken boost-invariant hydrodynamics
 - solution for ideal hydrodynamics, 233, 235
 - solution for viscous hydrodynamics, 237
- Bjorken estimate of energy density, 6
- Boltzmann transport theory, 181
- bulk-to-boundary propagator, 295, 324
- centrality, 18
- chiral magnetic effect, 174, 176, 177
- chiral vortical effect, 174, 175, 177
- conductivity
 - $\mathcal{N} = 4$ SYM plasma, 173
 - $\mathcal{N} = 4$ SYM plasma with fundamental matter, 173, 389
 - quark–gluon plasma, 173
- D3/D7 mesons
 - black hole embedding, 357
 - dispersion relations, 345, 372, 374
 - dissociation transition, 358, 366, 383
 - in plasma, 356
 - in vacuum, 353
 - limiting velocity, 345, 375, 384, 392
 - Minkowski embedding, 357
 - photon emission, 390
 - spectral function, 386
 - spectrum, 373
 - thermodynamics, 360
 - widths, 345, 372, 379
- D3/D7 system, 144, 149, 158, 265, 301, 347, 349
- drag force, 265
- eccentricities, 18
- entropy current, 203, 210
- far-from-equilibrium dynamics
 - boost-invariant, 239
 - colliding sheets of energy, 254
 - constructing initial states, 214
 - from gravity, 212, 216, 239, 255
 - in heavy ion collisions, 195, 212
- flow
 - η/s , 16, 166
 - elliptic, 21, 25, 34
 - event-by-event fluctuations, 24
 - higher order, 22, 37
 - hydrodynamics of, 16, 25, 34
 - hydrodynamization, 16, 36

- in heavy ion collisions, 15, 17, 168
- initial conditions, 24, 37
- observables, 18, 21, 24, 34, 37
- gauge/gravity duality
 - and $\mathcal{N} = 4$ SYM theory, 98, 104
 - and AdS, 97
 - and D-branes, 101, 106
 - and hydrodynamics, 194
 - and large- N_c gauge theory, 94, 101
 - and renormalization group flow, 93, 112
 - and string theory, 98, 114
 - at nonzero chemical potential, 124, 156
 - at nonzero temperature, 109, 122
 - correlation functions, 126, 160, 185, 190, 279, 406
 - dictionary, 109, 113
 - flavor branes, 144
 - for a confining theory, 124
 - fundamental matter, 143, 147, 265, 301, 347
 - normalizable vs. non-normalizable modes, 119
 - one-point functions, 128, 408
 - real-time two-point functions, 130
 - symmetries, 116
 - the AdS/CFT conjecture, 108, 111
 - the field/operator correspondence, 117
 - two-point functions, 408
 - Wilson loops, 114, 134
- Green–Kubo formula, 160, 403
- heavy ion collisions
 - baryon number chemical potential μ_B , 12
 - boost invariance in, 234
 - centrality in, 18
 - chemical freezeout, 11
 - energy density, 6
 - equilibration, 16, 249
 - flow, 15
 - hydrodynamization, 30, 36, 249
 - J/ψ suppression, 59
 - jet quenching, 39
 - kinetic freezeout, 11
 - multiplicity, 5
 - quarkonia in, 58, 79
 - spectra, 8
- heavy quark diffusion
 - density matrix, 271
 - diffusion constant, 270, 281
 - diffusion constant from lattice QCD, 283
 - diffusion constant inferred from experimental data, 285
 - Einstein relation, 270
 - in $\mathcal{N} = 4$ SYM plasma, 281
 - in heavy ion collisions, 284
 - in weakly coupled QCD plasma, 282
 - Kubo–Martin–Schwinger relation, 276
 - Langevin equation, 268
 - longitudinal momentum broadening, 280
 - transverse momentum broadening, 279
- heavy quark drag
 - and energy loss, 262, 265, 267
 - and transverse momentum broadening, 268
 - hydrodynamic response, 287
 - response of the strongly coupled plasma, 286
 - via trailing string, 262, 264
 - wake and Mach cone, 287, 291
 - wake and Mach cone in $\mathcal{N} = 4$ SYM plasma, 293, 296
- heavy quark static potential, 60, 80, 88, 338, 342, 383
- holographic renormalization group, 112
- holographic stress tensor, 410
- hot wind effect, 63, 344
- hydrodynamics
 - and gauge/gravity duality, 194
 - and quantum anomalies, 174
 - and quasinormal modes, 192
 - as ripples on a dual black brane, 196, 203
 - boost-invariant, 234, 235
 - conformal, 32, 33
 - formulation of, 28, 197
 - from gravity, 198, 201, 204, 411
 - holographic stress tensor, 411
 - ideal, 26, 30, 207
 - plasma disturbance from heavy quark drag, 286, 287
 - second order, 32, 170, 211
 - viscous, 16, 31, 32, 210
- hydrodynamization
 - and horizon formation, 219, 228, 242
 - and quasinormal modes, 193, 230, 246, 335
 - before isotropization, 30, 247, 257
 - boost-invariant, with radial flow, 253
 - colliding sheets of energy, 254
 - in heavy ion collisions, 16, 30, 36, 195, 223, 249, 259
 - isotropization of homogeneous plasma, 216, 222, 224
 - of boost-invariant plasma, 233, 237, 249
 - timescale, 16, 195, 222, 228, 241, 244, 252, 258
- jet quenching
 - “lost” energy, 43, 337
 - and quenching a gluon beam, 337
 - dijet angular distribution, 43
 - dijet asymmetry, 41, 42
 - modeling of, 55, 56
 - Monte Carlo calculation of, 54
 - observables, 39, 41–43, 54, 55
 - R_{AA} , 41, 43, 48
- jet quenching parameter \hat{q}
 - and jet quenching models, 56
 - and parton energy loss, 49–51, 53, 55
 - and transverse momentum broadening, 312
 - in $\mathcal{N} = 4$ SYM plasma, 319
 - in heavy ion collisions, 56
 - via gauge/gravity duality, 315

- Langevin equation
 Einstein relation, 270
 heavy quark diffusion, 270
 momentum broadening, 268
- lattice QCD
 conductivity, 173, 188
 heavy quark diffusion constant, 283
 heavy quark static potential, 81, 88
 maximum entropy method, 86
 nonzero μ_B , 66
 phase transition, 68
 quarkonium dissociation, 80, 89
 shear viscosity, 77
 spectral functions, 84, 86, 188
 susceptibilities, 70, 157
 thermodynamics, 65, 66, 156
 transport coefficients, 73
- light quark stopping distance
 and quenching a gluon beam, 334
 maximal vs. typical, 310
 via colorless “jets”, 306, 310
 via falling strings, 302
- longitudinal momentum broadening
 heavy quark, 276
- Mach cone, 287, 298
- parton energy loss
 and R_{AA} , 48
 BDMPS-Z, 51, 313
 in heavy ion collisions, 48, 54
 in the eikonal limit, 50
 via Cherenkov emission of quarkonia, 392
 via drag, 262, 264, 267
 via heating the plasma, 337
 via radiation, 267
- Penrose diagram, 201, 318
- quarkonium suppression
 cold nuclear matter effects, 63
 dissociation, 89, 338, 344, 358, 368
 formation time, 63
 hot wind, 63, 340, 344, 372, 378, 383
 imaginary potential, 90
 lattice calculations, 80, 81, 84, 85, 89
 recombination, 64
 sequential, 61
- quasinormal modes, 133, 170, 191, 230, 246, 332
- quasiparticles
 absence of, 17, 38, 70, 158, 179, 185, 188, 385
 and spectral function, 183
 and transport peak, 179, 184
 in $\mathcal{N} = 4$ SYM plasma?, 185
 in perturbation theory, 180
 in quark–gluon plasma?, 188
- quenching a gluon beam
 “lost” energy becomes sound waves, 330, 336
 and jet quenching, 323, 337
 producing a collimated beam of gluons, 324
 stopping distance, 334, 337
 via quasinormal modes, 332, 337
 without the beam spreading, 328, 335
- quenching colorless “jets” in $\mathcal{N} = 4$ SYM plasma, 304
- quenching light quarks in $\mathcal{N} = 4$ SYM plasma, 302
- radiation from an accelerating quark, 266, 324, 327
- rapidity vs. pseudorapidity, 14
- relaxation times, 171
- screening, 58, 59, 79, 81, 85, 338, 368, 378, 383
- screening length, 342
- susceptibilities
 calculated holographically, 156, 158
 in $\mathcal{N} = 4$ SYM theory plasma, 157
 in QCD, 157
 off-diagonal, 73, 158
 via lattice QCD, 70
- trailing string
 drag force, 264
 fluctuations of, 276
 formulation, 262
 Hawking radiation on the worldsheet, 278
 Nambu–Goto string action, 263
 plasma response, 286
 regime of validity, 265
 stress tensor, 293
 worldsheet horizon, 277
- transport coefficients
 anomalous, 176
 bulk viscosity, 168
 calculation of, 403
 holographic calculation of, 160, 168
 lattice calculation of, 73, 75, 77
 perturbative calculation of, 74
 second order, 170
 shear viscosity, 163, 210, 403
- transverse momentum broadening
 and Hawking radiation on the worldsheet, 281
 and jet quenching, 40, 313
 and light-like Wilson loop, 51, 275, 313
 heavy quark, 268, 270, 276, 279
 light quark, 51, 312
- Wilson loops
 and quarkonium suppression, 338, 340
 and screening, 340
 and transverse momentum broadening, 51, 313
 at nonzero temperature, 140
 at zero temperature, 137
 in a confining theory, 141
 light-like, 51, 313, 315
 via gauge/gravity duality, 134, 340