

INDEX FOR VOLUME 120

PAGE

Albanese, A. A., Metafune, G. & Moscatelli, V. B. Representations of the spaces $C^m(\Omega) \cap H^{k,p}(\Omega)$	489
Albu, T. & Smith, P. F. Localization of modular lattices, Krull dimension and the Hopkins-Levitzki theorem (I)	87
Anderson, I. M. & Pohjanpelto, J. Symmetries, conservation laws and variational principles for vector field theories	369
Baker, J. W. & Filali, M. Minimal ideals in group algebras and their biduals	475
Ballico, E. On the multiplicative structure of sections of vector bundles on an algebraic curve	643
Bender, A. Representation of an element in $\mathrm{SL}(2, \mathbb{F}_p)$ as a short word in two generators	27
Benson, D. J. Decomposing the complexity quotient category	589
Benson, D. J., Carlson, J. F. & Rickard, J. Complexity and varieties for infinitely generated modules, II	597
Blackburn, N., Deaconescu, M. & Mann, A. Finite equilibrated groups	579
Bolgar, J. R. Uniqueness theorems for left symmetric enveloping algebras	193
Bradley, D. M. Ramanujan's formula for the logarithmic derivative of the gamma function	391
Šresar, M. & Šemrl, P. Derivations mapping into the socle	339
Bruzzo, U. & Maciocia, A. Hilbert schemes of points on some K3 surfaces and Gieseker stable bundles	255
Calkin, N. J. & Erdős, P. On a class of aperiodic sum-free sets	1
Carlson, J. F., Rickard, J. & Benson, D. J. Complexity and varieties for infinitely generated modules, II	597
Cerdà, J., Hudzik, H. & Mastylo, M. Geometric properties of Köthe–Bochner spaces	521
Chen, B.-Y. & Vrancken, L. Lagrangian submanifolds satisfying a basic equality	291
Cornick, J. & Kropholler, P. H. Homological finiteness conditions for modules over strongly group-graded rings	43
Crossley, M. D. $\mathcal{A}(p)$ -annihilated elements in $H_*(CP_\infty \times CP_\infty)$	441
Cuong, N. T. & Minh, N. D. On the lengths of Koszul homology modules and generalized fractions	31
Dancer, A. & Swann, A. Hyperkähler metrics associated to compact Lie groups	61
Deaconescu, M., Mann, A. & Blackburn, N. Finite equilibrated groups	579
Dwyer, W. G. Transfer maps for fibrations	221
Edwards, C. M. & Rüttimann, G. T. Compact tripotents in bi-dual JB*-triples	155
Erdős, P. & Calkin, N. J. On a class of aperiodic sum-free sets	1
Erdős, P. & Totik, V. On the size of products of distances from prescribed points	403
Everest, G. R. & Ní Fhlatháin, B. The elliptic Mahler measure	13
Filali, M. & Baker, J. W. Minimal ideals in group algebras and their biduals	475
Furter, J-E., Sitta, M. A. & Stewart, I. Singularity theory and equivariant bifurcation problems with parameter symmetry	547
Garcia, R. A., Gasull, A. & Guillamon, A. Geometrical conditions for the stability of orbits in planar systems	499
Gasull, A., Guillamon, A. & Garcia, R. A. Geometrical conditions for the stability of orbits in planar systems	499
Guillamon, A., Garcia, R. A. & Gasull, A. Geometrical conditions for the stability of orbits in planar systems	499

Hayashi, C. Dehn surgery and essential annuli	127
Hudzik, H., Mastylo, M. & Cerdá, J. Geometric properties of Köthe–Bochner spaces	521
Jameson, G. J. O. 2-convexity and 2-concavity in Schatten ideals	697
Johnson, B. E. Symmetric amenability and the nonexistence of Lie and Jordan derivations	455
Joyal, A. & Tierney, M. On the homotopy theory of sheaves of simplicial groupoids	263
Kamada, S. On braid monodromies of non-simple braided surfaces	237
Kiesel, R. The law of the iterated logarithm for certain power series and generalized Nörlund methods	735
Kropholler, P. H. & Cornick, J. Homological finiteness conditions for modules over strongly group-graded rings	43
Lee, C.-N. A homotopy decomposition for the classifying space of virtually torsion-free groups and applications	663
Lyzzaik, A. The geometry of open continuous mappings having two valences between Riemann surfaces	309
Maciocia, A. & Bruzzo, U. Hilbert schemes of points on some K3 surfaces and Gieseker stable bundles	255
Mahmud, Z. & Smith, L. Invariant theory and Steenrod operations–maps between rings of invariants	103
Mann, A., Blackburn, N. & Deaconescu, M. Finite equilibrated groups	579
Mastylo, M., Cerdá, J. & Hudzik, H. Geometric properties of Köthe–Bochner spaces	521
Metafune, G., Moscatelli, V. B. & Albanese, A. A. Representations of the spaces $C^m(\Omega) \cap H^{k,p}(\Omega)$	489
Minh, N. D. & Cuong, N. T. On the lengths of Koszul homology modules and generalized fractions	31
Minh, P. A. The mod p cohomology group of extra-special p -group of order p^5 and of exponent p^2	423
Moscatelli, V. B., Albanese, A. A. & Metafune, G. Representations of the spaces $C^m(\Omega) \cap H^{k,p}(\Omega)$	489
Nešetřil, J. & Zhu, X. Path homomorphisms	207
Norvidas, S. Continuity of functions operating on characteristic functions	117
Ní Fhlathúin, B. & Everest, G. R. The elliptic Mahler measure	13
Okniński, J. Nilpotent semigroups of matrices	617
Olsen, L. Multifractal dimensions of product measures	709
Pohjanpelto, J. & Anderson, I. M. Symmetries, conservation laws and variational principles for vector field theories	369
Rickard, J., Benson, D. J. & Carlson, J. F. Complexity and varieties for infinitely generated modules, II	597
Ruberman, D. Configurations of 2-spheres in K3 and other 4-manifolds	247
Rudin, W. The lemma for the logarithmic derivative for subharmonic functions	347
Runde, V. Discontinuous homomorphisms from Banach *-algebras	703
Russo, F. On the complement of a nef and big divisor on an algebraic variety	411
Rüttimann, G. T. & Edwards, C. M. Compact tripotent in bi-dual JB*-triples	155
Ryder, H. An algebraic condition to determine whether a knot is prime	385
Schmerl, J. H. Countable partitions of Euclidean space	7
Šemrl, P. & Štrečar, M. Derivations mapping into the socle	339
Shah, R. Limits of commutative triangular systems on real and p -adic groups	181
Sharp, R. Y. & Tousi, M. A characterization of generalised Hughes complexes	71
Sinclair, A. M. & Smith, R. R. The Haagerup invariant for tensor products of operator spaces	147

Sitta, A. M., Stewart, I. & Furter, J.-E. Singularity theory and equivariant bifurcation problems with parameter symmetry	547
Smith, L. & Mahmud, Z. Invariant theory and Steenrod operations maps between rings of invariants	103
Smith, P. F. & Albu, T. Localization of modular lattices, Krull dimension and the Hopkins–Levitzki theorem (I)	87
Smith, R. R. & Sinclair, A. M. The Haagerup invariant for tensor products of operator spaces	147
Stewart, I., Furter, J.-E. & Sitta, A. M. Singularity theory and equivariant bifurcation problems with parameter symmetry	547
Swann, A. & Dancer, A. Hyperkähler metrics associated to compact Lie groups	61
Tenenbaum, G. On block Behrend sequences	355
Tierney, M. & Joyal, A. On the homotopy theory of sheaves of simplicial groupoids	263
Totik, V. & Erdős, P. On the size of products of distances from prescribed points	403
Tousi, M. & Sharp, R. Y. A characterization of generalised Hughes complexes	71
Velani, S. L. Geometrically finite groups, Khintchine-type theorems and Hausdorff dimension	647
Vrancken, L. & Chen, B.-Y. Lagrangian submanifolds satisfying a basic equality	291
Walker, G. Horizontal partitions and Kleshchev's algorithm	55
Wickstead, A. W. Converses for the Dodds–Fremlin and Kalton–Saab theorems	175
Wittmann, R. Coefficient inequalities for analytic functions in H^1	331
Wu, Y.-Q. Incompressible surfaces and Dehn surgery on 1-bridge knots in handlebodies	687
Xiao, Y. Packing dimension, Hausdorff dimension and Cartesian product sets	535
Younis, R. & Zheng, D. A distance formula and Bourgain algebras	631
Zheng, D. & Younis, R. A distance formula and Bourgain algebras	631
Zhu, X. & Nešetřil, J. Path homomorphisms	207.

MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

*of the
Cambridge Philosophical Society*

VOLUME 120



 CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge Philosophical Society 1996

Printed in the United Kingdom by the University Press, Cambridge

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^{\circ} \sin \theta/(1+y^{\circ})\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as σ , O , σ , O , O ; x , X , \times ; ϕ , Φ , \emptyset ; l , l ; \hat{A} , \in ; \hat{l} , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams redrawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 120 (Pt 4) 579–760 (1996) 0305-0041 November 1996

CONTENTS

	PAGE
BLACKBURN, N., DEACONESCU, M. & MANN, A. Finite equilibrated groups	579
BENSON, D. J. Decomposing the complexity quotient category	589
BENSON, D. J., CARLSON, J. F. & RICKARD, J. Complexity and varieties for infinitely generated modules, II	597
OKNIŃSKI, J. Nilpotent semigroups of matrices	617
YOUNIS, R. & ZHENG, D. A distance formula and Bourgain algebras	631
BALlico, E. On the multiplicative structure of sections of vector bundles on an algebraic curve	643
VELANI, S. L. Geometrically finite groups, Khintchine-type theorems and Hausdorff dimension	647
LEE, C-N. A homotopy decomposition for the classifying space of virtually torsion-free groups and applications	663
WU, Y-Q. Incompressible surfaces and Dehn surgery on 1-bridge knots in handlebodies	687
JAMESON, G. J. O. 2-convexity and 2-concavity in Schatten ideals	697
RUNDE, V. Discontinuous homomorphisms from Banach *-algebras	703
OLSEN, L. Multifractal dimensions of product measures	709
KIESEL, R. The law of the iterated logarithm for certain power series and generalized Nörlund methods	735
PROCEEDINGS OF MEETINGS	755

© The Cambridge Philosophical Society 1996

Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0305-0041(199611)120:4;1-E