Ancient Gold

Gold, one of the first metals worked by man, has remained one of the most precious substances throughout the history of civilization on Earth.

Gold readily became important to early humans because it was found as a free metal in alluvial deposits, requiring no complex separation or smelting techniques. It could be easily worked, even with primitive instruments, into jewelry or ornaments.

Working with gold helped the development of metallurgical techniques later used for metals more difficult to work. Gold could be hammered into a desired form; it could be melted and poured into a mold, where it would harden into a new shape. Later, people learned they could melt gold out of rock—smelting even when they could not find pure lumps of gold.

Gold is found over widespread areas of the Earth, mostly in low concentrations, often occurring as a trace constituent in copper and lead ores. When found in high concentrations, gold is often a free metal associated with silver.

As a result of weathering and microbial action in gold ores in natural deposits, gold accumulates in downstream deposits. Since gold does not easily dissolve in solution, the more soluble components of ore, such as the carbonates, are dissolved and carried away. Less soluble but lighter material is washed away as a fine suspension, while insoluble hard minerals, such as quartz, remain behind with gold and are frequently associated with many surface deposits.

Since gold is soft and malleable, weathered lumps are easily rounded and squashed, but not broken. As the ore erodes, gold flecks find their way downhill to accumulate with quartz gravels and sand. Because gold is about six times more dense than most rock, it settles to

Any Questions About Your MRS Membership Benefits? Call us at (412) 367-3003; Fax (412) 367-4373

NEW JOURNAL - FIRST ISSUE mid 1994

SUPRAMOLECULAR SCIENCE

Editor-in-Chief: Wolfgang Knoll

Max-Planck-Institut fur Polymerforschung, Germany and Frontier Research Program (RIKEN), Japan

Editors:

Toshihiro Akaike, Tokyo Institute of Technology, Japan Neal Armstrong, University of Arizona, USA Michael Petty, University of Durham, UK Michael Rubner, M.I.T., USA

AIMS & SCOPE

- **CHEMICAL ASPECTS** of molecularly designed, tailormade novel functionalized materials
- **PHYSICAL PRINCIPLES** of interaction schemes leading to self-assembled or artificially engineered molecular aggregates, architectures and machines
- **BIOLOGICAL/BIOMIMETIC APPROACHES** to design, assembly and functionalization of new intelligent materials, devices and systems
- MOLECULAR ENGINEERING ASPECTS including novel fabrication and processing routines
- NEW CHARACTERIZATION TECHNIQUES for investigating the interrelation - at the molecular level between the structure, the order and the dynamical features of these materials and systems with their physical properties and functions

• COMPUTER SIMULATIONS

Supramolecular Science will provide an inter-disciplinary forum for publishing original peer-reviewed articles in the field of supramolecular aggregates, assemblies and nanoscopic materials.

MRS SPRING MEETING DELEGATES - SAVE 35%! \$150.00 for 6 ISSUES!

Further information is available from the Elsevier Inc booth no. 611/613 Or from the MRS literature stand

Or , contact: Catriona Burns at Butterworth Heinemann, Linucre House, Jordan Hill, Oxford, OX2 SDP, UK Fax: +11 (0)865-510898

Circle No. 7 on Reader Service Card.

the bottom of gravel beds in streams, coming to rest in hollows.

The washing of gold ore can be seen in Egyptian monuments from the First Dynasty, 2900 B.C. The well-known myth of the Argonauts and the Golden Fleece probably refers to a raid on miners in modern-day Armenia who were using sheepskins to catch fragments of gold (1200 B.C.) while washing river sands, much as certain current gold-washing techniques use rough cloth or blankets.

By the fourth millennium B.C. gold was sought extensively by fledgling civilizations in Persia, India, Arabia, Asia Minor, Caucasia, the Balkans, and parts of Africa. The greatest sources of gold in the ancient world were the more than 100 mines in the Nubian Desert operated by the Egyptians. Slaves and captives worked these mines, producing the largest amounts of gold used in the ancient world. The Turin gold map, a papyrus in the Egyptian Museum in Turin, indicates the locations of some of these mines. Gold mining, however, was a jealously guarded state monopoly. The Nubian mines produced the wealth on which the power base of successive Egyptian rulers rested.

As a metal, gold has many desirable material properties. The noblest (most inert) of the metallic elements, gold does not corrode or tarnish, keeping its luster and brilliant yellow color in environments that would harm other metals.

Pure gold and many gold alloys are nonmagnetic. (Exceptions are an alloy of gold with manganese, which is somewhat magnetic, and some alloys with cobalt, iron, or nickel, which are ferromagnetic.) Gold is also a good conductor of heat and electricity. Its chemical symbol, Au, is derived from the Latin name for gold, *aurum*.

Despite refining techniques, platinum group inclusions are often found in ancient gold, as are other impurities. Contaminants, though, often made the gold superior for other uses. Gold is usually alloyed with other metals to harden or color it. Most gold used in coinage and jewelry is alloyed because the pure metal is too soft and wears too easily.

The proportion of gold in an object is expressed in parts per 24, or karats, so that 14-karat gold is 14/24 pure gold. Another measurement is "fineness," or parts per thousand; gold coins formerly minted in the United States were 0.900 fine.

Gold is so malleable that it can be beaten to a thickness of three millionths of an inch (0.075 μ m) to form semitransparent

Advanced Metalization for ULSI Applications in 1994

October 4-6, 1994, in Austin, Texas

ANNOUNCEMENT AND CALL FOR PAPERS

The conference is the eleventh in a series organized to bring together active researchers in the field of advanced metalization for IC applications.

PAPERS ARE SOLICITED on topics in the deposition, processing, applications, and all aspects of conventional metalization:

Metalization science

Deposition chemistry and kinetics Fundamental surface chemistry Thermodynamic calculations of metal systems Precursor development for CVD Cu, AI, TiN, and others

Nucleation and adhesion studies Process modeling

Chemical mechanical polishing

Metal polishing Oxide polishing Process modeling

Deposition methods

CVD deposition Laser-induced CVD Physical deposition (collimation, ion-beam conversion, etc.) Electrochemical or chemical techniques (electroless, spin-on, etc.) CVD reactor design enhancements

Selective deposition of metals and silicides

Diffusion barriers

Film/substrate interactions Electrical characterization Film properties Novel deposition techniques

Process integration

Contact and via fill processing (W, Al, others) Patterning and etchback techniques Planarization methods (polishing, etchback, etc.) Reliability/performance issues Process control/manufacturability

Advanced structures and applications

Copper and other low resistivity interconnects Alternative techniques to W, Al, Cu, and TiN Cladding of gates, junctions, or interconnects Silicide issues (thermal stability, junction leakage, etc.) Etch barriers

Metalization for nonconventional microelectronics processes Micromechanics

Sensors and actuators

Abstracts are due June 17, 1994. Send abstracts (at least 500 words, with additional figures) to Roc Blumenthal, Motorola, Inc., APRDL, K10, 3501 Ed Bluestein Blvd., Austin, TX 78721. Include author's name, affiliation, mailing address, and phone and fax numbers on abstract.

For an announcement: Call (510) 642-4151, fax (510) 643-8683, e-mail course@garnet.berkeley.edu, or write to Continuing Education in Engineering, University Extension, University of California, 2223 Fulton St., Berkeley, CA 94720.

Continuing Education in Engineering, University Extension, UNIVERSITY OF CALIFORNIA, BERKELEY

Circle No. 34 on Reader Service Card.

1994 MRS Spring Meeting Preregistration Deadline: March 25, 1994

See p. 87 in this issue for hotel information and a description of the Short Course and Tutorial Program planned for the Spring Meeting.



<u>For:</u> Materials Scientists,

Booth No. 611, 613

Solid-State Physicists and Chemists,

Semiconductor Physicists,

Electronic Engineers,

Researchers in Superconductivity

Editors

M. Balkanski, Paris, France H. Kamimura, Tokyo, Japan

S. Mahajan, Pittsburgh, PA, USA

This international journal is published in 21 issues per year

ISSN-0921-5107

Materials Science & Engineering B provides an international medium for the publication of theoretical and experimental studies and reviews related to the electronic, ionic, magnetic and optical properties of materials both in bulk and in thin films. Papers dealing with the processing, characterization, structure and physical properties of the crystalline, amorphous and glassy forms of metals, superconductors, semiconductors, insertion compounds, low-dimensional compounds and systems, fast-ion conductors, polymers and dielectrics are viewed as suitable for publication.

ELSEVIER SCIENCE S.A.

PO Box 564 1001 Lausanne Switzerland Tel.: +41 (21) 320 73 81 Fax: +41 (21) 323 25 45



For customers in the USA and Canada:

ELSEVIER SCIENCE INC. Journal Information Center 655 Avenue of the Americas New York, NY 10010, USA Tel.: +1 (212) 633-3750 Fax: +1 (212) 633-3764

ISB/mrs9403

Please send a free sample copy and subscription information on MATERIALS SCIENCE & ENGINEERING B	
Name:	
Company/Institute:	
Street:	City:
Country:	Postal Code:
Date:	Signature:

HISTORICAL NOTE

gold sheets that transmit green light. One ounce of gold can be beaten so flat and thin that it covers $300 \text{ ft}^2 (30 \text{ m}^2)$. No other metal can be hammered so thin.

Gold leaf has been used since antiquity to decorate such materials as wood, glass, bronze, plaster, ceramics, and textiles. Such a decorative coating is desirable not only for its beauty, but because it provides durable protection and retains its luster.

To make gold leaf, craftsmen poured melted gold into an ingot, which they rolled to a thickness of about 0.0015 inch (or 37.5μ m). This sheet would be cut into two-inch (5 cm) squares which were interleaved with sheets of vellum or parchment, wrapped in a sheepskin, and hammered on a stone block until the gold spread out to a thickness of 0.0004 inch (10 µm). The thin sheets were removed from the packet with wooden pincers, placed on a leather pad, and quartered again.


This process of cutting, interleaving, and hammering was repeated until the gold was reduced to the desired thickness. The final sheets of gold leaf were so delicate they could be positioned by a slight breath.

Homer mentions the hammering of gold leaf in *The Odyssey*, and Pliny the Elder describes the technique in greater detail. Modern methods differ very little from the ancient ones, although it is now possible to create gold leaf by electrolytic deposition, cathode sputtering, or vacuum vaporization.

Since ancient times gold has been one of the most readily acceptable forms of currency. In the 7th century B.C. the kings of Lydia in Western Asia were confident enough of their refining ability that they issued coins guaranteed for purity and weight. A royal stamp on the coins assured the trading community of their value.

Gold also has a great many modern uses, ranging from dentistry, to ceramics, to electronics. Later uses of gold will be the subject of a future Historical Note.

KEVIN J. ANDERSON



Presenting new releases that will enhance any materials science library...

forthcoming ... INTERMETALLIC COMPOUNDS

Volume 1: Principles / Volume 2: Practice

Edited by J.H. Westbrook, Brookline Technologies, Ballston Spa, NY, and

R.L. Fleischer, Rensselaer Polytechnic Institute, Troy, NY

Since the appearance of *Intermetallic Compounds* in 1967, edited by J.H. Westbrook, there have been considerable advances in our knowledge of this unique family of materials. Consisting of two companion volumes, this timely work will provide state-of-the-art assessments of theory, experiment and practice covering the activity that has taken place in the past thirty years. Volume 1 covers the principles of intermetallic compounds, i.e., the physics and chemistry behind the structures and properties of these materials. Volume 2 addresses the applications of these unique compounds which behave in a way that can be best described as halfway between metals and ceramics. The practical uses of intermetallics are diverse, ranging from aerospace to semiconductor devices and dental amalgams. Each volume is served by an extensive bibliography of more than 7,000 references with complete subject, author and compound indices. The editors have assembled a team of experts from 15 countries giving you the best information possible.

Volume 1, Section Headings: Bonding and Stability • Crystal Structures • Defect Structures • Formation and Constitution • Kinetics and Phase Transformations • Property of Fundamentals

Volume 2, Section Headings: Structural Applications • Electro-Magnetic Applications • Chemical and Metallurgical Applications • Miscellaneous Applications

May 1994 • Two-Volume Set • 0-471-94219-7 • 1,900 pp. (tent.)

Special Pre-Publication Price: \$595.00 (available through April 30, 1994) For additional information on this two-volume set, please contact: Beth Schacht, John Wiley & Sons (212) 850-6678.

PULSED LASER DEPOSITION OF THIN FILMS

Edited by Douglas B. Chrisey and Graham K. Hubler,

Naval Research Laboratory, Washington, DC

This book highlights the unique new deposition technique of pulsed laser deposition, a process which is a breakthrough in materials processing. Containing 25 chapters organized into 1) fundamental and practical aspects of the technique, and 2) coverage of 12 current application topics, this book gives a global and realistic review of pulsed laser deposition, including an overview of what is required to set up and begin research, as well as each author's view on "future directions," that is, where progress is expected to have the greatest future payoffs.

June 1994 • 0-471-59218-8 • 704 pp. (tent.) • \$84.95 (tent.)

INORGANIC MATERIALS

Edited by Duncan W. Bruce, University of Sheffield, England, and Dermot O'Hare, University of Oxford, England

Inorganic Materials covers the area of metal-containing liquid crystals – a fast-developing area within the much larger field of liquid crystals research. Each chapter provides an introduction to the subject under discussion and then develops the field to offer the readers state-of-the-art views including many illustrative examples. Written by an international group of researchers, the nine chapters cover such important topics as inorganic super-conductors, magnetic materials, biogenic inorganic materials, polymeric compounds, liquid crystals and precursors for electronic materials.

1993 • 0-471-92889-5 • 450 pp. • \$99.00

PLASTICS

Microstructure, Properties, and Applications, Second Edition

N.J. Mills, University of Birmingham, England

In the second edition, the presentation has been re-ordered to support learning on practically oriented materials engineering courses. Major new sections have been added on materials selection and on the three case studies in design. There are questions for each chapter to test the reader's understanding. A particular feature of the book is the high level of illustration throughout, with many detailed micrographs and photographs.

1993 • 0-470-22132-1 • 373 pp. • \$49.95

Halsted Press, an imprint of John Wiley & Sons, Inc.

HEAT CONDUCTION Second Edition

M. Necati Özişik, North Carolina State University, Raleigh

This new edition of the leading text/reference in conduction heat transfer has been updated to include all important developments that have occurred in the field in the past decade. So as to more fully address the needs of professionals and students seeking solutions to heat conduction problems, it has been expanded to include more practical applications and "real world" examples than its predecessor. At the same time, there is a heightened emphasis on the use of the mathematical techniques needed to develop exact, approximate, and numerical solutions for a broad class of heat conduction problems.

1993 • 0-471-53256-8 • 689 pp. • \$79.95

	JOHN WILEY & SONS, INC.
$\overline{\mathbf{V}}$	605 Third Avenue, New York, NY 10158-0012
	To order by phone: (800) 879-4539 • To order by fax: (201) 302-2300
	Prices subject to change and may be slightly higher outside USA.

Examine any title free for 15 days!

Circle No. 39 on Reader Service Card.