# INDEX TO VOL. XIX, 1904.

	PAGE
Abductor paralysis (bilateral), probably of nuclear origin (H. Barwell) .	272
(double), of traumatic origin (H. L. Lack)	301
$ (left) (H. B. Robinson) \qquad . \qquad .$	165
ABERCROMBIE (Peter), a case of caseous rhinitis	272
Abscess (cerebral), cured case (de Greift)	488
(otogenous), technique of operation for, and subsequent	550
treatment (H. Knapp), 577 (E. Schmiegelow), 578 (R. Botey)	579
otitic origin of three cases (de Greift).	489
recurrent (Delsaux)	484
(dental chronic), from root of incisor tooth, causing complete nasal	100
obstruction on right side and external fluctuating swelling (H. Tilley)	106
(extra-dural), at a distance from its otitic origin, spontaneous	541
opening through parietal bone (Chavasse)	$115^{-541}$
surrounding lateral sinus; operation; recovery (L. Bar).	573
	010
intra-dural and later double cerebral, complicating chronic tympanic suppuration; operations; cure (B. A. Randall and B. H.	
Potts)	113
(mastoid) five weeks after measles; operation; immediate re-	110
covery (L. A. Lawrence)	439
	100
Nicoll)	480
latent, after radical mastoid operation (Trétròp)	483
left temporal bone from fatal case of (William C. Bull) .	149
——————————————————————————————————————	
recovery (P. Jakins).	171
preliminary step in operative treatment of (W. Milligan)	297
preliminary step in operative treatment of (W. Milligan) with absence of mastoid antrum (P. McBride) .	469
without external signs (Delsaux)	483
of frontal lobe (L. Gruening) in case of orbital cellulitis	337
of temporo-sphenoidal lobe complicated by symptomatic herpes	
zoster over anterior palatine nerve (H. S. Turner)	563
of thyroid body (M. Collier)	366
(retropharyngeal) of articular origin (Santalo)	609
glandular) and diphtheria (Schiffers) .	492
(temporo-sphenoidal) of otitic origin (A. J. Brady)	339
(temporo-sphenoidal) operated on seventeen years ago (T. Barr).	479
Abscesses, multiple metastatic, in case of otitic pyæmia without thrombo-	~=0
phlebitis of lateral sinus (H. Massier)	572
Accident insurance, should the deaf be debarred from? (J. A. Spalding)	171
Accidents of occupation in relation to ear (A. Castex)	520
Accommodation paresis, frontal sinusitis cause of (H. M. Fish)	223
Acoumetric formal, simple and practical, choice of (Politzer, Gradenigo,	FOF
Delsaux)	525
Acoumetric notation (P. Bonnier)	534
Acoumetry (metric) attempt at (Trétrôp)	$\frac{534}{489}$
	$\frac{489}{226}$
- remember of semicircular canals (G. Nuvoli) .	<i>4</i> 40

Actinomycosis of tonsil (A. Cheatle and W. d'Este Emery)	ра <b>си</b> 679 685
Adenoid vegetations, operation for (Knosp) Adenoids : anæsthetics in operation for, employment of (Suarez de Mendoza)	279 586
——— contra-respirator for use after removal of (Delsaux) in children: plea for early recognition and treatment (R. J.	485 686
Teague) — necessity for supplementary measures after removal of (P. Fridenberg)	337
<ul> <li>(removal), national importance of thorough and systematic removal of adenoids in childhood (G. C. Wilkin)</li> <li>Adhesion (diaphragm): see Diaphragm adhesion.</li> </ul>	443
Adhesions of soft palate to posterior pharyngeal wall (A. Thorne)	$\frac{255}{308}$
(salpingo-pharyngeal) symptoms produced by (H. Royet)	584
Adrenalin : employment in malignant affections of throat (Raoult) Air (compressed), treatment of certain forms of non-suppurative catarrh of middle ear by Eustachian catheter with compressed air and	387
nebulizer (A. Bronner)	437
Air-douche : modification of Eustachian catheter allowing simultaneous use of air-douche and bougie (C. J. Koenig)	585
<ul> <li>Air-passages : normal and pathological specimens preserved in special way (P. Jaques and A. Durand)</li> <li>(upper), condition before and after intubation (L. Fischer)</li> </ul>	$522 \\ 223$
Air-tract : see <i>Respiratory tract</i> . ALT (Ferdinand), foreign body in the middle-ear (abstract)	171
Alveolo-nasal fistula (Santalo)	610
Amenorrhea, hypertrophy of turbinals accompanied by (Bayer) American Laryngological, Rhinological, and Otological Society, Tenth	486
Annual Meeting, proceedings	660 113
Anæsthetic (general): apparatus for administration of chloride of ethyl	586
as (J. A. Lafite-Dupont) Anæsthetics : employment in operations for adenoids (Suarez de	
Mendoza)	586 173
(surgical and morbid) of labyrinthine suppuration, preparations	071
illustrating (W. Jobson Horne)	$271 \\ 499$
(aortic) : bilateral paralysis of inferior laryngeals due to (L. Revol)	338
Angioma of left maxillary antrum (A. Bronner)	323
Animal (living) in ear (E. Ménière)	559
Ant-eaters: Eustachian tube in (E. Zuckerkandl)	447
Antitoxin and intubation: advantages in methods of administration of	280
(E. T. Dickinson)	688
—— (Dunbar's) in treatment of diphtheria (Gordon King, H. J. Dupuy,	
Joachim)	389
Antitoxins of diphtheria, rôle in organism (de Stella).	491
Antral disease (chronic), specimens of (with microscopic slides) (S.	001
Spicer)	324
Antro-apical cellular tract (E. Lombard)	570 270
Antrum (abnormally small) in temporal bone (H. E. Jones)	481
——— temporal bones showing fallacies of Macewen's triangle as a guide	-0-
to (A. Cheatle)	271
(mastoid) absence of, in case of cerebellar abscess (P. McBride)	469
	615
and posterior surface of petrous bone (J. Mouret)	542
Posterior surface or posterio some (0. proutes)	0 14

	PAGE
Antrum (mastoid) limits of variation in the depth of (P. D. Kerrison)	112
(maxillary) injuries by firearms and by foreign bodies (E. Aubaret)	584
instruments for opening of inspecting antrum of High-	110
more (A. Brown Kelly)	413
skiagram of (R. H. Woods)         . <th< td=""><td>275</td></th<>	275
suppuration of (H. Tilley)	66
(left maxillary), angioma of (A. Bronner)	323
Aphonia of eight months' duration, from polypus of left vocal cord	
(Trétrôp)	491
Arteria carotis cerebri, aneurysm of (A. V. Zur-Mühlen)	499
Arteries of larynx (Broeckaert)	686
Articular origin of retropharyngeal abscess (Santalo)	609
Aryteno-aryepiglottic region, growth in (E. Furniss Potter)	678
Arytenoid region (left), infiltration of (E. Furniss Potter)	326
regions, infiltration of (A. L. Turner)	160
swelling in case of laryngeal ulceration (W. H. Kelson)	412
Arytenoids: perichondritis (? specific) in case of ulceration of pharynx	
with cervical fistula and secondary cedema of right half of larynx	
(J. Dundas Grant)	220
swelling, with infiltration of epiglottis (P. R. W. de Santi)	426
Asepsis and sepsis in intra-nasal surgery (J. S. Gibb).	611
Aseptic forehead mirror handle (E. B. Waggett)	311
Asthma and the nose, nature of connection between (A. Francis)	169
and pertussis, therapeutic use of pyrenol in (Burchard)	172
Asymmetry (facial), cause of deformities of nasal septum (H. L. Swain).	610
Atmotherapy, study of (Golesceano)	586
Atresia of external auditory meatus, mastoiditis in cases of (G. Mahu)	573
(traumatic) of meatus successfully treated by operation (M.	
Yearsley)	361
AUBARET (É.), contribution to the surgical anatomy of the ethmoid	583
injuries of the maxillary sinus by fire-arms and by foreign bodies	584
Audition : see Hearing.	
Auditory appreciation: see <i>Hearing</i> .	
Auditory meatus: see Meatus (external auditory).	
Auditory nerve : see Nerve (auditory).	
Auricle, lupus of, circumscribed, rapid cure by curetting and topical	
applications (Trétrôp)	490
(left), involved in case of rodent ulcer (H. Tod)	90
AXENFELD (Theo.), a contribution to the pathology and treatment of	
frontal and ethmoidal sinusitis and their orbital complications:	
(abstract)	686
BABER (E. Cresswell) discussion on after-treatment of intra-nasal opera-	
tions	45
on series of cases of complete mastoid operations .	85
case for diagnosis-man aged sixty-nine (pemphigus of mucous	
membrane of throat)	151
sequel to a case of pemphigus of the throat, shown December	
4th, $1903$	412
BABINSKI's method in treatment of deafness (Trétrôp)	488
Bacilli (typhoid) in pus, in case of post-typhoid strumitis (Krause and	
Hartog)	58
Bacteriological and clinical evidences in diphtheria, relative importance	
of (C. Sheard)	685
Bacteriology: practical applications to speciality of ear, nose, and	
throat $(Trétrop)$	517
BALDWIN (H.), discussion on suppuration of maxillary antrum	79
BALL (J. B.), a case of melanotic sarcoma of soft palate	310
Band: see Ventricular band.	
BAR (L.), hæmorrhagic inflammation of the external auditory canal and	
the middle ear (abstract)	502

vii

	PAGE
<b>BAR</b> (L.), extradural abscess surrounding the lateral sinus; operation;	0
recovery	- 573
associated otomycosis of the external auditory meature.	576
BARK (John), case of growth occupying the anterior commissure	191
presidential address to Laryngological, Rhinological, and Oto-	091
logical Association	231
BARKAN (Dr.), discussion on intra-nasal operations	21
BARR (Thomas), discussion on series of cases of complete mastoid opera-	
tions	86
presidential address to Otological Society of the United Kingdom,	11~
delivered February 1, 1904	117
discussion on actiology and treatment of labyrinthine suppuration	264
	430
	100
of the United Kingdom at Glasgow, May 21, 1904	468
case of temporo-sphenoidal abscess operated upon by Sir William	
Macewen seventeen years ago. Interesting historically as one of the first areas of the hind	170
the first cases of the kind	$\frac{479}{545}$
discussion on non-suppurative disease of the middle ear	)40
and CONNAL (James Galbraith), two cases in which large exos-	
toses were removed from the external auditory canal by the post- auricular route	480
and NICOLL (J. H.), (a) Case of a man aged thirty-four who was	400
operated upon for cerebellar abscess by Dr. Nicoll six years ago.	
(b) Case of a man aged twenty-eight, suffering from a sense of	
pulsation in left ear, in which a pulsating bruit was heard through	
the auscultation tube and was unrelieved by ligature of vessels	480
BARWELL (Harold), case of syphilitic laryngitis	189
a case of bilateral abductor paralysis, probably of nuclear origin	272
BAYER: (1) dental cyst of the left superior maxilla; (2) maxillary cyst;	2.2
(3) a young girl with hypertrophy of the turbinals and amenorrhœa.	486
Béco (L.), fibro-chondro-sarcoma of the naso-pharynx extending into the	100
nose	486
congenital salivary cyst of the glosso-pharyngeal furrow, the size	100
of a large nut	490
Belgian Society of Otology, Laryngology, and Rhinology, Annual Meet-	
ing, Proceedings	483
BELLIN and LERMOYEZ, contribution to the surgical cure of acute	
otogenous meningitis	541
BENNETT (F. J.), discussion on suppuration of maxillary antrum	80
BENNETT (F. W.), a case of post-pharyngeal swelling	332
BENNETT (N.). discussion on suppuration of maxillary antrum	<b>79</b>
BERENS (T. Passmore), multiple chronic sinusitis operated on by the	
maxillary route	660
BERTEMÈS, Ménière's symptoms in chronic catarrhal otitis, cured by	
curetting the post-nasal space (abstract)	502
BEZOLD, general sepsis in middle-ear suppurations with a central per-	
foration of the drum (abstract)	500
Bezold's mastoiditis : erysipelas of face ; operation ; intra-venous injec-	
tions of collargol; recovery (L. Vacher)	391
double, case of; operation; recovery (E. V. Segura)	497
BINGHAM (G. A.). the operative treatment of goitre (abstract).	58
BIRKETT (H. S.). case of tuberculosis of pharynx (abstract)	57
Blindness; development of blindness of nasal origin induced by disease	000
of posterior accessory sinuses (A. Onodi)	622
BLOIS (Amory de), sub-glottic tubercular lesions of the larynx (abstract)	615
BOBONE (T.). preparation of patients for operations .	570
—— petroleum in the treatment of ozena BODMER removal of foreign hody from wight hundred with sid of	584
BODMER, removal of foreign body from right bronchus with aid of Killian's bronchoscone (abstract)	000
Killian's bronchoscope (abstract) BONAIN, notes on two cases of suppurative middle-ear disease, with endo-	280
	501
crama complications (abstract)	501

viii

	PAGE
Bone and cartilage in tonsil (J. E. Newcombe)	-609
and soft tissues from early polypus, microscopic specimens (E.	
	208
Yonge)	
"Bone cysts" in accessory sinuses of nose, pathology of (A. L. Turner).	589
Bone, large piece removed from larynx (Major O'Kinealy)	- 94
(temporal) : see Temporal bone.	
	504
BONNIER (P.), acoumetric notation and an international tuning-fork	534
	,688
BOTELLA, the treatment of cancer of the larynx and its results (abstract)	613
	010
BOTELLA Y DONOSO CORTES, acute œdematous rhino-pharyngo-laryngitis	2=0
(abstract)	279
BOTEY (R.), prevention of stenosis of the meatus after radical operations	
on the ear .	569
	000
report upon the technique of the operation and subsequent treat-	
ment of otogenous abscess of the brain	-579
Bougie: modification of Eustachian catheter allowing simultaneous use	
	585
of air douche and bougie (C. J. Koenig)	
use of bougies for Eustachian tube (C. J. Koenig) .	585
BOULAY and LEMARC HADOUR, the psychic element in cases of deaf-	
ness	535
	000
MAURICE, and GASNE, two cases of subglottic foreign bodies	
in children (abstract)	-58
BOURGEOIS (H.), bulbar softening, with disturbance of equilibrium	581
BOVAIRD (D.), tracheal obstruction from a tumour in a boy aged three	
	005
(abstract) .	687
BRADY (A. J.), a case of temporo-sphenoidal abscess of otitic origin	
(abstract)	-339
discussion on non-suppurative disease of the middle ear	556
Brain, abscess of, cured (de Greift)	488
intra-dural and later double cerebral abscess complicating	
chronic tympanic suppuration; operations; cure (B. A. Randall and	
B. H. Potts)	113
otitic origin of three cases (de Greift).	489
otogenous: technique of operation for, and subsequent	
treatment (H. Knapp), 577; (È. Schmiegelow), 578; (R. Botey)	579
	484
recurrent (Delsaux)	
bulbar softening with disturbance of equilibrium (H. Bourgeois)	581
cerebral symptoms in case of double mastoiditis occurring in	
course of puerperal infection (H. Massier)	582
	337
(frontal lobe) abscess of, in case of orbital cellulitis (L. Gruening)	əə7
see Arteria carotis cerebri.	
<b>BRAISLIN</b> (Wm. C.), mastoiditis in infancy and childhood (abstract)	559
BRAUNSTEIN, the telephone and hearing (abstract)	171
BREYRE, anæsthesia of the ear (abstract)	113
<b>BRIEGER</b> , theory of suppuration of the labyrinth	536
von STEIN and GRANT (Dundas), the diagnosis and treatment	
	590
of suppuration of the labyrinth	536
BRINDEL and MOURE (E. J.), five hundred cases of operations upon the	
mastoid process	582
British Journal of Children's Diseases " (review)	560
	000
British Laryngological, Rhinological, and Otological Association. presi-	
dential address to (J. Bark) .	231
Proceedings	
British Medical Association, 72nd annual meeting (1904), Section of	000
Low and the set of the	
Laryngology and Otology, Proceedings	543
BROECKAERT, vegetating rhinitis, a pathological and bacteriological	
study	490
resection of the recurrent nerve and of the cervical sympathetic	<b>T</b> 00
trunk in the monkey and the rabbit .	491
upon injections of paraffin while cold with a new form of syringe	517
	686
	170
Bronchi and trachea, syphilis of (Neumann)	

	PAGE
Bronchi (diseases) caused by disease of posterior ethmoidal and sphenoidal	490
cells (J. Mackie)	439
Bronchoscope (Killian's), removal of foreign body from right bronchus	<u>aon</u>
with aid of (Bodmer)	$\frac{280}{224}$
Bronchus: foreign body extracted from (Rickard)	224
(right) Killian's bronchoscope in removal of foreign body from	aon
(Bodmer)	280
BRONNER (Adolph), discussion on after-treatment of intra-nasal opera-	10
tions	46
discussion on series of cases of complete mastoid operations	88
a case of angioma of left maxillary antrum	323
on the treatment of certain forms of non-suppurative catarrh of	
the middle ear by the Eustachian catheter with compressed air and	405
nebulizer (abstract)	437
discussion on non-suppurative disease of the middle ear	555
BRUDER (P.), objections to hydrogen peroxide solution in otology	583
BRYANT (Wm. S.). new mastoid gouge	587
Bulb (jugular), thrombosis of, complicating chronic otitis media (J. F.	200
McKernon)	600
Bulbar softening with disturbance of equilibrium (H. Bourgeois)	581
BULL (William C.), left temporal bone of a man, aged twenty-one, who	1.40
had died from cerebellar abscess	149
BURCHARD, the therapeutic use of pyrenol (a) in asthma and pertussis,	1=0
(b) in gout and sciatica (abstract)	172
BURT (A. Hamilton), case of questionable mild glanders in a man aged	
forty-nine	210
BUTLIN (H. T.), letter to Sir F. Semon from Mr. H. T. Butlin on the	
after-treatment of nasal operations	42
case of epithelioma of the cricoid plate and of the œsophagus,	
removed by operation	197
Charmer (T. T. D. D. L	
CAIGER (F. Foord), diagnosis and management of doubtful cases of	111
diphtheria (abstract)	111
diphtheria (abstract)	$\frac{111}{503}$
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular	503
diphtheria (abstract)	503 480
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)	$503 \\ 480 \\ 502$
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	$503 \\ 480 \\ 502$
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480 502 170
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>————————————————————————————————————</li></ul>	503 480 502 170 390
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480 502 170
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480 502 170 390 226
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	<ul> <li>503</li> <li>480</li> <li>502</li> <li>170</li> <li>390</li> <li>226</li> <li>283</li> </ul>
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>————————————————————————————————————</li></ul>	503 480 502 170 390 226 283 477
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>————————————————————————————————————</li></ul>	503 480 502 170 390 226 283 477 485
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>————————————————————————————————————</li></ul>	$503 \\ 480 \\ 502 \\ 170 \\ 390 \\ 226 \\ 283 \\ 477 \\ 485 \\ 613 \\ $
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480 502 170 390 226 283 477 485
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480 502 170 390 226 283 477 485 613 80
diphtheria (abstract) Calomel and opium "tabloid" Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal) ————————————————————————————————————	503 480 502 170 390 226 283 477 485 613 80 495
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — — hemorrhagic inflammation (Bar)</li> <li>— — — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (semicircular, external), caries of, with labyrinthine crises, in case of chronic otitis, for which radical mastoid operation had been performed (L. Rozier)</li> <li>— — — isolated affection of one of, shown by involuntary movements of the head (B. Okouneff)</li> <li>— — — — — — removal in case of unilateral aural vertigo (R. Lake) 350, Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — — — — — treatment, with results (Botella)</li> <li>— — — — — — treatment, with results (Botella)</li> <li>— — — — — treatment, with results (Botella)</li> <li>— — — — — — — treatment, with rachea, treated by means of Mikulicz' glass cannula (Hinsberg)</li> <li>— — — — — — — — — — — — — — — — — — —</li></ul>	$503 \\ 480 \\ 502 \\ 170 \\ 390 \\ 226 \\ 283 \\ 477 \\ 485 \\ 613 \\ 80 \\ 495 \\ 587 \\ $
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>————————————————————————————————————</li></ul>	$503 \\ 480 \\ 502 \\ 170 \\ 390 \\ 226 \\ 283 \\ 477 \\ 485 \\ 613 \\ 80 \\ 495 \\ 587 \\ 486 \\ $
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>————————————————————————————————————</li></ul>	$\begin{array}{c} 503\\ 480\\ 502\\ 170\\ 390\\ 226\\ 283\\ 477\\ 485\\ 613\\ 80\\ 495\\ 587\\ 486\\ 487\end{array}$
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — — hæmorrhagic inflammation (Bar)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— (semicircular, external), caries of, with labyrinthine crises, in case of chronic otitis, for which radical mastoid operation had been performed (L. Rozier)</li> <li>Canals (semicircular), acoustic function of (G. Nuvoli)</li> <li>— — isolated affection of one of, shown by involuntary movements of the head (B. Okouneff)</li> <li>— — — removal in case of unilateral aural vertigo (R. Lake) 350, Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — treatment, with results (Botella)</li> <li>CANTON (Mr.), discussion on suppuration of maxillary antrum.</li> <li>Cannula, stenosis of larynx and trachea, treated by means of Mikulicz' glass cannula (Hinsberg)</li> <li>— — tracheal (C. Jackson)</li> <li>— — a case of casophageal diverticulum</li> <li>— — traumatism of the trachea.</li> </ul>	$503 \\ 480 \\ 502 \\ 170 \\ 390 \\ 226 \\ 283 \\ 477 \\ 485 \\ 613 \\ 80 \\ 495 \\ 587 \\ 486 \\ $
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — hæmorrhagic inflammation (Bar)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— (semicircular, external), caries of, with labyrinthine crises, in case of chronic otitis, for which radical mastoid operation had been performed (L. Rozier)</li> <li>— — isolated affection of one of, shown by involuntary movements of the head (B. Okouneff)</li> <li>— — — removal in case of unilateral aural vertigo (R. Lake) 350, Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — — treatment, with results (Botella)</li> <li>— CANTON (Mr.), discussion on suppuration of maxillary antrum.</li> <li>Cannula, stenosis of larynx and trachea, treated by means of Mikulicz' glass cannula (Hinsberg)</li> <li>— — tracheal (C. Jackson)</li> <li>CAPART, junior, malignant tumour of the nasal fossa</li> <li>— — a case of œsophageal diverticulum</li> <li>— — traumatism of the trachea.</li> <li>Carbolic glycerine solution, treatment of acute otitis media with a ten</li> </ul>	$\begin{array}{c} 503\\ 480\\ 502\\ 170\\ 226\\ 283\\ 477\\ 485\\ 613\\ 80\\ 495\\ 587\\ 486\\ 487\\ 487\\ 487\\ \end{array}$
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — hemorrhagic inflammation (Bar)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— (semicircular, external), caries of, with labyrinthine crises, in case of chronic otitis, for which radical mastoid operation had been performed (L. Rozier)</li> <li>— — isolated affection of one of, shown by involuntary movements of the head (B. Okouneff)</li> <li>— — — removal in case of unilateral aural vertigo (R. Lake) 350, Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — — treatment, with results (Botella)</li> <li>— — treatment, with results (Botella)</li> <li>— — tracheal (C. Jackson)</li> <li>— — traumatism of the trachea.</li> </ul>	$\begin{array}{c} 503\\ 480\\ 502\\ 170\\ 226\\ 283\\ 477\\ 485\\ 613\\ 80\\ 495\\ 587\\ 486\\ 487\\ 487\\ 340\\ \end{array}$
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — hemorrhagic inflammation (Bar)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), acoustic function of (G. Nuvoli)</li> <li>— — — isolated affection of one of, shown by involuntary movements of the head (B. Okouneff)</li> <li>— — — — removal in case of unilateral aural vertigo (R. Lake) 350,</li> <li>Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — — — treatment, with results (Botella)</li> <li>— — — — treatment, with results (Botella)</li> <li>CANTON (Mr.), discussion on suppuration of maxillary antrum.</li> <li>Canula, stenosis of larynx and trachea, treated by means of Mikulicz' glass cannula (Hinsberg)</li> <li>— — tracheal (C. Jackson)</li> <li>— — traumatism of the trachea.</li> <li>— — — traumatism of the trachea.</li> <li>— — Carbolic glycerine solution, treatment of acute otitis media with a ten per cent carbolic glycerine solution (Hartmann).</li> <li>Carcinoma of nose, papilliferous columnar-celled (Sir Felix Semon)</li> </ul>	$\begin{array}{c} 503\\ 480\\ 502\\ 170\\ 390\\ 226\\ 283\\ 477\\ 485\\ 613\\ 80\\ 495\\ 587\\ 486\\ 487\\ 487\\ 340\\ 418\\ \end{array}$
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — hemorrhagic inflammation (Bar)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of (G. Nuvoli)</li> <li>— — (semicircular), acoustic function of (G. Nuvoli)</li> <li>— — — ments of the head (B. Okouneff)</li> <li>— — — removal in case of unilateral aural vertigo (R. Lake) 350,</li> <li>Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — — treatment, with results (Botella)</li> <li>CANTON (Mr.), discussion on suppuration of maxillary antrum.</li> <li>Cannula, stenosis of larynx and trachea, treated by means of Mikulicz' glass cannula (Hinsberg)</li> <li>— — tracheal (C. Jackson)</li> <li>— — traumatism of the trachea.</li> <li>— — a case of esophageal diverticulum</li> <li>— — traumatism of the trachea.</li> <li>Carbolic glycerine solution, treatment of acute otitis media with a ten per cent carbolic glycerine solution (Hartmann).</li> <li>Carcinoma of nose, papilliferous columnar-celled (Sir Felix Semon)</li> <li>— — in throat of dog and cat (Professor Hobday).</li> </ul>	$\begin{array}{c} 503\\ 480\\ 502\\ 170\\ 226\\ 283\\ 477\\ 485\\ 613\\ 80\\ 495\\ 587\\ 486\\ 487\\ 487\\ 340\\ \end{array}$
<ul> <li>diphtheria (abstract)</li> <li>Calomel and opium "tabloid"</li> <li>Canal (auditory, external), exostoses removed from, by post-auricular route (T. Barr and J. G. Connal)</li> <li>— — — — hemorrhagic inflammation (Bar)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), obstruction of, in catarrh of frontal sinus (Mignon)</li> <li>— — (frontal), acoustic function of (G. Nuvoli)</li> <li>— — — isolated affection of one of, shown by involuntary movements of the head (B. Okouneff)</li> <li>— — — — removal in case of unilateral aural vertigo (R. Lake) 350,</li> <li>Cancer of larynx, treated by radium, microscopic specimen (Delsaux)</li> <li>— — — — treatment, with results (Botella)</li> <li>— — — — treatment, with results (Botella)</li> <li>CANTON (Mr.), discussion on suppuration of maxillary antrum.</li> <li>Canula, stenosis of larynx and trachea, treated by means of Mikulicz' glass cannula (Hinsberg)</li> <li>— — tracheal (C. Jackson)</li> <li>— — traumatism of the trachea.</li> <li>— — — traumatism of the trachea.</li> <li>— — Carbolic glycerine solution, treatment of acute otitis media with a ten per cent carbolic glycerine solution (Hartmann).</li> <li>Carcinoma of nose, papilliferous columnar-celled (Sir Felix Semon)</li> </ul>	$\begin{array}{c} 503\\ 480\\ 502\\ 170\\ 390\\ 226\\ 283\\ 477\\ 485\\ 613\\ 80\\ 495\\ 587\\ 486\\ 487\\ 487\\ 340\\ 418\\ \end{array}$

	PAGE
Caries of external semicircular canal, with labyrinthine crises in case	
of chronic otitis, for which radical mastoid operation had been	390
performed (J. Rozier)	218
Cartilage and bone in tonsil (J. E. Newcomb)	609
in pharyngeal tonsil (E. Zuckerkandl)	446
CASTEX, the medico-legal estimation of damages in accidents to the	
larynx	490
technical details of laryngotomy (abstract)	494
the ear and accidents of occupation .	520
hæmorrhage from the jugular vein and late paralysis of the facial	
nerve after operation	572
Casts, post-nasal (W. H. Kelson) .	$\frac{364}{272}$
Cat, carcinoma of throat in (Professor Hobday)	$675 \\ 170$
Catarrh of frontal sinus, with obstruction of frontal canal (Mignon) of middle ear, non-suppurative, treatment by Eustachian catheter	170
with compressed air and nebulizer (A. Bronner) .	437
(simple), chlor-methyl menthol-ether as remedy for (O. Seifert)	-502
CATHCART (G. C.), a case of paralysis of soft palate and defective speech	
(? diphtheritic in origin)	157
Catheter (Eustachian), modification allowing simultaneous use of air	
douche and bougie (C. J. Koenig)	585
modification of, for facilitating return of liquids	*0*
accumulated in middle ear (C. J. Koenig)	585
with compressed air and nebulizer in treatment of certain	437
forms of non-suppurative catarrh of middle-ear (A. Bronner) . CAUZARD (P.), caries of both petrous bones, the sequel of chronic suppura-	497
tive otitis; removal of both petrous bones, the sequence of the whole	
petrous portion of the base of the skull after a double radical opera-	
tion, with resection of the squamous portion on the left side; intra-	
cranial transfixion from one mastoid to the other; recovery	574
Cavity (subpyramidal), curettage of, followed by facial paralysis (J.	
Rozier)	390
Cells (ethmoidal), empyema of, in case of orbital cellulitis (L. Gruening)	337
necrosis of sphenoidal and posterior ethmoidal cells;	179
fatal case (A. L. Whitehead) . ————————————————————————————————————	179
affections and of ozæna (J. Mackie)	439
of middle ear, greatest extension (J. A. Lafite-Dupont)	543
(petrous), new researches upon (J. Mouret)	521
(sphenoidal), necrosis of sphenoidal and posterior ethnoidal cells;	
fatal case (A. L. Whitehead)	179
Cellulitis (orbital), (L. Gruening)	337
Celluloid plate, operation for congenital saddle-nose by introduction of	00=
(J. Wiener)	337
Cerebellum, abscess of, case operated on six years ago (T. Barr and J. H.	<b>4</b> 80
Nicoll)	483
left temporal bone from fatal case of (William C. Bull) .	149
operative treatment, preliminary step in (W. Milligan) .	297
otitic origin; trephining middle and posterior fossæ;	
recovery (P. Jakins).	171
with absence of mastoid antrum (P. McBride) .	469
without external signs (Delsaux)	483
CHALUPECKY, colour-hearing (abstract)	-500
DE CHAMPEAUX, the cure of tic-douloureux (abstract)	112
CHAVASSE, extra-dural abscess at a distance from its otitic origin;	541
spontaneous opening through the parietal bone	041
otitis (abstract)	114
CHEATLE (Arthur), discussion on series of cases of complete mastoid	
operations .	87
-	

Congress (fifteenth International) of Medicine at Lisbon (1906) —— (seventh International Otolological) Proceedings . 22	291 9,516
Compensatory action of certain of laryngeal muscles seen in cases of vocal disability (C. C. Rice)	614
membrane. Lecture delivered to the Otological Society of the United Kingdom at Glasgow for John G. McKendrick, F.R.S.	341
tones in regard to their bearing on movements of the tympanic	
COLQUHOUN (Walter), recent physical researches on the nature of vowel	500
——— reply to discussion on latent or intermittent nasal obstruction . Colour-hearing (Chalupecky)	$\frac{375}{500}$
abscess of the thyroid body	366
a case of chronic osteo-myelitis with old ulceration of palate .	275
latent or intermittent nasal obstruction	102
progressive deafness.	182
COLLIER (Mayo), latent or intermittent nasal obstruction . ————————————————————————————————————	122
Collargol, ozæna treated by (Roques)	$\frac{169}{122}$
exhibition of specimens illustrating the development of sinus	593
COFFIN (Lewis A.), report of four operative cases of sinusitis in children,	
(Escat)	540
necrosis of, three cases terminating by spontaneous elimination	007
case of removal of necrosed labyrinth together with membranous cochlea (R. Lake)	354
(membranous) testing hearing with the higher tuning-forks in	
preparations of (A. A. Gray)	438
Cochlea: exhibition and demonstration of macroscopic and microscopic	
of (C. Sheard)	685
plate	409
demonstration on the development of the mastoid and tympanic	469
of the tympanic plate and the mastoid	393
CLELAND (Professor John, F.R.S.), on some points in the development	
CLAOUÉ, two cases of very large cholesteatoma of the temporal bone	574
Moure)	540
Cinematographic pictures of patients affected with labyrinthitis (E. J.	010
Cicatricial stricture of pharyngeal orifice relieved by plastic operation (G. A. Leland)	610
of temporal bone (very large), two cases (Claqué)	574
(A. Heiman)	226
Cholesteatoma of middle ear, two cases cured by intra-aural treatment	
(W. W. Keen)	338
Chlor-methyl menthol-ether as remedy for catarrh (O. Seifert). Chloroform collapse, massage of heart for, in case of total laryngeotomy	002
(J. A. Lafite-Dupont)	$\frac{586}{502}$
Chloride of ethyl: apparatus for administration of, as general anæsthetic	FOR
with impaired hearing, education of (M. Toeplitz)	227
	593
	58
Teague)	$\frac{686}{560}$
Children, adenoids in, plea for early recognition and treatment (R. J.	ROD
adenoids in (G. C. Wilkin)	443
national importance of thorough and systematic removal of	
Childhood, mastoiditis in (Wm. C. Braislin)	559
ration	488
CHEVAL series of cases of total laryngectomy	486
and EMERY (W. d'Este), specimen of actinomycosis of the tonsil	679
a guide to the antrum	271
temporal bones showing some fallacies of Macewen's triangle as	-01
CHEATLE (Arthur), discussion on atiology and treatment of labyrinthine suppuration	261
Company (A. (1. )) 1:	PAGE

	PAGE
CONNAL (James Galbraith), the treatment of dulness of hearing and	
subjective noises in the ears by high-frequency currents .	-396
and BARR (Thomas), two cases in which large exostoses were	
removed from the external auditory canal by the post-auricular	
	100
route	480
Contra-respirator for use after removal of adenoids (Delsaux) .	-485
COOLIDGE (A.), deviation of the nasal septum (abstract)	493
	16.0
Cord (vocal): see Vocal cord.	
Corditis tuberosa in young woman, not a singer or professional voice-	
user (R. Lake) $\ldots$ $\ldots$ $\ldots$ $\ldots$	-256
Correspondence: letter to Laryngological Societies concerning Senor	
	004
Garcia's centenary .	334
COSSEN, foreign body in the nasal fossa (abstract)	-686
COTTON (F. J.). laryngotomy and removal of one cord for benign tumour	
of larynx (abstract) .	614
Cough (chronic), woman with (H. J. Davis)	320
Crico-arytenoid joints, infiltration of larynx involving both (F. Potter)	-246
Crico-thyroid membrane, resection of, in epithelioma of larynx (Sir F.	
Semon)	102
	104
Cricoid plate, epithelioma of cricoid plate and of œsophagus, removed by	
operation (H. T. Butlin)	-197
Cricoid region, epithelioma in (W. H. Kelson)	163
Culture treatment, Otto Schmidt's, in case of epithelioma of pharynx,	100
specimen and temperature chart (J. Donelan)	-107
Curetting and topical applications rapidly curing severe lupus of nose	
and circumscribed lupus of auricle (Trétrôp)	490
	587
CURTIS (H. Holbrook), set of tonsillotomy forceps	•
the sphenoidal sinus and its surgical relationship	-664
Cut-throat, specimen from case of (W. H. Kelson)	366
Cyst (congenital serous) of neck (Kaufmann)	172
(dental) of left superior maxilla (Bayer)	$\bar{486}$
true dental cyst of maxillary sinus (Delie)	485
(maxillary), (Bayer)	486
(para-dental): case of (Hennebert)	486
(salivary) congenital, of glosso-pharyngeal furrow (Béco)	490
(blanvaly) congentation grosse phulying an inform (Beee)	
	415
Cysts of jaw (R. Hoffman)	583
DAVIDSON (F.), model ear for practice of otoscopy	116
DAVIS (H. J.), a case of severe paroxysm of sneezing.	$\overline{156}$
a case of œdema and stenosis of the larynx for diagnosis	259
case of linear perforation of left vocal cord	319
woman with a chronic cough	320
a case of globular swelling of the right side of larynx in a man	020
aged twenty-nine (for diagnosis)	321
a case of partial paresis of soft palate; paralysis of left cord	329
DAY (Ewing W.) and JACKSON (Chevalier), purulent otitis media com-	
	595
plicating typhoid fever	595
Deaf (The), should they be debarred from accident insurance? (J. A.	
Spalding)	171
Deaf-mutism, pathology of (Schwabach)	343
Deafness : automatic sounding-box for measuring auditory appreciation	010
in (6 C D - 1)	050
in (St. G. Reid)	276
Babinski's method in treatment of (Trétrôp)	488
catarrhal (S. Snow)	519
following nasal obstruction (W Mackenzie) .	292
(abuinthing) million in the internet in (F Dattern)	
(labyrinthine), pilocarpine injections in (F. Potter)	268
of a central origin, in typhoid fever (Petretts)	340
(progressive), cases illustrating stages of (Mayo Collier)	182
psychic element in cases of (Boulay and Lemarc' Hadour)	535
(unilateral), from childhood, due to various middle-ear causes and	0.04
polypus (H. Macnaughton-Jones)	- 91

	PAGE
Deafness: with adventitious membrane of meatus following chronic suppuration of middle-ear (W. H. Kelson)	148
	140
DELEVAN (D. Bryson), present methods for the treatment of malignant	
disease of the larynx (abstract)	615
DELIE: true dental cyst of the maxillary sinus	485
tobacco and audition	535
DELSAUX (V.), facial paralyses of otic origin (abstract)	113
cerebellar abscess without external signs	483
——— recurrent cerebral abscess	484
thrombophlebitis of cavernous sinus consecutive to purulent	
otitis media	484
contra-respirator for use after removal of adenoids	485
microscopic specimen of cancer of the larynx treated by radium.	485
eversion or prolapse of ventricle of Morgagni.	487
series of ten patients operated on by the radical method for	
chronic otorrhœa, with resection of the posterior wall of the meatus	105
and immediate suture of the mastoid wound	$\frac{487}{487}$
——————————————————————————————————————	407
tical acoumetric formula	525
DENCH (E. B.), "Diseases of the Ear." third edition, 1903 (review)	228
	518
Dental abscess : see Abscess (dental).	010
cyst: see Cyst (dental).	
Denture (artificial) removed from gullet of lady (R. H. Woods)	275
Diagnosis, cases for (F. Spicer)	274
laryngeal disease (Stephen Paget) .	425
showing extensive ulceration and hyper-	
trophic changes (R. H. Scanes Spicer)	-97
lesion of soft palate (P. R. W. de Santi)	677
œdema and stenosis of larynx (H. J. Davis)	259
pemphigus of mucous membrane of throat (E. C. Baber)	151
——— (mistaken) in aural surgery (W. Schulze)	496
Diaphragm adhesion between posterior part of tongue and posterior	
pharyngeal wall, causing obstruction in lower pharynx (H. B. Robinson)	206
between back of tongue and posterior wall of pharynx, causing	200
pharyngeal obstruction (H. B. Robinson)	681
DICKINSON (E. T.), the advantages in the methods of administration of	001
antitoxine and intubation (abstract)	280
DIDSBURY (G.), case of acute suppurative otitis media with evacuation	-00
by the Eustachian tube	576
Dilatation (progressive) in treatment of laryngeal stenosis of tuberculous	
origin (Massier)	491
Dilators (nasal) for continuous dilatation of anterior nares in cases of	
nasal obstruction (J. Lumsden)	368
Diphtheria, antitoxins and toxins of, rôle in organism (de Stella)	491
? cause of paralysis of soft palate and defective speech (G. C.	
Catheart)	157
diagnosis and management of doubtful cases (F. F. Caiger)	111
(nasal) importance of epistaxis in diagnosis of (J. H. McKee) . ————————————————————————————————————	388
simow)	077
relative importance of clinical and bacteriological evidences in	277
diphtheria (C. Sheard)	685
treatment with special reference to dosage of antitoxin (A. F.	000
Voelcker)	688
Disease: general functional or organic, modifying local conditions in	000
respiratory tract (F. P. Emerson)	493
Diverticulum of cesophagus (Capart, junior)	487
Dog: carcinoma of throat in (Professor Hobday)	675

DONTRAN (Ionuca) discussion on after treatment of intra negal energy	PAGE
DONELAN (James), discussion on after-treatment of intra-nasal opera- tions	53
specimen and temperature chart from case of epithelioma of	
the pharynx, treated with Otto Schmidt's culture	187
youth, aged nineteen, with fracture of septum and depressed nose, improved by operation and paraffin injection	219
a case of tumour of palate in a woman aged thirty-four	330
specimen of tumour of palate from a woman aged thirty-four .	416
Donovan solution, tabloid	688
DOWNIE (J. Walker), discussion on non-suppurative disease of the middle ear	555
Dressings (surgical) : sterilisation of small quantities of (Holzapfel)	227
DREW (Douglas), a new method of skin-grafting the cavity after mastoid-	
ectomy (abstract)	$\begin{array}{c} 687 \\ 517 \end{array}$
Drum: see Tympanum.	517
DUNBAR (Roy), a plea for a more thorough examination and rational	
treatment of nose and throat diseases (abstract)	493
Dunbar's antitoxin in treatment of hay fever (Gordon King, H. J. Dupuy,	389
Joachim) . DUPUY (H. J.), Dunbar's serum in the treatment of hay fever (abstract)	389
DURAND (A.) and JAQUES (P.), presentation of normal and pathological	000
anatomical specimens of the ear and air-passages preserved in a	
special way Dysmenorrhœa, rhinological treatment of, according to Fliess (Lautman)	$\frac{522}{112}$
Dysinenormea, minological treatment of, according to riless (Lautman)	112
Ear: abstracts of literature on 59, 112, 171, 226, 281, 390, 391, 447.	
559, 615	
accidents of occupation in relation to (A. Castex)	$520 \\ 112$
anæsthesia of (Breyre)	$\frac{113}{392}$
automatic sounding-box for measuring auditory apprecia-	00-
tion in (St. G. Reid).	276
review)	228
ear complications with typhoid fever and pneumonia	0
(Le Beuf and Joachim)	500
ear symptoms in course of migraine (Escat)	535
"Handbook of Diseases of the Ear" (R. Lake, review) . new pump for treatment of (M. Yearsley) .	$\frac{448}{585}$
relationship to affections of the ear of cases of insufficiency	000
of the palate (A. Brown Kelly)	478
	201
from point of view of ear troubles (H. Royet)	$\frac{584}{576}$
epilepsy of probable aural origin (C. Poli)	582
external, mal-development in still-born infant (C. H. Fagge)	145
eye and ear, similarity and relationship (Spira)	$\frac{281}{113}$
facial paralysis of otic origin (V. Delsaux)	$\frac{115}{482}$
— mal-development in still-born infant (C. H. Fagge)	145
(left), pulsation in, unrelieved by ligature of vessels (T. Barr and	100
J. H. Nicoll)	$\frac{480}{559}$
massage of, new hand-masseur for (M. Yearsley)	535 585
(middle) catarrh : treatment of certain forms by Eustachian	
catheter with compressed air and nebulizer (A. Bronner)	437
cells of, greatest extension (J. A. Lafite-Dupont) . cholesteatoma: two cases cured by intra-aural treatment	543
(A. Heiman)	226
disease of, chronic non-suppurative, treatment (D. B. St.	
J. Roosa)	339

xv

non-suppurative, treatment (U. Pritchard) 38(	рабр 5-557 ), 427 430
suppurative, two cases with endo-cranial com-	
plications (M. Bonain)	-501
(diseases), natural sulphur vapours in treatment of (Lajaunie	) 503
foreign body in (F. Alt)	171
hæmorrhagic inflammation (Bar)	-502
mal-development in still-born infant (C. H. Fagge)	145
modification of Eustachian catheter for facilitating return	
of liquids accumulated in (C. J. Koenig)	585
opening all cavities of (G. Geronzi)	226
	148
pathological changes of labyrinth in (A.	
Politzer) radical operation (E. B. Dench).	-540
radical operation (E. B. Dench).	518
intra-cranial complications, two cases (Cheval)	488
suppurations, general sepsis, with central perforation of	
the drum (Bezold)	500
unilateral deafness from childhood, due to various middle-	900
ear causes and polypus (H. Macnaughton-Jones).	91
and a set for particle of atomory (E. Duridson)	
model ear for practice of otoscopy (F. Davidson)	116
normal and pathological anatomical specimens, preserved in	* 2 2
special way (P. Jaques and A. Durand) .	522
(operations on), prevention of stenosis of meatus after radical	
operations on ear (R. Botey)	569
practical applications of bacteriology to speciality of (Trétrôp).	517
(surgery of) cases of mistaken diagnosis (W. Schulze) .	496
——— in its relation to the vertebral column and base of skull	
(G. Laurens)	523
see also <i>Canals</i> (semi-circular).	
see also Canals (semi-circular). Post-aural operation.	
Meatus	
Fost-darde operation. Meatus. Tympanum. Vertigo, aural.	
Ears, subjective holses in ears treated by high-frequency currents (J. G.	000
Connal)	396
Eczema of ear, serious form of (M. Mignon).	576
Education of children with impaired hearing (M. Toeplitz)	227
Electricity : see <i>High-frequency currents</i> .	
ELSWORTH (R. C.), some points in the anatomy of the temporal bone . EMERSON (F. P.), local conditions in the respiratory tract modified by	173
general functional or organic disease (abstract) .	493
EMERY (W. d'Este) and CHEATLE (Arthur), specimen of actinomycosis	100
	679
of the tonsil	
(chronic) of left frontal, ethmoidal, and maxillary sinuses; radical	223
	251
of ethmoid cells and the frontal sinus in case of orbital cellulitis	
(L. Gruening)	337
of maxillary sinus accompanying frontal sinusitis (G. Mahu)	612
Empyemata, bilateral, of frontal, ethmoidal, sphenoidal, and maxillary	250
of left frontal, ethmoidal, and both maxillary sinuses, radical	-00
	249
operations on (H. Tilley)	440
Endo-cranial complications in two cases of middle-ear disease, with	501
suppurative complications (Bonain)	501
	114
Endothelioma of larynx: case and microscopic specimens (H. Lambert	010
Lack)	212

Epiglottis, infiltration of (A. L. Turner) infiltration with swelling of both arytenoids (P. R. W. de Santi) lupus of (H. Tilley)	раде 160 426 327
<ul> <li>malignant disease, subhyoid pharyngotomy for (H. Lambert Lack)</li> <li>pharyngomycosis, involving laryngeal surface of (J. Dundas</li> </ul>	154
Grant) ————————————————————————————————————	$\frac{158}{318}$
Epilepsy of probable aural origin (C. Poli) . Epistaxis : importance in diagnosis of nasal diphtheria (J. H. McKee) .	582 388
Epithelioma in cricoid plate region (W. H. Kelson) of cricoid plate and of esophagus, removed by operation (H. T.	163
Butlin) ————————————————————————————————————	$\frac{197}{365}$
<ul> <li>twice operated upon by thyrotomy and resection of crico- thyroid membrane (Sir F. Semon)</li> <li>of nasal septum, macroscopic section (H. Tod)</li> </ul>	$\frac{102}{109}$
of soft palate, specimen and microscopic slide of (S. Spicer) of pharynx, specimen and temperature chart from case treated	$\frac{103}{326}$
with Otto Schmidt's culture (J. Donelan) ————————————————————————————————————	$\begin{array}{c} 107 \\ 492 \end{array}$
Equilibrium : bulbar softening with disturbance of (H. Bourgeois)	$\begin{array}{c} 211 \\ 581 \end{array}$
Eruption on fauces (W. H. Kelson) Erysipelas : curative effect upon atrophic rhinitis (J. V. Levi) ————————————————————————————————————	$     188 \\     388 \\     201 $
Erythema of mouth and throat, exudative (T. K. Hamilton) EscAT: otic migraine	$391 \\ 617 \\ 535$
three cases of necrosis of the cochlea terminating by spontaneous elimination	<b>54</b> 0
Ethmoid, surgical anatomy of (E. Aubaret) Ethmoidal cells : see <i>Cells</i> (ethmoidal).	583
<ul> <li>disease (chronic), specimens of (with microscopic slides) (S.</li> <li>Spicer)</li> <li>region of nose : exostoses from, with nasal polypus (H. Lambert</li> </ul>	324
Lack) probably involved in case of sarcoma of post-nasal space	213
(H. F. Tod) Ethyl: see Chloride of ethyl.	205
EULENSTEIN, on hæmorrhage from erosion of brain sinuses in suppura- tion of temporal bones (abstract)	59
Eustachian catheter, modification of, allowing simultaneous use of air douche and bougie (C. J. Koenig) ————————————————————————————————————	585
mulated in middle ear (C. J. Koenig)	$\frac{585}{585}$
evacuation from, in case of acute suppurative otitis media (G. Didsbury)	576
in ant-eaters (E. Zuckerkandl) use of bougies for (C. J. Koenig)	$\begin{array}{c} 447 \\ 585 \end{array}$
	523 89
The matrix of the second secon	480
removed from meatal wall (A. H. Cheatle) Exostosis from ethmoidal region of nose with nasal polypus (H. Lambert	90
Lack) Extradural abscess : see Abscess (extra-dural).	213
Eye and ear, similarity and mutual relationship (Spira) Eye-strain: frontal sinusitis, cause of accommodation paresis (H. M. Fish)	281 223
	(ەترىك

Face, asymmetry of, cause of deformities of nasal septum (H. L. Swain) ————————————————————————————————————	раде 610 391 488 488
Facial nerve: see Nerve (facial).	400
Facial paralysis : see Paralysis (facial).	
FAGGE (C. H.), notes of a case of acute pneumococcal otitis media com-	
plicated by facial paralysis	144
specimen of mal-development of the external, middle, and internal	7 4 5
ears in a still-born infant ———— discussion on ætiology and treatment of labyrinthine suppuration	145
discussion on non-suppurative disease of the middle ear	$263 \\ 556$
FARACI (G.), a new pump for treatment of ear disease	585
Fauces : abstracts of literature on	
——— deformity of (W. H. Kelson)	160
	309
	188
	298
	$\frac{486}{205}$
Fibromata (sessile) at anterior extremity of left vocal cord; partial	200
	201
Fire-arms, injuries of maxillary sinus by (E. Aubaret)	584
FISCHENICH (Dr.), discussion on intra-nasal operations	21
FISCHER (E.), a case of naso-pharyngeal polypus (abstract)	222
a study of the condition of the upper air-passages before and	
after intubation of the larynx; also an inquiry into the method of feeding employed in the cases (abstract)	223
FISH (H. Manning), frontal sinusitis a cause of accommodation paresis	440
	223
Fistula, alveolo-nasal (Santalo)	610
(cervical) in case of ulceration of pharynx (J. Dundas Grant)	220
otorrhœa complicated with fistula in furrow behind angle of jaw	
(P. Jaques).	522
FLIESS, rhinological treatment of dysmenorrhœa, according to Lautman Forceps (intra-laryngeal) : removal of papilloma of larynx by J. Dundas	112
	416
——— tonsillotomy forceps (H. H. Curtis)	587
Forehead mirror handle, aseptic (E. B. Waggett)	311
Foreign body, extraction from bronchus (Rickard)	224
in external auditory meatus, hoarseness due to pressure of (G. H.	
Matthewson) in nasal fossa (Cossen)	60
	$\frac{686}{281}$
	$\frac{201}{584}$
removal of, from right bronchus, with aid of Killian's broncho-	001
scope (Bodmer)	280
from external meatus by means of hydrogen peroxide	
(H. Halasz)	497
	121
	424
subglottic foreign bodies in children (Boulay, Maurice, and	681
Gasne)	58
Fossa (nasal) : see Nose (fossa).	00
Fossæ (middle and posterior) trephined in case of otitic cerebellar abscess;	
recovery (P. Jakins).	171
FOUCHER, interstitial injections of paraffin for correcting certain deformities (abstract)	002
$\mathbf{E}_{0} = \langle C   \mathbf{E}_{0}   \mathbf{E}_{0} \rangle$	336
FRANCIS (Alexander), on the nature of the connection between asthma	374
	169

French physicians and surgeons, visit to London	<sup>page</sup> 408
<b>FRESE</b> , the relation between laryngeal and pulmonary tuberculosis (abstract)	280
FRIDENBERG (Percy), the necessity for supplementary measures after	337
FULLERTON (R.), case of a lad on whom the radical mastoid operation	001
	482
Galvano-cautery in form of puncture, in treatment of tuberculosis of	
larynx (L. Grünwald)	279
in removal of nodule on right vocal cord in male comic vocalist	
	416
——— in treatment of intra-laryngeal growths (J. Dundas Grant) . ——— used for extirpation of sessile fibromata at anterior extremity of	294
	201
	$\frac{201}{334}$
	568
GARDNER (Bellamy), discussion on suppuration of maxillary antrum	80
GANDAEN (Denandy), discussion on supplication of maximaly antitum - GANNE, BOULAY, and MAURICE, two cases of subglottic foreign bodies	00
in children (abstract)	58
Gauze tampon: substitution for Stacke's guard in opening all the	00
	226
	277
German Otological Society, proceedings of .	15
GERONZI: on the substitution of a gauze tampon for Stacke's guard in	
opening all the cavities of the middle ear (abstract)	226
GIBB (J. S.), sepsis and asepsis in intra-nasal surgery (abstract)	611
Glanders, questionable mild, case in man aged forty-nine (A. H. Burt)	210
Glands (cervical), enlargement on right side in case of sarcoma of post-	
nasal space (H. F. Tod)	205
	445
	490
Glycerine solution : see Carbolic glycerine solution.	
	504
Glycobenphene-Heil	
	225
	487
operative treatment of (G. A. Bingham)	-58
	446
	586
GOODALE (J. L.), a contribution to the study of the secreting mechanism	558
of the nose (abstract) GORIS (C.), notes on a series of forty-two cases of operations for goitre	990
	446
	487
	487
	587
Gout and sciatica, therapeutic use of pyrenol in (Burchard)	172
GRADENIGO (G.), the necessity of rendering the teaching of otology	
	516
	581
POLITZER (A.) and DELSAUX : the choice of a simple and practical	
acoumetric formula	525
GRANT (J. Dundas), discussion on after-treatment of intra-nasal operations	50
discussion on series of cases of complete mastoid operations	84
a case of pharyngo-mycosis involving the laryngeal surface of the	
epiglottis	158
a case of pharyngo-mycosis involving the pharyngeal tonsil in a	
girl aged seventeen	158
case of sessile fibromata at the anterior extremity of the left vocal	
cord partially removed by means of forceps and completely extir-	-
pated by the galvano-cautery	201

	PAGE
GRANT (J. Dundas), case of atrophy and collapse of alæ nasi treated by	LTAGE
	000
means of the subcutaneous injection of paraffin .	202
——— photographs of a case of flat and sunken nose treated by paraffin	
injections .	205
case of fixation of vocal cord with extreme pain in swallowing	
	010
(?) tuberculous perichondritis—in a female patient aged forty-five	219
case of chronic ædema of the larynx (formerly shown February 6,	
1903) in a middle-aged female patient, probably tertiary specific	
	220
infiltration, greatly improved under mercurial inunction .	
case of ulceration of the pharynx with cervical fistula and secon-	
dary codema of the right half of the larynx—? specific perichondritis	
of arytenoids	220
a case of ulcer of the tonsil, probably the primary lesion, in a	a
young woman, with well-marked cutaneous syphilide . 253,	254
a case of extreme laryngeal œdema in a male adult, probably	
secondary to tertiary specific lesion, treated by mercurial inunction	
	051
and local incision, nearly recovered	254
——— discussion on ætiology and treatment of labyrinthine suppuration	262
case of thrombo-phlebitis of the sigmoid sinus, operation without	
ligature of jugular vein	266
	274
an inspiratory nasal irrigator	283
	294
	me r
opening of discussion on latent or intermittent nasal obstruc-	a = 3
	370
ætiology, treatment, and prognosis of innocent growths of the	
larynx (abstract)	139
	TOL
résumé of practical deductions from our recent knowledge of	
suppuration of the labyrinth .	406
case of a nodule on the right vocal cord in a male comic vocalist	
with chronic laryngitis; nodule removed by means of galvano-	
antom and aparties, noted by aparticity interns of galvano-	110
	416
case of papilloma of the larynx in a man aged fifty-one, removed	
in great part by means of Dundas Grant's intra-laryngeal forceps .	416
case of paralysis of the right half of the palate, of the right vocal	
	117
cord, and the right half of the pharynx, in a girl aged twenty	417
the ætiology, treatment, and prognosis of innocent laryngeal	
	637
	683
and Nounand (W. Chichele) instruction of stals in 1000	
and NOURSE (W. Chichele), retrospect of otology, 1903	9
GRAY (Albert A.), exhibition and demonstration of macroscopic and	
microscopic preparations (of labyrinth and cochlea)	438
	482
specific and the second se	
	561
	488
three cases of cerebral abscess of otitic origin.	489
	497
Consthing the output of antipatitie region (I. Function )	
	678
(new) intra-laryngeal (P. Watson Williams) . 206,	207
occupying anterior commissure (J. Bark)	191
	$\overline{680}$
(the event of a good state (W. H. Herson)	
(tubercular, primary) of septum (H. Smurthwaite)	415
(tuberculoma?) on left cord in a man injected with tuberculin	
	155
Growths, innocent, of larynx (J. Dundas Grant)	
	435
etiology, prognosis, and treatment (J. Dundas Grant) .	637
	652
(intra-laryngeal) galvano-cautery in treatment of (J. Dundas	
	<b>00 4</b>
Grant)	294
(malignant) histological investigations respecting (W. Wingrave)	276
	683

XX

		PAGE
	GRUENING (L.), orbital cellulitis; empyema of the ethmoid cells and the frontal sinus; abscess of the frontal lobe; pneumococcæmia; death	
	(abstract) . GRÜNWALD (L.), the galvano-cautery in the form of puncture in treat-	337
	ment of tuberculosis of larynx (abstract)	$\begin{array}{c} 279 \\ 611 \end{array}$
	Gummata at site of injection of preparations of mercury (F. Juliusberg)	227
	Hæmatoma (bilateral) of septum nasi (P. R. W. de Santi) Hæmorrhage from erosion of brain sinuses in suppuration of temporal	332
	bones (Eulenstein) from jugular vein and late paralysis of facial nerve after opera-	59
	tion (A. Castex) Hæmorrhagic inflammation of external auditory canal and middle ear	572
	(Bar) HAJEK (Dr.), demonstration on chronic suppuration of sphenoidal sinus	$502 \\ 61$
	accessory cavities of the nose in relation to ozena (review) HALASZ (Heinrich), removal of a foreign body from the external meatus	64
	by means of hydrogen peroxide (abstract) HALL (F. de Havilland), skiagram of a case of paralysis of the left vocal	497
	cord in a man aged sixty-seven, shown by Mr. de Santi on May 6th. HAMILTON (T. K.), exudative erythema of the mouth and throat	$\begin{array}{c} 426 \\ 617 \end{array}$
	Hand masseur (new) for massage of ear (M. Yearsley) HARTMANN, the treatment of acute otitis media with a 10 per cent.	585
	carbolic glycerine solution (abstract) HARTOG (C.) and KRAUSE (K. A.), post-typhoid strumitis with the	340
	demonstration of typhoid bacilli in the pus (abstract) Hay fever, clinical symptoms of, treatment (Thost)	$\frac{58}{278}$
		284
	Joachim) . Head, involuntary movements of, showing an isolated affection of one	389
	of the semicircular canals (B. Okouneff) Hearing (acuteness), determination for whispered sounds and for those	283
	of tuning-fork (F. H. Quix)	$\begin{array}{c} 532 \\ 171 \end{array}$
	—— apparatus, deafness following nasal obstruction without other disease of (W. Mackenzie)	292
	automatic sounding-box for measuring auditory appreciation in deafness and other forms of ear disease (St. G. Reid)	276
	dulness of, treatment by high-frequency currents (J. G. Connal) effects of tobacco on audition (Escat)	$\frac{396}{535}$
`	impaired, education of children with (M. Toeplitz) objective test of audition; new mode for (R. Panse)	$\frac{227}{534}$
	re-education of the ear by means of acoustic exercises by tuning- forks (Natier)	488
	testing hearing with the higher tuning forks (R. Lake) . see also Acoustic function.	354
	Heart, massage of, for chloroform collapse (W. W. Keen) HEATH (C.), case of post-aural mastoid operation for opening mastoid	338
	for acute symptoms supervening on a chronic suppurative otitis media	83
	HEIMAN (Alfred), two cases of cholesteatoma of the middle ear cured by	83 006
	HEIMANN: the indications for opening the mastoid process in acute	226
	purulent otitis media Hemi-atrophy of face successfully treated by paraffin injections (Labarre) Henle (super metal entry of acceptone and unividiant in (M. Vasuelau)	$519 \\ 488 \\ 516$
	Henle (supra-meatal spine of) constancy and variations in (M. Yearsley) HENNEBERT: a case of paradental cyst	$516 \\ 486 \\ 488$
	lumbar puncture in a case of labyrinthitis	<b>400</b>

HENNEBERT : remarks on transillumination .	- 490
a case of epithelioma of the tongue .	492
HERN (W.), discussion on suppuration of maxillary antrum	- 80
Herpes of membrana tympani (R. Lake)	267
zoster, symptomatic, over anterior palatine nerve as complication	
of otitis media and abscess of temporo-sphenoidal lobe; operation;	
recovery (H. S. Turner)	-563
High-frequency currents, dulness of hearing treated by (J. G. Connal) .	396
$\frac{1}{1}$ subjective noises in ears treated by (J. G. Connal)	396
HILL (G. William), discussion on after-treatment of intra-nasal opera-	~ ,
tions .	_54
discussion on non-suppurative disease of the middle ear.	556
HINKEL (F. W.), a consideration of the value of topical applications to the upper air-tract (abstract).	502
HINSBERG: the treatment of stenosis of the larynx and trachea by	- 00 <u>-</u>
means of the Mikulicz glass cannula (abstract)	495
Hoarseness, due to pressure of foreign body in external auditory meatus	100
(G. H. Mathewson)	60
HOBDAY (Professor), some specimens of carcinoma in the throat of the	
dog and the cat (introduced by Mr. de Santi)	675
HOFFMANN (R.), osteoplastic operations upon the frontal sinus in cases	
of chronic suppuration	583
demonstration of preparations and drawings of cysts of the jaw	
with descriptions of their origin, clinical appearances, diagnosis, and	
treatment.	583
HOLZAPFEL: the sterilisation of small quantities of surgical dressings	
(abstract).	227
HOPKINS (F. E.), neuroses of the pharynx (abstract) . HORNE (W. Jobson), discussion on series of cases of complete mastoid	610
operations .	87
— microscopic section of intra-nasal growth, removed from patient	01
shown at last meeting	192
preparations illustrating surgical and morbid anatomy of laby-	
rinthine suppuration	271
pachydermia laryngis. A summary of a lantern demonstration	
giving the results of a research delivered before the British Larvngo-	
logical, Rhinological, and Otological Association, May 13, 1904 $\degree$ .	464
discussion on non-suppurative disease of the middle ear	557
Hydrarg. perchlor. : "Tabloid," hydrarg. perchlor. gr. $\frac{1}{32}$ et potassii	
iodidi gr. $2\frac{1}{2}$	284
Hydrogen peroxide, removal of foreign body from external meatus by	107
means of (H. Halasz) solution in otology, objections to (P. Bruder)	$\frac{497}{583}$
therapeutic use of (Nacht)	$501 \\ 501$
Hypertrophy of turbinals and amenorrhœa (Bayer)	486
Hypospadias (operations for), a suggestion in (F. D. Martin)	388
	000
Immobility of left vocal cord, complete (A. Thorne) .	215
Incrustation in trachea, with, at times, well-marked stenosis (E. Law)	$\overline{682}$
Infancy, mastoiditis in (Wm. C. Braislin)	559
Infant, still-born, mal-development of external, middle, and internal ears	
in (C. H. Fagge)	145
Infection (intra-cranial), acute, following operation for opening and dis-	10.5
infecting the frontal sinus in cases of frontal sinusitis (Luc)	490
(primary nasal diphtheritic) in children (Gerassimow) .	277
Infective conditions, rúle of the tonsils in (Trétrôp).	335
Infiltration and œdema of uvula, left half of soft palate, and left lateral wall of pharynx (A. L. Turner)	160
of left arytenoid region (F. Potter)	$\frac{160}{326}$
of epiglottis with swelling of both arytenoids (P. R. W. de Santi)	$\frac{326}{426}$
	1.mU
ulcer of tongue (F. Potter)	246

	PAGE
Infiltration, probable tertiary specific, in case of chronic ædema of larynx	FAGE
(J. Dundas Grant)	220
Inflammation (hæmorrhagic) of external auditory canal and middle ear	
	502
Influenza, acute laryngitis following (J. Dundas Grant)	274
	283
Instruments for opening and inspecting antrum of Highmore (A. Brown	
Kelly)	413
new	
presented at Annual Meeting of Belgian Society of Otology,	
Laryngology, and Rhinology .	485
	171
	557
Otological Congress (Seventh)	449
address by retiring President (Prof. U. Pritchard)	452
report of proceedings	569
Intra-aural treatment during two cases of cholesteatoma of middle ear	
(A. Heiman)	226
	488
	581
infection (acute) following operation for opening and disinfecting	001
	<b>4</b> 90
Intra-laryngeal growths, galvano-cautery in treatment of (J. Dundas	100
	294
Intra-nasal disease as a determining factor in production of laryngeal	20 T
and pulmonary affections (G. MacDonald)	136
——— operations (excluding naso-pharyngeal), after-treatment of	22
preparation and after-treatment (editorial)	1
preparation and arter-treatment (euronal)	T
lated by Dr. Westerman)	15
Intubation and antitoxin; advantages in methods of administration of	10
	280
	223
	223
· · · · · · · · · · · · · · · · · · ·	$\frac{223}{116}$
	278
	503
	$\frac{503}{283}$
Irrigator, inspiratory nasal (J. Dundas Grant)	200
Learne (Olemation) the deal annual	E07
	587
case of tonsillolith and exhibition of the specimen for Dr. John S.	589
	999
and DAY (Ewing W.), purulent otitis media complicating	505
	595
	494
JAKINS (Percy), notes on a case of otitic cerebellar abscess, trephining	1 - 1
	171
JAQUES (P.), otorrhœa complicated with fistula in the furrow behind the	* 2 2
	522
and DURAND (A.), presentation of normal and pathological	
anatomical specimens of the ear and air passages preserved in a	*
	522
Jaw, otorrhœa complicated with fistula in furrow behind angle in jaw	
	522
	583
	389
and LE BEUF, a case of typhoid fever and pneumonia, with ear	
complications as a sequela of being buried alive; recovery (abstract)	500
JONES (Ĥ. E.), discussion on series of cases of complete mastoid opera-	
	~
tions	85
tions temporal bone with abnormally small antrum. JÜRGENS, a fatal case of ozæna (abstract)	85 270 278

<b>IUTIUSPER</b> $(\mathbf{F})$ commute at the site of injection of monomations of	PAGE
JULIUSBERG (F.), gummata at the site of injection of preparations of mercury (abstract)	227
KAUFMANN, congenital serous cyst of the neck (abstract)	172
KEEN (W. W.), a case of total laryngectomy (unsuccessful) in which	
massage of the heart for chloroform collapse was employed (abstract) KELLY (A. Brown), cases of insufficiency of the palate, and its relation to	338
affections of the ear	$478 \\ 413$
KELSON (W. H.), a case of deafness with adventitious membrane of	710
meatus following chronic suppuration of middle ear	148
a case of deformity of the fauces in a woman aged thirty-eight . a case of epithelioma in the cricoid plate region in a woman aged	160
thirty	163
case of laryngitis in a girl aged twenty	182
case of eruption on fauces in a man	188
a case of nasal sinus in a girl	253
a case of paralysis of right vocal cord     a case of disease of fauces simulating syphilis	$\frac{272}{309}$
case of ulceration of epiglottis and vocal cord in a boy aged	000
twelve	318
case of parotid swelling in a boy aged fourteen	319
case of post-nasal casts	364
case of epithelioma of the larynx and esophagus	$\frac{365}{366}$
	412
parotid tumour removed from a case shown at a previous meeting	413
case of laryngeal growth in a boy aged six .	680
Kelvolin vapour, oral sepsis treated by (S. Low)	183
antrum (abstract)	112
KIDD (Percy), case of outgrowth from anterior end o left vocal cord	
(shown for Dr. Percy Kidd by F. C. Shrubsall)	201
Killian's bronchoscope, removal of foreign body from right bronchus	200
with aid of (Bodmer)	280
ture (E. B. Waggett)	674
KING (Gordon), some observations on the treatment of accessory sinus	
disease (abstract)	222
the treatment of hay fever by Dunbar's antitoxin (abstract)	
KNAPP (H.), report upon the technique of the operation and subsequent treatment of otogenous abscess of the brain	577
KNOSP, the operation for adenoid vegetations (abstract)	279
KOENIG (C. J.), contributions to the study of the use of bougies for the	
Eustachian tube; modification of the Eustachian catheter allowing	505
the simultaneous use of the air-douche and the bougie	$\frac{585}{585}$
modification of the Eustachian catheter for facilitating the return	000
of liquids accumulated in the middle ear	585
KORNER (Dr.), discussion on intra-nasal operations .	21
KOLLER (Carl), scarlatinal panotitis; exfoliation of a portion of the	105
labyrinth; radical operation (abstract). KRAUSE (K. A.) and HARTOG (C.), post-typhoid strumitis, with the	495
demonstration of typhoid bacilli in the pus (abstract)	58
KREBS (G.), intra-nasal operations, preparatory steps and after-treatment	
(translated by Dr. Westerman)	15
——— discussion on intra-nasal operations (reply) . KRONENEREC (E) discussion on intra pagal apartitions	$21 \\ 21$
KRONENBERG (E.), discussion on intra-nasal operations	$\frac{21}{224}$
LABARRE: extrinsic tumour of the larynx treated by the method of	10-
Mahu	487

xxiv

	AGE
LABARRE: a case of hemi-atrophy of the face successfully treated by	
paraffin injections	488
Labyrinth, crises of, with caries of external semicircular canal, in case of	
chronic otitis upon which radical mastoid operation had been per-	
	390
exfoliation of portion of, in case of scarlatinal panotitis (C.	
Koller)	495
exhibition and demonstration of macroscopic and microscopic	
	438
	$\tilde{5}61$
——— pathological changes of, in chronic suppuration of middle ear (A.	001
	540
	242
atiology and treatment (W. Milligan). 132, 1	147
diagnosis and treatment (Brieger, von Stein, and J.	
Dundas Grant)	538
———— practical deductions from recent knowledge of (J. Dundas	
	406
preparations and original drawings from ten cases	
	540
	$\tilde{536}$
testing hearing with the higher tuning forks in case of removal of	000
necrosed labyrinth together with membranous cochlea (R. Lake)	354
	517
Labyrinthitis, cinematographic pictures of patients affected with (E. J.	- 10
	540
	488
LACK (H. Lambert), case of subhyoid pharyngotomy for malignant	
	154
	211
	212
specimen of exostosis from the ethmoidal region of the nose,	
	213
	301
LANTER DURONE (I.A.) the calls of the middle control their groutest	001
LAFITE-DUPONT (J. A.), the cells of the middle ear: their greatest	r 49
	543
apparatus for the administration of chloride of ethyl as a general	*00
	586
LAJAUNIE: natural sulphur vapours in the treatment of chronic middle-	
	503
LAKE (R.), a case of corditis tuberosa in young woman not a singer or	
professional voice-user	256
	257
——— discussion on ætiology and treatment of labyrinthine suppura-	
	263
four cases with sketch drawing of membrana tympani; one case	-00
exhibited herpes, and three cases a condition nearly allied to, if not	0.67
	267
removal of the semicircular canals in a case of unilateral aural	
$vertigo \qquad . \qquad 311,$	477
a brief note on testing the hearing with the higher tuning forks;	
derived from tests made in a case of removal of the necrosed	
labyrinth, together with the membranous cochlea; shown in	
	354
suppurative disease of the temporal bone, with the principal ex-	001
	400
Larvnovala (inforior) bilatoral naralyzic of (T. Doral)	$\frac{448}{990}$
Laryngeals (inferior), bilateral paralysis of (L. Reval)	338
Laryngectomy (total) in which massage of heart for chloroform collapse	000
	338
series of cases (Cheval)	486
Laryngitis, case of (W. H. Kelson)	182

Laryngitis (acute) following influenza (J. Dundas Grant)	се 74
(chronic) accompanying case of nodule on right vocal cord in male comic vocalist, treated by scarification and rest of voice (J.	10
	$\frac{16}{99}$
(syphilitic) (H. Barwell)	89
$(\mathbf{H}, \mathbf{T} \mathrm{od})$	02
treatment of (S. E. Solly)	66
	06
Council for 1903–1904	$\frac{10}{74}$
Laryngology, retrospect of (J. Macintyre)	$2^{-1}$
——— section of Laryngology and Otology; seventy-second Annual Meeting, British Medical Association (1904)	97
two clinical experiences in (Jacques)	94
Laryngoscopy (direct) in removal of foreign body (D. R. Paterson) . 68 Laryngotomy and removal of one cord for benign tumour of larynx	81
$(\mathbf{F}, \mathbf{J}, \mathbf{Cotton})$ 61	14
——— technical details of (Castex)	94
(D. R. Paterson)	24
Larynx: abstracts of literature on . 279, 338, 339, 494, 613, 68	
	$\frac{90}{86}$
(benign tumour of), laryngotomy and removal of one cord for	
	$\frac{14}{94}$
cancer, treated by radium, microscopic specimen (Delsaux)	85
treatment, with results (Botella)	13
see also Larynx (malignant disease of). disease : case for diagnosis (Stephen Paget)	25
showing extensive ulcerative and hypertrophic changes,	
	$\frac{97}{88}$
(tuberculosis?) (V. Wyatt Wingrave)	00
noidal cells (J. Mackie)	39
intranasal disease as determining factor in production of (G. MacDonald) 386, 43	36
endothelioma: case and microscopic specimens (H. Lambert	1.5
	$\frac{12}{65}$
epithelioma of larynx and œsophagus (W. H. Kelson)	00
crico-thyroid membrane (Sir F. Semon)	02
	$\frac{21}{80}$
growth of, in boy aged six (W. H. Kelson)	50
Dundas Grant)	37
(A. Rosenberg)	52
(image of), Professor Meyer's apparatus for demonstrating the laryngeal image and intra-laryngeal manipulations (shown by Dr. E.	
Yonge)	07
	<b>46</b>
(intubation), condition of air-passages before and after intubation	20
	$\frac{23}{23}$
malignant disease of; treatment; present methods (D. B.	-0
Delevan) 61	15
manipulations, intra-laryngeal; Professor Meyer's apparatus for demonstrating (E. Yonge) 20	07

T	PAGE
Larynx (muscles of), compensatory action of certain of laryngeal muscles in cases of vocal disability (C. C. Rice).	614
neuroses of (E. Mayer)	614
new growth, intra-laryngeal (P. Watson Williams) 206,	207
	683
mew growths in, case of (J. Dundas Grant)	259
cedema and stenosis of, case for magnosis (11. J. Davis)	<b>_0</b> 0
	220
Dundas Grant)	$\frac{220}{220}$
(secondary) of right half (J. Dundas Grant)	-
– pachydermia laryngis, research on (W. Jobson Horne).	464
papilloma, removal by Dundas Grant's laryngeal forceps (J.	110
Dundas Grant)	416
– papillomata, recurring (F. Potter)	214
paroxysmal pain starting from (A. Thorne)	216
pharyngomycosis involving the laryngeal surface of epiglottis	
(J. Dundas Grant)	158
(spasm of) causing sudden death in case of tuberculosis of larynx	
of small extent (Massier)	491
(stenosis) of tuberculous origin treated by progressive dilatation	
(Massier)	491
treatment by the Mikulicz glass cannula (Kinsberg)	495
subglottic tubercular lesions of (A. de Blois) .	615
subgiotal tubercular resions of (12 do Dios) i	0.20
previously (P. R. W. de Santi)	193
tuberculosis of larynx and trachea, of rapid course in man aged	100
sinter seven (U. Spouthwaite)	248
sixty-seven (H. Smurthwaite) . relation between laryngeal and pulmonary tuberculosis	<b></b> TO
	280
(Frese)	
remote results of thyrotomy in (Goris)	487
treatment (E. Kronenberg)	224
by galvano-cautery in form of puncture (L.	250
Grünwald).	279
tumour of (A. Thorne)	217
(extrinsic) treated by method of Mahu (Labarre) . uncommon, removal of (Sir F, Semon)	487
uncommon, removal of (Sir F. Semon)	423
ulceration, in phthisical subject (H. W. Carson)	218
with arytenoid swelling (W. H. Kelson)	412
vertigo caused by disease of (P. R. W. de Santi)	168
LAURENS (G.), the surgery of the ear in its relations with the vertebral	
column and the base of the skull	523
LAUTMAN, rhinological treatment of dysmenorrhœa according to Fliess	
(abstract)	112
LAW (Edward), case of incrustation in the trachea, with, at times, well-	
marked stenosis	682
AWRENCE (L. A.), notes on a case of mastoid abscess five weeks after	
measles; operation; immediate recovery (abstract)	439
E BEUF and JOACHIM, a case of typhoid fever and pneumonia, with ear	100
a DEUF and JOACHIM, a case of byphold rever and pheumonia, with car	500
complications as a sequela of being buried alive; recovery (abstract)	
eeches in trachea (Tsakyroglous).	446
ELAND (G. A.), cicatricial stricture of pharyngeal orifice relieved by	010
plastic operation .	610
ENOIR, a case of symmetrical polyexostosis of the face	488
ERMOYEZ and BELLIN, contribution to the surgical cure of acute oto-	
genous meningitis	541
EVI (I. Valentine), the curative effect of erysipelas upon atrophic	
rhinitis (abstract)	388
igature of vessels not relieving pulsation in left ear (T. Barr and J. H.	
Nicoll)	480
Lip: primary "hard sore" on lip of woman (A. Wylie)	186
Liquids accumulated in middle ear, modification of Eustachian catheter	100
for facilitating return of (C. J. Koenig)	585
Lisbon: fifteenth International Congress of Medicine at (1906) 291,	5557
291, 291,	007

xxviii

LOMBARD (E.), thrombo-phlebitis of the cavernous sinus of otitic origin.	раде 489
contribution to the study of mastoiditis. "The antro-apical	100
cellular tract	-570
London, dates of general meetings in, 1904.	$\frac{15}{408}$
visit of French physicians and surgeons to LOVE (J. Kerr, M.D.), discussion on series of cases of complete mastoid	400
operations	-83
Low (Stuart), series of cases of oral sepsis treated by kelvolin vapour	183
case of nasal polypi in a boy aged seven years	185
Luc, concerning the mechanism of acute intra-cranial infection following the operation of opening and disinfecting the frontal sinus in cases	
of chronic frontal sinusitis	490
Lucae's probe with paraffin (C. J. Koenig)	585
Lumbar puncture in case of labyrinthitis (Hennebert)	$\frac{488}{114}$
LUMSDEN (J.), nasal dilators for continuous dilatation of the anterior	111
nares in cases of nasal obstruction	368
Lungs (diseases), intra-nasal disease as determining factor in production	100
	436
(tuberculosis) relation between laryngeal and pulmonary tuber- culosis (Frese)	280
Lupus of auricle, rapid cure by curetting and topical applications	
(Trétrôp)	490
(extensive) of nose (cured), palate. pharynx, and epiglottis (H.	327
Tilley) ——— (severe) of nose, rapid cure by curetting and topical applications	021
$(\operatorname{Trétrop})$	490
of inferior turbinates and cartilaginous septum (H. Tod)	151
McBRIDE (P.), thick-walled cyst removed from the left nostril of a	
patient (male) aged sixty-four.	415
short note on a case of cerebellar abscess and absence of the	
mastoid antrum	469
MACDONALD (Greville), intra-nasal disease as a determining factor in the production of laryngeal and pulmonary affections (abstract) 386,	436
MACEWEN (Sir W.), discussion on technique of operation and subsequent	
treatment of otogenous abscess of brain	580
case of temporo-sphenoidal abscess operated upon by him	479
seventeen years ago (T. Barr). Macewen's triangle, fallacies of, as a guide to the antrum (A. Cheatle)	271
MACINTYRE (John), retrospect of laryngology, 1903 .	2
MCKEE (James H.), the importance of epistaxis in the diagnosis of nasal	200
diphtheria (abstract)	388
MCKENDRICK (Professor John G., F.R.S.), recent physical researches on the nature of vowel tones in regard to their bearing on movements	
of the tympanic membrane. Lecture delivered to the Otological	
Society of the United Kingdom at Glasgow for John G. McKendrick,	
F.R.S., by Walter Colquboun .	341
MACKENZIE (Wallace), a case of deafness following on nasal obstruction without other disease of the hearing apparatus	292
McKERNON (James F.), case of chronic otitis media, complicated by	
chronic mastoiditis and jugular bulb thrombosis, with operation and	
death	600
MACKIE (John), disease of the posterior, ethmoidal, and sphenoidal cells as a cause of laryngeal and bronchial affections and of ozena	
(abstract) .	
	439
notes on nasal suppuration	$     439 \\     505   $
MACNAUGHTON-JONES (H.), case of unilateral deafness from childhood,	505
MACNAUGHTON-JONES (Ĥ.), case of unilateral deafness from childhood, due to various middle ear causes and polypus	505 91
MACNAUGHTON-JONES (H.), case of unilateral deafness from childhood,	505

MAHU: frontal sinusitis with empyema of the maxillary sinus in a woman	PAGE
aged seventy-seven (abstract).	611
and CHAVASSE: lumbar puncture in endocranial complications of otitis (abstract)	114
MAKUEN (G. Hudson), what the laryngologist may do for the cor-	
rection of some of the more common forms of defects of speech . ——— neuroses of the nose (abstract)	$\begin{array}{c} 606 \\ 611 \end{array}$
Malignant disease : neoplasm, probably malignant, of œsophagus, causing	011
paralysis of both vocal cords (A. Wylie)	187
of accessory sinuses (Vernieuwe)	389
Lambert Lack)	154
	$\tilde{615}$
——— of nose (A. Thorne)	164
——— of throat; adrenalin in treatment of (Raoult)	387
Malignant growths, histological investigations respecting (W. Wingrave)	276
tumour of nasal fossæ (Capart, junior)	486
MANCIOLI (T.), goitre at Monte Celio, Rome (abstract)	225
MARSH (F.), discussion on non-suppurative disease of the middle ear	555
MARTIN (F. Denegre), a suggestion in operations for hypospadias and a	
method to prevent the closure of the nares in rhinoplasty (abstract)	388
Massage of ear, new hand masseur for (M. Yearsley) .	585
of heart for chloroform collapse (W. W. Keen)	338
MASSIER, laryngeal stenosis of tuberculous origin, treated by progressive	101
dilatation	491
sudden death from laryngeal spasm in a case of tuberculosis of	401
small extent	491
case of otitic pyzemia without thrombo-phlebitis of the lateral	550
sinus; multiple metastatic abscesses; recovery . ————————————————————————————————————	572
puerperal infection; recovery without operation.	582
Mastoid abscess five weeks after measles; operation; immediate recovery	001
(L. A. Lawrence)	439
antrum, limits of variation in the depth of (P. D. Kerrison)	$112^{+0.7}$
gouge (W. S. Bryant)	587
operation, complete ; series of cases (C. Heath)	83
post-aural, for acute symptoms supervening on chronic	05
suppurative otitis media (C. Heath)	83
(radical) case in which no antrum was found (W. S. Syme)	481
case operated on fifteen months previously (R.	
Fullerton) .	482
for chronic otitis; various complications follow-	
ing; recovery (J. Rozier)	390
latent abscess of cerebellum after (Trétrôp) . recent case showing result of early discontinuance	483
recent case showing result of early discontinuance	
of packing (W. S. Syme)	481
process, development (Professor J. Cleland, F.R.S.)	393
development of (Professor J. Cleland, F.R.S.) .	469
indications for opening in acute purulent otitis media	<b>F</b> 10
(Heimann)	519
	90
Brindel) operations upon, five hundred cases (E. J. Moure and	500
osteo-sclerosis of, differential diagnosis and treatment	582
(O. J. Stein)	60
Mastoidectomy, new method of skin-grafting cavity after (D. Drew)	687
Mastoiditis (J. A. White)	670
(Bezold's) case of; operation; recovery (E. V. Segura).	497
erysipelas of face; operation; intravenous injections of	xe/ (
collargol; recovery (L. Vacher)	391
	600
contributions to study of (E. Lombard)	570

#### xxix

Mastailitia (dauble) with conclused amountains in counce of mamound infor	PAGE
Mastoiditis (double), with cerebral symptoms in course of puerperal infec- tion; recovery without operation (H. Massier)	582
——— in cases of atresia of external auditory meatus (G. Mahu)	573
in infancy and childhood (Wm. C. Braislin)	559
MATHEWSON (G. H.), extreme hoarseness due to pressure of a foreign	000
body in external auditory meatus (abstract)	60
MAURICE, BOULAY, and GASNE, two cases of subglottic foreign bodies	<b>C</b> 11
in children (abstract)	58
Maxilla, cyst of (Bayer)	-486
(left, superior), dental cyst of (Bayer)	486
Maxillary route: multiple chronic sinusitis operated on by (T. P.	
Berens) .	-660
MAYER (Emil), neurosis of the larynx (abstract)	-614
Measles, followed by mastoid abscess; operation; immediate recovery	
(L. A. Lawrence)	439
Meatal wall, exostosis removed from (A. H. Cheatle)	-90
Meatus, atresia, traumatic, successfully treated by operation (M. Yearsley)	361
deafness, with adventitious membrane of meatus following chronic	
suppuration of middle ear (W. H. Kelson)	148
(external auditory), atresia : mastoiditis in cases of (G. Mahu)	573
foreign body in, causing extreme hoarseness	ao
(G. H. Mathewson)	- 60
(external) foreign body removed from by means of hydrogen	576
peroxide (H. Halasz)	497
involved in case of rodent ulcer (H. Tod)	- 4077
(right external) tumour removed by operation (H. Tod)	148
	110
Botey)	569
Medicine (Faculties of), necessity of official teaching of otology in (A.	
Politzer)	-516
Fifteenth International Congress of, at Lisbon (1906) . 291	, 557
MELZI (Urbano), primary tuberculous ulceration of the inferior turbinate	
(abstract)	558
MÉNIÈRE (E.), a living animal in the ear (abstract)	559
Ménière's disease : a clinical and experimental inquiry (W. Milligan)	440
Ménière's symptoms in chronic catarrhal otitis cured by curetting the	~ ~
post-nasal space (Bertemès)	-502
Meningitis, otogenous acute, surgical cure of (Lermoyez and Bellin)	541
Menthol-ether: see <i>Chlor-methyl</i> menthol ether.	
MERCIER-BELLEVUE, a case of extradural abscess following acute otitis	115
media (abstract) . Mercurial inunction, greatly improving case of chronic œdema of larynx.	110
probably tertiary specific infiltration (J. Dundas Grant)	220
treatment of extreme laryngeal ædema by (J. Dundas	
Grant)	254
Mercury: gummata at site of injection of preparations of (F. Juliusberg)	227
Metric acoumetry, attempt at (Trétrôp)	-534
MEYER (Professor), his apparatus for demonstrating the laryngeal	
image and intra-laryngeal manipulations (shown by Dr. E. Yonge).	207
Microscopic specimens and photographs at Annual Meeting of Belgian	
Society of Otology, Laryngology and Rhinology.	485
MIGNON : catarrh of the frontal sinus, with obstruction of frontal canal	·
(abstract) .	170
spontaneous othæmatoma in a child (abstract)	-501
serious form of eczema of the ear	-576 
Migraine, otic (Escat)	535
(Kinsberg).	495
MILLIGAN (W.), retrospect of rhinology, 1903	-495 6
——————————————————————————————————————	- 84
	, 147

The second	PAGE
MILLIGAN (W.), reply to discussion on ætiology and treatment of labyrinthine suppuration	265
a short note upon a preliminary step in operative treatment of	200
cerebellar abscess	297
some practical points in the treatment, operative and non-opera-	
tive, of frontal sinus suppuration with an analysis of the ultimate	
results obtained in forty cases (abstract)	439
Ménière's disease, a clinical and experimental inquiry .	$\frac{440}{556}$
——— discussion on non-suppurative disease of the middle ear MIOT (Camille) : obituary notice	287
Mirror handle, aseptic forehead (E. B. Waggett)	311
MOLINIÉ (J.), obliteration of the pharyngeal orifice and of the mouth of	
the Eustachian tubes	523
Monkey: resection of recurrent nerve and of cervical sympathetic trunk	101
in (Broeckaert)	$\frac{491}{225}$
Monte Celio, Rome, goitre at (T. Mancioli)	220
MORSE (J. Lovett), tonsillitis as a cause of acute nephritis (abstract)	388
MOURE (E. J.), remarks on thyrotomy (abstract)	494
cinematographic pictures of patients affected with labyrinthitis .	540
and BRINDEL: five hundred cases of operations upon the mastoid	
process	$\frac{582}{216}$
Moure's operation, deflection of septum rectified by (L. H. Pegler) . MOURET (J.), new researches upon the petrous cells	$\frac{316}{521}$
upon a direct channel of communication between the mastoid	0-1
antrum and the posterior surface of the petrous bone	542
thrombo-phlebitis of the right lateral sinus, following an attack	
of acute otitis media of six days' duration, in a child aged nine	
years; operation on the sinus, ligature of the jugular vein, drainage	~ 1
of the sinus and of the upper end of the jugular vein; recovery . Mouth : erythema (exudative) of mouth and throat (T. K. Hamilton) .	$-571 \\ -617$
Muco-perichondrium, remaining unstiffened, in case of crumpled septum,	011
hard structures having been freely excised nearly four years ago	
(L. H. Pegler)	166
Mucous membrane of the septum nasi, drawings of localised psoro-	
spermosis of (Major O'Kinealy)	93
MÜLLER (J.), some remarks upon oto-sclerosis, with an autopsy Muscles of larynx : compensatory action of certain of laryngeal muscles	517
in cases of vocal disability (C. C. Rice).	614
Musical notation in tinnitus, plea for more accuracy in (J. A. Spalding).	113
NACITE, the theorementic use of hydrogen menoride (shetre et)	501
NACHT: the therapeutic use of hydrogen peroxide (abstract) Nares: see Nostrils.	501
Naso-pharvnx: abstracts of literature on	492
fibro-chondro-sarcoma of, extending into nose (L. Béco)	486
—— polypus of (E. Fischer)	222
NATIER: deafness: its diagnosis and treatment. Re-education of the	400
ear by means of acoustic exercises by tuning-forks	$\frac{488}{555}$
Nebulizer: treatment of certain forms of non-suppurative catarrrh of	000
middle ear by Eustachian catheter with compressed air and nebu-	
lizer (A. Bronner)	437
Neck, congenital serous cyst of (Kaufmann)	172
(fistula of), cervical fistula in case of ulceration of pharynx (J.	220
Dundas Grant) Necrosis of cochlea terminating by spontaneous elimination (Escat)	$-220 \\ -540$
	040
Whitehead)	179
(syphilitic) of sphenoid (H. B. Robinson)	164
Neoplasm of œsophagus. probably malignant, causing paralysis of both	
vocal cords (Ā. Ŵylie)	187

xxxi

xxxii

	PAGE
Neoplasms (benign) of septum nasi, with particular reference to bleeding	
polypus (L. H. Pegler)	440
Nephritis (acute), tonsillitis cause of (J. L. Morse)	388
Nerve (auditory), division of, in treatment of tinnitus and vertigo (R. H.	
	475
Parry) 402. (facial), paralysis nine days after operation (A. Castex)	572
(lacial), paralysis line days after operation (A. Caster)	563
(palatine anterior), symptomatic herpes zoster over (H. S. Turner)	
(recurrent), resection of in monkey and rabbit (Broeckaert)	491
Nerves (anastomosis of), technique of anastomosis of facial with spinal	
accessory or hypoglossal nerve in cases of facial paralysis (F. Villar)	522
(auditory), paralyses (concomitant) of facial and auditory nerves	
(Trétrôp)	488
(facial): paralysis (concomitant) of facial and auditory nerves	
	488
(Trétrôp)	100
Nerve-trunk (cervical sympathetic), resection in monkey and rabbit	101
(Broeckaert)	491
<b>NEUMANN</b> : syphilis of the trachea and bronchi (abstract)	170
Neuroses of larynx (E. Mayer)	614
of nose (G. H. Makuen) .	611
—— of pharynx (F. E. Hopkins)	610
	503
New preparations NEWCOMB (J. E.), discussion on non-suppurative disease of the middle	0.00
	558
ear · · · · ·	556
—— bone and cartilage in tonsil	609
NICOLL (J. H.): the indications for operative procedures in connection	
with the lateral sinus and internal jugular vein, with illustrative	
cases	478
(a) case of a man aged thirty-four, who was operated upon for	
cerebellar abscess by Dr. Nicoll six years ago; (b) case of a man	
derebenar abscess by Di. Ricch as years ago, (b) case of a man	
aged twenty-eight suffering from a sense of pulsation in the left ear.	
in which a pulsating bruit was heard through the auscultation tube	100
and was unrelieved by ligature of vessels	480
Nodule on right vocal cord in male comic vocalist with chronic laryngitis	
(J. Dundas Grant)	416
Noises in ears (subjective) treated by high-frequency currents (J. G.	
Connal)	396
NOQUET : tumour of the lower part of the septum nasi	490
Nose, abstracts of literature on . 112, 169, 222, 277, 336, 388, 445, 492.	
	686
accessory sinuses, abstracts of literature on, 169, 222, 336, 389, 558,	030
accessory cavities in relation to ozæna (Hajek).	_64
cheesy empyenia of (A. Stieda)	223
disease of (G. King)	222
malignant disease of (Vernieuwe)	389
models from nature (G. Mahu)	583
pathology of "bone cysts" in (A. L. Turner) .	589
posterior, disease of, inducing disturbances of vision and	
posterior, disease of, inducing disturbances of vision and	500
development of blindness of nasal origin (A. Onodi)	622
(ala), atrophy and collapse of alæ nasi, treated by subcutaneous	622
(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).	622 $202$
(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).	622
(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant). ————————————————————————————————————	622 $202$
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> </ul>	$622 \\ 202 \\ 169$
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of</li> </ul>	$622 \\ 202 \\ 169 \\ 418$
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher).</li> </ul>	622 202 169 418 336
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher).</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> </ul>	$622 \\ 202 \\ 169 \\ 418$
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher)</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treat-</li> </ul>	622 202 169 418 336 278
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher)</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treatment (Roy Dunbar)</li> </ul>	622 202 169 418 336
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher)</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treat-</li> </ul>	622 202 169 418 336 278 493
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher).</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treatment (Roy Dunbar).</li> <li>(ethmoidal region), exostosis from, with nasal polypus (H. Lambert Lack)</li> </ul>	<ul> <li>622</li> <li>202</li> <li>169</li> <li>418</li> <li>336</li> <li>278</li> <li>493</li> <li>213</li> </ul>
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher).</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treatment (Roy Dunbar).</li> <li>(ethmoidal region), exostosis from, with nasal polypus (H. Lambert Lack)</li> </ul>	622 202 169 418 336 278 493
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher).</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treatment (Roy Dunbar).</li> <li>(ethmoidal region), exostosis from, with nasal polypus (H. Lambert Lack)</li> <li>fibro-chondro-sarcoma of naso-pharynx extending into (L. Béco)</li> </ul>	<ul> <li>622</li> <li>202</li> <li>169</li> <li>418</li> <li>336</li> <li>278</li> <li>493</li> <li>213</li> <li>486</li> </ul>
<ul> <li>(ala), atrophy and collapse of alæ nasi, treated by subcutaneous injection of paraffin (J. Dundas Grant).</li> <li>and asthma, nature of connection between (A. Francis).</li> <li>carcinoma of, papilliferous columnar-celled (Sir F. Semon)</li> <li>(deformities), interstitial injections of paraffin for correction of (Foucher).</li> <li>(diseases), iritis and nasal disease (C. Ziem)</li> <li>plea for more thorough examination and rational treatment (Roy Dunbar).</li> <li>(ethmoidal region), exostosis from, with nasal polypus (H. Lambert Lack)</li> </ul>	<ul> <li>622</li> <li>202</li> <li>169</li> <li>418</li> <li>336</li> <li>278</li> <li>493</li> <li>213</li> </ul>

lose, fossa, malignant tumour of (Capart, junior) .	. 486
inflammation : see Rhinitis.	
—— injections, endo-nasal. of paraffin in treatment of ozæna (H	ĺ.
de Stella)	. 494
inspiratory nasal irrigator (Dundas Grant) .	. 283
lupus of, cured (H. Tilley) .	. 327
malignant disease of (A. Thorne)	. 164
neuroses of (G. H. Makuen)	. 611
obstruction. complete, on right side, due to chronic dental abscess	
forming external fluctuating swelling, below right nasal bone; tw	
years' duration, case shown (H. Tilley) .	. 106
deafness following (W. Mackenzie)	. 292
intermittent (M. Collier)	. 182
cases illustrating (M. Collier) .	.182
	22, 192
nasal dilators for continuous dilatation of anterior nare	
in cases of nasal obstruction (J. Lumsden)	. 368
- papilloma, intra-nasal, microscopic section (W. Jobson Horne)	. 192
(permeability), examination of (Glatzel)	, 445
polypus, attached to exostosis from ethmoidal region (H. Lamber	T of
Lack)	. 213
case of nasal polypi (S. Low)	. 185
early, bone and soft tissues from, microscopic specimer	18 000
(E. Yonge)	. 208 .43, 453
<ul> <li>practical applications of bacteriology to speciality of (Trétrôp)</li> <li>reflexes of (Réthi)</li> </ul>	. 49:
- rhinological treatment of dysmenorrhœa according to Flies	
(Lautman).	. 11:
secreting mechanism of (J. L. Goodale)	$\frac{1}{558}$
(septum) apparently absorbed by mucous polypus (H. Smurth	
waite)	. 41
benign neoplasms of, with particular reference to bleedin	
polypus (L. H. Pegler)	. 440
(cartilaginous) lupus of (H. Tod) .	. 151
(crumpled), hard structures freely excised nearly for	ır
years previously; intact muco-perichondrium remaining unstiffene	
(L. H. Pegler)	. 160
see also under "Nose, septum, polypus (bleeding)" below	v.
(deflection) case of complete submucous resection of	of
(StC. Thomson)	. 31:
complete submucous resection of large deviation	
of septum (StC. Thomson)	. 41]
complete submucous resection of spur and devia	
tion of septum (StC. Thomson)	. 409
rectified by Moure's operation (L. H. Pegler)	. 316
deformities, due to facial asymmetry (H. L. Swain)	. 610
deviation of (A. Coolidge)	. 493
	. 303
	i-
tion and paraffin injection (J. Donelan)	. 219
hæmatoma, bilateral (P. R. W. de Santi)	. 332
(H. Tod) macroscopic specimen of epithelioma of nasal septu	n 100
	. 109
resection of (L. E. White)	. 193
sporospermosis (localised) of mucous membrane of the	. 336
septum pasi draminga (Major O'E'incolar)	16 16
septum nasi, drawings (Major O'Kinealy)	. 98
	. 413
sequestrum from (H. F. Powell)	. 490
supportion from (I. Machie)	. 25'
	. 50
suppuration from (J. Mackie)	•

xxxiv

Nose (surgery), sepsis and asepsis in intra-nasal surgery (J. S. Gibb) . ————————————————————————————————————	раде 611
——————————————————————————————————————	
Nostril (left), thick-walled cyst removed from (P. McBride)	415
Nostrils (anterior), nasal dilators for continuous dilatation of anterior	
nares in cases of nasal obstruction (J. Lumsden) ————————————————————————————————————	368
plasty (F. D. Martin)	388
Notation, acoumetric (P. Bonnier)	534
NOURSE (W. Chichele) and GRANT (J. Dundas). retrospect of otology, 1903	9
Nuclear origin (probable), of case of bilateral abductor paralysis (H.	
Barwell) Nuvoli (G.), the acoustic function of the semicircular canals (abstract)	$\frac{272}{226}$
Obituary notices : Miot (Camille) .	287
Smyly (Sir Philip Crampton)	$\frac{285}{500}$
Occupation, accidents of, in relation to ear (A. Castex) Odontological Society of Great Britain, Meeting	$520 \\ 66$
Edema and infiltration of uvula, left half of soft palate, and left lateral	
wall of larynx (A. L. Turner) . ————————————————————————————————————	$\frac{160}{259}$
of larynx, chronic : improvement under mercurial inunction (J.	
Dundas Grant) ——— probably secondary to tertiary specific lesion (J. Dundas	220
Grant)	254
secondary œdema of right half of larynx (J. Dundas	
Grant) Œsophagus, abstracts of literature on	$\frac{220}{281}$
artificial denture removed from gullet of lady (R. H. Woods)	275
— diverticulum of (Capart. jun.) epithelioma of cricoid plate and œsophagus removed by operation	487
$(H. T. Butlin) \qquad . \qquad $	197
forming the drain (L. M. Silmer)	365
foreign body in (L. M. Silver) ——— neoplasm, probably malignant, causing paralysis of both vocal	281
$\operatorname{cords}(\mathbf{A}, \mathbf{W}\mathbf{v}_{\mathbf{h}})$	187
(E. B. Waggett)	674
O'KINEALY (Major, I.M.S.), drawings of localised psorospermosis of the	014
mucous membrane of the septum nasi	93
drawings of a large piece of bone removed from larynx of a boy . report of case of unilateral fibrinous rhinitis	$\frac{94}{95}$
——— case of membranous tonsillitis in a child suffering from plague .	96
OKOUNEFF (Basile): involuntary movements of the head, showing an isolated affection of one of the semicircular canals in man (abstract)	283
ONODI (A.), the disturbances of vision and development of blindness of	
nasal origin induced by disease of the posterior accessory sinuses . Operations : preparation of patients for (T. Bobone) .	$\frac{622}{570}$
Opium : calomel and opium "tabloid "	$570 \\ 503$
Oral sepsis, kelvolin vapour in treatment of (S. Low).	183
Orbital complications of frontal and ethnoidal sinusitis (T. Axenfeld) . Osteo-myelitis (chronic) with old ulceration of palate (M. Collier)	$\frac{686}{275}$
Osteoplastic operations upon frontal sinus in cases of chronic suppuration	-19
(R. Hoffman) Osteo-sclerosis, of mastoid process, differential diagnosis and treatment	583
of (O. J. Stein)	60
Othematoma, spontaneous, in a child (Mignon)	501
Otitis, catarrhal chronic, curetting the post-nasal space in case with Ménière's symptoms (Bertemès)	502
,	004

chronic: radical mastoid operation ( <i>évidement</i> ); various com cations; recovery (J. Rozier).	pli-
lumbar puncture in endocranial complications of (Chavasse	and
Mahu)	
	vue)
(acute), followed by thrombo-phlebitis of right lat	
sinus (J. Mouret)	
prophylaxis (Veis)	
treatment with a 10 per cent. carbolic glyce	rine
solution (Hartmann).	
bulb thrombosis, with operation and death (J. F. McKernon)	ular
chronic suppurative; post-aural mastoid operation	for
acute symptoms supervening on (C. Heath)	
dry, dilatation of Eustachian tube in treatment of (Ro	ure)
(pneumococcal acute), complicated by facial paral	ysis
(C. H. Fagge)	
purulent, acute, indications for opening mastoid pro	cess
$\frac{10}{10}$ (Hermann)	ı c'
Jackson)	. U.
sub-acute: rare anomaly in anatomical direc	tion
of lateral sinus with absence of mastoid antrum in case of (C. Lucc	
thrombo-phlebitis of cavernous sinus consecu	tive
to (Delsaux)	· ·
	hian
tube (G. Didsbury)	•
complicating (H. S. Turner)	erve,
otitic cerebellar abscess; trephining middle and posterior for	see :
recovery (P. Jakins).	
particular syndrome of otitic intra-cranial complications	(G.
Gradenigo)	
	$\mathbf{ones}$
(P. Cauzard) 	·
	•
Deological Congress (Seventh International), Bordeaux 229, 449, 452	2. 516
Delogical Society (German), proceedings of	, 010
Otological Society of the United Kingdom; election of officers	and
members of Council for 1903–1904	•
meeting of, at Glasgow (editorial)	•
meeting of, at Glasgow (editorial)     presidential address (T. Barr).     proceedings     81, 144	
proceedings	r, 400
Delogist : diagnosis of syphilis by the otologist (J. Rozier)	•
Delogy: objections to hydrogen peroxide solution in (P. Bruder)	
retrospect of, 1903 (J. Dundas Grant and W. Chichele Nours	se).
Section of Larvngology and Otology. British Medical Associa	tion
Annual Meeting (1904), proceedings	379
(teaching of) necessity in faculties of medicine (A. Politzer)	(C.
Gradonice) necessity of rendering it obligatory in universities	(G.
Gradenigo) )tomycosis (associated) of external auditory meatus (L. Bar)	·
Otorrhœa (chronic), operation by radical method (Delsaux)	·
complicated with fistula in furrow behind the angle of the	iaw.
$(\mathbf{P}, \mathbf{Jaques})$	J
to-sclerosis, case, with autopsy (J. Müller)	
	-
Dioscopy, model ear for practice of (F. Davidson) Dutgrowth from anterior end of left vocal cord (F. C. Shrubsall for P	•

xxxvi

Ozæna, collargol in treatment of (Roques) .	раде 169
endo-nasal injections in treatment of (H. de Stella)	494
fatal case of (Jürgens)	278
in relation to accessory cavities of the nose (Hajek)	64
Pachydermia, case of (chronic laryngitis) (P. R. W. de Santi) .	299
laryngis, research on (W. Jobson Horne)	464
Packing: results of early discontinuance in recent case of radical mastoid operation (W. S. Syme)	481
PAGET (Stephen), case of laryngeal disease for diagnosis	425
Pain, extreme, in swallowing, in case of fixation of vocal cord (J. Dundas	
Grant)	$\frac{219}{216}$
——— (paroxysmal), starting from larynx (A. Thorne) Palate, insufficiency of ; relationship to affections of the ear (A. Brown	210
Kelly)	478
lupus of (H. Tilley)	327
paralysis of right half of palate, of right vocal cord, and right	117
half of pharynx (J. Dundas Grant)	$\frac{417}{255}$
adhesions (extensive) to posterior pharyngeal wall;	200
permanence of successful operation (H. Tilley)	308
epithelioma of, specimen and microscopic slide (S. Spicer)	326
——— —— lesion of, for diagnosis (P. R. W. de Santi)	$\frac{677}{310}$
———— edema and infiltration of left half of (A. L. Turner)	160
paralysis of, with defective speech (diphtheritic in	
origin ?) (G. C. Cathcart)	157
paresis of (partial) (H. J. Davis)         .	$\frac{329}{330}$
——— specimen (J. Donelan)	416
ulceration of (old), in chronic osteo-myelitis (M. Collier)	275
Panotitis, scarlatinal, exfoliation of portion of labyrinth, radical opera-	105
tion (C. Koller)	$\begin{array}{c} 495 \\ 21 \end{array}$
a new mode of graduating the intensity of sounds, and for the	
objective test of audition	534
preparations and original drawings from ten cases of suppuration	F 40
of the labyrinth	$\frac{540}{192}$
	104
(J. Dundas Grant)	416
Papillomata of larynx, recurring (E. Furniss Potter).	214
Paraffin (injections of), endo-nasal, in treatment of ozæna (H. de Stella)	$\frac{494}{488}$
hemiatrophy of face successfully treated by (Labarre) . in treatment of flat and sunken nose (J. Dundas Grant)	$\tilde{205}$
in treatment of fracture of septum and depressed nose	
(J. Donelan)	$\frac{219}{336}$
interstitial, for correcting certain deformities (Foucher). subcutaneous, in treatment of atrophy and collapse of	<b>3</b> 30
alæ nasi (J. Dundas Grant) .	202
while cold, with new form of syringe (J. Broeckaert)	517
——— Lucae's probe with (C. J. Koenig) . Paralysis (abductor bilateral), probably of nuclear origin (H. Barwell).	$\frac{585}{272}$
(double) of traumatic origin (H. L. Lack)	301
(bilateral) of inferior laryngeals due to aortic aneurysm (L. Revol)	338
(facial) complicating acute pneumococcal otitis media (C. H. Fagge)	144
——— following curettage of subpyramidal cavity after radical mastoid operation for chronic otitis (J. Rozier)	300
of otic origin (V. Delsaux)	$\frac{390}{113}$
technique of anastomosis of facial with spinal accessory	
or hypoglossal nerve, in cases of facial paralysis (F. Villars)	522

Paralysis of left abductor (H. B. Robinson).	·
	•
of facial nerve nine days after operation (A. Castex) . of palate (right half), of right vocal cord, and right half of pharym	v
(J. Dundas Grant)	л
of soft palate and defective speech (diphtheritic in origin f	2
(G. C. Cathcart)	)
of left vocal cord (H. J. Davis)	•
$(\mathbf{P} \mathbf{R} \mathbf{W} \mathbf{de} \mathbf{Santi})$	•
(P. R. W. de Santi) .       .          (complete) (StClair Thomson)       .          skiagram of case (F. de Havilland Hall)	·
skiagram of case (F. de Havilland Hall)	·
of right vocal cord (W. H. Kelson) .	•
of both vocal cords, due to neoplasm of œsophagus (A. Wylie)	•
Paresis (accommodation), frontal sinusitis cause of accommodation paresi	s
(H. M. Fish)	~
of soft palate (partial) with paralysis of left cord (H. J. Davis)	÷
Parietal bone, spontaneous opening through, in case of extra-dura	
abscess, at a distance from its otitic origin (Chavasse)	
Parotid gland, swelling of, case of (W. H. Kelson)	
tumour of, removal (W. H. Kelson)	
Paroxysmal pain, starting from larynx (A. Thorne)	
PARRY (R. H.), a case of tinnitus and vertigo treated by division of th	e
	02,
PATERSON (D. R.), removal of a foreign body from the trachea by direc	
laryngo-tracheoscopy	
foreign body removed by direct laryngoscopy from a child age	d
twelve months	
Pathological Committee of the Otological Society of the United King	-
dom; report	
PAYNE (Mr.), discussion on suppuration of maxillary antrum .	
PEGLER (L. Hemington), discussion on after-treatment of intra-nasa	1
operations	
discussion on series of cases of complete mastoid operations	
a case of crumpled septum in which, the hard structures having	2
been freely excised nearly four years ago, the intact muco-perichon	
drium remained unstiffened	
group of cases of deflection of the septum rectified by Moure's	$\mathbf{s}$
operation	. :
discussion on latent or intermittent nasal obstruction .	
on the benign neoplasms of the septum nasi with particular	r .
reference to bleeding polypus .	
discussion on non-suppurative disease of the middle ear	
Pemphigus of mucous membrane of throat: case for diagnosis (E	
Cresswell Baber)	
sequel to case (E. Cresswell Baber) .	
Perforation (linear) of left vocal cord (H. J. Davis) .	. :
Perichondritis (P specific) of arytenoids in case of ulceration of pharynx	,
with cervical fistula and secondary œdema of right half of laryns	c
(J. Dundas Grant)	. :
(? tuberculous), in case of fixation of vocal cord with extreme pair	1
in swallowing (J. Dundas Grant)	. :
Peroxide of hydrogen solution in otology, objections to (P. Bruder)	. 8
Pertussis and asthma, therapeutic use of pyrenol in (Burchard)	•
<b>PETRETTS</b> : case of typhoid fever complicated with deafness of a central	1
origin (abstract)	. :
Petrous bone, direct channel of communication between mastoid antrum	1
and posterior surface of petrous bone (J. Mouret)	
bones, caries of, following chronic suppurative otitis; remova	1
of both petrous bones (with other operations); recovery (P. Cauzard	
cells : see Cells (petrous).	
Pharyngomycosis involving laryngeal surface of epiglottis (J. Dundas	s
- narying omycosis involving faryingear surface of ediglothis (J. Dunua	

xxxviii

	158 na
Pharyngotomy (subhyoid) for malignant disease of epiglottis and base of	
	154
Pharynx: abstracts of literature on	686
epithelioma of, specimen and temperature chart from case	107
	327
	610
	160
(orifice of) cicatricial stricture relieved by plastic operation (G. A.	
Leland)	610
obliteration of pharyngeal orifice and of mouth of	
	523
paralysis of right half of palate, of right vocal cord and right half	41 H
- F	417
tuberculosis of (H. S. Birkett)	57
	220
half of larynx (J. Dundas Grant)	
between posterior part of tongue and posterior pharyngeal wall	
(H. B. Robinson)	681
	255
adhesions of soft palate to, permanence of	
successful operation for (H. Tilley)	308
——— see <i>Tonsil</i> (pharyngeal).	
Phlebitis of cavernous sinus complicating fatal case of necrosis of	
	179
	503
Photographs and microscopic specimens shown at Annual Meeting of	105
Belgian Society of Otology, Laryngology, and Rhinology.	$\frac{485}{218}$
Phthisis : laryngeal ulceration in phthisical subject (H. W. Carson)	<u>10</u>
Tod)	302
Physicians and surgeons, French, visit to London	408
Pilocarpine injections in labyrinthine deafness (F. Potter)	268
Plague, membranous tonsillitis in child suffering from plague (Major	
O'Kinealy).	96
Plastic operation relieving cicatricial stricture of pharyngeal orifice	
(G. A. Leland)	610
Pneumococcæmia in case of orbital cellulitis (L. Gruening)	337
Pneumococcal otitis media (acute) complicated by facial paralysis	144
(C. H. Fagge)	144
Pneumonia and typhoid fever, case of, with ear complications as a sequela of being buried alive; recovery (Le Beuf and Joachim)	500
POLI (G.), case of epilepsy of probably aural origin .	582
POLITZER (A.), upon the necessity of the official teaching of otology in	001
the faculties of medicine	516
upon the pathological changes of the labyrinth in chronic suppura-	
tion of the middle ear	540
GRADENIGO, and DELSAUX : the choice of a simple and practical	
acoumetric formula .	525
Poly-exostoses (symmetrical) of face (Lenoir)	488
Polypus, causing unilateral deafness from childhood (H. Macnaughton-	01
Jones)	91
(mucous), apparently causing complete absorption of septum and	414
turbinated bones (H. Smurthwaite)	222
of naso-pharynx (E. Fischer)	الله تنديد
Lack)	213
(early), bone and soft tissues from, microscopic speci-	
mens (E. Yonge)	208
of nose, mode of origin (E. S. Yonge) 443,	455

	PAGI
two cases (StClair Thomson)	19
of vocal cord (left), causing aphonia of eight months' duration;	
removal; cure (Trétrôp)	491
Post-aural operation (mastoid) for acute symptoms supervening on a	0.
chronic suppurative otitis media (C. Heath)	8
	364
Post-nasal space : curetting in cure of Ménière's symptoms in chronic	50:
catarrhal otitis (Bertemès)	20
Post-pharyngeal swelling (F. W. Bennett)	33:
Potassium iodide : "Tabloid" hydrarg. perchlor. gr. $\frac{1}{32}$ , et potassii iodidi	
gr. $2\frac{1}{2}$	28
POTTER (E. Furniss), discussion on after-treatment in intra-nasal opera-	
tions	_5
case of recurring papillomata of larynx	21
a case of immobile right vocal cord in a youth	24
	54
joints, with inducated ulcer of tongue	24
pilocarpine injections in labyrinthine deafness	26
case of infiltration of left arytenoid region	$\frac{1}{32}$
	-
sixty-four (previously exhibited)	67
POTTS (B. H.), and RANDALL (B. A.), intra-dural and later double cerebral	
abscess complicating chronic tympanic suppuration; operations;	
cure (abstract)	11
POWELL (H. Fitzgerald), a case of sequestrum from the nose in a man	25
aged thirty-eight	25
a case of swelling of right ventricular band in a male aged thirty-	ວະ
four PRIDEAUX (W. D.), discussion on suppuration of maxillary antrum	25 79
PRITCHARD (Urban), discussion on sciology and treatment of labyrin-	
thine suppuration	26
treatment of non-suppurative disease of the middle ear (abstract)	
380,	42
Seventh International Otological Congress, 1904; address de-	
livered by the retiring President, Professor Urban Pritchard	45
Probe (Lucae's), with paraffin (C. J. Koenig)	$\frac{58}{10}$
Prophylaxis of acute otitis media (Veis)	49
Psorospermosis (localised) of mucous membrane of septum nasi, drawings	9
(Major O'Kinealy) . Psychic element in cases of deafness (Boulay and Lemarc' Hadour) .	53
Puerperal infection: double mastoiditis with cerebral symptoms in	00
course of (H. Massier)	58
Pulsation in left ear not relieved by ligature of vessels (T. Barr and	
J. H. Nicoll)	48
Pump (new) for treatment of ear disease (M. Yearsley)	58
Puncture : galvano-cautery in form of puncture, in treatment of tuber-	
culosis of larynx (L. Grünwald)	27
(lumbar), in endocranial complications of otitis (Chavasse and	
Maĥu)	11
Pyamia causing fatal termination of case of necrosis of sphenoidal and	- r
posterior ethmoidal cells (A. L. Whitehead)	17
(otitic) without thrombo-phlebitis of lateral sinus; multiple	<u>ج</u> بر
metastatic abscesses (H. Massier) $\cdot \cdot \cdot$	57
Pyrenol, therapeutic use of $(a)$ in asthma and pertussis; $(b)$ in gout and sciatica (Burchard)	17
solatica (Durchard)	17
Quinine: influence on labyrinthine "tonus" (Dreyfuss)	51
QUIX (F. H.), determination of the acuteness of hearing for whispered	<i>ч</i>
sounds and for those of the tuning-fork.	53
6	

	PAGE
Rabbit, resection of recurrent nerve and of cervical sympathetic trunk in	
(Broeckaert)	491
Radium : cancer of larynx treated by, microscopic specimen (Delsaux) . RANDALL (B. A.) and POTTS (B. H.), intra-dural and later double cerebral	485
abscess complicating chronic tympanic suppuration; operations;	113
cure (abstract) RAOULT: on the employment of adrenalin in malignant affections of	119
the throat (abstract).	387
Reflexes, nasal (Réthi)	492
REID (St. George): automatic sounding-box for measuring the auditory	
appreciation in deafness and other forms of ear disease Respiration : see <i>Contra-respirator</i> .	276
Respiratory tract, local conditions in, modified by general functional or	
organic disease (F. P. Emerson)	493
(mar) = lng of tenel on liter tenel (F. W. Hinkel)	
(upper), value of topical applications to (F. W. Hinkel)	-502
RÉTHI: nasal reflexes (abstract)	492
Retropharyngeal abscess of articular origin (Santalo)	-609
glandular abscess and diphtheria (Schiffers)	-492
Reviews : "British Journal of Children's Diseases".	-560
	228
Dench (E. B.), "Diseases of the Ear," third edition, 1903	
Lake (R.), "Handbook of Diseases of the Ear"	448
Wallace (J. Sim), "Essay on the Irregularities of the Teeth,"	
	-616
REVOL (L.), a case of bilateral paralysis of inferior laryngeals due to	
aortic aneurysm (abstract)	338
Rhinitis (atrophic), curative effect of erysipelas upon (I. V. Levi)	388
(caseous) (P. Abercrombie)	272
(fibrinous, unilateral) (Major O'Kinealy)	-95
(vegetating) (Broeckaert)	490
Rhinology, retrospect of, 1903 (W. Milligan)	6
	0
Rhino-pharyngo-laryngitis, acute œdematous (Botella y Donoso	
Cortes)	279
Rhinoplasty: method of preventing closure of nares in rhinoplasty (F. D. Martin)	388
RICE (C. C.), the compensatory action of certain of the laryngeal muscles	900
seen in cases of vocal disability (abstract)	<i>e</i> 14
	614
RICKARD: on a case of extraction of a foreign body from the bronchus	
(abstract)	224
ROBINSON (H. Betham), a case of syphilitic necrosis of sphenoid	164
a case of left abductor paralysis	165
esse of obstruction in lower sharmer from the formation of a	100
case of obstruction in lower pharynx from the formation of a	
diaphragm adhesion between the posterior part of the tongue and	
the posterior pharyngeal wall.	206
case of pharyngeal obstruction from a diaphragm between the	
back of the tongue and the posterior wall of the pharynx .	681
Rodent ulcer : see <i>Ulcer</i> (rodent).	
Rome: goitre at Monte Celio (Rome) (T. Mancioli)	225
Done (D P St John) on the tracture of (1. Matricion)	220
Roosa (D. B. St. John), on the treatment of chronic non-suppurative	
disease of the middle ear (abstract)	339
Roques: treatment of ozæna by collargol (abstract).	169
ROSENBERG (Professor A.), ætiology, treatment, and prognosis of innocent	200
growths of the larynx (abstract)	435
(Tull text)	652
Round window : partial bony obliteration of (A. H. Cheatle) .	-90
ROURE: dilatation of the Eustachian tube in the treatment of dry median	
otitis	585
ROZIER (J.), chronic otitis; évidement; facial paralysis following	0.00
another of the sub presidel and the sub presidel and the sub presidel and the sub presidel and the sub president of the sub president o	
curettage of the sub-pyramidal cavity; caries of the external semi-	0
circular canal with labyrinthine crises (abstract).	390
the diagnosis of syphilis by the otologist	536
ROYET (H.), upon the symptoms produced by salpingo-pharyngeal	
adhesions, particularly from the point of view of ear troubles	584
, particularly from the point of view of car broubles	90 <b>T</b>

	PAGE
RUDLOFF: on the course of the sigmoid sinus in the temporal bone of the child (abstract)	59
Saddle-nose (congenital), operation by introduction of celluloid plate (J. Wiener)	337
Salivary cyst : see Cyst (salivary).	
Salpingo-pharyngeal adhesions, symptoms produced by (H. Royet)	584
SANTALO: retropharyngeal abscess of articular origin (abstract)	609
alveolo-nasal fistula (abstract)	610
DE SANTI (Philip R. W.): man with laryngeal vertigo	168
man with tertiary syphilis of the larynx causing stenosis;	100
thyrotomy four years ago	193
a case of chronic laryngitis (pachydermia)	299
case of paralysis of left vocal cord in a man aged sixty-seven	331
case of bilateral hæmatoma of septum nasi	332
a woman aged sixty-three with swelling of both arytenoids and	130
infiltration of the epiglottis	426
some specimens of carcinoma in the throat of the dog and the cat,	675
shown by Professor Hobday (introduced by Mr. de Santi).	$\begin{array}{c} 675 \\ 677 \end{array}$
lesion of the soft palate for diagnosis	310
of post-nasal space (H. F. Tod)	205
Scarlatina: see <i>Panotitis</i> (scarlatinal).	209
SCHEIBE (Dr.), discussion on intra-nasal operations	20
SCHEIER (Max), a wound of the tympanum (abstract)	559
SCHIFFERS: retropharyngeal glandular abscess and diphtheria	492
SCHMIDT (Otto): his culture treatment of epithelioma of pharynx,	10-
specimen and temperature-chart (J. Donelan)	107
SCHMIEGELOW (E.), Report upon the technique of the operation and	
subsequent treatment of otogenous abscess of the brain	578
SCHULZE (Walter): cases of mistaken diagnosis in aural surgery (abstract)	496
SCHWABACH: on the pathology of deaf-mutism (abstract)	340
Sciatica and gout, therapeutic use of pyrenol in (Burchard) .	172
Secreting mechanism of nose (J. L. Goodale)	558
SEIFERT (O.): the use of chlor-methyl menthol-ether as a remedy for	
catarrh (abstract)	502
Semicircular canal : see Canal (semicircular).	
SEMON (Sir Felix, C.V.O.): after-treatment of intra-nasal operations	
(including naso-pharyngeal), opening of discussion . 22, (reply	) 55
case of obscure ulceration of left vocal cord, of nearly one and a	100
half year's standing, in patient aged sixty	100
thyrotomy and resection of crico-thyroid membrane	102
case of obscure ulceration of the left vocal cord of nearly a year	
and a half's standing in a gentleman aged about sixty (the patient	
was shown at the December meeting, 1903) which has since spon-	
taneously disappeared	417
specimen of a case of papilliferous columnar-celled carcinoma of	
the nose in a young man aged twenty-four .	418
further history (with drawing) of the patient suffering from	
obscure ulceration of the left tonsil, twice shown (at the November	100
meeting, 1902, and the January meeting, 1903)	<b>4</b> 20
removal of the uncommon laryngeal tumour (described in the	439
Proceedings of the Society on March 9th, 1898)	423
Sepsis and asepsis in intra-nasal surgery (J. S. Gibb).	$611 \\ 182$
(oral), kelvolin vapour in treatment of (S. Low)	$\frac{183}{257}$
Sequestion from hose (H. F. Fowen) SEGURA (Eliseo V.), on a case of double Bezold's mastoiditis; operation;	201
recovery (abstract)	497
SHAW (C. E.), discussion on non-suppurative disease of the middle ear	556
SHEARD (Charles). relative importance of the clinical and bacteriological	0.00
evidences in diphtheria (abstract)	685
· · · · · · · · · · · · · · · · · · ·	

xli

Shears for division of thyroid cartilage (E. B. Waggett)	ради 310
vocal cord (shown for Dr. Percy Kidd)	$\frac{201}{20}$
Sigmoid sinus: see Sinus (sigmoid). SILVER (Lewis M.), foreign body in the œsophagus (abstract) . Singer: corditis tuberosa in young woman not a singer or professional	281
voice-user (R. Lake). ——— (professional), impaired movement of right vocal cord in (StC.	256
Thomson) . Sinus (cavernous), phlebitis of, complicating fatal case of necrosis of	411
sphenoidal and posterior ethmoidal cells (A. L. Whitehead)	179
(E. Lombard)	489 484 593
(Mignon) . — empyema of, in case of orbital cellulitis (L. Gruening) . — mechanism of acute intra-cranial infection following opening and disinfecting frontal sinus in cases of frontal sinusitis	170 337
(Luc)	490
osteoplastic operations upon, in course of chronic suppura- tion (R. Hoffmann) . suppuration, treatment, operative and non-operative (W.	583
Milligan)	439
(L. Bar), operative procedure in connection with (J. H. Nicoll)	573
rare anomaly in anatomical direction of lateral sinus with	, 478
absence of mastoid antrum (C. Lucchesi) ————————————————————————————————————	615
(H. Massier)	$572 \\ 497$
otitis media; operation; recovery (J. Mouret)	571
Mahu)	$\begin{array}{c} 612 \\ 485 \end{array}$
see also Antrum (maxillary).	
(nasal), case of (W. H. Kelson)	$\frac{253}{59}$
	266
(sphenoidal), chronic suppuration (Hajek) Sinuses, accessory : see <i>Nose</i> (accessory sinuses). (cerebral), erosion of, in suppuration of temporal bones	61
(Eulenstein)	59
<ul> <li>(frontal, ethmoidal, sphenoidal, and maxillary), bilateral empyemata of, operated on by radical methods (H. Tilley)</li> <li>(left frontal, ethmoidal, and both maxillary), empyemata of,</li> </ul>	250
radical operations carried out (H. Tilley) (left frontal, ethmoidal, and maxillary), chronic empyema, radical	249
operation (H. Tilley) Sinusitis (frontal), cause of accommodation paresis (H. M. Fish)	$\frac{251}{223}$
(and ethmoidal), pathology and treatment and orbital complications (T. Axenfeld)	-225 686
following operation of opening and disinfecting frontal sinus in	000
cases of chronic frontal sinusitis (Luc) .	490 619
with empyema of maxillary sinus (G. Mahu)	$\begin{array}{c} 612 \\ 593 \end{array}$

Sinneitie marillant aming to mightand tooth (Chigag)	рад в 611
Sinusitis, maxillary, owing to misplaced tooth (Guizez)	660
Skin-grafting cavity after mastoidectomy, new method (D. Drew)	687
Skull (base of), surgery of ear in relation to (G. Laurens)	523
SMURTHWAITE (H.), a specimen of tuberculosis of larynx and trachea	0_0
of rapid course in a man aged sixty-seven	248
maximum (next montant) of laws muscus polymum approximation	<b>_T</b> O
	414
bones — microscopic slide of primary tubercular growth of septum in a	414
	415
female aged thirty-five	556
SMYLY (Sir Philip Crampton), death of	271
obituary notice	$\frac{1}{285}$
Sneezing, severe paroxysm of (H. J. Davis).	156
Snow (Sargent), catarrhal deafness, with a report of 400 cases	519
Societion proceedings of son under various nemos (Lanuadogical	010
Societies, proceedings of: see under various names (Laryngological, Otological, etc.)	
SOLLY (S. E.), the treatment of tuberculous laryngitis	666
Sounding-box (automatic) for measuring auditory appreciation (St. G.	000
Reid)	276
Sounds (intensity of), new mode of graduating (R. Panse)	534
	001
SPALDING (J. A.), tinnitus, with a plea for its more accurate musical	
notation (abstract)	113
	171
Special societies : dates of general meetings in London, 1904	$15^{11}$
Speech (defective), with paralysis of soft palate (? diphtheritic in origin)	10
	-157
defects of, correction by the laryngologist (G. H. Makuen)	606
Sphenoid, syphilitic necrosis of (H. B. Robinson)	164
Sphenoidal cells : see <i>Cells</i> (sphenoidal).	101
——————————————————————————————————————	
SPICER (Frederick), a case for diagnosis	274
discussion on after-treatment of intra-nasal operations .	43
on suppuration of maxillary antrum	$\tilde{79}$
SPICER (R. H. Scanes), case for diagnosis of laryngeal disease in a man	
aged fifty-one and a half, showing extensive ulcerative and hyper-	
trophic changes	97
case of soft vascular growth (bleeding polypus) attached to car-	
tilaginous septum nasi in a woman aged thirty-eight; recurrence six	
weeks after removal; section of growth	323
specimen of growths (with microscopic slides) from a case of	
chronic antral and ethmoidal disease, for diagnosis	324
specimen and microscopic slide from a case of epithelioma of	
the soft palate	326
discussion on non-suppurative disease of the middle ear	556
Spine (supra-meatal) of Henle, constancy and variations in (M. Yearsley)	516
SPIRA: eye and ear; their similarity and mutual relationship (abstract)	281
Spray for hay fever	284
Stacke's guard substituted by gauze tampon in opening all the cavities	
of middle ear (G. Geronzi)	226
STEIN (Otto J.), a discussion on differential diagnosis and treatment of	
osteo-sclerosis of mastoid process (abstract)	60
DE STELLA (H.), rôle of the toxins and antitoxins of diphtheria in the	
organism	491
endo-nasal injections of paraffin in the treatment of ozæna	_
(abstract) .	49
Stenosis (laryngeal) of tuberculous origin treated by progressive dilata-	4.0
tion (Massier)	491
edema and stenosis of larynx, case for diagnosis (H. J. Davis)	$\frac{259}{500}$
of meatus, prevention after radical operations on the ear (R. Botey)	569

Stenosis, well marked at times, in case of incrustation of trachea (E. Law) Sterilisation of small quantities of surgical dressings (Holzapfel) STIEDA (A.), cheesy empyema of the nasal accessory sinuses (abstract) Stricture (cicatricial) of pharyngeal orifice relieved by plastic operation	раде 682 227 223
(G. A. Leland)	610
of œsophagus, diagnostic specimen from, removed by Killian's	010
method (E. B. Waggett)	674
Strumitis (post-typhoid) with typhoid bacilli in pus (Krause and Hartog)	58
Strychnine: "tabloid" iron and strychnine phosphates	508
SUAREZ DE MENDOZA: the employment of anæsthetics in the operation	000
for adenoids	586
Subglottic foreign bodies in children (Boulay, Maurice. and Gasne)	58
	61
Sulphur vapours, natural, in treatment of chronic middle-ear affections	010
(Lajaunie) .	503
Suppuration (nasal) (J. Mackie)	-503
of frontal sinus (chronic) osteoplastic operations upon frontal	000
	200
sinus in course of (R. Hoffmann)	-583 -439
treatment, operative and non-operative (W. Milligan) .	$\frac{400}{242}$
of labyrinth (A. L. Whitehead)	
	, <b>1</b> 4
	290
	, 538
Creation practical deductions from recent knowledge of (J. Dundas	100
Grant)	406
preparations and original drawings from ten cases of	~ 1/
(R. Panse)	54(
theory of (Brieger).	-536
	66
of middle ear, chronic, followed by deafness with adventitious	1 10
membrane of meatus (W. H. Kelson)	148
pathological changes of labyrinth in (A. Politzer)	54(
radical operation in (E. B. Dench)	518
radical operation in (E. B. Dench)	488
	61
of tympanum (chronic), complicated by intra-dural and later	
double cerebral abscess; operations; cure (B. A. Randall and B. H.	
Potts)	113
Suppurations of middle ear, general sepsis, with central perforation of	-
the drum (Bezold)	500
Suppurative disease of temporal bone with principal extension into	
petrous portion (R. Lake)	400
Supra-meatal spine of Henle, constancy and variations of (M. Yearsley).	-516
Surgeons and physicians, French, visit to London	408
Surgery (intra-nasal), sepsis and asepsis in (J. S. Gibb)	611
Surgical dressings, sterilisation of small quantities of (Holzapfel)	227
relationship of sphenoidal sinus (H. H. Curtis)	664
SWAIN (H. L.), facial asymmetry as a cause of deformities of the nasal	
septum (abstract)	610
Swelling (arytenoid) in case of laryngeal ulceration (W. H. Kelson)	412
external fluctuating, below right nasal bone formed by chronic	
dental abscess arising from root of incisor tooth (H. Tilley)	106
(globular) of right side of larynx (H. J. Davis)	321
of right ventricular band (H. F. Powell)	257
— parotid, case of (W. H. Kelson)	319
(post-pharyngeal) (F. W. Bennett)	332
SYME (W. S.), a case of congenital word-deafness	442
1. A case of radical mastoid operation in which no antrum was	
found, the antro-tympanic passage being very narrow and ending	
abruptly in sclerosed bone	481
2. A case of recent radical mastoid operation, left ear, showing	
the result of early discontinuance of packing	481

SYMONDS (Charters J.), case of operation for rupture of the trachea . ———— opening address at the proceedings of the Section of Laryngology	раде 98
and Rhinology, seventy-second Annual Meeting, British Medical Association	543
discussion on non-suppurative disease of the middle ear . Syphilide (cutaneous), well-marked, in case of ulcer of tonsil (J. Dundas	557
Grant)	$, 254 \\ 536$
disease of fauces simulating (W. H. Kelson) .	309
of trachea and bronchi (Neumann) .	$\frac{170}{186}$
<ul> <li>(primary): primary "hard sore" on lip of woman (A. Wylie)</li> <li>* specific perichondritis of arytenoids in case of ulceration of pharynx with cervical fistula and secondary œdema of right half of</li> </ul>	190
larvnx (J. Dundas Grant)	220
syphilitic necrosis of sphenoid (H. B. Robinson) (tertiary), extreme laryngeal œdema, probably secondary to	164
tertiary specific lesion (J. Dundas Grant) ————————————————————————————————————	254
œdema of larynx, probably tertiary specific infiltration (J. Dundas	224
Grant)	$\frac{220}{193}$
Syphilitic laryngitis, case of (H. Barwell) .	$\overline{189}$
Syringe: injections of paraffin while cold, with new form of syringe (J. Broeckaert)	517
"Tabloid " calomel and opium	503
Donovan solution	688
glycerophosphates compound	504
	$\frac{284}{503}$
	503
Tampon : see Gauze tampon.         Teaching of otology, necessity in faculties of medicine (A. Politzer)	516
Teaching of outlogy, necessity in factures of metricines (A. 1 on 2017) ————————————————————————————————————	$516 \\ 516$
treatment (abstract).	<b>686</b>
Teeth (irregularities of) : "Essay on the Irregularities of the Teeth, with special reference to a theory of causation and the principles of pre-	<b>a1</b> a
vention and treatment" (J. Sim Wallace : review)	$\begin{array}{c} 616 \\ 171 \end{array}$
Temporal bone, anatomy of (R. C. Elsworth)	173
cholesteatoma (very large), two cases (Claoué)	574
left, from fatal case of cerebellar abscess (William C. Bull)	$rac{149}{59}$
	89
border of mastoid process, with partial bony obliteration of round window (A. H. Cheatle)	90
suppurative disease of, with principal extension into petrous portion (R. Lake)	<b>4</b> 00
thickening of vaginal process of (A. H. Cheatle).	89
with abnormally small antrum (H. E. Jones) .	270
<ul> <li>Temporal bones showing fallacies of Macewen's triangle as a guide to antrum (A. H. Cheatle)</li> <li>(suppuration of), hæmorrhage from erosion of brain sinuses in</li> </ul>	271
suppuration of (Eulenstein)	59
Temporo-sphenoidal abscess of otitic origin (A. J. Brady)	339
Temporo-sphenoidal lobe (abscess of), complicated by symptomatic	479
herpes zoster over anterior palatine nerve (H. S. Turner) .	563
Therapeutic preparations	

	PAGE
Therapeutics, abstracts of literature on . 172, 227, 340, 392, 502.	688
THIES (Dr.), discussion on intra-nasal operations	20
Thigenol: action in ear disease (Urbantschitsch)	392
THOMSON (G.), discussion on suppuration of maxillary antrum.	80
THOMSON (StClair) : discussion on after-treatment of intra-nasal	
operations .	45
a case of a man aged forty-eight with growth (tuberculoma?) on	
left cord; was injected with tuberculin eleven years ago, and has	
remained well since .	155
case of complete paralysis of left vocal cord in woman aged	
thirty-six	194
	195
a case of membranous ulceration of fauces in a woman aged	1. 1
thirty-six, of six weeks' duration	298
a case of complete submucous resection of deflected septum	312
case of complete resection of a spur and deviation of the septum.	409
case of complete submucous resection of a large deviation of the	100
septum	411
case of impaired movement of the right vocal cord, chiefly	
adductor, in a professional singer aged thirty-three	411
THORNE (Atwood): a case of malignant disease of the nose in a man	ri t
aged seventy	164
man, aged thirty-two, with complete immobility of the left vocal	101
cord	215
man, aged thirty-five, with paroxysmal pain starting from the larynx	$\frac{216}{216}$
	$\frac{210}{217}$
adhesions of soft palate to posterior pharyngeal wall in a man	÷17
aged thirty-two	255
THOST: the clinical symptoms of hay fever and their treatment (abstract)	$\frac{2.00}{278}$
Throat (diseases): plea for more thorough examination and rational	<u> </u>
treatment (Roy Dunbar)	493
erythema (exudative) of mouth and throat (T. K. Hamilton)	485 617
(malignant diseases of), adrenalin in treatment of (Raoult)	387
——————————————————————————————————————	
pemphigus of mucous membrane of throat : case for diagnosis	675
(E. Cresswell Baber).	151
sequel to case (E. Cresswell Baber)	$\frac{151}{412}$
practical applications of bacteriology to speciality of (Trétrôp)	$\frac{412}{517}$
Thrombophlebitis of cavernous sinus consecutive to purulent otitis media	517
(Delsaux)	101
of otitic origin (E. Lombard)	$\frac{484}{489}$
of lateral sinus, not present in case of otitic pyæmia (H. Massier)	409 572
	074
media; operation; recovery (J. Mouret)	571
	266
Thrombosis of jugular bulb complicating chronic otitis media (J. F.	200
McKernon).	ena
of lateral sinus of tuberculous origin (F. Grossman)	600
Thyroid cartilage, shears for division of (E. B. Waggett)	$\frac{497}{310}$
Thyroid gland, abstracts of literature on 225.	
Thyrotomy for epithelioma of larynx; two operations (Sir F. Semon)	
four years previously for stenosis due to tertiary syphilis of	102
larynx (P. R. W. de Santi)	109
remarks on (Moure)	$\frac{193}{494}$
remote results in laryngeal tuberculosis (Goris)	487
Tic douloureux, cure of (de Champeaux)	$\frac{40}{112}$
TILLEY (Herbert), discussion on after-treatment of intra-nasal operations	
observations upon suppuration of the maxillary antrum	$\frac{48}{66}$
discussion on series of cases of complete mastoid operations	87
case of complete nasal obstruction on the right side due to chronic	01
dental abscess arising from root of incisor tooth and forming an ex-	
ternal fluctuating swelling below right nasal bone: two years' duration	106
termit interneting overling seros right masar bone, two years duration	TA9

	PAGE
TILLEY (Herbert), a patient upon whom radical operations for empyemata	
of left frontal, ethmoidal, and both maxillary sinuses had been	010
carried out. ————————————————————————————————————	249
	250
a case of chronic empyema of left frontal, ethmoidal, and maxillary	
sinuses treated by radical operation	251
a case illustrating the permanence of a successful operation in	
the case of extensive adhesions of soft palate to posterior pharyngeal	000
wall	308
	327
Tinnitus and vertigo treated by division of auditory nerve (R. H. Parry)	
402,	
plea for its more accurate musical notation (J. A. Spalding)	113
Tissues (soft): microscopic specimens of bone and soft tissues from early	907
polypus (P. Watson Williams) 206, Tobacco, effects on audition (Délie)	207 535
TOD (Hunter F.), discussion on after-treatment of intra-nasal operations	47
case of rodent ulcer involving the left auricle and the external	
meatus in man aged forty-nine	90
——— macroscopic specimen of epithelioma of nasal septum, removed	100
	109
- case of a tumour of right external meatus in a woman aged sixty- seven, removed by operation	148
	1 10
a woman aged twenty-six years	151
case of sarcoma of post-nasal space, probably involving the	
ethmoidal region, with enlargement of cervical glands on the right	0.05
side, in a man aged fifty-one . 	205
one	205
a case of tubercular laryngitis in a girl aged thirteen, also suffer-	-00
ing from pulmonary phthisis	302
three cases in which resection of the nasal septum had been per-	000
formed to remedy deviation .	303
TOEPLITZ (Max), the education of children with impaired hearing (abstract)	227
Tongue (base of), malignant disease of, subhyoid pharyngotomy for (H.	
Lambert Lack)	154
diaphragm adhesion between posterior part of tongue and	
posterior pharyngeal wall (H. B. Robinson)	206
diaphragm between back of tongue and posterior wall of pharynx,	681
causing pharyngeal obstruction (H. B. Robinson)	$\frac{001}{492}$
mobility, abnormal, two cases (Delsaux)	487
Tonsil, actinomycosis of (A. H. Cheatle and W. d'Este Emery)	679
(J. Wright)	685
bone and cartilage in (J. E. Newcomb)	609
epithelioma; operation; recovery (H. Lambert Lack)	$\frac{211}{420}$
(left) ulceration, obscure (Sir F. Semon)	420
——— pharyngomycosis involving (J. Dundas Grant) .	158
ulcer of, with well-marked cutaneous syphilide (J. Dundas	
Grant)	
Tonsillitis, cause of acute nephritis (J. L. Morse)	388
(membranous), in child suffering from plague (Major O'Kinealy) Tonsillolith, case of, and specimen exhibited (C. Jackson)	$\frac{96}{589}$
Tonsillotomy forceps, set of (H. H. Curtis) .	$\frac{589}{587}$
Tonsils (removal), practical method of (Vacher)	$\frac{387}{387}$
$ r \partial l e$ of, in infective conditions (Trétrôp)	335
"Tonus" (labyrinthine), influence of quinine upon (Dreyfuss).	517

xlviii

	PAGE
Tooth (incisor), chronic dental abscess arising from root of incisor tooth,	
causing complete nasal obstruction (H. Tilley) .	106
(misplaced), causing maxillary sinusitis (Guizez)	611
Topical applications and curetting, rapidly curing severe lupus of nose	
and circumscribed lupus of auricle (Trétrôp)	490
and checking a set and the set of	502
Topical applications to upper an trace, value of (1, W. Hinkel)	491
	170
	587
foreign body removed from, by direct laryngo-tracheoscopy (D. R.	
Paterson)	424
	682
	446
	687
	98
operation for rupture of, case exhibited (C. J. Symonds)	
	495
traumatism of (Capart, junior)	487
tuberculosis of larynx and trachea of rapid course in man aged	
sixty-seven (H. Smurthwaite)	248
	490
Traumatic origin of case of double abductor paralysis (H. Lambert	
	301
	335
	483
	488
personal results of the treatment of deafness by Babinski's	
method	488
rapid cure of severe lupus of the nose and of circumscribed lupus	
	490
aphonia of eight months' duration from a polypus of the left	
vocal cord; removal; cure	491
	TUL
some practical applications of bacteriology to the speciality of	F 1 F7
the ear, nose and throat	517
	534
Triangle (Macewen's): see Macewen's triangle.	
TSAKYROGLOUS: two cases of leeches in trachea (abstract) .	446
Tube (Eustachian): see Eustachian tube.	
Tubercular growth (primary) of septum (H. Smurthwaite) .	415
laryngitis in a girl suffering from pulmonary phthisis (H. Tod) .	302
treatment of (S. E. Solly)	666
lesions (sub-glottic) of larynx (A. de Blois)	615
	257
ulcer of left vocal cord (R. Lake)	207
Tuberculin: growth (tuberculoma?) on left cord in man injected with	
	155
Tuberculoma?, growth on left cord; man injected with tuberculin eleven	
years before (StC. Thomson)	155
Tuberculosis, ? in case of laryngeal disease (V. Wyatt Wingrave)	188
of larynx and trachea of rapid course in man aged sixty-seven	
(H. Smurthwaite)	248
galvano-cautery in form of puncture, in treatment of (L.	<b>-1</b> 0
gavano-cautery in form of puncture, in treatment of (L.	a=0
Grünwald)	279
laryngeal spasm causing sudden death, in case of tuber-	101
	491
relation between laryngeal and pulmonary tuberculosis	
(Frese)	280
thyrotomy in, remote results of (Goris)	487
treatment (E. Kronenberg)	401
of pharynx (H. S. Birkett).	224
	224
(nulmonary) relation between lawraceal and nulmonary tubor	
(pulmonary), relation between laryngeal and pulmonary tuber-	224 57
	224

? Tuberculous perichondritis in case of fixation of vocal cord with extreme	PAGE
pain in swallowing (J. Dundas Grant)	219
Tuberculous ulceration of inferior turbinate (U. Melzi)	558
Tumour, causing tracheal obstruction (D. Bovaird)	687
(malignant) of nasal fossæ (Capart, junior)	486
of larynx (A. Thorne)	217
(benign): laryngotomy and removal of one cord for (F. J.	411
Cotton)	614
(extrinsic) treated by method of Mahu (Labarre)	487
uncommon, removal of (Sir F. Semon)	423
of palate (J. Donelan)	423 330
specimen (J. Donelan)	416
	413
of right external meatus, removed by operation (H. Tod)	148
of septum nasi, lower part (Noquet).	490
Tuning-fork : determination of acuteness of hearing for sounds of (F. H.	430
Quix)	532
(International) (P. Bonnier)	534
Tuning-forks: re-education of the ear by means of acoustic exercises by	004
tuning-forks (Natier)	488
testing hearing with the higher tuning forks (R. Lake).	354
Turbinal body, inferior (physiology of) (Ziem)	489
Turbinals, hypertrophy, with amenorrhea (Bayer)	486
Turbinate (inferior), tuberculous ulceration of (U. Melzi)	558
Turbinated bones apparently absorbed by mucous polypus (H. Smur-	000
thwaite)	414
Turbinates (inferior), lupus of (H. Tod)	151
TURNER (A. Logan): a patient with ædema and infiltration of uvula, left	101
half of soft palate, and left lateral wall of pharynx; infiltration of	
epiglottis and both arytenoid regions	160
some points in the pathology of "bone-cysts" in the accessory	100
sinuses of the nose	589
TURNER (H. Stanley): symptomatic herpes zoster over the anterior	000
palatine nerve as a complication of otitis media and abscess of the	
temporo-sphenoidal lobe; operation; recovery	563
Tympanic membrane, herpes of (R. Lake)	267
	201
movements of (W. Colquhoun)	341
	469
Tympanum, central perforation of the drum in general sepsis in middle-	405
ear suppurations (Bezold)	500
(suppuration of, chronic), complicated by intra-dural and later	000
double cerebral abscess; operations; cure (B. A. Randall and B. H.	
Potts)	113
wound of (M. Scheier)	559
Typhoid bacilli in pus in case of post-typhoid strumitis (Krause and	000
Hartog)	58
Typhoid fever and pneumonia, case of, with ear complications as a sequela	00
of being buried alive; recovery (Le Beuf and Joachim)	500
complicated with deafness of central origin (Petretts)	340
complicated with purulent otitis media (E. W. Day and C. Jack-	010
son)	595
	000
Ulcer of tongue, inducated, with infiltration of larynx (F. Potter)	246
of tonsil, with well-marked cutaneous syphilide (J. Dundas Grant)	440
253,	954
(rodent), involving left auricle and external meatus (H. Tod)	<u>-94</u>
(tubercular) of left vocal cord (R. Lake)	257
Ulceration of epiglottis and vocal cord (W. H. Kelson)	318
——————————————————————————————————————	298
	218
with arytenoid swelling (W. H. Kelson)	412
(d	

Illocustion of poloto (old) with absonio actor muslitic (M. Collion)	- PAGE 275
Ulceration of palate (old), with chronic osteo-myelitis (M. Collier)	410
of pharynx, with cervical fistula and secondary edema of right	220
half of larynx (J. Dundas Grant)	$\frac{320}{420}$
of left tonsil (obscure) (Sir F. Semon)	
	$,417 \\ 558$
(uberculous) of inferior turbinate (U. Melzi) .	- 558 - 78
UNDERWOOD (Arthur): discussion on suppuration of maxillary antrum.	10
Universities: necessity of rendering teaching of otology obligatory in	110
(G. Gradenigo)	516
UBBANTSCHITSCH: the action of thigenol in ear disease (abstract)	-392
Uvula, ædema and infiltration of (A. L. Turner)	160
	005
VACHER, a practical way of removing tonsils (abstract)	387
Bezold's mastoiditis; erysipelas of the face; operation; intra-	001
venous injections of collargol; recovery (abstract)	391
Valerianates : "tabloid" three valerianates .	503
VAN GEHUCHTEN, upon the acoustic channels	489
Vegetations (adenoid) : see Adenoid vegetations.	
Vein (jugular), hæmorrhage from, after operation (A. Castex).	572
(internal), operative procedure in connection with (J. H.	150
	,478
VEIS: the prophylaxis of acute otitis media (abstract)	495
Ventricle of Morgagni, eversion or prolapse of (Delsaux)	487
Ventricular band (right), swelling of (H. F. Powell) .	257
VERNIEUWE: a case of malignant disease of the accessory sinuses (ab-	
stract)	389
Vertebral column, surgery of ear in relation to (G. Laurens) .	523
Vertigo and tinnitus treated by division of auditory nerve (R. H. Parry)	
	,475
(aural) : Ménière's disease: clinical and experimental inquiry (W.	
Milligan)	440
——— Ménière's symptoms in chronic catarrhal otitis cured by	
curetting the post-nasal space (Bertemès)	502
	477
(laryngeal), case of (P. R. W. de Santi)	168
VILLAR (F.), technique of the anastomosis of the facial with the spinal	
accessory or the hypoglossal nerve in cases of facial paralysis	522
VINRACE (Dennis), discussion on latent or intermittent nasal obstruction	375
Vision, disturbances, of nasal origin induced by disease of posterior	
accessory sinuses (A. Onodi)	622
Vocal cord, growth occupying anterior commissure (J. Bark) .	191
ulceration of epiglottis and vocal cord (W. H. Kelson) .	318
Vocal cord (left), fibroma (soft) of (H. F. Tod)	205
fibromata (sessile) at anterior extremity of (J. Dundas	
Grant)	201
growth (tuberculoma?) on, in man injected with tuber-	
culin eleven years before (StC. Thomson)	155
immobility, complete (A.Thorne)	215
linear perforation of (H. J. Davis) .	319
outgrowth from anterior end of (F. C. Shrubsall for	
Percy Kidd)	201
paralysis of (P. R. W. de Santi)	331
paralysis of (P. R. W. de Santi)	329
complete (StClair Thomson)	194
	426
polypus, causing aphonia of eight months' duration,	
removal, cure (Trétrôp)	491
tubercular ulcer of (R. Lake)	257
ulceration (obscure) of one and a half year's standing	
(Sir Felix Semon)	417
Vocal cord (right), fixation with extreme pain in swallowing (J. Dundas	•
Grant)	219
Granu,	

Vocal cord (right), immobility, case of (F. Potter) ————————————————————————————————————	
nodule of, in a case of male comic vocalist with chronic laryngitis (J. Dundas Grant)	1
laryngitis (J. Dundas Grant)	•
laryngitis (J. Dundas Grant)	c
paralysis of (W. H. Kelson)	•
	;
paralysis of right half of palate, of right vocal cord and	d
right half of pharynx (J. Dundas Grant)	·
<u>——</u> removal for benign tumour of larynx (F. J. Cotton)	•
Vocal cords, paralysis caused by neoplasm of esophagus (A. Wylie)	•
Vocal disability, compensatory action of certain laryngeal muscles in cases of vocal disability (C. C. Rice)	
Vocalist : nodule on right vocal cord in a male comic vocalist with	
chronic laryngitis (J. Dundas Grant)	1
VOELCKER (A. F.), the treatment of diphtheria, with special reference	• e
to the dosage of antitoxin (abstract)	
Vowel tones: physical researches on their nature in relation to move	-
ments of tympanic membrane (W. Colquhoun) .	
WAGGETT (E. B.), discussion on after-treatment of intra-nasal operations	
shears for division of thyroid cartilage	
aseptic forehead mirror handle	•
discussion on non-suppurative disease of the middle ear	•
diagnostic specimen from œsophageal stricture removed by	7
Killian's method $\cdot$	•
WALLACE (J. Sim): "Essay on the Irregularities of the Teeth, with	
special reference to a theory of causation and the principles of pre-	
vention and treatment" (review) . ——— discussion on latent or intermittent nasal obstruction .	•
WERNER (Dr.): discussion on intra-nasal operations.	•
WESTERMAN : intra-nasal operations; the preparatory steps and after	•
treatment (G. Krebs), translated by Dr. Westerman	-
Whispered sounds, determination of acuteness of hearing for (F. H. Quix)	)
WHITE (Joseph A.): mastoiditis .	
WHITE (Leon E.): resection of nasal septum, with report of fifteen cases	
(abstract)	•
WHITEHEAD (A. L.): discussion on series of cases of complete mastoid	l
operations	
——— a fatal case of necrosis of the sphenoidal and posterior ethmoidal	
cells; phlebitis of the cavernous sinus; pyæmia .	•
suppuration in the labyrinth	•
discussion on ætiology and treatment of labyrinthine suppuration	
WIENER (Joseph): operation for congenital saddle-nose by the intro-	
duction of a celluloid plate (abstract) $\ldots$	•
WILKIN (G. C.): the national importance of the thorough and systematic	
removal of adenoids in childhood WILLIANS (P. Watsen), discussion on after treatment of intra pagel	
WILLIAMS (P. Watson): discussion on after-treatment of intra-nasal	L
	6
operations	
operations	
operations . ————————————————————————————————————	ι.
operations	
operations . ————————————————————————————————————	•
operations . ————————————————————————————————————	
operations	
operations	
operations	
<ul> <li>operations</li></ul>	
operations . 20 — lady aged forty-two with intra-laryngeal new-growth . 20 WINGRAVE (V. Wyatt): case of laryngeal disease (tuberculosis ?) in a man aged thirty-seven	
operations	
operations . 20 — lady aged forty-two with intra-laryngeal new-growth . 20 WINGRAVE (V. Wyatt): case of laryngeal disease (tuberculosis ?) in a man aged thirty-seven	

WYLLE (Andrew): case of primary "hard sore" on the lip of a woman . ——— case of neoplasm, probably malignant, of the cosophagus, causing	раде 186
paralysis of both vocal cords	187
YEARSLEY (P. Macleod): discussion on series of cases of complete mastoid operations .	84
case of traumatic atresia of the meatus successfully treated by operation	361
	516
	585
YONGE (Eugene): exhibition of Professor Meyer's apparatus for demon- strating the laryngeal image and intra-laryngeal manipulations . ————————————————————————————————————	207
polypus	208
some observations on the mode of origin of nasal polypi	443
some observations on the mode of origin of nasal polypus	455
ZARNIKO (Dr.): discussion on intra-nasal operations.	21
ZIEM (C.): iritis and nasal disease (abstract)	278
upon the physiology of the inferior turbinal body	489
ZUCKERKANDL (E.): on the occurrence of cartilage in the pharyngeal	
tonsils (abstract)	446
on the Eustachian tube in ant-eaters (abstract)	447
ZUR-MÜHLEN (A. V.): two cases of aneurysm of the arteria carotis	100
cerebri (abstract)	499