The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

> WITH THE ASSISTANCE OF W. M. MOLLISON

Contents

COCHLEAR RESONANCE

. H. MACNAUGHTON-JONES

MALIGNANT MYOBLASTOMA OF THE PHARYNX CAUSING TRACHAEL AND ŒSOPHAGEAL OBSTRUCTION

P. R. ALLISON

CLINICAL NOTE-

TREATMENT OF CARCINOMA OF THE LARYNX BY CHAOUL "CONTACT" X-RAYS . . .

VICTOR LAMBERT and T. A. WATSON

ABSTRACTS-

MISCELLANEOUS

London

Headley Brothers

109 Kingsway, W.C.2

Annual Subscriptions 40/- net

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY WALTER HOWARTH

W. M. MOLLISON

- 1. Original Articles are accepted on the condition that they have not been published elsewhere.
- 2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter added.
- 4. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
- 5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
- 6. Editorial Communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, 109 Kingsway, London, W.C.2.
- 7. The Annual Subscription commencing with the January issue is Two Pounds sterling, post free, and is payable in advance.
- 8. Single copies, both of the present and the previous series, are on sale at Four Shillings each.
- 9. All Subscriptions, advertising and business communications should be sent to the Publishers, Headley Brothers, 109 Kingsway, London, W.C.2.

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. Stechert & Co., 31-33 East 10th Street, New York, or may be sent direct to the Publishers, Headley Brothers, 109 Kingsway, London, W.C.2, England.

Planacrine in Laryngology

HE continuous application of an active bactericide to the mouth and throat is recognised as being of value in the prevention and treatment of infections of the oral and pharyngeal cavity. Unfortunately, gargles the form in which these substances are more commonly prescribed present difficulties to children and many adults, while they fail to reach the more deeply situated structures and their application under optimum conditions is intermittent. Again many disinfectants are rendered inactive by body fluids, giving rise to little more than a pleasant taste in the mouth and a false sense of security.

The active principle of PLANACRINE Lozenges, however, remains effective in the presence of saliva, possesses deep penetrating powers, and is harmless to the tissues. Its presentation in the form of pleasantly flavoured lozenges provides the practitioner with an antiseptic offering prolonged contact with the mucous surfaces in the treatment of follicular tonsillitis, pharyngitis, ulcerating and inflammatory infections of the mouth and throat, angina, etc. During epidemics of influenza, throat, PLANACRINE Lozenges are ideal for the prevention of all infections which find entry by way of the buccopharyngeal cavity.


The Lozenges should be allowed to dissolve slowly in the mouth at the rate of 1 or 2 per hour, the maximum being 20 in 24 hours.

Supplies

★PLANACRINE Lozenges are supplied in convenient pocket packs of 40.

★TRADE MARK.





DOWN BROS., LTD.

Correspondence: 23 PARK HILL RISE, CROYDON

Telephone: Croydon 6133, 6134, 6135

Showrooms: 22a CAVENDISH SQUARE, LONDON, W.1
Telephone: MAYFAIR 0406

PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.





DeVilbissATOMIZERS



These illustrations, which are based on X-ray research, clearly demonstrate the advantages of the atomizer as compared with the dropper

The AEROGRAPH Co., Ltd., Lower Sydenham, London, S.E.26

Sole Distributors of DeVilbiss Products in the United Kingdom.

Telephones: Sydenham 6060—8 Lines.

cvs-- 149

Fourth Edition. Fully Revised.
Demy 8vo, 494 pp. 243 Text Illus. and 21 Plates (8 coloured). 20s. net, postage 6d.

ates (8 coloured). 20s. net, postage 60 DISEASES OF THE NOSE, THROAT AND EAR

Edited by the late
A. LOGAN TURNER, M.D., LL.D., F.R.C.S.E.
With the collaboration of six distinguished

contributors.

"There is no other book which includes laryngology and otology with such success."

British Medical Journal.

Bristol: JOHN WRIGHT & SON Ltd.

Complete in box with 20 Slides in colours, and a packet of transparencies representing the normal tympanic membrane.

21s. net, postage 4d. EAR MODEL

For Otoscopic Practice

Designed by A. J. WRIGHT, M.B., F.R.C.S.

Moulded in rubber with flexible meatus, mounted on a block to hold a series of cards with coloured representations of various conditions of the drumhead. Of great assistance to the Teacher, Student and Otologist.

London: SIMPKIN MARSHALL Ltd.

For Advertisement space in this Journal apply to:

HEADLEY BROTHERS, 109 Kingsway, London, W.C.2

CONTENTS

· · · · · · · · · · · · · · · · · · ·	PAGE
Cochlear Resonance. H. Macnaughton-Jones (London)	193
CLINICAL RECORD—	
Malignant Myoblastoma of the Pharynx causing Tracheal and	
Œsophageal Obstruction. P. R. Allison (Leeds)	218
CLINICAL NOTE	
Treatment of Carcinoma of the Larynx by Chaoul "Contact"	
X-Rays. Victor Lambert and T. A. Watson .	222
Abstracts—	
Miscellaneous	224
Chronic Nasal Diphtheria Carriers Cure with Sulphanilamide. Joan M. Boissard and R. M. Fry. Basal Narcosis for Tonsil Operations on Children. J. Gerrie and I. Ross Mackenzie.	·