ISSN 0033-5894 Volume 116, November 2023

# QR QUATERNARY RESEARCH



**EDITORS** Derek B. Booth Nicholas Lancaster Lewis A. Owen



#### Editors

Derek B. Booth, University of Washington Nicholas Lancaster, Desert Research Institute Lewis A. Owen, North Carolina State University

#### **Associate Editors**

Lesleigh Anderson, U.S. Geological Survey Pat Bartlein, University of Oregon Robert Booth, Lehigh University Louisa Bradtmiller, Macalester College John Dodson, Institute of Earth Environments, Xi'an, China and University of Wollongong Jason Dortch, University of Kentucky Mary Edwards, University of Southampton and University of Alaska Tyler Faith, Natural History Museum of Utah and University of Utah Jaime Urrutia Fucugauchi, National University of Mexico and Instituto de Investigacion y Estudios Avanzados Chicxulub Kathleen R. Johnson, University of California, Irvine Terri Lacourse, University of Victoria Pete Langdon, University of Southampton Thomas Lowell, University of Cincinnati Curtis W. Marean, Arizona State University Barbara Mauz, University of Liverpool and University of Salzburg Jim O'Connor, U.S. Geological Survey Wyatt Oswald, Emerson College Yeong Bae Seong, Korea University James (Jamie) Shulmeister, University of Canterbury, Christchurch Ximena Villagran, Museu de Arqueologia e Etnologia, Universidade de São Paulo Xiaoping Yang, Zhejiang University

## **Editorial Board**

Zhisheng An, Institute of Earth Environment, Chinese Academy of Sciences Gail Ashley, Rutgers University Julie Brigham-Grette, University of Massachusetts John Dodson, Institute of Earth Environments, Xi'an, China and University of Wollongong Yehouda Enzel, Hebrew University of Jerusalem David Fink, Australian Nuclear Science and Technology Organisation Sheri Fritz, University of Nebraska - Lincoln Alan R. Gillespie, University of Washington Lisa Graumlich, University of Washington Vance T. Holliday, University of Arizona Richard G. Klein, Stanford University Melanie Leng, British Geological Survey, University of Nottingham Danial R. Muhs, U.S. Geological Survey Colin V. Murray-Wallace, University of Wollongong Jay Quade, Department of Geosciences, University of Arizona Ashok Kumar Singhvi, Physical Research Laboratory, Ahmedabad, India Maria Socorro Lozano-Garcia, Universidad Nacional Autónoma de México Cathy L. Whitlock, Montana State University Yurena Yanes, University of Cincinnati Liping Zhou, Peking University

Information about editors and editorial board members correct as of 1st January 2023. For the latest information please see https://www.cambridge.org/core/journals/quaternary-research/editors-and-advisory-board

#### Aims & Scope

Quaternary Research is an international journal devoted to the advancement of the interdisciplinary understanding of the Quaternary Period. We aim to publish articles of broad interest with relevance to more than one discipline, and that constitute a significant new contribution to Quaternary science. The journal's scope is global, building on its 50-year history in advancing the understanding of Earth and human history through interdisciplinary study of the last 2.6 million years.

Research areas include geoarcheology, geochemistry and geophysics, geochronology, geomorphology, glaciology, neotectonics, paleobotany and paleoecology, paleoclimatology, paleogeography, paleohydrology, paleoceanography, paleopedology, quaternary geology, volcanology and tephrochronology.

## **Quaternary Research Center**

The QRC is a community of scholars collaborating and fostering interdisciplinary environmental research at the University of Washington through strategic investments in seed grants, expeditions, seminars, workshops, and the publication of *Quaternary Research*.

© University of Washington Published by Cambridge University Press.





# **QUATERNARY RESEARCH**

Volume 116, November 2023

#### **RESEARCH ARTICLES**

- 1 A ca. 39,000-year record of vegetation and climate change from the margin of the Namib Sand Sea Brian M. Chase, Arnoud Boom, Andrew S. Carr, Michael E. Meadows and Sophak Lim
- 12 Vegetation dynamics in Dhofar, Oman, from the Late Holocene to present inferred from rock hyrax middens Kaitlyn E. Horisk, Sarah J. Ivory, Joy McCorriston, Molly McHale, Ali Al Mehri, Andrew Anderson, R. Scott Anderson and Ali Ahmad Al Kathiri
- 30 Middle to Late Holocene lake evolution and its links with westerlies and Asian monsoon in the middle part of the Hexi Corridor, NW China
  - Simin Peng, Yu Li, Xueru Zhou, Lu Hao, Hebin Liu, Zhansen Zhang and Haiye Li
- 46 Holocene millennial-scale variability of coastal environments on the southern coast of Korea and its controlling factors Jaesoo Lim, Sangheon Yi and Youngeun Kim
- 60 A Holocene pollen-inferred climate reconstruction for Vermont, USA Laurie D. Grigg, Ioana C. Stefanescu, Bryan N. Shuman and W. Wyatt Oswald
- 78 Late glacial through Early Holocene environments inferred using pollen from coprolites and sediments recovered from Paisley Caves, Oregon Chantel V. Saban, Erin M. Herring, Dennis L. Jenkins and Daniel G. Gavin
- 96 Massive ground ice of glacial meltwater origin in raised marine-deltaic sediments, Fosheim Peninsula, high Arctic Canada Cameron Roy, Kethra Campbell-Heaton, Denis Lacelle and Wayne Pollard
- 108 Late Pleistocene Neanderthal exploitation of stable and mosaic ecosystems in northern Iberia shown by multi-isotope evidence Sarah Pederzani, Kate Britton, Jennifer Rose Jones, Lucía Agudo Pérez, Jeanne Marie Geiling and Ana B. Marín-Arroyo
- 133 Paleoenvironmental changes in the eastern Kumtag Desert, northwestern China since the late Pleistocene Haoze Song, Xiaoping Yang, Frank Preusser, Alexander Fülling and Bo Chen
- 148 Was there a nonglacial episode in the western Hudson Bay Lowland during Marine Isotope Stage 3? *Tyler J. Hodder, Michelle S. Gauthier, Martin Ross and Olav B. Lian*
- 162 A conceptual model of multi-scale formation processes of open-air Middle Paleolithic sites in the arid Negev desert, Israel Maya Oron, Joel Roskin, Yoav Avni, Naomi Porat, Emil Aladjem, Dmitry Yegorov, Jacob Vardi and Erella Hovers

Photo Caption: The iconic sand dunes at Sossusvlei, Namibia lie on the eastern margin of the Namib Desert and Sand Sea, a region characterised by arid to hyperarid conditions since the late Cretaceous (ca. 80 Ma). Determined by factors associated with the variable intensity of low-latitude anticyclones, environmental conditions in the region are particularly sensitive to changes in global climate system. Contrary to predictions of increased aridity during glacial periods, a growing body of evidence derived from rock hyrax middens from the region indicates that Marine Oxygen Isotope Stages 2–3 were significantly more humid than in the Late Holocene. Cooler temperatures and higher/more regular rainfall promoted the expansion of relatively mesic shrubland into areas now dominated by sparse, xeric grasses, resulting in marked changes in the regional ecology. Photo: Brian M. Chase (See the article by Chase et al., pages 1–11 in this issue.