The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

WITH THE COLLABORATION OF V. E. NEGUS R. G. MACBETH

Contents

BRONCHOLOGICAL PNEUMONOLOGY (SEMON LECTURE)

ERLCO HUIZINGA

THE COMPARATIVE PATHOLOGY OF OTITIS MEDIA— EXPERIMENTAL AND HUMAN . . .

I. FRIEDMANN V

NEUROFIBROMATOUS MACROGLOSSIA

. T. BIRD and G. O. CLARK V

CLINICAL RECORD-

MENINGIOMAS INFILTRATING THE NASAL CAVITY, NASAL SINUSES, AND THE ORBIT

A. BELAL

LETTER TO THE EDITOR

GENERAL NOTES

London

Headley Brothers Ltd

109 Kingsway W C2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

WITH THE COLLABORATION OF

V. E. NEGUS

R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be

charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for

this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to Tue Entron, Journal of

Laryngology, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 78. 6d. each; copies of parts up to Vol.

LXIII may be purchased at 4s. each.
10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers Ltd., 109 Kingsway London, WCz.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAVNER, ING., \$1-33 East 10th Street, New York, or direct to the publishers, Handley Brothers Led. 109 Kingsway London, WC2, England.



PETERS AUDIOMETERS

The SPD/2 Clinic Audiometer (illustrated) and the simpler SPD/3 Consulting Audiometer combine the advantages of both continuous and fixed frequency instruments. They each provide a continuous frequency range with continuous threshold compensation so that all hearing loss readings for air and bone conduction at any desired frequency are taken from the same zero reference level. In addition the continuous variability of the attenuator, makes it completely silent.

The Clinic Audiometer incorporates facilities for performing almost all known audiometric tests while the Consulting Audiometer fulfils normal clinical requirements.

Speech audiometric accessories and a Peepshow for the testing of young children are available for both instruments. Please write for a descriptive brochure.

London Representatives:—Acousticon, 122 Wigmore St., W.1.

Representatives in almost all countries

ALFRED PETERS & SONS LTD



EAR WAX Removed THE EASIER WAY



The removal of wax from the external auditory meatus can now be greatly simplified—by the use of Cerumol Ear Drops. Cerumol dissolves soft cerumen, disimpacts the hard wax plug, and a simple wiping or washing out is sufficient to remove debris. Cerumol is not injurious to the lining of the external auditory meatus or to the tympanic membrane.

Anti-bacterial, safe and efficient, Cerumol is an accepted product for use in a large number of hospitals and general practices throughout the country. It is included in Category No.4 of the Classified List of Proprietary Preparations issued by the Ministry of Health, and may therefore be prescribed on N.H.S. form E.C.10.

PACKS:— For Surgery Use: 10 c.c. vial, separate dropper included (Basic N.H.S. price 2/8.).

For Hospital Use: 2 oz. and 10 oz. bottles.



EAR DROPS

For the removal of Wax.

Samples of Cerumol will gladly be sent to members of the medical profession, on application to the distributors:

TAMPAX LIMITED

MEDICAL DEPARTMENT, II0 JERMYN STREET, LONDON, S.W.I
Telephone: WHitehall 8696

A PRODUCT OF THE LABORATORIES FOR APPLIED BIOLOGY LTD, LONDON, N.16

THE INSTITUTE OF LARYNGOLOGY AND OTOLOGY

(University of London)

330/332 Gray's Inn Road, London, W.C.1

Complete Clinical Course (whole-time) especially suitable for D.L.O. Part II students; January 3rd to June 10th, 1955. Fee £31 10s. 0d.

Intensive Clinical Course (whole-time), January 31st to February 26th, 1955. This course covers the whole field of the Speciality and is intended to form a theoretical basis in preparation for practical clinical training. Fee £12 12s. 0d.

Basic Sciences Class (whole-time) for Part 1 D.L.O. students, with facilities for dissection; February 21st to May 27th, 1955. Fee £21.

Week-end Course in Aural Surgery for senior students and practising members of the Speciality; January 21st, 22nd and 23rd, 1955. Fee £5 5s. 0d.

Advanced Revision Course for Final F.R.C.S. students; February 7th to April 23rd, 1955. Arranged as part-time course (mostly evenings) to meet circumstances of students holding appointments. Fee £21.

Detailed syllabus obtainable from the Dean

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing— it brings pain-relieving acetylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted. Prescription bottles of 36 tablets, dispensing bottles of 250.

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16



Please mention The Journal of Laryngology when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I (Welbeck 2591)

CONTENTS

Bronchological Pneumonology (Semon Lecture). Professor Eelco Huizinga (Groningen)	I
THE COMPARATIVE PATHOLOGY OF OTITIS MEDIA—EXPERIMENTAL AND HUMAN. I. Friedmann (London)	27
Neurofibromatous Macroglossia. T. Bird and G. O. Clark (Dundee)	51
CLINICAL RECORD—	
Meningiomas Infiltrating the Nasal Cavity, Nasal Sinuses,	
and the Orbit. A Belal (Alexandria, Egypt)	59
Letter to the Editor	69
General Notes	70

For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London WC2