

**LASER AND  
PARTICLE BEAMS**

# Laser and Particle Beams

## Pulse Power and High Energy Densities

**Editor in Chief:** HEINRICH HORA  
Head, Department of Theoretical Physics  
University of New South Wales  
Kensington 2033, Australia

**Managing (and USA) Editor:**  
G. H. MILEY (for USA)  
Director, Fusion Studies Laboratory,  
University of Illinois,  
103 S. Goodwin Ave., Urbana, IL 61801,  
USA

**Associate Editors:**  
R. DAUTRAY (for Europe)  
Scientific Director, CEA Limeil, B.P. 27  
94190 Villeneuve St. Georges, France  
A. H. GUENTHER (for Pulse Power)  
Chief Scientist (Adv. Def. Tech.),  
Los Alamos Nat. Laboratory,  
Los Alamos, NM 87545,  
USA  
C. YAMANAKA (for Japan)  
Director, Institute of Laser Engineering,  
Osaka University, Suita,  
565 Osaka, Japan

**Editorial Board**  
N. G. Basov (Moscow)  
P. van Devender (Albuquerque)  
S. Eliezer (Soreq, Israel)  
J. L. Emmett (Livermore)  
A. J. Glass (San Francisco)  
R. J. Jensen (Los Alamos)  
G. Kessler (Karlsruhe)  
M. H. Key (Rutherford Appleton Lab.)  
R. L. McCrory (Rochester)  
P. Mulser (Darmstadt)  
S. Nakai (Osaka)  
K. Niu (Nagatsuta)  
A. A. Offenberger (Alberta)  
A. M. Prokhorov (Moscow)  
B. Ripin (Washington)  
D. D. Ryutov (Novosibirsk)  
J. P. Watteau (CEA Limeil)

**Laser and Particle Beams** is an international journal which covers the generation, and the interaction with matter, of high intensity laser and particle beams. It also covers the physics of systems with high energy densities. Specific fields of interest include nuclear fusion, especially inertial confinement, magnetic confinement, diagnostics, material treatment, laboratory astrophysics, plasmas and spectroscopy at extreme conditions, physical properties of hot dense matter and intense particle beams and optical (laser) beams from the microwave to the X-ray region. The exploration of these fields and their new physics, including nonlinear and nonclassical phenomena, should find a forum in this journal.

As well as publishing original articles the journal also publishes occasional review articles, surveys of research at particular laboratories and reviews of recent books.

© Cambridge University Press 1989

**Copying:** This journal is registered with the Copyright Clearance Center, 27 Congress St., Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the percopy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 5/0263-0346/89/\$5.00 + 00.


ISI Tear Sheet Service, 3501 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorised to supply single copies of separate articles for private use only.

For all other use, permission must be sought from Cambridge or the American Branch of Cambridge University Press.

**Subscriptions:** *Laser and Particle Beams* (ISSN 0263-0346) is published quarterly. The subscription price (which includes postage) of volume 7, 1989 is £89 net UK, £99 elsewhere (US \$185 in USA and Canada). Single parts cost £28 net (US \$52 in USA and Canada) plus postage. Four parts form a volume. Orders, which must be accompanied by payment, may be sent to a bookseller, subscription agent or direct to the publishers: Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU. Orders from the USA and Canada should be sent to Cambridge University Press, Journals Department, 40 West 20th Street, New York, NY 10011, USA. Copies of the journal for subscribers in the USA and Canada are sent by air to New York to arrive with minimum delay. Second class postage paid at New York, NY, and at additional mailing offices. POSTMASTER: send address changes in USA and Canada to *Laser and Particle Beams*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573.

# LASER AND PARTICLE BEAMS

VOLUME 7  
1989



CAMBRIDGE UNIVERSITY PRESS  
CAMBRIDGE  
NEW YORK PORT CHESTER  
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge  
The Pitt Buildings, Trumpington Street, Cambridge CB2 1RP  
40 West 20th Street, New York, NY 10011  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1989

Printed in Great Britain by The Universities Press (Belfast) Ltd, Belfast BT6 9HF

# CONTENTS OF VOLUME 7

## TABLE OF CONTENTS LASER AND PARTICLE BEAMS Vol. 7 1989

### PART 1 FEBRUARY 1989

W. Mroz, R. Arendzikowski, S. Denus, J. Farny, H. Fiedorowicz, K. Jeziak, M. Mamczur, S. Nagraba, W. Pawlowicz, A. Wilczynski, J. Wolowski (IPPLM, Warsaw, Poland), P. Bitzan, L. Drska, J. Limpouch, G. Loncar, L. Pina, and J. Vondrasek (U. Prague, CSSR): Energy transport through thin aluminum foils in laser-target experiment	3
S. Denus, W. Muniak, and E. Woryna (IPPLM, Warsaw, Poland): Obtaining microspherical cryotargets by the method of contact point	15
N. K. Gupta and S. V. Lawande (BARC, Bombay, India): Rayleigh-Taylor instability in multistructured inertial confinement fusion targets	27
R. C. Davidson (MIT, Cambridge, MA, USA) and H. S. Uhm (Naval Surface Weapons Center, Silver Springs, MD): Kinetic extraordinary-mode eigenvalue equation for relativistic nonneutral electron flow in planar geometry	55
R. C. Davidson (MIT, Cambridge, MA, USA) and H. S. Ohm (Naval Surface Weapons Center, Silver Springs, MD): Kinetic stability properties of relativistic nonneutral electron flow for low-frequency extraordinary-mode perturbations	85
D. P. Singh, J. J. E. Herrera, and M. Vaselli (Inst. di Fisica, Pisa, Italy): Effect of thermal flux inhibition on the coupling of core with hot corona in a laser irradiated plasma pellet	111
G. Min and T. Weihan (Shanghai Inst., China): Field distributions and resonance absorption in a laser plasma filament	119
T. Weihan and G. Min (Shanghai Inst., China): Linear conversion theory on the second harmonic emission from a plasma filament	131
A. V. Arzhannikov, A. P. Avrorov, M. P. Lyamzin, S. L. Sinitsky, and M. V. Yushkov (Inst. Nuclear Phys., Novosibirsk, USSR): Microsecond REB generation in a planar diode at the U-2 device	139
H. Miyama, N. Fujii, N. Takeishi, T. Tokuda, and N. Sakatsume (U. of Nagaoka, Nagaoka, Japan): A shock tube study of high temperature reaction of CO—N <sub>2</sub> O—H <sub>2</sub> mixtures and its application to CO <sub>2</sub> gasdynamic laser	145
K. Rohr, R. Dinger, and H. Weber (U. Kaiserslautern, Germany-West): Ion emission characteristics from laser produced plasmas with steep density gradients	157
M. Casanova (Limeil-Valenton, France): Convenient computational forms for the frequency and damping of electrostatic waves in an unmagnetized plasma	165

PART 2 MAY 1989

<b>Editorial</b>	173
H. Takabe, K. Mima and S. Nakai (Osaka U., Japan): Requirement of uniformity for fuel ignition and uniformity in high neutron yield implosion	175
M. Murakami, K. Nishihara and H. Takabe (Osaka U., Japan): Theory of efficient shell implosions	189
T. Kaneda and K. Niu (Tokyo Inst. of Tech., Yokohama, Japan): Kinetic analysis of propagating ion beam with leading and trailing edges as ICF energy driver	207
J. Sanmartín (U. Politécnica, Madrid, Spain): Coronal fluid-dynamics in laser fusion	219
A. Barrero (U. Sevilla, Sevilla, Spain): Hydrodynamics of layer-structured targets impinged by intense ion beams	229
L. Drska and J. Vondrasek (Tech. U. Prague, CSSR): Some aspects of the unified model of non-ideal high-parameter plasmas: electron EOS and conduction coefficients	237
K. Mima, H. Takabe and S. Nakai (Osaka U., Japan): Pusherless implosion, pulse tailoring and ignition scaling law for laser fusion	249
T. Yabe (Gunma U., Gunma, Japan) and K. Tanaka (Osaka U., Japan): Ion mean-free path and nonequilibrium radiation effects on high-aspect-ratio laser-driven implosions	259
S. Kawata, M. Matsumoto and Y. Masubuchi (Nagaoka U. of Tech., Japan): Numerical simulation for particle acceleration and trapping by an electromagnetic wave	267
Y. Kawano, N. Yumino, K. Masugata and K. Yatsui (Nagaoka U. of Tech., Japan): Time-resolved spectroscopic measurement of anode plasma in magnetically-insulated diode	277
K. Masugata, H. Isobe, K. Aga, M. Matsumoto, S. Kawata, W. Jiang and K. Yatsui (Nagaoka U. of Tech., Japan): Two-dimensional focusing of self-magnetically insulated "Plasma Focus Diode"	287
G. Velarde, J. M. Aragones, J. J. Honrubia, J. M. Martinez-Val, E. Minguez, J. L. Ocana and J. M. Perlado (DENIM, Madrid, Spain): Simulation code for ICF including radiative energy transfer	305
W. Scheid and H. Hora (UNSW, Kensington, Australia): On electron acceleration by plane transverse electromagnetic pulses in vacuum	315
S. Cavalieri, R. Pini, R. Salimbeni, U. Vanni, M. Vannini (Inst. Elet. Quantistica, Firenze, Italy), P. Burlamacchi (U. Cagliari, Cagliari, Italy) and L. Fini (U. Firenze, Firenze, Italy): Analysis, design and construction of copper vapor laser system	333
S. Eliezer and Z. Henis (SOREQ, Israel): $\mu$ -Molecular formation under laser irradiation	345
<b>Editorial</b>	353

PART 3 AUGUST 1989

<b>Preface</b>	355
----------------	-----

C. B. Collins, J.A. Anderson, F. Davanloo, C. D. Eberhard, J. J. Carroll, J. J. Coogan, and M. J. Byrd (U. Texas – Dallas, Richardson, TX, USA): The gamma-ray laser – status and issues in 1988	357
A. Zigler (SOREQ, Yavne, Israel), R. W. Lee and S. Mrowka (LLNL, Livermore, CA): Creation of X-ray laser media by high power laser heating of capillary discharge	369
Ken-ichi Ueda (U. Electro-Communications, Tokyo, Japan): Present status and prospect of KrF laser physics and technology – large volume excitation and UV optics	375
Y. Owadano, I. Okuda, Y. Matsumoto, M. Tanimoto, T. Tomie, K. Koyama, and M. Yano (Electrotech. Lab., Tsukuba, Ibaraki, Japan): Development of a High-Power KrF Laser System, ASHURA	383
A. A. Offenberger and R. Fedosejevs (U. Alberta, Alberta, Canada): KrF laser produced plasmas	393
Reed J. Jensen (LANL, Los Alamos, NM, USA): A traveling wave approach to plasma pumping for X-ray sources	405
G. H. Miley (U. of Illinois, Urbana, IL, USA): A nuclear pumped laser for the laboratory microfusion facility	411
K. Toyoda and Y. Kawamura (Inst. of Phys. and Chem. Res., Saitama, Japan): Experimental study of free electron laser using cold relativistic electron beams	421
Arthur H. Guenther (AFWL, Kirtland AFB, NM, USA) and John K. McIver (U. New Mexico, Albuquerque, NM, USA): The pulsed laser damage sensitivity of optical thin films, thermal conductivity	433
D. S. Pappas (LANL, Los Alamos, NM, USA): Physics of fusion pumped lasers	443
M. A. Prelas and E. J. Charlson (U. of Missouri, Columbia, MO, USA): Synergism in inertial confinement fusion: a total direct energy conversion package	449
S. Nakai (ILE, Osaka, Japan): Laser fusion experiment	467
C. Yamanaka (ILE, Osaka, Japan): Present and future of laser fusion	477
J. Fujita, S. Morita and M. Sakurai (Nagoya U.): X-ray diagnostics for fusion plasmas	483
K. Mima, H. Takabe, A. Nishiguchi, Y. Kihara, and S. Nakai (Osaka U., Osaka, Japan): Theoretical studies on electron and radiation preheatings	487
K. A. Tanaka, Y. Kato, S. Nakai, H. Shiraga (ILE, Osaka, Japan), T. Yabe (Gunma U., Gunma, Japan), T. Yamanaka, T. Endo, and R. Kodama (ILE, Osaka, Japan) and C. Yamanaka (ILT, Osaka, Japan): Energy transport experiments at Institute of Laser Engineering, Osaka University	495
Keishiro Niu (Tokyo Inst. of Tech., Yokohama, Japan): Implosion motion and fuel compression in direct or indirect driven target	505
G. Kasotakis, L. Cicchitelli, H. Hora and R. J. Stening (UNSW, Kensington-Sydney, Australia): Volume compression and volume ignition of laser driven fusion pellets	511
S. Witkowski (MPQ, Garching, Germany-West): Physics of dense plasma research at MPQ	521
J. Yamada (Aichi Inst. of Tech., Toyoda, Japan) and T. Okuda (Daido Inst. of Tech., Nagoya, Japan): Laser-produced dense plasma in extremely high pressure gas and its application to a plasma-bridged gap switch	531

Susumu Namba (Osaka U., Osaka, Japan): Nanolithography for VLSI and ULSI	539
John T. Bahns (Pacific-Sierra Res. Corp., Los Angeles, CA, USA), Mark Koch (LTV Missiles and Electronic Group, Dallas, TX, USA), and William C. Stwalley (U. of Iowa, Iowa City, IA): Laser-induced plasmas in metal vapors	545
Francis F. Chen (U. CA - Los Angeles, CA, USA): RF production of high density plasmas for accelerators	551
Yasushi Nishida (Utsunomiya U., Tochigi, Japan): Electron linear accelerator based on cross field acceleration principle	561
Y. Furutani, H. Totsuji (Okayama U., Okayama, Japan), K. Mima and H. Takabe (ILE, Osaka, Japan): Internal structure of a partially ionized heavy ion - isolated ion model	581
<b>Regular Papers</b>	
M. Vaselli, V. Palleschi and D. P. Singh (Inst. di Fisica, Pisa, Italy): Hydrodynamics of supercritical region in laser ablated plasmas	589
R. Giles (AT & T, Holmdel, NJ, USA) and A. A. Offenberger (U. of Alberta, Canada): Ion heating as a limiting process in CO <sub>2</sub> laser induced brillouin scattering	597
E. A. Chauchard, C. C. Kung, Chi H. Lee, and M. J. Rhee (U. of Maryland, College Park, MD, USA): Repetitive semiconductor opening switch and application to short pulse generation	615
J. A. Nicolás, J. Sanz, J. R. Sanmartín, and J. Hilario (U. Politecnica, Madrid, Spain): Non-uniform target illumination in deflagration regime. Refractive smoothing	627
T. Tajima and W. Horton (U. Texas, Austin, TX, USA), S. Nishikawa (U. Tsukuba, Tokyo, Japan) and T. Nishikawa (Nat'l. Lab. for High Energy Physics, Ibaraki, Japan): Ionospheric Accelerator	637
<b>Book Review by B. Yaakobi</b>	645

#### PART 4 NOVEMBER 1989

<b>Preface</b>	647
R. J. Leeper (SNL, Albuquerque, NM): New diagnostic developments for intense ion beam experiments	649
Y. Maron, E. Sarid, L. Perelmutter, M. E. Foord, O. Zahvai, M. Sarfaty, M. Markovits, C. Litwin, and E. Nahshoni (Weizmann Inst., Rehovot, Israel): Spectroscopic investigations of the nonequilibrium plasma and the charge flow in ion beam diodes	665
Th. Westermann and W. Schimassek (Karlsruhe, FRG): Experimental and numerical investigation of a self-magnetically $B_\theta$ -insulated ion diode	675
S. Miyamoto, K. Imasaki, Y. Yasuda, N. Yugami, T. Akiba, K. Tubakimoto, A. Zakou, S. Nakai (ILE, Osaka Univ., Osaka, Japan), and C. Yamanaka (ILT, Osaka, Japan): Studies of light ion beam for inertial confinement fusion by induction adder	687
K. Kasuya, K. Horioka, H. Yoneda, H. Sumitani, H. Tomita (TIT, Yokohama, Japan), S. Kato, Y. Goino (Nissin Elect., Kyoto, Japan), S. Teii (Musashi Inst. of Tech., Tokyo, Japan), and T. Tazima (IPP, Nagoya, Japan): Recent results of experiments associated with cryogenic pulsed ion diodes	701

S. Nakai (ILE, Osaka, Japan): Pellet and implosion scaling	711
G. A. Moses, G. L. Kulcinski, D. Bruggink, R. Engelstad, E. Lovell, J. MacFarlane, Z. Musicki, R. Peterson, M. Sawan, I. Sviatoslavsky, L. Wittenberg (U. Wisconsin, Madison, WI, USA), G. Kessler, U. von Möllendorff, E. Stein (Karlsruhe, FRG), I. Smith, P. Corcoran, H. Nishimoto, J. Fockler (Pulse Sciences, Inc.), D. Cook and R. Olson (SNL, Albuquerque, NM, USA): LIBRA—A light ion beam inertial confinement fusion reactor conceptual design	721
Kiyoshi Yatsui (Nagaoka U., Nagaoka, Japan): Industrial applications of pulse power and particle beams	733
E. W. Becker (Karlsruhe, FRG): Production and applications of cluster beams	743
A. L. Filatov, Yu. A. Kotov, G. A. Mesyats, and S. Yu. Sokovnin (USSR Acad. of Sci., Sverdlovsk, USSR): A $5 \cdot 10^7$ -A/kg dose rate compact X-ray generator	755
P. Choi (Imperial College, London, UK), C. S. Wong, and H. Herold (U. Stuttgart, Stuttgart, FRG): Studies of the spatial and temporal evolution of a dense plasma focus in the X-ray region	763
T. R. Yeh, M. Wen, C. C. Tzeng, D. J. Shang, C. K. Yeh, K. S. Wu, Y. Y. Kuo, and W. S. Hou (Inst. Nucl. Energy Research, Taiwan, ROC): Neutron localization measurements from a two-gun plasma focus device	773
T. Auguste, C. Chenais-Popovics, B. Etlicher, J.-C. Gauthier, J.-P. Geindre, and C. Rouille (Ecole Polytechnique, Palaiseau, France): Dynamics of an Argon gas-embedded Z-pinch micro-channel as a function of the initial preionization	781
<b>Regular Papers</b>	
T. S. Shirsat, H. D. Parab, and H. C. Pant (Bhabha Atomic Res. Center, Bombay, India): Effect of target atomic number on laser induced ablation pressure scaling	795
V. Schneider and J. Maruhn (U. Frankfurt, Frankfurt, FRG): Simulations of hydrodynamic flow in gas targets irradiated by intense ion beams	807
Mohammad F. Mahmood (Howard U., Washington, DC, USA): HgBr (B-X) formation due to collisions involving O <sup>+</sup> /O <sub>2</sub> <sup>+</sup> and HgBr <sub>2</sub> at kinetic energies (lab.) above 100 eV	829
C. R. Phipps (UNSW, Kensington-Sydney, Australia): Conceptual design of a 170-MJ hydrogen fluoride laser for fusion	835
Book Reviews by R. Dragila and H. Hora	859
Book Reviews by H. Hora and B. Luther-Davies	860

## Information for Contributors

1. Manuscripts must be written in English. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favourable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Associate Editor or the Editor.
2. The typescript should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, position and affiliations.
3. The title and section headings should highlight the significant points. A short abstract should precede the main text.
4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.
5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy.
6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables.
7. References and footnotes should be cited according to the Harvard (Author/date system), also known as the "British form". In the text, author and year are cited in brackets e.g. "... was found by McCarthy (1980; 1980a) ..." or "(Emmett *et al.* 1972)". Full references are listed in alphabetic order at the end of the paper. References are not numbered. An example of a reference list is:  
DEUTSCH, C. & KLARSFELD, S. 1973 *Phys. Rev. A* **7**, 2081.  
NICHOLSON, D. R. 1983 *Plasma Theory*, (John Wiley, New York).  
OOMURA, H. *et al.* 1982 *Res. Rep. ILE*, ILE-8207p.  
OOMURA, H. *et al.* 1982a *Trans. ANS*, **43**, 617.  
Note that the year of publication appears after the author's name. If possible, all authors names should be listed in preference to "*et al.*" If one author or team is referred to more than once in any year, the letters a, b, etc should be added after the year to distinguish the individual references.
8. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

Cambridge University Press, The Pitt Building, Trumpington Street, Cambridge CB2 1RP  
40 West 20th Street, New York, NY 10011, USA  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

# LASER AND PARTICLE BEAMS

## Pulse Power and High Energy Densities

Vol. 7, Part 4, November 1989

### Preface 647

R. J. Leeper (SNL, Albuquerque, NM): New diagnostic developments for intense ion beam experiments 649

Y. Maron, E. Sarid, L. Perelmutter, M. E. Foord, O. Zahvai, M. Sarfaty, M. Markovits, C. Litwin, and E. Nahshoni (Weizmann Inst., Rehovot, Israel): Spectroscopic investigations of the nonequilibrium plasma and the charge flow in ion beam diodes 665

Th. Westermann and W. Schimassek (Karlsruhe, FRG): Experimental and numerical investigation of a self-magnetically  $B_\theta$ -insulated ion diode 675

S. Miyamoto, K. Imasaki, Y. Yasuda, N. Yugami, T. Akiba, K. Tubakimoto, A. Zakou, S. Nakai (ILE, Osaka Univ., Osaka, Japan), and C. Yamanaka (ILT, Osaka, Japan): Studies of light ion beam for inertial confinement fusion by induction adder 687

K. Kasuya, K. Horioka, H. Yoneda, H. Sumitani, H. Tomita (TIT, Yokohama, Japan), S. Kato, Y. Goino (Nissin Elect., Kyoto, Japan), S. Teii (Musashi Inst. of Tech., Tokyo, Japan), and T. Tazima (IPP, Nagoya, Japan): Recent results of experiments associated with cryogenic pulsed ion diodes 701

S. Nakai (ILE, Osaka, Japan): Pellet and implosion scaling 711

G. A. Moses, G. L. Kulcinski, D. Bruggink, R. Engelstad, E. Lovell, J. MacFarlane, Z. Musicki, R. Peterson, M. Sawan, I. Sviatoslavsky, L. Wittenberg (U. Wisconsin, Madison, WI, USA), G. Kessler, U. von Möllendorff, E. Stein (Karlsruhe, FRG), I. Smith, P. Corcoran, H. Nishimoto, J. Fockler (Pulse Sciences, Inc.), D. Cook and R. Olson (SNL, Albuquerque, NM, USA): LIBRA-A light ion beam inertial confinement fusion reactor conceptual design 721

Kiyoshi Yatsui (Nagaoka U., Nagaoka, Japan): Industrial applications of pulse power and particle beams 733

E. W. Becker (Karlsruhe, FRG): Production and applications of cluster beams 743

A. L. Filatov, Yu. A. Kotov, G. A. Mesyats, and S. Yu. Sokovnin (USSR Acad. of Sci., Sverdlovsk, USSR): A  $5 \cdot 10^7$ -A/kg dose rate compact X-ray generator 755

P. Choi (Imperial College, London, UK), C. S. Wong, and H. Herold (U. Stuttgart, Stuttgart, FRG): Studies of the spatial and temporal evolution of a dense plasma focus in the X-ray region 763

T. R. Yeh, M. Wen, C. C. Tzeng, D. J. Shang, C. K. Yeh, K. S. Wu, Y. Y. Kuo, and W. S. Hou (Inst. Nucl. Energy Research, Taiwan, ROC): Neutron localization measurements from a two-gun plasma focus device 773

T. Auguste, C. Chenais-Popovics, B. Etlicher, J.-C. Gauthier, J.-P. Geindre, and C. Rouille (Ecole Polytechnique, Palaiseau, France): Dynamics of an Argon gas-embedded Z-pinch micro-channel as a function of the initial preionization 781

### Regular Papers

T. S. Shirsat, H. D. Parab, and H. C. Pant (Bhabha Atomic Res. Center, Bombay, India): Effect of target atomic number on laser induced ablation pressure scaling 795

V. Schneider and J. Maruhn (U. Frankfurt, Frankfurt, FRG): Simulations of hydrodynamic flow in gas targets irradiated by intense ion beams 807

Mohammad F. Mahmood (Howard U., Washington, DC, USA): HgBr (B-X) formation due to collisions involving  $O^+/O_2^+$  and  $HgBr_2$  at kinetic energies (lab.) above 100 eV 829

C. R. Phipps (UNSW, Kensington-Sydney, Australia): Conceptual design of a 170-MJ hydrogen fluoride laser for fusion 835

Book Reviews by R. Dragila and H. Hora 859

Book Reviews by H. Hora and B. Luther-Davies 860

Index 861