# The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIQUEL TAYLOR

#### Contents

AND PARAMASAL SINUSES	H. J. Shaw
LESIONS IN THE TEMPORAL BONE CAUSING MULTIPLE NERVE DAMAGE	P. M. BINNS and H. D. FAIRMAN
CANDIDA INFECTION OF THE TONGUE (CLINICAL AND CULTURAL STUDIES)  M. A. MOSTAFA	A. Yassin, and M. K. Moawad
MALIGNANT TUMOURS OF NASOPHARYNX IN DELHI ,	P. B. RAO
AFFECTION OF BONE IN RHINOSCLEROMA	R. BADRAWY
ACTINOMYCOSIS OF THE MAXILLARY SINUS	M. B. STANTON
CLINICAL RECORDS— EXPANSION OF ANTRUM BY AN ANTROCHOANAL	
Polypus	L. H. HIRANANDANI and R. D. MELGIRI
A Case of Lipoid Granuloma in Old Age	DENNIS CLARK
STELLATE GANGLION BLOCK IN ATROPHIC RHINITIS	A. N. SHARMA and D. S. SARDANA
MALIGNANT MELANOMA OF THE NOSE WITH A REPORT OF A CASE IN THE MAXILLARY SINUS	LEWIS LABIB SAMY
Waldenström's Macroglobulinæmia: A Cause of Epistaxis in the Elderly .	I. WRIGHT
ADENOLYMPHOMA PRESENTING AS PHARYNGEAL	R S SINGU

GENERAL NOTES

London

### Headley Brothers

109 Kingsway WC2

## The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

#### G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 35. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, too Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the fournal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
- 7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headlay Brothers, 109 Kingsway, London, WC2.
- 8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.
- Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.
- 10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

#### United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

o Journal of Laryngology and Otology, 1966

#### CONTENTS

	PAGE
COMBINED THERAPY FOR CANCER OF THE UPPER JAW AND PARANASAL	
Sinuses. H. J. Shaw (London)	105
LESIONS IN THE TEMPORAL BONE CAUSING MULTIPLE NERVE DAMAGE.	
P. M. Binns and H. D. Fairman (Bristol)	125
CANDIDA INFECTION OF THE TONGUE (CLINICAL AND CULTURAL STUDIES).  A. Yassin, M. A. Mostafa and M. K. Moawad (Cairo)	138
MALIGNANT TUMOURS OF NASOPHARYNX IN DELHI. P. B. Rao (New	
Delhi)	151
Affection of Bone in Rhinoscleroma. R. Badrawy (Cairo)	160
ACTINOMYCOSIS OF THE MAXILLARY SINUS. M. B. Stanton (London) .	168
Clinical Records—	
EXPANSION OF ANTRUM BY AN ANTROCHOANAL POLYPUS. L. H.	
Hiranandani and R. D. Melgiri (Bombay)	175
A Case of Lipoid Granuloma in Old Age. Dennis Clark (Westonsuper-Mare)	178
STELLATE GANGLION BLOCK IN ATROPHIC RHINITIS. A. N. Sharma	1,0
and D. S. Sardana (Kanpur, India)	184
MALIGNANT MELANOMA OF THE NOSE WITH A REPORT OF A CASE IN	
THE MAXILLARY SINUS. Lewis Labib Samy (Cairo, U.A.R.)	187
WALDENSTRÖM'S MACROGLOBULINÆMIA: A CAUSE OF EPISTAXIS IN	
THE ELDERLY. I. Wright (London)	194
ADENOLYMPHOMA PRESENTING AS PHARYNGEAL TUMOUR. R.S. Singh	
(Dundee)	199
General Notes	204

#### - NEW BLACKWELL BOOKS —

#### Office Practice of Otolaryngology

ABRAHAM R. HOLLENDER, M.SC., M.D., F.A.C.S. 1965. 648 pages, 62 illustrations. £5 8s.

Dr. Hollender covers in detail necessary equipment, immunization and allergy, drugs, glands and nutritional aspects, physical therapy and audiology. Comprehensive sections are devoted to individual diseases of the ear, nose and sinuses, mouth, pharynx, salivary glands, and larynx.


#### Research in Deafness in Children

Edited by L. Fisch, M.D., D.L.O. for the National Deaf Children's Society. 1964. 120 pages. 15s.

#### Lecture Notes on Diseases of the Ear, Nose and Throat

E. H. MILES FOXEN, F.R.C.S., D.L.O. 1961. (Reprinted 1964, 1965) 196 pages, 96 illustrations. 18s. 6d.

#### - BLACKWELL SCIENTIFIC PUBLICATIONS · OXFORD -




FOR SURGERY

#### NEW SYSTEMIC HAEMOSTATIC HAEMOSTATIC ENSURES A CLEAR FIELD



Clinical studies of DICYNENE have shown its efficacy in the prevention and treatment of haemorrhage due to the rupture of small vessels. DICYNENE exhibits low toxicity. The drug is well tolerated and there are no known contra-indications. For further details write to BAXTER LABORATORIES LTD., Thetford, Norfolk. Tel. Thetford 2081





# Staphylococci cannot live with **Orbenin**

Cells of Staphylococcus sureus (phage type 80), a typoical penicillinase-producing organism, are illustrated before and after exposure to 10 µg/ml. of Orbenin (cloxacillin sodium). These photoelectron micrographs are magnified 25,000 times.

Orbenin (cloxacillin sodium B.P.) is one of the BRL semi-synthetic 'tailor-made' penicillins, developed specifically for the treatment of resistant staphylococcal infections. It has the two important qualities of penicillin, being bactericidal and of low toxicity. It is acid-stable and so can be given in the convenient oral form as well as by intramuscular injection, giving effective serum and tissue levels by either route.

Orbenin is also indicated in the treatment of mixed Gram-positive infections, as it is active against all Gram-positive bacteria normally sensitive to penicillin.

Availability: Capsules, syrup and vials for injection.




Orbenin is a product of British research at **Beecham Research Laboratories** Brentford, England. Telephone: ISLeworth 4111

#### INTERPRETATION OF READINGS

#### Now... Rule Out Mononucleosis In 2 Minutes



READING
AGGLUTINATION



READINGNOAGGLUTINATION


## with new DENCO - IM Test

#### rapid slide test for the detection of infectious mononucleosis

i rapid, simple procedure – results in 2 minutes
99% accuracy reported, with no instance of false negative'
<ul> <li>employs standardized, specially treated erythrocytes – more specific for infectious mononucleosis than raw sheep-cell procedures</li> </ul>
specificity and accuracy so high that the need for differential tests may be eliminated.
<ul> <li>negative results conclusive – virtually rule out mononucleosis</li> </ul>
all materials ready to use, stable for at least one year
"The test had further advantages aside from its great specificity. It did not require the inactivation of complement, nor did it require fresh sheep cells."

Supplied. DENCO-IM Test—40 Tests (including controls) Contents: 1 bottle DENCO-IM Reagent 2 ml., 1 bottle positive control 1 ml., 1 bottle negative control 1 ml., 2 divided glass slides 1. Hoff, G., and Bauer, S.: A New Rapid Slide Test for Infectious Mononucleosis. (1965): J. Amer. Med. Ass., 194, 351.

DENVER LABORATORIES LIMITED, 12 CARLISLE ROAD, LONDON, N.W.9



#### ... whatever the severity of the condition



One Penbritin capsule four times a day for a week or more brings an excellent response in the majority of patients, reducing the volume of sputum and the severity of exacerbations.

When other antibiotics fail, four Penbritin capsules four times a day for a week or more usually provide effective treatment for advanced bronchitic patients, including those with extensive bronchiectasis. Used in this way, Penbritin is also successful in clearing the sputum of those winter-long purulent cases which would otherwise require continuous antibiotic cover. Early relapse is uncommon and many patients remain free from further infection for as long as two to three months after treatment.

Supporting references are available on request The black and red capsule contains 250mg. ampicillin B.P.



PENBRITIN (regd.) is a product of British research at

**Beecham Research Laboratories** 

Brentford, England. Telephone: ISLeworth 4111

# WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.

FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX

## **AMPLIVOX**

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1





#### **AUDITORY TRAINING UNIT**

- RODITORY TRAINING UNIT
- components

  Portable, Battery
  Operated
- ★ Modern transistor circuitry
- ★ Versatile with many facilities
- \* Improved Performance
- ★ Treble and Bass Tone Controls
- Loop Drive
- \* Reasonably priced-£55 Ex. Works

#### AN R·N·I·D-TESTED AID Nº 6449

Full report available from The Royal National Institute for the Deaf-105 Gower St., London W.C.1.

#### PROFESSIONAL MODEL

For further details please write to:

G. C. JOHNSON, LEYTON INSTRUMENT CO. LTD., 54 ALBERT ROAD,

CAVERSHAM, READING, BERKS.

Telephone: READING 72293

#### THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year

Canada \$19.00 per year


Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

### BÉKÉSY ACCESSORY



For the very first time a fully automatic unit is being made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.


This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to:

ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3



the problem of the chronic ear

## ototrane

adhesive ear paint for acute and chronic external otitis

**NOW ALSO AVAILABLE—** 

## ototrane

# RIBBON GAUZE FOR PACKING CHRONIC OPEN MASTOID CAVITIES AND FENESTRATION CAVITIES

OTOTRANE contains Penotrane 0.1% Prednisolone 0.5% PENOTRANE is active against both gram-positive and gram-negative bacteria and against fungi particularly ASPERGILLUS and MONILIA. Literature and samples on request from



WARD, BLENKINSOP & CO. LTD

Fulton House, Empire Way, Wembley, Middlesex. Tel: Wembley 8686

## ONLY **AMPLIVOX**provides a complete audiometric service!



#### **Transistor Audiometers**

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




#### **Clinical Audiometers**

with narrow band masking for the highest accuracy and extended resolution.

#### **Audiometer Booths**

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.






PLUS An efficient and speedy calibration service

please write for technical literature to meet your needs

**AMPLIVOX** 

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888



## 'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND Drops ISSUED IN BOTTLES OF 5 ml.

BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON