

VOLUME 28 • NO 20 OCTOBER 28, 2013

A publication of the



CAMBRIDGE UNIVERSITY PRESS

Journal of MATERIALS RESEARCH

JOURNAL OF MATERIALS RESEARCH (JMR) is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials

JMR publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of **JMR** and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

Manuscripts must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: http://mc.manuscriptcentral.com/jmr. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit $8\frac{1}{2} \times 11$ in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the JMR keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006.* Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

Articles are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

Commentaries and Reviews: Journal of Materials Research occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

Color policy: It is not necessary for authors to indicate that a figure should be displayed in color online. JMR will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

Copyright © 2013, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: http://www.cambridge.org/rights/permissions/permission. htm. Permission to copy (for users in the USA) is available from Copyright Clearance Center http://www.copyright.com, email: info@copyright.com.

Journal of Materials Research Subscription Prices (2013) [includes on-line web access]				
[moduce on min was assess]	USA and Poss.	Non-US	Online Only	
MRS Regular and Student Members	\$248.00	\$303.00	\$100.00	
Institutions	\$1568.00	\$1683.00	\$1442.00	

Journal of Materials Research (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013 – 2473 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. POSTMASTER: Send address changes to Journal of Materials Research, c/o Journals Dept., Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2113, USA.

Subscriptions, renewals, address changes, and single-copy orders should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2133, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

Reprints of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press.

Individual member subscriptions are for personal use only.

CODEN: JMREEE ISSN: 0884-2914

Journal of

MATERIALS RESEARCH

Editor-in-Chief: Gary L. Messing, *The Pennsylvania State University*Associate Editor, Biomaterials: Adrian Mann, *Rutgers University*

Associate Editor, Metallic Materials: Jürgen Eckert, IFW Dresden, Germany

Associate Editor, Polymers and Organic Materials: Howard E. Katz, Johns Hopkins University

Editorial Office: Eileen Kiley Novak, Director of Communications, Materials Research Society, Warrendale, PA

Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*Sarah E. Ashlock, *JMR Production Assistant, Materials Research Society, Warrendale, PA*

2013 Principal Editors:

Lennart Bergström, Stockholm University, Sweden

Robert C. Cammarata, Johns Hopkins University

Edwin A. Chandross, MaterialsChemistry LLC

Ping Chen, Dalian Institute of Chemical Physics, China

Xiaobo Chen, University of Missouri-Kansas City

Yang-T. Cheng, University of Kentucky

Paolo Colombo, University of Padova, Italy; The Pennsylvania State University

Franz Faupel, Universitäet Kiel, Germany

David S. Ginley, National Renewable Energy Laboratory

Amit Goyal, UT-Battelle/Oak Ridge National Laboratory

Mikko P. Haataja, Princeton University

Andrea M. Hodge, University of Southern California

Himanshu Jain, Lehigh University

Suk-Joong L. Kang, Korean Advanced Institute of Science and Technology, Republic of Korea

C. Robert Kao, National Taiwan University, Taiwan

Koichi Kugimiya, Osaka University, Japan

Edson Roberto Leite, Universidade Federal de São Carlos, Brazil

Yadong Li, Tsinghua University, China

Sanjay Mathur, University of Cologne, Germany

Michael E. McHenry, Carnegie Mellon University

Scott T. Misture, Alfred University

Paul Muralt, Ecole Polytechnique Federale de Lausanne, Switzerland

Akira Nakajima, Tokyo Institute of Technology

Cewen Nan, Tsinghua University, China

George M. Pharr, University of Tennessee

lan M. Reaney, The University of Sheffield, United Kingdom

Joan M. Redwing, The Pennsylvania State University

Clifford L. Renschler, Sandia National Laboratories

Edward M. Sabolsky, West Virginia University

Winston Schoenfeld, University of Central Florida

Don W. Shaw, The University of Texas at Dallas

Susan B. Sinnott, University of Florida

Eric A. Stach, Brookhaven National Laboratory

Jay A. Switzer, Missouri University of Science and Technology

Mauricio Terrones, The Pennsylvania State University; Shinshu University, Japan

Terry M. Tritt, Clemson University

José Arana Varela, University of Sao Paulo State, Brazil

William J. Weber, University of Tennessee/Oak Ridge National

Sam Zhang, Nanyang Technological University, Singapore

Yanchun Zhou, Aerospace Research Institute of Materials and Processing Technology, China

Cover: FIG. 5(b). NG Cu irradiated to fluences of 1×1017 ions/cm². [W.Z. Han, E.G. Fu, M.J. Demkowicz, Y.Q. Wang, and A. Misra: Irradiation damage of single crystal, coarse-grained and nano-grained copper under helium bombardment at 450 °C. p. 2763].

Journal of MATERIALS RESEARCH

Volume 28, Number 20, October 28, 2013

INVI	LED	FF/	\TI	IRE	DΛ	DE	26
114 61	IEU	$\Gamma \subset F$	A I U	ne.	\mathbf{P}	FEF	13

2763–2770	Irradiation damage of single crystal, coarse-grained, and nanograined copper under helium bombardment at 450 °C	Weizhong Han, E.G. Fu, Michael J. Demkowicz, Yongqiang Wang, Amit Misra
2771–2784	Detection of surface electronic defect states in low and high- <i>k</i> dielectrics using reflection electron energy loss spectroscopy	Benjamin L. French, Sean W. King
ARTICLES		
2785–2798	Nanoindentation cracking in gallium arsenide: Part I. In situ SEM nanoindentation	Kilian Wasmer, Cédric Pouvreau, Jean-Marc Breguet, Johann Michler, Daniel Schulz, Jacques Henri Giovanola
2799–2809	Nanoindentation cracking in gallium arsenide: Part II. TEM investigation	Cédric Pouvreau, Kilian Wasmer, Haïcha Hessler-Wyser, Jean-Daniel Ganière, Jean-Marc Breguet, Johann Michler, Daniel Schulz, Jacques Henri Giovanola
2810–2818	Effect of strong magnetic field on solid solubility and microsegregation during directional solidification of Al–Cu alloy	Xi Li, Annie Gagnoud, Zhongming Ren, Yves Fautrelle, François Debray
2819–2828	Variation in the nanoindentation hardness of platinum	M.R. Maughan, H.M. Zbib, D.F. Bahr
2829–2834	Dynamic recrystallization in high-purity aluminum single crystal under frictionless deformation mode at room temperature	Yong Seok Choi, Kyung II Kim, Kyu Hwan Oh, Heung Nam Han, Suk Hoon Kang, Jinsung Jang, Jun Hyun Han
2835–2843	Microstructure evolution and martensitic transformation behaviors of 9Cr-1.8W-0.3Mo ferritic heat-resistant steel during quenching and partitioning treatment	Linqing Xu, Zesheng Yan, Yongchang Liu, Huijun Li, Baoqun Ning, Zhixia Qiao
2844–2851	Bainitic transformation behavior of ultra-high strength 30CrNi3MoV steel after experiencing small deformation in the nonrecrystallization austenite region	Zhixia Qiao, Yongchang Liu, Baoqun Ning, Huijun Li, Zesheng Yan, Xiaosheng Zhou, Lianjin Li
2852–2860	Mechanical and structural characterization of nonsintered and sintered steel wools by x-ray tomography: Description of the techniques and validation on virtual materials	J.P. Masse, C. Barbier, L. Salvo, Y. Bréchet, O. Bouaziz, D. Bouvard
2861–2873	Decoupled growth mechanism of Fe ₄₀ Ni ₄₀ P ₁₄ B ₆ eutectic alloy	Bin Gu, Feng Liu, Xiaoqing Dong, Ke Zhang, Kang Wang
2874–2880	A comparative study on effects of special casting processes on microstructural development in Cu–10Al–4Fe–4Ni alloy	G. Lin, Y. Lei, J. Zeng, H. Li, X. Xu
2881–2889	Preparation of a solid amine adsorbent based on polypropylene fiber and its performance for CO_2 capture	Linzhou Zhuang, Shuixia Chen, Rijia Lin, Xiuzhu Xu
2890–2896	Asparagine-serine-serine peptide regulates enamel remineralization in vitro	Hsiu-Ying Chung, Cheng-Che Li

Press	
bridge University	
by Cambridge University	
-	
.≝	
\supset	
ě	
ᇴ	
Ξ	
쉳	
듩	
ű	
shed online by Cambi	
9	
9	
≡	
듬	
=	
ĕ	
ᅩ	
₽	
ublis	
Publis	
2 Publis	
312 Publis	
3.312 Publis	
13.312 Publis	
2013.312 Publis	
r.2013.312 Published online by Ca	
mr.2013,312 Publis	
/imr.2013.312 Publis	
57/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	
/imr.2013.312 Publis	

2897–2902	A simple process for dry spinning of regenerated silk fibroin aqueous solution	Yuan Jin, Yaopeng Zhang, Yichun Hang, Huili Shao, Xuechao Hu
2903–2910	The effects of crosslink density on thermo-mechanical properties of shape-memory hydro-epoxy resin	Kun Wei, Guangming Zhu, Yusheng Tang, Tingting Liu, Jianqiang Xie