

Glasgow Mathematical Journal

CONTENTS

H. L. Resnikoff and R. L. Saldaña , An analogue of a conjecture of Sato and Tate for a Hilbert modular form	69
Peter D. Colville , Characterizing f -rings	88
Carol Tretkoff , Nonparabolic subgroups of the modular group	91
J. N. Manocha , Kernel functors for which the associated idempotent kernel functor is stable	103
Stephen D. Cohen and Gary L. Mullen , Automorphisms of functions in abelian permutation groups	107
Ari Ben-Menahem , Properties and applications of a certain operator associated with the Kontorovich-Lebedev transform	109
S. J. Patterson , On the cohomology of Fuchsian groups	123

SCOTTISH ACADEMIC PRESS LIMITED
25 PERTH STREET
EDINBURGH EH3 5DW

GLASGOW MATHEMATICAL JOURNAL

The *Glasgow Mathematical Journal* is a continuation of the *Proceedings of the Glasgow Mathematical Association*, founded in 1952 by the late Professor T. M. MacRobert. It is published with the support of the University Court of the University of Glasgow. The *Glasgow Mathematical Journal* is published in Parts twice yearly, in January and July; two Parts complete a Volume of approximately 200 pages.

The prepaid subscription for each Volume is £3.00 in U.K., \$8.50 in U.S.A., post free. Single parts may be supplied at a cost of £1.55 in U.K., \$4.50 in U.S.A., net.

Copies may be ordered direct from the publishers or from any bookseller.

Information for Contributors

While the *Glasgow Mathematical Journal* is intended primarily for Pure Mathematics, papers on Applied Mathematics will also be accepted. Manuscripts from all parts of the world will be welcomed and given careful consideration.

Manuscripts, preferably typed, should be prepared so as to conform with the practice in current numbers of the *Journal*, especially with regard to line illustrations, references, tables and summaries. The name of the author and the date of the receipt of the manuscript will be printed under the title. Text figures must be suitable for line block reproduction, lettered in pencil, numbered, and separated from the text but allocated clearly to sections of the text.

References should be placed at the end of the paper, arranged and numbered in alphabetical order. In the text, reference numbers should be enclosed in square brackets and underlined, to distinguish them from formula numbers, which should be quoted in round brackets. The following particulars should be given, in the order indicated:

for references to books—*author, title, edition, place of publication, year of publication, page reference*;

for references to articles in periodicals—*author, title of article, short title of periodical, series no. (if any), volume no., year, pagination*.

A proof is supplied once in galley form, together with an Order Form for offprints. Offprints are supplied free to the number of twenty-five; additional copies, if ordered prior to publication, will be supplied, at cost, at the request of the contributor. Excessive corrections may be charged to the author.

Manuscripts should be sent to:

THE EDITORS

GLASGOW MATHEMATICAL JOURNAL

DEPARTMENT OF MATHEMATICS

UNIVERSITY OF GLASGOW, GLASGOW G12 8QW

GLASGOW MATHEMATICAL JOURNAL
VOLUME 16

GLASGOW MATHEMATICAL JOURNAL

EDITED BY

R. A. RANKIN

W. D. MUNN

H. R. DOWSON

A. GEDDES

G. D. FINDLAY

VOLUME 16

1975

PUBLISHED BY

SCOTTISH ACADEMIC PRESS LIMITED

25 PERTH STREET

EDINBURGH EH3 5DW

*Printed by Robert MacLehose & Company Limited
Printers to the University of Glasgow*

CONTENTS

Ben-Menahem, Ari , Properties and applications of a certain operator associated with the Kontorovich-Lebedev transform	109
Camillo, Victor P. , Commutative rings whose quotients are Goldie	32
Cohen, Stephen D. and Mullen, Gary L. , Automorphisms of functions in abelian permutation groups	107
Colville, Peter D. , Characterizing f -rings	88
Hamernik, Wolfgang , Group structure and properties of block ideals of the group algebra	22
Heyman, G. A. P. and Leavitt, W. G. , A simple ring separating certain radicals	29
Kopp, P. E. , Abelian ergodic theorems for vector-valued functions	57
Leavitt, W. G. , <i>See</i> Heyman, G. A. P. and Leavitt, W. G.	29
McFadden, R. , Proper Dubreil-Jacotin inverse semigroups	40
Manocha, J. N. , Kernel functors for which the associated idempotent kernel functor is stable	103
Maron, Melvin J. , On the role of L -Baire functions in abstract measure and integration	61
Mullen, Gary L. , <i>See</i> Cohen, Stephen D. and Mullen, Gary L.	107
O'Carroll, Liam , Inverse semigroups as extensions of semilattices	12
Patterson, S. J. , On the cohomology of Fuchsian groups	123
Reid, A. , Twisted group rings which are semi-prime Goldie rings	1
Resnikoff, H. L. and Saldaña, R. L. , An analogue of a conjecture of Sato and Tate for a Hilbert modular form	69
Rooney, P. G. , On Tricomi's relation for the Hilbert transformation	52
Saldaña, R. L. , <i>See</i> Resnikoff, H. L. and Saldaña, R. L.	69
Srivastava, H. M. , Some generating-function equivalences	34
Tretkoff, Carol , Nonparabolic subgroups of the modular group	91