

The problem of making stable, precipitate free, stock solutions of this buffer for tissue culture has been overcome. Now it is a simple matter to make up a ten times concentrate, which can be autoclaved, from Oxoid Dehydrated Hanks solution in the new twin sachet presentation.

#### **WEIGHING ELIMINATED**

One package contains two sachets, A and B. Each makes a stable stock solution which, when mixed together and diluted, will yield 10 litres of working strength buffer. This is by far the most economic way of purchasing the medium.

#### **BUFFERED BICARBONATE SOLUTION, BR 26**

Made specifically for use with Hanks solution, this sterile solution has been buffered with carbon dioxide to a pH of 6.9-7.0. It is thus ready for use. Simply pour the contents of one 25 m. bottle into each litre of Hanks solution.

> For samples, information and a manual containing details of the Oxoid range, apply to:

OXOID LIMITED, Southwark Bridge Road, London S.E.1



oxold for progressive laboratories

## The Journal of GENERAL MICROBIOLOGY

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 43, No. 3

45s.

June 1966

- T. IINO and M. ENOMOTO. Genetical studies of non-flagellate mutants of salmonella.
- R. E. GORDON. Some strains in search of a genus—Corynebacterium, Myco-bacterium, Nocardia or what?
- J. H. B. CHRISTIAN and J. A. WALTHO. Water relations of Salmonella oranien-burg; stimulation of respiration by amino acids.
- S. BAUMBERG. A quantitative study of the expression of unselected lactose and proline markers in *Escherichia coli* K-12 recombinants and in the parent strains.
- A. Sanfilippo, E. Morvillo and M. Ghione. Activity of distamycin A on the induction of adaptive enzymes in *Escherichia coli*.
- J. M. N. WILLERS and M. F. MICHEL. Immunochemistry of the type antigens of *Streptococcus faecalis*.
- C. S. Cox. The survival of *Escherichia coli* sprayed into air and into nitrogen from distilled water and from solutions of protecting agents, as a function of relative humidity.
- M. Webb. The utilization of magnesium by certain Gram-positive and Gram-negative bacteria.
- W. G. MURRELL and W. J. Scott. The heat resistance of bacterial spores at various water activities.
- A. E. RITCHIE, R. F. KEELER and J. H. BRYNER. Anatomical features of *Vibrio fetus*: electron microscopic survey.
- R. F. KEELER, A. E. RITCHIE, J. H. BRYNER and J. ELMORE. The preparation and characterization of cell walls and the preparation of flagella of *Vibrio fetus*.

Subscription £5 per volume of 3 parts.

Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD
LONDON, N.W.1



## CAMBRIDGE

#### **Myxomatosis**

F. FENNER, and F. N. RATCLIFFE

A scientific account of the interaction of a very lethal virus disease with large populations of highly susceptible mammals, exemplified in the outbreaks of myxomatosis among rabbits in Australia and Europe. £5 net

#### **Biochemical Studies of Antimicrobial Drugs**

Society for General Microbiology Symposium 16 Edited by B. A. NEWTON and P. E. REYNOLDS

A survey of current knowledge of the action of antimicrobial drugs. The authors are concerned with all levels of investigation; the papers range from a discussion of the physiology of antibiotic production to consideration of the molecular interactions of drugs with their binding site.

#### **CAMBRIDGE UNIVERSITY PRESS**

#### THE JOURNAL OF PHYSIOLOGY

Vol. 184, No. 3

60s. net

CONTENTS

JUNE 1966

- CIVAN, M. M. and PODOLSKY, R. J. Contraction kinetics of striated muscle fibres following quick changes in load.
- Biscoe, T. J., and Millar, R. A. The effects of cyclopropane, halothane and ether on central baroreceptor pathways.
- Brady, Allan J. Onset of contractility in cardiac muscle.
- Grayson, J., Irvine, M. and Kinnear, T. Observations on temperature distribution in the cardiovascular system, thorax and abdomen of monkeys in relation to environment.
- Lecce, James G. In vitro absorption of  $\gamma$ -globulin by neonatal intestinal epithelium of the pig.
- POTTER, B. J. The effect of an intravenous infusion of hypertonic saline on renal mechanisms and on electrolyte changes in sheep.

- MACLAGAN, JENNIFER and VRBOVA, GERTA. The importance of peripheral changes in determining the sensitivity of striated muscle depolarizing drugs.
- Brady, June P. and Ceruti, Eliana. Chemoreceptor reflexes in the new-born infant: effects of varying degrees of hypoxia on heart rate and ventilation in a warm environment.
- ALEXANDER, F. A study of parotid salivation in the horse.
- Seller, Mary J. The effect of cortisol on the haematocrit values and serum electrolytes of the adult and foetal rat.
- BHOOLA, K. D. and OGLE, C. W. The subcellular localization of kallikrein, amylase and acetylcholine in the submaxillary gland of the guinea-pig.
- Мернам, Т. В. and Sмітн, М. W. Amino acid transport in the goldfish intestine.
- CHALMERS, J. P. and KORNER, P. I. Effects of arterial hypoxia on the cutaneous circulation of the rabbit.

Etc., etc.

Subscription price 90s. net per volume of 3 parts (6 volumes a year)

CAMBRIDGE UNIVERSITY PRESS Bentley House, 200 Euston Road, London, N.W.1



#### Of Special Interest

#### CLINICAL EPIDEMIOLOGY

Second Edition
By JOHN R. PAUL, M.D.

Written for the doctor, medical student, biologist, or human ecologist, this book reviews the traditional history of epidemiology, its points of view and methodology, and describes diseases which illustrate these principles. This revised edition also includes discussion of poliomyelitis, cancer, and cancer, associated with smoking.

'The information and concepts outlined in this book are indispensable to the physician who must understand his patient's illness and explain it to the family, to the medical student or intern who is learning about disease, and the public health official who must have a working knowledge of etiology in order that better preventive measures may be carried out in the community.' JAMES C. HART, Connecticut Medicine.

336 pages, illustrated \$7.50 56s. net

### FAMILY PLANNING AND POPULATION PROGRAMS

Edited by BERNARD BERELSON and Others

This book contains the major part of all that is known to date about organizing, conducting, and evaluating birth and population control programs throughout the world. Doctors, public health administrators, educators, and media specialists discuss population control in their respective countries. The special needs and problems of developing nations are stressed.

Based on a conference recently held in Geneva, Switzerland, under the joint sponsorship of The Population Council and The Ford Foundation, this book points the way to increasingly effective measures. Sixty-one articles are included under the following subjects: National Programs: Achievements and Problems—Organization and Administration of Programs—Contraceptive Methods: Programmatic Implications—Research and Evaluation—Summary: Implications and Major Themes of the Conference.

864 pages, illustrated \$12.50 90s. net

### UNIVERSITY OF CHICAGO PRESS

Chicago/London

5750 Ellis Avenue, Chicago, Illinois 60637 70 Great Russell Street, London, W.C.1, England

In Canada, University of Toronto Press

# The Journal of GENERAL MICROBIOLOGY

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 44, No. 2

455.

August 1966

- R. H. DE DEKEN. The Crabtree effect: a regulatory system in yeast.
- R. H. DE DEKEN. The Crabtree effect and its relation to the 'petite' mutation.
- J. N. COETZEE, J. A. SMIT and O. W. PROZESKY. Properties of providence and *Proteus morganii* transducing phages.
- A. J. Gibbs, E. Hecht-Poinar, R. D. Woods and R. K. McKee. Some properties of three related viruses: Andean potato latent, dulcamara mottle and ononis yellow mosaic.
- P. H. CLARKE and P. M. MEADOW. The effect of 8-azaguanine on the inducible oxidation of guanine by *Pseudomonas aeruginosa*.
- A. HURST. Biosynthesis of the antibiotic nisin by whole Streptococcus lactis organisms.
- D. W. RIBBONS. Metabolism of o-cresol by Pseudomonas aeruginosa strain T1.
- F. BERGMANN and M. KIDRON. Latent effects of haemolytic agents.
- J. LONDON and M. KNIGHT. Concentrations of nicotinamide nucleotide coenzymes in micro-organisms.
- R. E. STRANGE and J. R. HUNTER. 'Substrate-accelerated death' of nitrogen-limited bacteria.
- A. R. Gray. The antigenic relationship of strains of Trypanosoma brucei isolated in Nigeria.
- D. W. TEMPEST and R. E. STRANGE. Variation in content and distribution of magnesium, and its influence on survival, in Aerobacter aerogenes grown in a chemostat.
- S. Rosypal, A. Rosypalová and J. Hořejš. The classification of micrococci and staphylococci based on their DNA base composition and Adansonian analysis.
- G. W. GOULD, A. D. HITCHINS and W. L. KING. Function and location of a 'germination enzyme' in spores of *Bacillus cereus*.
- W. J. Brammar, N. D. McFarlane and P. H. Clarke. The uptake of aliphatic amides by *Pseudomonas aeruginosa*.

Subscription £5 per volume of 3 parts.

Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE, 200 EUSTON ROAD LONDON, N.W.1

#### CONTENTS

#### (All rights reserved)

	PAGE
MIRCHAMSY, H. and TASLIMI, H. The nucleic acid of African horse sickness virus .	255
McCall, Charles E., Martin, William T. and Boring, John R. Efficiency of cultures of rectal swabs and faecal specimens in detecting salmonella carriers:	001
correlation with numbers of salmonellas excreted	261
HARVEY, R. W. S., PRICE, T. H. and DIXON, J. M. S. Salmonellas of subgenus III (Arizona) isolated from abattoirs in England and Wales	271
Greaves, J. H. Some laboratory observations on the toxicity and acceptability of norbormide to wild <i>Rattus norvegicus</i> and on feeding behaviour associated with	
sublethal dosing	275
FARRANT, W. N. and TOMLINSON, A. J. H. Some studies on the epidemiology of Sonne dysentery. Changes in colicine type and antibiotic resistance between	
1956 and 1965	287
GILLIES, R. R. and Brown, D. O. A new colicine type (type 15) of Shigella sonnei.	305
Becker, W. B. The isolation and classification of Tern virus: Influenza Virus A/ Tern/South Africa/1961	309
LIDWELL, O. M., POLAKOFF, SHEILA, JEVONS, M. PATRICIA, PARKER, M. T., SHOOTER,	
R. A., French, Valentine I. and Dunkerley, D. R. Staphylococcal infection in thoracic surgery: experience in a subdivided ward	321
Svehag, S.E., Leendertsen, Louise and Gorham, J. R. Sensitivity of bluetongue virus to lipid solvents, trypsin and pH changes and its serological relationship	
to arboviruses	339
CHAPMAN, JENNIFER M. and ORMEROD, W. E. The survival of <i>Toxoplasma</i> in infected mosquitoes	347
SMITH, H. WILLIAMS and Halls, Shella. The immunity produced by a rough Salmonella dublin variant against Salmonella typhimurium and Salmonella	
choleraesuis infection in guinea-pigs	357
HARVEY, R. W. S., MAHIBIR, D. E. and PRICE, T. H. A method of secondary enrichment for salmonellas independent of selectively toxic chemicals	361
SUTTON, Ross G. A. Enumeration of Clostridium welchii in the faeces of varying	367
sections of the human population	307
Walker, P. D. The ecology and epidemiology of the pig-bel syndrome in man	
in New Guinea	375

The Journal of Hygiene is issued in four parts to a volume. Quotations can be given for back volumes on application.

Papers for publication should be sent to Dr R. M. Fry, Department of Pathology, Tennis Court Road, Cambridge. Other communications should be addressed to the University Printing House, Cambridge.

Papers forwarded to the Editor for publication are understood to be offered to The Journal of Hygiene alone, unless the contrary is stated.

Contributors receive twenty-five copies of their paper free. Additional copies, not exceeding two hundred (except in special cases), may be purchased; these should be ordered when the final proof is returned.

The subscription price is £4. 10s. per volume (post free), payable in advance; single numbers 30s. net. Subscriptions may be sent to any Bookseller, or to The Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1.

The subscription price in the U.S.A. is \$17.50. Single parts \$5.00. Enquiries should be addressed to the American Branch of the Press at 32 East 57th Street, New York, N.Y. 10022.