August 1962

Vol LXXVI No. 8

The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

> ASSISTANT EDITOR LIONEL TAYLOR

Contents

WALTER GOLDIE HOWARTH 1879-1962

THE EFFECTS OF NOISE ON HEARING

. . . T. ABDEL ALIM and E. ESSAMMAA

J. H. NEAME

R. A. MCNEILL

R. L. GUPTA and C. S. ANAND

D. H. CRAIG

J. MCG. JACKSON

ON THE CAUSE OF PRESBYACUSIS-A CASE OF UNEQUAL PRESBYACUSIS OF BOTH EARS . . , A. J. PHILIPSZOON

ANOMALIES OF THE OSSICULAR CHAIN.

VERTIGO IN CHILDHOOD M. SPENCER HARRISON

COMPARISON OF THE BACTERIA FOUND IN THE EAR AND NASOPHARYNX IN ACUTE OTITIS MEDIA

TUBERCULOUS MASTOIDITIS—A REVIEW OF EIGHT CASES

CLINICAL RECORDS-UNUSUAL FOREIGN BODY LARYNX . . .

INFECTED SUBDURAL EFFUSION FOLLOWING OTO-GENIC MENINGITIS

A CASE OF A DENTIGEROUS CYST CAUSING CHRONIC ANTRAL INFECTION D. J. DURCAN and

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13 Montbly, 10/- net post free

H. B. HOLDEN

https://doi.org/10.1017/S0022215100059715 Published online by Cambridge University Press

ADVERTISEMENTS

The Journal of Laryngology and Otology

(Founded in 1887 by Morell MACKENZIE and Norris Wolfenden)

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the under-standing that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

z. Manuscripts should be typewritten, on one side only of the paper, and

well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc. The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication. 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors. Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be set three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2. 8. The annual subscription is four guineas sterling (U.S.A. \$13) post free,

and is payable in advance. 9. Single copies will be on sale at ros. od. each; copies of parts up to Vol.


LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WCz, England.

Journal of Laryngology and Otology, 1962



ANTIHISTAMINE AND ANTISEROTONIN

offers more certain relief

Laboratory and clinical studies indicate that serotonin, as well as histamine, may play a part in producing allergic manifestations. Some confirmation is given to this concept by the clinical results obtained in allergy with 'Periactin', an agent having "parallel" antihistamine and antiserotonin activity. 'Periactin' offers more complete anti-allergic and antipruritic therapy than simple antihistamines.

'Periactin' is available as white, half-scored tablets containing 4 mg. cyproheptadine hydrochloride, in bottles of 100 and 500. Full information on 'Periactin' is available on request.



MADE IN ENGLAND BY MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

THE MODERN WAY WITH EAR WAX

Only five drops of Cerumol are needed. In 10—30 minutes the softened or disimpacted wax can usually be removed with a probe tipped with cotton wool, or by gentle syringing. The results that have been obtained in hospitals and general practices throughout the country confirm that Cerumol is safe and reliable and is the modern way of dealing with ear wax. It avoids discomfort to the patient, inconvenience to the doctor and saves time for everyone. Indeed, in most cases patients can easily instil the drops themselves. The loosened wax then runs out of its own accord and further visits to the surgery are unnecessary.





Active constituents per 100 ml: p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P. 2.7 G., Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

Pack for surgery use—dropper vial. Basic N.H.S. cost 2/8. Hospital Pack—2 oz. bottles.

Literature will be gladly supplied on request.

LABORATORIES FOR APPLIED BIOLOGY LTD. 91 AMHURST PARK, LONDON, N.16. Telephone: STAmford 2252/3





APPLIED AUDIOLOGY FOR CHILDREN

By D. M. C. DALE B.A., Dip. Ed.(N.Z.), Ph.D.(Manchester)

Principal, School for Deaf and Partially Deaf Children, Kelston, Auckland, New Zealand

This is a **down-to-earth**, practical book with much to offer otologists, workers in audiology clinics, and all who come in contact with children who have defective hearing.

The description and administration of pure tone and speech tests of hearing are carefully considered for children of different ages and all degrees of deafness. The author discusses and clearly illustrates in diagrams and graphs the production and physical characteristics of speech sounds. He considers the relationship between the frequency components of speech sounds, the audiogram of the patient, and the frequency response of the hearing aid.

In the latter half of the book the author deals with factors which affect the reception of speech by hearing aid users and suggests practical measures by which children can be enabled to hear the most intelligible and continuous pattern of sound that their residual capacity to hear permits.

Sept. 1962 about 164 pages about 79 illustrations 6 tables

SPEECH REHABILITATION OF THE LARYNGECTOMIZED

By JOHN C. SNIDECOR, Ph.D., F.A.S.H.A.

Professor of Speech, University of California, Santa Barbara, California

With additional chapters by JOEL JAY PRESSMAN, EVELYN ROBE FINK-BEINER, E. THAYER CURRY, ALAN C. NICHOLS, and JOHN O. ANDERSON

For physician, speech therapist, and research student ... for all the varied and dedicated practitioners who work with those who would "speak again"—THE FIRST COMPLETE BOOK ON PROB-LEMS OF THE LARYNGEC-TOMEE.

Each contributor is well known for substantial research in his own area of specialization. Maintaining a conservative, scientific viewpoint, they discuss

- Surgical rehabilitation with special reference to sub-total laryngectomy
- Location, nature, and use of the pseudoglottis
- Rate, pitch, loudness and quality in œsophageal speech
- Who learns to speak again
- The artificial larynx

(A Monograph in American Lectures in Speech and Hearing edited by ROBERT WEST, M.D.)

 March 1962
 204 pages

 \$8.00
 34 illustrations

CHARLES C THOMAS · Publisher 301-327 East Lawrence Avenue Springfield · Illinois · U.S.A.

You'll be interested also in these NEW BOOKS

- ECZEMA: Its Nature, Cure, and Prevention by Arthur Bobroff, Univ. of Washington, Seattle. Oct. '62
- DELAYED HYPERSENSI-TIVITY IN HEALTH AND DISEASE by Alfred J. Crowle, Univ. of Colorado. July '62, 144 pp., 15 il., \$6.00
- PHOTOGRAPHIC ILLUS-TRATION FOR MEDICAL WRITING by Donald J. Currie and Arthur Smialowski, both of St. Michael's Hospital, Toronto. Sept. '62
- RADIATION THERAPY IN THE MANAGEMENT OF CANCERS OF THE ORAL CAVITY AND ORO-PHARYNX by Gilbert H. Fletcher and William S. MacComb. Physics Section by Robert J. Shalek and Marilyn Stovall. All of Univ. of Texas M.D. Anderson Hospital and Tumor Institute. Jan. '62, 408 pp., 346 il., \$16,50
- RHINOSCLEROMA by Francisco Kerdel-Vegas and Jacinto Convit, both of Universidad Central de Venezuela; Bernard Gordon and Mauricio Goihman, both of Vargas Hosp. All of Caracas, Venezuela. Dec. '62
- THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD by Donald F. Proctor, The Johns Hopkins Univ. Nov. '62
- RECRUITING TEACHERS FOR THE DEAF by Joseph S. Rudloff, San Diego, Calif. Aug. '62, 76 pp., 30 tables, \$4.25
- ELECTRON MICROS-COPY OF HUMAN SKIN AND ORAL MUCOUS MEMBRANE by Alvin S. Zelickson, Univ. of Minnesota. Nov. '62

NO COST OR OBLIGATION!

Appraise the New Zenith Portable DIAGNOSTIC AUDIOMETER on a 10-day professional trial



 Listed by the American Academy of the 0 and 0.

- Truly portable: 8¹/₂ lbs.
- Fully transistorized
- Battery powered
- Easy to operate
- Widely accepted in the U.S.

Conduct the tests yourself or let us make them for you-RIGHT IN YOUR OFFICE!

Now . . . to acquaint you with the latest Zenith development in audiometers, we'll deliver the new Zenith ZA-100T to your office for your professional appraisal. Completely portable, fully transistorized and battery powered, the Zenith ZA-100T can be carried anywhere with ease . . . used anywhere for actual diagnostic testing of hearing loss.

Zenith ZA-100T offers top output accuracy; improved complex masking. Neat carrying case and handle. No tubes to replace. Batteries last up to 120 hours.

See for yourself, or let us show you how the ZA-100T performs these important clinical tests:

- 1. Pure tone air in either headphone
- 2. Pure tone air in either headphone with masking in the opposite headphone
- 3. Pure tone bone
- 4. Pure tone bone with masking in headphone
- 5. Audiometer Weber test
- 6. Audiometer Rinné test

	SEND LITERATURE	Queen St., Mayfair, London, W. 1
TENITH	Please mail a	dditional information on the New Diagnostic Audiometer.
	NAME	
"LIVING SOUND"	ADDRESS	·····
HEARING AIDS	CITY	DISTRICT

CALL OF WRITE Mr. Adam P. Pameay, Phone, CPOcyanor 4001-3 + 13-14 Outgan St. Mayfair, London, W. 1

Please mention The Journal of Laryngology and Otology when replying to advertisements

'PETERS' NEW CLINIC AUDIOMETER FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES :

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to I db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd. 152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS L

LFRED PETERS & SONS Ltd. victoria works, gell street, sheffield 3

For the widest possible choice of hearing aids at lowest prices RELY ON SHIPTON'S


Shipton's are independent suppliers of a superb range of hearing aids which are selected from the finest available in the world. Your patients can compare the various makes and receive a genuinely impartial, thoroughly competent service.

At Shipton's, <u>all</u> aids are carefully selected to meet with Specialists' findings and are carefully fitted to individual requirements. Prices are generally below those of competitive instruments.

Domiciliary visits throughout the country are part of the Shipton Service for those of your patients outside London.

E. SHIPTON & CO. *(Hearing Aids)* **LTD.**

4 Dering Street (off Oxford Street, near New Bond Street), LONDON, W.1 Telephone: HYDe Park 1221 YOU CAN RELY ON SHIPTON'S SERVICE



And the reply was μαρυδια which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes – the largest selection in the country – for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.



Domiciliary visits in any part of the country

The Independent Hearing Aid Consultants 2 SHEPHERD STREET, LONDON, W.I

First clinical audiometer to provide 100% accurate audiograms



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and *all* the other tests essential to proved pure tone audiometry.

AMPLIVOX LTD Medical Acoustic Division 80 New Bond St, London W.1. Tel: HYDe Park 9888



SEND FOR THIS DESCRIPTIVE BROCHURE Containing full information on the latest audiometric techniques in air and bone conduction.

CONTENTS

Walter Goldie Howarth 1879-1962	575
THE EFFECTS OF NOISE ON HEARING. T. Abdel Alim and E. Essammaa (Cairo)	579
ON THE CAUSE OF PRESBYACUSIS—A CASE OF UNEQUAL PRESBY- ACUSIS OF BOTH EARS. A. J. Philipszoon (Amsterdam)	-,
Anomalies of the Ossicular Chain. J. H. Neame (London)	596
VERTIGO IN CHILDHOOD. M. Spencer Harrison (Market Rasen) .	601
Comparison of the Bacteria Found in the Ear and Nasopharynx in Acute Otitis Media. R. A. McNeill (Belfast)	617
TUBERCULOUS MASTOIDITIS—A REVIEW OF EIGHT CASES. D. H. Craig (Belfast) . . .	623
Clinical Records—	
Unusual Foreign Body Larynx. R. L. Gupta and C. S. Anand (Gwalior, India)	6 3 9
Infected Subdural Effusion following Otogenic Meningitis. J. McG. Jackson (Newcastle-upon-Tyne)	641
A Case of a Dentigerous Cyst Causing Chronic Antral Infection. Dermot J. Durcan and Harold B. Holden (London)	644
General Notes	649

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor: GEORGE E. SHAMBAUGH, JR. 40 South Clay Street, Hinsdale, Ill.

The ARCHIVES OF OTOLARYNGOLOGY is published monthly by the American Medical Association and is an official publication of the Association.

The yearly rate of the ARCHIVES OF OTOLARYNGOLOGY is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.