

# Exchanges of histone methylation and variants during mouse zygotic genome activation

Mingtian Deng<sup>1</sup>, Baobao Chen<sup>2</sup>, Zifei Liu<sup>1</sup>, Yu Cai<sup>1</sup>, Yongjie Wan<sup>1</sup>, Jianguo Zhou<sup>3</sup> and Feng Wang<sup>1</sup>

## Corrigendum

**Cite this article:** Deng M *et al.* (2020) Exchanges of histone methylation and variants during mouse zygotic genome activation. *Zygote*. **28**: 250–254. doi: [10.1017/S0967199420000076](https://doi.org/10.1017/S0967199420000076)

First published online: 20 March 2020

<sup>1</sup>Jiangsu Livestock Embryo Engineering Laboratory, College of Animal Science and Technology, Nanjing Agricultural University, Nanjing, 210095, China; <sup>2</sup>College of Animal Science and Technology, Nanjing Agricultural University, Nanjing 210095, China and <sup>3</sup>National Experimental Teaching Demonstration Center of Animal Science, Nanjing Agricultural University, Nanjing 210095, China

Doi: [10.1017/S0967199419000649](https://doi.org/10.1017/S0967199419000649), Published by Cambridge University Press, 20 November 2019

The authors apologise for errors in the labelling of male and female pronuclei in Figures 1, 3, 4 and 5. The correctly labelled Figures are shown in the following pages.

## Reference

**Deng M, Chen B, Liu Z, Cai Y, Wan Y, Zhou J and Wang F** (2019) Exchanges of histone methylation and variants during mouse zygotic genome activation. *Zygote*, doi: <https://doi.org/10.1017/S0967199419000649>




Figure 1




Figure 3




Figure 4




Figure 5