

Supplement to *Journal of Paleontology*
(ISSN 0022-3360)
JPALAZ 67(1) II 1-41, JANUARY 1993

Volume 67

JANUARY 1993

Supplement to No. 1

Part II of II

JOURNAL OF PALEONTOLOGY

THE PALEONTOLOGICAL SOCIETY
MEMOIR 28

Late Cretaceous and Paleocene Decapod Crustaceans from
James Ross Basin, Antarctic Peninsula

RODNEY M. FELDMANN, DALE M. TSHUDY, AND
MICHAEL R. A. THOMSON



Memoirs of The Paleontological Society are occasional publications consisting of monographs and symposia that are too extensive for publication in the *Journal of Paleontology* as part of the regular issues. Ordinarily, memoirs are published as supplements to a regular issue of the *Journal*. Inquiries concerning submittal of manuscripts for inclusion in the Memoir Series may be made to the Managing Editor of the *Journal of Paleontology*.

For information on cost and availability of back numbers of the Memoir Series, please contact: SEPM Business Office, P.O. Box 4756, Tulsa, OK 74159, for numbers 1 (1968) through 16 (1985) or Journal of Paleontology, P.O. Box 1897, Lawrence, KS 66044-8897, for number 17 (1986) and following.

OFFICERS OF THE SOCIETY

For the year ending November, 1993

President

RODNEY M. FELDMANN, Kent, OH

President-Elect

STEVEN M. STANLEY, Baltimore, MD

Past-President

ROGER L. KAESLER, Lawrence, KS

Secretary

DONALD L. WOLBERG
New Mexico Bureau of Mines
Socorro, NM 87801

Treasurer

JUNE R. P. ROSS
Dept. of Biology
Western Washington University
Bellingham, WA 98225

Program Coordinator

PETER M. SHEEHAN, Milwaukee, WI

Managing Editor

DON C. STEINKER, Bowling Green, OH

Technical Editors

RICHARD D. HOARE, Bowling Green, OH
DAVID K. ELLIOTT, Flagstaff, AZ
PATRICIA H. KELLEY, Grand Forks, ND
DANIEL B. BLAKE, Urbana, IL
ELLEN COMPTON-GOODING, Martinsville, VA
CARL W. STOCK, Tuscaloosa, AL
MICHAEL R. SANDY, Dayton, OH
DONALD R. PROTHERO, Los Angeles, CA

Paleobiology Co-Editors

DAVID L. MEYER and ARNOLD I. MILLER
Cincinnati, OH

Special Publications Co-Editors

S. J. CULVER, R. S. SPENCER, and C. F. KOCH
Norfolk, VA

Councilors

DAVID JABLONSKI, Chicago, IL
FRANK M. MCKINNEY, Boone, NC

Section Chairpersons

North-Central: ROY E. PLOTNICK
Chicago, IL
Northeastern: CATHRYN R. NEWTON
Syracuse, NY
Pacific Coast: MARY L. DROSER
Riverside, CA
Rocky Mountain: CLAUDE SPINOSA
Boise, ID
Southeastern: THOMAS W. BROADHEAD
Knoxville, TN
South-Central: ARTHUR B. BUSBEY
Fort Worth, TX

The Paleontological Society

MEMOIR 28

**LATE CRETACEOUS AND PALEOCENE DECAPOD CRUSTACEANS FROM
JAMES ROSS BASIN, ANTARCTIC PENINSULA**

¹RODNEY M. FELDMANN, ¹DALE M. TSHUDY, AND ²MICHAEL R. A. THOMSON

¹Department of Geology, Kent State University, Kent, Ohio 44242 U.S.A. and

²British Antarctic Survey, High Cross, Madingley Road, Cambridge CB3 0ET, United Kingdom

Copyright © 1993 by
THE PALEONTOLOGICAL SOCIETY, INC.
JANUARY 1993

CONTENTS

ABSTRACT	1	27
INTRODUCTION	1	27
STRATIGRAPHIC SETTING	1	29
GENERAL	1	29
SANTA MARTA FORMATION	3	29
LÓPEZ DE BERTODANO FORMATION	3	29
SOBRAL FORMATION	5	29
CAPE MELVILLE FORMATION	5	29
TAPHONOMY	5	30
COLLECTING LOCALITIES	6	30
DEPOSITORIES	6	30
SYSTEMATIC PALEONTOLOGY	7	30
ORDER Decapoda Latreille, 1803	7	30
SUBORDER Pleocyemata Burkenroad, 1963	7	30
INFRAORDER Astacidea Latreille, 1803	7	30
FAMILY Nephropidae Dana, 1852	7	30
SUBFAMILY Homarinae Huxley, 1879	7	30
GENUS Hoploparia McCoy, 1849	7	30
<i>Hoploparia stokesi</i> (Weller, 1903)	7	30
<i>Hoploparia antarctica</i> Wilckens, 1907	12	30
GENUS Metanephrops Jenkins, 1972	16	30
<i>Metanephrops jenkinsi</i> Feldmann, 1989	16	30
<i>Metanephrops rossensis</i> n. sp.	16	30
INFRAORDER Palinura Latreille, 1803	19	30
SUPERFAMILY Glypheoidea Winckler, 1883	19	30
FAMILY Glypheidae Winckler, 1883	19	30
GENUS Glyphea von Meyer, 1835	19	30
<i>Glyphea australensis</i> n. sp.	19	30
FAMILY Mecochiridae van Straelen, 1925	22	30
GENUS Meyeria McCoy, 1849	22	30
<i>Meyeria crofti</i> Ball, 1960	22	30
SUPERFAMILY Palinuroidea Latreille, 1803	22	30
FAMILY Palinuridae Latreille, 1802	22	30
GENUS Linuparus White, 1847	22	30
<i>Linuparus macellarii</i> Tshudy and Feldmann, 1988	22	30
INFRAORDER Anomura H. Milne Edwards, 1832	24	30
SUPERFAMILY Thalassinoidea Latreille, 1831	24	30
FAMILY Callianassidae Dana, 1852	24	30
GENUS Callianassa Leach, 1814	24	30
<i>Callianassa cf. C. meridionalis</i> Ball, 1960	24	30
SUPERFAMILY Paguroidea Latreille, 1803	24	30
FAMILY Paguridae Latreille, 1802	24	30
GENUS Paguristes Dana, 1851	24	30
<i>Paguristes santamartaensis</i> n. sp.	24	30
SUPERFAMILY Galatheoidea Samouelle, 1819	25	30
FAMILY Galatheidae Samouelle, 1819	25	30
SUBFAMILY Munidopsinae Ortmann, 1898	25	30
GENUS Munidopsis Whiteaves, 1874	25	30
<i>Munidopsis foersteri</i> n. sp.	25	30
SUPERFAMILY ?Galatheoidea Samouelle, 1819	27	30
FAMILY Retrorsichelidae n. fam.	27	30
GENUS Retrorsichela n. gen.	30
<i>Retrorsichela laevis</i> n. sp.	30
INFRAORDER Brachyura Latreille, 1803	30
SECTION Podotremata Guinot, 1977	30
SUBSECTION Dromiacea de Haan, 1833	30
SUPERFAMILY Dromioidea de Haan, 1833	30
FAMILY Prosopidae von Meyer, 1860	30
SUBFAMILY Pithonotinae Glaessner, 1933	30
GENUS Plagiophthalmous Bell, 1863	30
<i>Plagiophthalmous collinsi</i> n. sp.	30
SECTION Archaeobrachyura Guinot, 1977	30
SUPERFAMILY Homoloidea de Haan, 1839	30
FAMILY Poupiidae Guinot, 1991	30
GENUS Rhinopoupinia n. gen.	30
<i>Rhinopoupinia bicornis</i> n. sp.	30
SUPERFAMILY Raninoidea de Haan, 1841	31
FAMILY Raninidae de Haan, 1841	31
GENUS Cristafrons n. gen.	31
<i>Cristafrons praescientis</i> n. sp.	33
SUPERFAMILY Tymoloidea Alcock, 1896	34
FAMILY Torynommidae Glaessner, 1980	34
GENUS Torynomma Woods, 1953	34
SUBGENUS Torynomma (Torynomma) Woods, 1953	34
<i>Torynomma (Torynomma) australis</i> n. sp.	34
SECTION Heterotremata Guinot, 1977	35
SUPERFAMILY Calappoidea de Haan, 1833	35
FAMILY Calappidae de Haan, 1833	35
GENUS Necrocarcinus Bell, 1863	35
<i>Necrocarcinus wrighti</i> n. sp.	35
<i>Necrocarcinus carinatus</i> n. sp.	36
SUMMARY AND CONCLUSIONS	37
ACKNOWLEDGMENTS	38
REFERENCES	38
APPENDIX	40
ILLUSTRATIONS		
FIGURES	
1—Maps of the James Ross Island area showing the distribution of stratigraphic units discussed in the text and the locations from which new occurrences of decapod fossils are described		2
2—Stratigraphic sections from selected sites in the James Ross Island area showing the positions from which decapod fossil collections were made		4
3— <i>Hoploparia stokesi</i> (Weller)		9
4— <i>Hoploparia stokesi</i> (Weller)		10
5— <i>Hoploparia stokesi</i> (Weller)		11
6—Summary of stratigraphic changes in the morphology of <i>Hoploparia stokesi</i> (Weller) and interpreted bathymetric framework for each unit		12
7— <i>Hoploparia antarctica</i> Wilckens		14
8— <i>Hoploparia antarctica</i> Wilckens		15
9— <i>Metanephrops rossensis</i> n. sp.		18
10— <i>Metanephrops rossensis</i> n. sp.		19
11— <i>Metanephrops rossensis</i> n. sp.		19
12— <i>Glyphea australensis</i> n. sp.		20

13—Line drawing of <i>Glyphea australensis</i> n. sp. showing the positions and orientations of measurements recorded in Table 3	21	27—Holotype of <i>Torynomma (Torynomma) australis</i> n. sp.	34
14— <i>Linuparus macellarii</i> Tshudy and Feldmann	23	28—Line drawing of <i>Torynomma (Torynomma) australis</i> n. sp., showing the measurements taken, in mm	35
15— <i>Callianassa</i> cf. <i>C. meridionalis</i> Ball	24	29— <i>Necrocarcinus</i> spp.	36
16— <i>Paguristes santamartaensis</i> n. sp.	25	30—Line drawing of <i>Necrocarcinus wrighti</i> n. sp., showing the position and orientation of measurements taken on both species of <i>Necrocarcinus</i>	37
17— <i>Munidopsis foersteri</i> n. sp.	26		
18—Line drawing of <i>Munidopsis foersteri</i> showing the measurements taken, in mm	26	TABLES	
19— <i>Retrorsichela laevis</i> n. gen. and sp.	28	1—Measurements (in mm) taken on specimens of <i>Hoploparia antarctica</i> Wilckens	15
20—Line drawing of the carapace of <i>Retrorsichela laevis</i> n. gen. and sp., showing pattern of grooves described in text	29	2—Measurements (in mm) taken on specimens of <i>Metanephrops rossensis</i> n. sp.	17
21—Holotype of <i>Plagiophthalmous collinsi</i> n. sp.	29	3—Measurements (in mm) taken on specimens of <i>Glyphea australensis</i> n. sp.	21
22—Line drawing of <i>Plagiophthalmous collinsi</i> n. sp., showing the measurements made, in mm	30	4—Measurements (in mm) taken on specimens of <i>Retrorsichela laevis</i> n. gen. and sp.	27
23—Dorsal and left lateral view of the carapace of the holotype of <i>Rhinopoupinia bicornis</i> n. sp.	31	5—Measurements (in mm) taken on specimens of <i>Cristafrons praescientis</i> n. sp.	33
24—Line drawing of <i>Rhinopoupinia bicornis</i> n. sp., showing the measurements made	31	6—Measurements (in mm) taken on specimens of <i>Necrocarcinus wrighti</i> n. sp.	37
25— <i>Cristafrons praescientis</i> n. gen. and sp.	32		
26—Line drawing of the carapace of <i>Cristafrons praescientis</i> n. gen. and sp., showing the position and orientation of measurements taken	33		