- to cold-recombinant influenza A and inactivated trivalent influenza virus vaccines in older adults with chronic diseases. J Clin Microbiol 1986;24:336-342.
- Treanor J, Dumyati G, O'Brien D, Riley MA, Riley G, Erb S, et al. Evaluation of cold-adapted, reassortant influenza B virus vaccines in elderly and chronically ill adults. *J Infect Dis* 1994;169:402-407. Budnick LD, Stricof RL, Ellis F. An outbreak of influenza A in a nursing
- home. NY State J Med 1984;84:235-238.
- Houck P, Hemphill M, LaCroix S, Hirsh D, Cox N. Amantadine-resistant influenza A in nursing homes-identification of a resistant virus prior to drug use. Arch Intern Med 1995;155:533-537.
- Stange KC, Little DW, Blatnik B. Adverse reactions to amantadine prophylaxis of influenza in a retirement home. J Am Geriatr Soc 1991;39:700-705.
- 71. Delagau J, Somani S, Cooper SL, Irvine PW. Occurrence of adverse effects and high amantadine concentrations with influenza prophylaxis in a nursing home. J Am Geriatr Soc 1990;38:428-432.
- Patriarca PA, Arden NH, Koplan JP, Goodman RA. Prevention and control of type A influenza infections in nursing homes. Ann Intern Med 1987:107:732-740.
- Tamblyn SE. Amantidine use in influenza outbreaks in long-term care facilities. Can Med Assoc J 1997;157:1573-1574.
- 74. Patriarca PA, Kater NA, Kendal AP, Bregman DJ, Smith JD, Sikes K. Safety of prolonged administration of rimantadine hydrochloride in the prophylaxis of influenza A virus infections in nursing homes. Antimicrob Agents Chemother 1984;26:101-103.
- Schilling M, Povinelli L, Krause P, Gravenstein M, Ambrozaitis A, Jones HH, et al. Efficacy of zanamivir for chemoprophylaxis of nursing home influenza outbreaks. Vaccine 1998;16:1771-1774.
- Gubareva LV, Matrosovich MN, Brenner MK, Bethell RC, Webster RG. Evidence for zanamivir resistance in an immunocompromised child infected with influenza B virus. J Infect Dis 1998;178:1257-1262
- Betts RF. Influenza virus. In: Mandell GL, Bennet JE, Dolin R, eds. Principles and Practice of Infectious Diseases. 4th ed. New York, NY: Churchill Livingstone; 1995;1546-1567.
- Cate TR. Clinical manifestations and consequences of influenza. Am J Med 1987;82(6a):15-19.
- 79. Wald TG, Miller BA, Shult P, Drinka P, Langer L, Gravenstein S. Can respiratory synctial virus and influenza A be distinguished clinically in institutionalized older persons? *J Am Geriatr Soc* 1995;43:170-174. Falsey A, Treanor JJ, Betts RF, Walsh EE. Viral respiratory infections
- in the institutionalized elderly: clinical and epidemiological findings. J Am Geriatr Soc 1992;40:115-119.
- Janssens J-P, Gauthey L, Herrmann F, Tkatch, Michel JP. Communityacquired pneumonia in older patients. J Am Geriatrics Soc 1996;44:539-544.
- Falsey A. Noninfluenza respiratory virus infection in long-term care facilities. Infect Control Hosp Epidemiol 1991;12:602-608.
- Troy CJ, Peeling RW, Ellis AG, Hockin JC, Bennett DA, Murphy MR, et al. Chlamydia pneumoniae as a new source of infectious outbreaks in nursing homes. JAMA 1997;277:1214-1218.
- 84. Mathur U, Bentley DW, Hall CB. Concurrent respiratory syncytial

virus and influenza A infections in the institutionalized elderly and chronically ill. Ann Intern Med 1980;93(S1):49-52.

637

- 85. Falsey AR, Walsh EE, Betts RF. Serologic evidence of respiratory syncytial virus infection in nursing home patients. *J Infect Dis* 1990;162:568-569. McGeer A, Campbell B, Emori TG, Hierholzer WJ, Jackson MM,
- Nicolle LE, et al. Definitions of infections for surveillance in long-term care facilities. Am J Infect Control 1991;19:1-7.
- Gomolin IH, Leib HB, Arden NH, Sherman FT. Control of influenza outbreaks in the nursing home: guidelines for diagnosis and management. J Am Geriatr Soc 1995;43:71-74.
- Gravenstein S, Miller BA, Ershler WB, Brown CS, Mast E, Circo R, et al. Low sensitivity of CDC case definition for H3N2 influenza in elderly nursing home subjects. Clinical Research 1990;38:547A.
- Simor AE, Augustin A, Staynor K, Clark BA, Petric M, Kasupski G, et al. Influenza A in elderly nursing home residents: evaluation of vaccine efficacy and case definitions of influenza-like illness. Presented at the 33rd Interscience Conference on Antimicrobial Agents and Chemotherapy meeting; October 17-20, 1993; New Orleans, LA. Abstract 1383.
- Waner JL, Todd SJ, Shalaby H, Murphy P, Wall LV. Comparison of Directigen FLU-A with viral isolation and direct immunofluorescence for the rapid detection and identification of influenza A virus. J Clin Microbiol 1991;29:479-482.
- Johnston SLG, Bloy H. Evaluation of a rapid enzyme immunoassay for detection of influenza A virus. J Clin Microbiol 1993;31:142-143.
- Leonardi GP, Leib H, Birkhead GS, Smith C, Costello P, Conron W. Comparison of rapid detection methods for influenza A virus and their value in health-care management of institutionalized geriatric patients. Clin Microbiol 1994:32:70-74.
- 93. Morens DM, Rash VM. Lessons from a nursing home outbreak of influenza A. Infect Control Hosp Epidemiol 1995;16:275-280.
- Gravenstein S, Miller BA, Drinka P. Prevention and control of influenza A outbreaks in long-term care facilities. Infect Control Hosp Epidemiol 1992;13:49-54.
- 95. Hall WN, Goodman RA, Noble GR, Kendal AP, Steece RS. An outbreak of influenza B in an elderly population. J Infect Dis 1981;144:297-302.
- Drinka PJ, Gravenstein S, Schilling M, Krause P, Miller BA. Duration of antiviral prophylaxis during nursing home outbreaks of influenza A. A comparison of 2 protocols. Arch Intern Med 1998;158:2155-2159.
- Garner JS, Hospital Inspection Control Practices Advisory Committee. Guideline for isolation precautions in hospitals. Infect Control Hosp Epidemiol 1996;17:53-80.
- Tablan O, Anderson LJ, Arden NH, Breiman RF, Butler JC, McNeil MM, et al. Guidelines for prevention of nosocomial pneumonia. Infect Control Hosp Epidemiol 1994;15:587-627.
- Gravenstein S. Strategies to limit influenza in a nursing home. Geriatric Focus 1992;2:1-11.
- 100. AIDS/TB Committee of the Society for Healthcare Epidemiology of America. Management of healthcare workers infected with hepatitis B virus, hepatitis  $\bar{C}$  virus, human immunodeficiency virus, or other bloodborne pathogens. Infect Control Hosp Epidemiol 1997;18:349-363.

## Dissemination of VRE From Interfacility Transfer of Colonized Patients

## Gina Pugliese, RN, MS Martin S. Favero, PhD

During early 1997, the Siouxland District Health Department ([SDHD] Sioux City, IA) reported an increased incidence of vancomycin-resistant enterococcal (VRE) isolates at area healthcare facilities. Trick and coinvestigators from the CDC's Hospital Infections Program conducted a prevalence survey and case-control study to determine the prevalence and risk factors for colonization with

VRE strains at 32 healthcare facilities in the SDHD region. Of 2,266 patients and residents, 1,934 (85%) participated, and 40 (2.1%) were positive for (gastrointestinal) VRE colonization. The prevalence of VRE isolates was significantly higher in acute-care facilities (ACFs) than in long-term-care facilities (LTCFs; 10/152 [6.6%] vs 30/1,782 [1.7%]). LTCF case patients were significantly more likely than controls to have been inpatients at anv ACF (19/30 vs 12/66). Of 40 VRE isolates, 34 (85%) were a related strain. The predominant strain was

present in all 12 LTCFs that had at least 1 case-patient in each facility.

Soon after the introduction of VRE isolates into this region, dissemination to multiple LTCFs resulted from resident transfer from ACFs to LTCFs.

FROM: Trick WE, Kuehnert MJ, Quirk SB, Arduino MJ, Aguero SM, Carson LA, et al. Regional dissemination of vancomycin-resistant enterococci resulting from interfacility transfer of colonized patients. I Infect Dis 1999;180:391-396.