## The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

#### Contents

Malignant Lymphomata Involving the Jaws in Africa
Pathology of the African Lymphoma (Burkitt Tumour)
The Pathology and Treatment of Cholesteatoma Auris

Experimental Observations on Vein Graft Myringoplasty
The Blood Supply of the Long Process of the Incus and the Head and Neck of Stapes Persistent Stapedial Artery
Ameloblastic Fibroma of the Maxilla

AN X-RAY MICROSCOPIC STUDY OF THE ARTERIAL SUPPLY TO THE FACIAL NERVE . . . .

HYALINOSIS CUTIS ET MUCOSAE (LIPOID
PROTEINOSIS)
GLUCOSE OXIDASE TEST STRIPS IN THE DETECTION OF C.S.F. FISTULA
A RARE CASE OF CONGENITAL MALFORMATION
OF THE NOSE (APPENDIX SEPTI CONGENITA)

SOCIETIES' PROCEEDINGS
THE SCOTTISH OTOLARYNGOLOGICAL SOCIETY
ROYAL SOCIETY OF MEDICINE—SECTION OF
OTOLOGY

GENERAL NOTES

CLINICAL RECORDS-

DENIS BURKITT

O. G. DODGE

TERENCE CAWTHORNE , and BRIAN PICKARD

S. H. RICHARDS and T. M. McGre

PES P. W. R. M. ALBERTI
A. G. D. MARAN
J. LEWIN-EPSTEIN,
M. ULMANSKY, M. OBERMAN
and I. GAY

JOHN A. CLARKE

R. T. RAYMOND-JONES

A. BRACEWELL

Z. KRAJINA, B. SALAJ and V. GORACININ

London

### Headley Brothers

109 Kingsway WC2

## The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

#### G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the under-standing that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole of in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

Illustration blocks are provided free up to the limit of five per article;
 beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 100 Kingsway, London, WCz.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of

Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2, 8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to

Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

#### United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-53 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

© Journal of Laryngology and Otology, 1965

#### CONTENTS

	PAGE
Malignant Lymphomata Involving the Jaws in Africa. Denis Burkitt (Kampala, Uganda)	929
Pathology of the African Lymphoma (Burkitt Tumour). O. G. Dodge (Sheffield)	940
THE PATHOLOGY AND TREATMENT OF CHOLESTEATOMA AURIS. Sir Terence Cawthorne and Brian Pickard (London)	945
Experimental Observations on Vein Graft Myringoplasty. S. H. Richards (Cardiff) and T. M. McGee (Detroit)	952
THE BLOOD SUPPLY OF THE LONG PROCESS OF THE INCUS AND THE HEAD AND NECK OF STAPES. P. W. R. M. Alberti (Newcastle)	964
Persistent Stapedial Artery. A. G. D. Maran (Edinburgh) .	971
Ameloblastic Fibroma of the Maxilla. J. Lewin-Epstein, M. Ulmansky, M. Oberman and I. Gay (Jerusalem)	976
An X-ray Microscopic Study of the Arterial Supply to the Facial Nerve. John A. Clarke (Glasgow)	987
Clinical Records—	
Hyalinosis Cutis et Mucosae (Lipoid Proteinosis). R. T. Raymond-Jones (Johannesburg)	995
Glucose Oxidase Test Strips in the Detection of C.S.F. Fistula. A. Bracewell (London)	1001
A RARE CASE OF CONGENITAL MALFORMATION OF THE NOSE (APPENDIX SEPTI CONGENITA). Z. Krajina, B. Salaj and V. Goracinin (Zagreb)	1005
Societies' Proceedings	
THE SCOTTISH OTOLARYNGOLOGICAL SOCIETY	1008
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY	1013
Crumpus Nomes	

## The Hallpike Operating Headlamp





This Operating Headlamp is based on designs and experimental constructions by Mr. C. S. Hallpike, F.R.C.S., F.R.S., of the Otological Research Unit, Medical Research Council, at the National Hospital, Queen Square.

Its lightweight optical system incorporates a heat absorbing filter and projects a brilliant homogeneous circle of light which may be reduced by means of a built-in iris diaphragm.

Location of the reflector between the surgeon's eyes ensures that his visual axes lie close to the light beam, thus providing good optical penetration when working in narrow cavities. The light beam is adjustable for direction, and the carefully designed headband ensures perfect fit and comfort during long operations.

#### KEELER

21-27 MARYLEBONE LANE, LONDON, W.I

# WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice. 15 branch offices with while-you-wait service.


FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX

### **AMPLIVOX**

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1

#### BÉKÉSY ACCESSORY



For the very first time a fully automatic unit is being made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.


This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.


It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to:

ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3



## Staphylococci cannot live with **Orbenin**




Orbenin (cloxacillin sodium B.P.) is one of the BRL semi-synthetic 'tailor-made' penicillins, developed specifically for the treatment of resistant staphylococcal infections. It has the two important qualities of penicillin, being bactericidal and of low toxicity. It is acid-stable and so can be given in the convenient oral form as well as by intramuscular injection, giving effective serum and tissue levels by either route.

Orbenin is also indicated in the treatment of mixed Gram-positive infections, as it is active against all Gram-positive bacteria normally sensitive to penicillin.

Availability: Capsules, syrup and vials for injection.



Orbenin is a product of British research at **Beecham Research Laboratories**Brentford, England. Telephone: ISLeworth 4111



## gentle nasal decongestant exceptionally prolonged effect rebound hyperaemia is not a problem

Otrivine is xylometazoline hydrochloride

Carrino is xyromotazonno my arcomonac		
3 forms	N.H.S. Price	
Adult Drops 0.1% 🚦 fl. oz.	3/4	
Adult Spray 0.1% 🖟 fl. oz.	3/4	
Paediatric Drops 0.05% 10ml.	3/0	
(with special safety dropper)		

#### 'FRAGRANT CLOUD'

From early summer until the first hint of the autumn frosts, these coral-red flowers will float a cloud of fragrance throughout your garden. 'Fragrant Cloud' is a rare combination, it has healthy, vigorous growth, well shaped, free-flowering blooms, and, as its name implies, a heady, intoxicating scent. It's no wonder that 'Fragrant Cloud' was the only rose, out of 249 entries, to win the coveted Gold Medal of the National Rose Society.

® denotes registered trade mark. Regd. user CIBA LABORATORIES LIMITED · HORSHAM · SUSSEX 35






## E.N.T. CONSULTANT'S EXAMINATION TABLE

fitted with

Suction Unit
Cautery and Light
Drug Cabinet
"Chiron Lamp"

DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada
410 Dundas Street West, Toronto, 2B, Canada



the problem of the chronic ear

## ototrane

adhesive ear paint for acute and chronic external otitis

**NOW ALSO AVAILABLE—** 

## ototrane

RIBBON GAUZE FOR
PACKING CHRONIC OPEN
MASTOID CAVITIES AND
FENESTRATION CAVITIES

OTOTRANE contains Penotrane 0.1% Prednisolone 0.5% PENOTRANE is active against both gram-positive and gram-negative bacteria and against fungi particularly ASPERGILLUS and MONILIA. Literature and samples on request from



WARD, BLENKINSOP & CO. LTD

Fulton House, Empire Way, Wembley, Middlesex. Tel: Wembley 8686

#### all clear


#### in sinusitis, otitis media and coryza

'Triogesic' provides decongestion with analgesia.

	TABLETS	ELIXIR
	scored (per tablet)	cherry flavoured (per 5 ml.)
Formula	Phenylpropanolamine-HCI 12.5 mg. Mepyramine maleate B.P. 6.25 mg. Pheniramine maleate 6.25 mg. Paracetamol B.P. 500 mg.	Phenylpropanolamine-HCI 3 mg. Mepyramine maleate B.P. 1.5 mg. Pheniramine maleate 1.5 mg. Paracetamol B.P. 125 mg. Alcohol (95%) 0.5 ml.
	Part 1 S7	Part 1 S7
Packs	tubes of 30	bottles of 8 and 20 fl. oz.
Basic N.H.S. Price	3/6. for 30 tablets	5/10d. for 8 fl. oz.

Literature, dosage card and sample on request.

A. Wander Ltd., 42 Upper Grosvenor St., London W.1



#### THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

For advertisement space in this Journal apply to

#### HEADLEY BROTHERS LTD.

109 Kingsway London WC2

## ONLY **AMPLIVOX**provides a complete audiometric service!



#### **Transistor Audiometers**

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




#### **Clinical Audiometers**

with narrow band masking for the highest accuracy and extended resolution.

#### **Audiometer Booths**

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.






**PLUS** An efficient and speedy calibration service

please write for technical literature to meet your needs

**AMPLIVOX** 

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888



## **OTOSPORIN'**

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND Drops ISSUED IN BOTTLES OF 5 MI.

BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON