INDEX TO VOL. XVII., 1902.

ABBOTT (F. C.), a case of rapidly-growing carcinoma of the auditory meatus 17 Abductor paralysis of larynx (Gibb Wishart) 681 ABERCROMBIE (P. H.), case of left frontal sinus disease of about thirteen years' duration with frequent attacks of excruciating pain and great tenderness of the right frontal sinus, which latter cavity was healthy. 348 Abscess, cerebral: see Abscess of Brain (below) 138 — extradural, in case of Bezold's mastoiditis (R. Lake) 138 — in lateral pharyngeal wall; epilepsy cured by operation on (M. Blondiau) 434 — in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Lees) 391 — of brain: case with unusual features; operation; recovery (J. Dundas Grant) 434 — of otitic origin (M. Delsaux) 429 — simulated by meningitis (A. Broca and G. Laurens) 223 — of tateral sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) 97 — of mastoid, four cases (R. Lake) 684 — of mastoid, four cases (R. Lake) 682 — ertro-pharyngeal, of infants, acute (S. V. Pearson) 384 — of ateral sinus (perisinuous) and thrombosis complicating casieto 97 — of mastoid, four cases of chronic otorrheea (Dr. Alexander) 378 — of mastoid, four cases of chronic otorrheea (Dr. Alexander) </th <th></th> <th>PAGE</th>		PAGE
meatus 17 Abductor paralysis of larynx (Gibb Wishart) 681 ABEERCRONBER (P. H.), case of left frontal sinus disease of about thirteen years' duration with frequent attacks of excruciating pain and great tenderness of the right frontal sinus, which latter cavity was healthy. 348 Abscess, cerebral: see Abscess of Brain (below) 138 — with pachymeningitis of middle-ear origin (G. Laurens) 334 in lateral pharyngeal wall; epilepsy cured by operation on (M. Blondiau) 434 — in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Lees) 391 of brain: case with unusual features; operation; recovery (J. Dundas Grant) 429 — of otitic origin (M. Delsaux) 429 — of otitic; operation; recovery (E. B. Dench) 157 — of cerebellum: drainage during artificial respiration (E. W. Roughton) 627 — of nastoid, four cases (R. Lake) 97 — of tateral sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) 97 — of tateral sinus (perisinuous) and thrombosis complicating caries of mastoid, four cases (R. Lake) 684 of tonsil bursting, causing death (F. de H. Hall) 682 — of tateral sinus (perisinuous) and thrombosis complicating caries of mastoid (L. Gruening) 97 — of tateral sinus (perisinuous) and thro	ABBOTT (F. C.), a case of rapidly-growing carcinoma of the auditory	
Abductor paralysis of larynx (Gibb Wishart) 681 ABERCRONENE (P. H.), case of left frontal sinus disease of about thirteen years' duration with frequent attacks of excruciating pain and great tenderness of the right frontal sinus, which latter cavity was healthy. 348 Abscess, cerebral : see Abscess of Brain (below) 348 — extradural, in case of Bezold's mastoiditis (R. Lake) 138 — in lateral pharyngeal wall; epilepsy cured by operation on (M. Blondiau) 434 — in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Lees) 391 — of brain: case with unusual features; operation; recovery 434 — following middle-ear disease (Dr. Woods) 438 — of otitic origin (M. Delsaux) 429 — simulated by meningitis (A. Broca and G. Laurens) 223 — otitic; operation; recovery (E. B. Dench) 157 — otitic; operation; recovery (E. B. Dench) 157 — otitic; operation; recovery (E. B. Mench) 97 — otitic; operation; causing death (F. de H. Hall) 682 — of tastoid, four cases (R. Lake) 682 — of tossil bursting, causing death (F. de H. Hall) 682 — of tastoid, four cases of chronic otorrheea (Dr. Alexander) 376 — of tastoid, four cases of chronic otorrheea (Dr. Alexander) 376		17
ABERCRONTER (P. H.), case of left frontal sinus disease of about thirteen years' duration with frequent attacks of excruciating pain and great tenderness of the right frontal sinus, which latter cavity was healthy. 348 Abscess, cerebral: see Abscess of Brain (below) 138 — extradural, in case of Bezold's mastoiditis (R. Lake) 138 — with pachymeningitis of middle-ear origin (G. Laurens) 334 — in lateral pharyngeal wall; epilepsy cured by operation on (M. Blondiau) 434 — in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Leess) 391 of brain: case with unusual features; operation; recovery 434 — following middle-ear disease (Dr. Woods) 438 — of otitic origin (M. Delsaux) 429 — simulated by meningitis (A. Broca and G. Laurens) 223 — of otitic origin (M. Delsaux) 429 — simulated by meningitis an tempiration (E. W. Roughton) Roughton) . . . — of tareal sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) . . — of tassli bursting, causing death (F. de H. Hall) . . . of tonsil bursting, causing d		681
years' duration with frequent attacks of excruciating pain and great tenderness of the right frontal sinus, which latter cavity was healthy . 348 Abseess, cerebral : see <i>Abseess of Brain</i> (below)	ABERCROMBIE (P. H.), case of left frontal sinus disease of about thirteen	
tenderness of the right frontal sinus, which latter cavity was healthy. 348 Abscess, cerebral : see Abscess of Bravin (below) 138	vears' duration with frequent attacks of excruciating pain and great	
Abscess, cerebral: see Abscess of Brain (below) 138 — extradural, in case of Bezold's mastoiditis (R. Lake) 138 — with pachymeningtits of middle-ear origin (G. Laurens) 334 — in lateral pharyngeal wall; epilepsy cured by operation on 434 — in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Lees) 391 — of brain: case with unusual features; operation; recovery 145 — following middle-ear disease (Dr. Woods) 438 — of otitic origin (M. Delsaux) 429 — simulated by meningitis (A. Broca and G. Laurens) 223 — of otitic; operation; recovery (E. B. Dench) 157 — — subdural, double (L. H. Pegler and R. Lake) 139 — of lateral sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) 97 — of mastoid, four cases (R. Lake) 682 684 — of tonsil bursting, causing death (F. de H. Hall) 682 — mastoid (E. Gruening)		348
extradural, in case of Bezold's mastoiditis (R. Lake) 138 — with pachymeningitis of middle-ear origin (G. Laurens) 334 — in lateral pharyngeal wall; epilepsy cured by operation on (M. Blondiau) 434 — in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Leess) 391 — of brain: case with unusual features; operation; recovery 145 — of otitic origin (M. Delsaux) 429 — of otitic origin (M. Delsaux) 429 — otitic; operation; recovery (E. B. Dench) 157 — otitic; operation; recovery (E. B. Dench) 157 — otitic; operation; recovery (E. B. Dench) 627 — ot fateral sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) 627 — of tonsil bursting, causing death (F. de H. Hall) 682 — of tonsil bursting, causing death (F. de H. Hall) 682 — eritonsillar (D. M. Barstow) 321 — subdural, with granulating pachymeningitis and temporo-paritor 326 — eritor-pharyngeal, of infants, acute (S. V. Pearson) 386 — of clasecs (R. Lake) 321 — of tateral sinus (perisinuous) 321 — of mastoid, four cases (R. Lake) 321 — of mastoid, four cases (R. Lake) 321 <td></td> <td></td>		
		138
	with nachymeningitis of middle-ear origin (G. Laurens)	
(M. Blondiau) 434 in temporo-sphenoidal lobe presenting no lesion in ear (D. B. Lees) 391 of brain: case with unusual features; operation; recovery (J. Dundas Grant) 145 image: following middle-ear disease (Dr. Woods) 438 image: following middle-ear disease (Dr. Woods) 429 image: following middle-ear disease (Dr. Woods) 627 image: following middle-ear disease (R. Lake) 627 image: following disease (R. Lake) 682 image: following middle-ear disease (R. H. Hall) 682 image: following middle-ear disease (R. H. Hall) 682 image: following m		
		434
of brain: case with unusual features; operation; recovery (J. Dundas Grant) . .		
(J. Dundas Grant) 145	of brain: case with unusual features: operation: recovery	•
	(J. Dundas Grant)	145
	simulated by meningitis (A. Broca and G. Laurens)	
of cerebellum: drainage during artificial respiration (E. W. Roughton) . </td <td></td> <td></td>		
Roughton) 627 of lateral sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) 97 of mastoid, four cases (R. Lake) 684 of tonsil bursting, causing death (F. de H. Hall) 682 — of tonsil bursting, causing death (F. de H. Hall) 682 — of tonsil bursting, causing death (F. de H. Hall) 682 — — (A. Lyons) 321 — — (A. Delsaux) 428 — — . . 428 _ … . . .	of cerebellum: drainage during artificial respiration (E. W.	
— of lateral sinus (perisinuous) and thrombosis complicating caries of mastoid (E. Gruening) 97 — of mastoid, four cases (R. Lake) 684 — of tonsil bursting, causing death (F. de H. Hall) 682 — of tonsil bursting, causing death (F. de H. Hall) 682 — of tonsil bursting, causing death (F. de H. Hall) 682 — peritonsillar (D. M. Barstow) 321 — retro-pharyngeal, of infants, acute (S. V. Pearson) 386 — and swelling of glands in right side of neck and above left 428 — subdural, with granulating pachymeningitis and temporo-parieto-occipital osteomyelitis (M. Labarre) 426 — subperiosteal, in case of chronic otorrhœa (Dr. Alexander) 378 — following middle-ear disease (R. H. Woods) 341 — following middle-ear disease (R. H. Woods) 341 — with hernia cerebri (H. Jones) 268 — with hernia cerebri (H. Jones) 268 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Accessory cavities (nasal) : see Nose (accessory cavities). 261 Accusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441		627
mastoid (E. Gruening) 97 of mastoid, four cases (R. Lake) 684 of tonsil bursting, causing death (F. de H. Hall) 682 — (A. Lyons). 682 — peritonsillar (D. M. Barstow) 321 — retro-pharyngeal, of infants, acute (S. V. Pearson) 386 — — and swelling of glands in right side of neck and above left clavicle (M. Delsaux) . 428 — subdural, with granulating pachymeningitis and temporo-parieto- occipital osteomyelitis (M. Labarre) 426 — subperiosteal, in case of chronic otorrhœa (Dr. Alexander) 378 — following middle-ear disease (R. H. Woods) 341 — Jacksonian epilepsy following operation for temporo- sphenoidal abscess of otitic origin (P. de Santi) 268 — — with hernia cerebri (H. Jones) 268 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Actid (lactic) : see Lactic acid. 424 Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441		
of mastoid, four cases (R. Lake) 684 of tonsil bursting, causing death (F. de H. Hall) 682		97
of tonsil bursting, causing death (F. de H. Hall) .		684
	of tonsil bursting, causing death (F. de H. Hall)	682
	(A. Lyons)	682
	peritonsillar (D. M. Barstow)	321
	retro-pharyngeal, of infants, acute (S. V. Pearson)	386
clavicle (M. Delsaux) 428 — subdural, with granulating pachymeningitis and temporo-parieto- occipital osteomyelitis (M. Labarre) 426 — subperiosteal, in case of chronic otorrhœa (Dr. Alexander) 378 — temporo-sphenoidal (J. Dundas Grant and C. A. Ballance) 15 — following middle-ear disease (R. H. Woods) 341 — Jacksonian epilepsy following operation for temporo- sphenoidal abscess of otitic origin (P. de Santi) 268 — with hernia cerebri (H. Jones) 260 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Acid (lactic) : see Lactic acid. 421 Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441	and swelling of glands in right side of neck and above left	
— subdural, with granulating pachymeningitis and temporo-parieto- occipital osteomyelitis (M. Labarre) 426 — subperiosteal, in case of chronic otorrhœa (Dr. Alexander) 378 — temporo-sphenoidal (J. Dundas Grant and C. A. Ballance) 15 — following middle-ear disease (R. H. Woods) 341 — Jacksonian epilepsy following operation for temporo- sphenoidal abscess of otitic origin (P. de Santi) 268 — — with hernia cerebri (H. Jones) 260 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Acid (lactic) : see Lactic acid. 260 Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441 ADAMKIEWICZ : four cases of cancer of the œsophagus cured by "cancroine 441		428
occipital osteomyelitis (M. Labarre) 426 subperiosteal, in case of chronic otorrhœa (Dr. Alexander) 378 temporo-sphenoidal (J. Dundas Grant and C. A. Ballance) 15 optimization following middle-ear disease (R. H. Woods) 341 optimization Jacksonian epilepsy following operation for temporo-sphenoidal abscess of otitic origin (P. de Santi) 268 optimization with hernia cerebri (H. Jones) 260 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Acid (lactic) : see Lactic acid. 260 Accusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441 ADAMKIEWICZ : four cases of cancer of the œsophagus cured by "cancroine 441		
		426
— temporo-sphenoidal (J. Dundas Grant and C. A. Ballance) 15 — following middle-ear disease (R. H. Woods) 341 — Jacksonian epilepsy following operation for temporo-sphenoidal abscess of otitic origin (P. de Santi) 268 — — with hernia cerebri (H. Jones) 260 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Acid (lactic) : see Lactic acid. 260 Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441 ADAMKIEWUCZ : four cases of cancer of the œsophagus cured by "cancroine 441		378
— following middle-ear disease (R. H. Woods) .		15
—		341
sphenoidal abscess of otitic origin (P. de Santi) 268		
——— with hernia cerebri (H. Jones) 260 Accessory cavities (nasal) : see Nose (accessory cavities). 260 Acid (lactic) : see Lactic acid. 260 Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham) 441 ADAMKIEWICZ : four cases of cancer of the œsophagus cured by "cancroine 441		268
Accessory cavities (nasal) : see Nose (accessory cavities). Acid (lactic) : see Lactic acid. Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham)		260
Acid (lactic): see Lactic acid. Acusticus: central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham)		
Acusticus : central connections of nervus acusticus in man and anthropoid apes (D. J. Cunningham)		
apes (D. J. Cunningham)	Acusticus : central connections of nervus acusticus in man and anthropoid	
	apes (D. J. Cunningham)	441
	(abstract)	330
Adductor paralysis, bilateral (Wyatt Wingrave)	Adductor paralysis, bilateral (Wyatt Wingrave)	631
Adenoid : constitutional manifestations due to infectious processes in the	Adenoid: constitutional manifestations due to infectious processes in the	

adenoid structure of children (discussion opened by D. Braden Kyle) 483-485

	PAGE
Adenoid growths, medical treatment of (Lapeyre)	45
vegetations, medical aspect of, in infancy and childhood (R.	
	010
Hutchison).	218
Adenoids: case accompanied by deafness, almost inarticulate speech,	
mental hebetude, and chorea (Lennox Browne)	180
death, after removal in hæmophilic child (F. J. Steward)	682
indications for removal (R. Lake)	380
——— operation for, unusual sequela (R. Arthur)	332
Adenoma (cystic) of the pyramidal lobe of the thyroid (E. B. Waggett) .	556
	486
Adenotomy followed by spasmodic torticollis (J. M. Ingersoll) .	
Adrenalin, use of (Gibb Wishart)	111
followed by severe hæmorrhage (J. O. McReynolds)	530
use in oto-rhino-laryngology (Moure and Brindel) .	110
Adrenalin chloride in mastoid operation (A. L. Whitehead) .	152
Air changes in accessory cavities of nose (Dr. Neumayer)	155
(hot): see <i>Hot Air</i> .	
Air-passages, operation on, immediate suture after (E. J. Moure)	389
	000
(upper): diagnostic and therapeutic value of direct endo-	
scopy in the search for and removal of foreign bodies (G. Killian)	461
diagnosis and treatment of foreign bodies in (John	
	100
Macintyre).	469
new growths in; lantern demonstration (W. Jobson	
Horne)	379
use of electro-magnets in extracting metallic foreign bodies	
	000
from (Roaldès)	329
Albuminuria, rhino-pharyngeal (Capitau)	502
ALDERTON (H. A.), a new cannula for syringing the middle ear after	
	150
ossiculectomy	159
ALEXANDER (Dr.), iron ball removed from the external meatus of a child	
by means of an electro-magnet	137
carcinoma of tympanum	377
	011
case of chronic otorrhea in boy of twelve, with enormous sub-	
periosteal abscess	378
ALT (F.), preparation showing carcinoma of temporal bone secondary to	
carcinoma mammæ	137
— a cured case of sinus and jugular thrombosis	378
Altitudes (high) in connection with effect of climate on laryngeal tuber-	
culosis (Robert Levy)	481
Amorian Lower and Phinalogical and Otalogical Society, Fighth	101
American Laryngological, Rhinological, and Otological Society: Eighth	
Annual Meeting 479,	522
American Otological Society Proceedings 97,	157
Anæsthesia, local, of external auditory meatus (Professor Haug).	157
An athetic she is for a function and the second structure and the second structure is the second structure and the second structure is the second stru	101
Anæsthetic, choice of, for operations on ear, nose, and throat (J. H.	
Chaldecott).	380
Anatomy (surgical) of accessory sinuses of nose (A. L. Turner : review)	335
Aneurism of aorta, importance of examination of larynx in cases of (John	
	410
Sendziak) .	419
Angeioma of larynx, pedunculated (A. Bronner)	118
Angina due to Friedländer's pneumo-bacillus (Descos)	321
	325
of Vincent treated by methylene blue (Mantoux)	040
Angio-neurotic ædema of right hand, with recently developed attacks of	
difficulty in breathing (P. de Santi)	253
Antitoxine (in diphtheria): use of large doses of antidiphtheria serum	
	111
(E. Thomas)	111
Antrum, mastoid: extensive destruction revealed by removal of hyperostosis	
	265
augumention transformet (C Williams)	447
——— maxillary, diseases (A. Bronner)	35
of the antrum of Highmore (F. C. Cobb)	621
drills for draining maxillary antrum through tooth-socket	
	040
(H. FitzGerald Powell)	243
empyema, followed by acute peritonitis (C. Reitter)	218
	305

vi

	PAGE
Antrum, mastoid: empyema, operation for (M. de Greift)	435
ultimate results of surgical operations upon (M. Lermoyez)	571
(H. Tilley)	582
X-ray photograph of tube in (J. Macintyre)	239
Antrum, left maxillary : libroma removed from (F. FitzGerald Powell)	367
——— papilloma, large recurrent, seeming to grow from .	372
Aorta (aneurism of): importance of examination of larynx in cases of	
aneurism of (John Sendziak)	419
Apes: central connections of nervous acusticus in man and anthropoid	
apes (D. J. Cunningham)	441
Aphonia due to eversion of the ventricle of Morgagni (M. Delsaux)	428
functional (Culver James) .	181
	209
Apomorphine compound "tabloid"	280
Areolar tissue, submucous, of larynx: significance in spread of ædema (A. L. Turner)	443
"Argas (or ornithodorus) méguini"—a parasite found in each ear (J. C.	
Simpson)	49
ARTHUR (Richard), the treatment of middle-ear suppuration	225
an unusual sequela of the adenoid operation (abstract)	332
Aryteno-epiglottic ligament: epithelioma involving left arytenoid and	
aryteno-epiglottic ligament (Bonain)	642
Arytenoid (left) epithelioma involving left arytenoid and aryteno epiglottic	
ligament (Bonain)	642
Aspergillus, specimen of (A. Pritchard)	19
Aspergillus niger : see Otomycosis.	
Asymmetry of Eustachian tubes in case of malformation of auricle (E. C.	
Baber)	264
Auditory meatus : see <i>Meatus</i> (auditory).	
Aural bougies : see Bougies (aural).	
Auricle, anomalous: two cases with operation in one (G. Martuscelli) .	109
endothelioma of (M. Broeckaert)	427
(malformation of), microscopic sections of petrous bone from patient	
with (M. Delsaux)	430
with asymmetry of Eustachian tubes (E. C. Baber)	264
Austrian Otological Society Proceedings 130	3, 377
BABER (E. Cresswell), malformation of the auricle with asymmetry of the	064
Eustachian tubes	264
discussion on malignant stricture of the œsophagus 398, 490 discussion on aims and limitations of intranasal surgical	5, 499
procedures in treatment of chronic non-suppurative middle-ear disease	660
Bacillus : bacilli found in sputum in case of laryngeal tuberculosis (Lennox	000
Browne)	192
(Wyatt Wingrave)	195
—— see Pneumo-bacillus.	
Bacteriology of cranial sinuses (H. S. Stacy)	566
— of middle-ear disease (H. Coussieu)	445
suppuration (W. C. Phillips)	536
BALL (James B.): "A handbook of diseases of the nose and pharynx" (review)	54
BALLANCE (C. A.), a case in which a ragged opening in the dura was closed	
by an epithelial graft.	16
discussion on the indication for and against ligation of the internal	
jugular vein in cases of otitic pyosepticæmia, opened by Mr. C. A.	
Ballance (abstract of conclusions)	665
and GRANT (J. Dundas): a case of temporo-sphenoidal abscess .	15
BALLENGER (Wm. L.), discussion on tuberculosis of middle ear .	488
a physiological statement of some of the symptoms of mouth-	
breathing	530
discussion on otitis media insidiosa	540
discussion on chronic catarrh of the throat and ear .	541
BARSTOW (D. M.), a contribution to the study of peritonsillar abscess (abstract)	201
(abstract)	321

vii

	PAGE
BARTH (Ernest), the present position of the pathology and treatment of	
ozæna (abstract)	163
BASAN (Conrad), observations upon forty consecutive cases of intubation of	
	219
BAYER (M.), case of patient cured of deafness, vertigo, and tinnitus by static	
electricity	428
BEALE (E. Clifford), discussion on malignant stricture of the cosophagus	100
	101
397, 493,	
	164
	430
	426
(-···)) -·······························	134
case of progressive ulceration of the nose	212
BERENS (T. Passmore), report of an exploratory operation for relief of	
	539
	541
	138
	446
BLONDIAU (M.), case of epilepsy of several years' duration cured by opera-	
	434
	324
	024
BONAIN: case of epithelioma involving the left arytenoid, and aryteno-	
	642
	548
	326
Bone, temporal: see Temporal bone.	
Bony thickening over, and polypi within, right frontal sinus (Scanes Spicer)	124
Bougies, aural (George L. Richards)	480
BOULAI: two cases of imperforate right nostril (abstract) .	103
	502
BOULAY (M.), cases of subglottic stenosis following acute laryngitis, treated	
by intubation and tracheotomy	501
Boys (A. H.), a unique accident to uvula (abstract)	558
Brain, abscess, case with unusual features; operation; recovery (J. Dundas	000
	145
	145
double subdural abscess, secondary pyæmic symptoms de-	
veloping after operation; recovery after exploration of lateral sinus	
	139
	157
———— following middle-ear disease (Dr. Woods)	438
——— simulated by meningitis (A. Broca and G. Laurens)	223
hernia of, death three months after operation for temporo-	
	260
following operation for caries of mastoid (E. Gruening) .	97
following operations in middle ear (H. Caboche) .	445
sections of, from patient who died of cerebral abscess of otitic origin	
	429
BRAISLIN (W.), a tumour of the middle ear springing from the inner and	140
posterior tympanic walls simulating exostosis, but consisting of cal-	105
	165
Branchial clefts, mal-development of first and second (G. C. Cathcart)	27
Breast, carcinoma, followed by carcinoma of temporal bone (F. Alt)	137
Breathing : difficulty in breathing in case of angio-neurotic ædema of right	
	253
nasal, abeyance of; nasal passages free (L. H. Pegler) . 209,	011
BREVRE: a case of cholesteatoma without suppuration (abstract)	
BRINDEL (A.), treatment of atrophic rhinitis by interstitial injections of	106
paraffin (abstract)	
BRINDEL and MOURE: on the use of adrenalin in oto-rhino-larvngology	106
BRINDEL and MOURE: on the use of adrenalin in oto-rhino-laryngology	106 680
BRINDEL and MOURE: on the use of adrenalin in oto-rhino-laryngology (abstract)	106 680 110
BRINDEL and MOURE: on the use of adrenalin in oto-rhino-laryngology (abstract) . BRISTOW (Donald M.), report of an unusual case of deafness (abstract) .	106 680
BRINDEL and MOURE: on the use of adrenalin in oto-rhino-laryngology (abstract) BRISTOW (Donald M.), report of an unusual case of deafness (abstract) British Laryngological, Rhinological, and Otological Association, annual	106 680 110

viii

	PAGE
British Laryngological, Rhinological, and Otological Association, Pro- ceedings	636
British Medical Association Annual Meeting, Section of Laryngology 461, 510	571
Sections of Laryngology and	
Otology: combined meeting .	598
BROCA (Auguste) and LAURENS (Georges), meningitis following chronic	644
otitis, simulating cerebral abscess (abstract)	223
BROECKAERT (M.), case of endothelioma of auricle	427
treatment of saddle-nose by injections of paraffin	427
demonstration on an anatomical preparation-a new method of	490
resecting the trigeminal nerve for obstinate facial neuralgia treatment of ozæna by restoration of turbinals by injections of	430
Gaïoform paraffin	435
	5-509
Bronchus: foreign body removed from bronchus by intra-thoracic trache-	
otomy (H. Milton)	45
(left) foreign body removed by operation from (T. H. Kellock)	681
BRONNER (Adolph), diseases of the maxillary antrum: their symptoms, causes and treatment (abstract)	35
specimen of a pedunculated angeioma of the larynx	118
sections of tuberculous growth of mucous membrane of right middle	110
turbinal, in a man, aged fifty	249
large recurrent papilloma which seemed to grow from the left	
maxillary antrum	372
case of nearly fatal intra-laryngeal hæmorrhage from papillomata of the larynx (abstract)	388
discussion on etiology and diagnosis of ethnoidal and sphenoidal	000
suppurations	615
discussion on aims and limitations of intra-nasal surgical procedures	
in treatment of chronic non-suppurative middle-ear disease .	663
BROWN (E. R.), unusual tumour of soft palate (abstract)	321
BROWN (R. C.), follicular tonsillitis (abstract). BROWNE (Lennox), patient subject of adenoids in whom deafness, almost	502
inarticulate speech, mental hebetude, and chorea were prominent	
symptoms	180
five examples of lingual varix	185
notes on two cases of ulcerative tonsillitis, with unusual sequelæ	191
notes on a case of tuberculosis of the larynx, with bacteriological	100
specimen	192
trophy of the lingual tonsil	196
case of chronic suppurative otitis with granulation polypi	350
discussion on Dr. Dundas Grant's paper on "Nerve-Deafness "	353
case of keratosis of the tonsils	633
obituary remarks on his decease by Dr. Macintyre, Dr. Wyatt Wingrave,	629
Mr. Mayo Collier, Dr. Dundas Grant, Dr. Denvis Vinrace . 636	641
BRUNEL (P.), on paracentesis of the membrana tympani as a means of	, 011
diagnosis and prognosis in deafness (abstract)	165
BUCKNALL (T. R. H.) and GODLEE (R. J.), a pharyngeal pouch of large size	
removed by operation (abstract)	41
BURGER (H.), ear disease and life insurance (abstract) Burn of larynx caused by a Dupuytren's pill (J. Garel)	$\frac{333}{279}$
BUTLER (B. F.), cyst of right nasal passage (abstract) .	$\frac{279}{279}$
(-10
CABOCHE (H.), cerebral hernia, following operations in the middle ear	
(abstract) .	445
Cancer of cosophagus: four cases cured by "cancroine" (Adamkiewicz) .	330
"Cancroine ": four cases of cancer of œsophagus cured by (Adamkiewicz) Cannula : new cannula for syringing middle ear after ossiculectomy	330
(H. A. Alderton)	159
CAPART (M.), case of thrombosis of lateral sinus	427

CAPART (M.), encephalon of man who died of leptomeningitis following	P▲GE
Bezold's mastoiditis .	429
report on olfactometry	432
CAPITAU: rhino-pharyngeal albuminuria (abstract)	502
Carcinoma of auditory meatus, rapidly growing (F. C. Abbott) .	17
of breast followed by carcinoma of temporal bone (F. Alt)	137
of tympanum (Dr. Ålexander)	377
Caries of mastoid : cerebral hernia following operation for caries of mastoid	
complicated with perisinuous abscess and thrombosis of lateral sinus	
(E. Gruening)	97
Cartilaginous septum: see Nose (septum, cartilaginous).	
Catalytic action of weak electrical currents in the treatment of certain forms of deafness (Professor Urbantschitsch)	136
Catarrh (chronic): prognosis in chronic catarrh of the throat and ear	100
	, 541
——— hæmorrhagic, tracheal (J. Tommasi) .	329
of middle ear, chronic, non-suppurative (Atwood Thorne) .	189
CATHCART (G. C.), case of complete loss of internal framework of the nose	
in a girl aged twenty-two	25
case of maldevelopment of the first and second branchial clefts .	_27
case of rhinorrhœa, in a girl, aged nine	255
Caustic, strong, application to ear causing bleeding from jugular bulb	4 4 6
(Jürgens)	446
Cerebellum : exploration of cerebellum and drainage of cerebellar abscess	
during artificial respiration (E. W. Roughton)	627
tumour, simulating abscess, complicating mastoiditis (E. W. Day).	538
Cerumen impacted in ear probable cause of acquired deaf-mutism:	
	, 182
impacted : removal followed by recovery from deaf-mutism	
(M. Collier)	238
red, and otomycosis (G. Pacinotti)	109
Cervical gland : see <i>Gland</i> (cervical). CHALDECOTT (J. H.), on the choice of an anæsthetic for operations upon	
the ear, nose and throat	380
Chalky deposits in trachea: question of, in case shown by Dr. Edward Law 510	
DE CHAMPEAUX : a case of Jacksonian epilepsy due to disease of the ear	,
(abstract)	107
CHAMPION (S. Gurney) and VAUGHAN (A. H.), a report on forty-three con-	
secutive cases of diphtheria (abstract) .	625
CHARLTON (George A.), frequency and distribution of goitre in the island of	- 1
Montreal (abstract)	51
CHEATLE (A. H.), a case in which an abnormal membrane was present in the osseous meatus	18
a case of membrane stretching across the deep meatus	137
specimen showing the relation of the facial nerve to the mastoid	101
operation	152
a case of tuberculosis of the temporal hone in an adult after operation	267
case in which an abnormal membrane was present in the osseous	
meatus	273
the report of an examination of the ears of 1,000 school-children	
between the ages of three and sixteen years in the Hanwell District	000
School, including the Ophthalmic School	282
opening of discussion on deafness and ear-disease in school-children	306 319
reply case of congenital absence of front of nose with occlusion of the	019
anterior nares	357
—— specimen of rhinolith	358
CHEVAL (M.), large pharyngeal lipoma	427
thrombo-phlebitis of the lateral sinus, ligature of internal jugular;	·
recovery	427
foreign body 30 centimetres long taken from æsophagus of lunatic.	433
Childhood: medical aspects of adenoid vegetation in (R. Hutchison)	218
tuberculosis of larynx in (Perrin)	327

х

	PAGE
Children, constitutional manifestations due to infectious processes in the	483
adenoid structure of (D. Braden Kyle) . ——— foreign bodies in the lower respiratory tract and larynx of children	400
(T. H. Halsted)	542
— papillomata, diffuse, of larynx and trachea in child (L. Béco)	164
	381
——— see also School-children.	
Choana, right posterior, partial membranous occlusion of (H. Lambert Lack)	202
Cholesteatoma: case treated by radical mastoid operation with preservation	
of lining membrane and Körner's plastic flap (J. Dundas Ĝrant)	147
of middle ear, remarks (Dundas Grant)	518
without suppuration (Breyre)	106
Chorea of larynx (M. Collier)	347
pharyngis (Pick)	388
prominent symptoms in case of adenoids (Lennox Browne)	180
Choroiditis (suppurative), of opposite eye in case of otitic pyæmia without	004
phlebitis (Thomas)	334
CHOUSSAUD: paraffin injections (abstract)	380
Cicatricial contraction in interarytænoid region, causing laryngeal stenosis	247
(H. B. Robinson)	441
nose (abstract)	322
CLAUDA: two instances of foreign bodies in the auditory meatus (abstract)	107
	101
(abstract) .	321
Clavicle, left, swelling of glands above, with retropharyngeal abscess	
(M. Delsaux)	428
Climate, effect on laryngeal tuberculosis, with special reference to high	
altitudes	481
Clonic spasms : see Spasms (clonic).	
COAKLEY (C. G.) discussion on the effect of infectious processes in the	
adenoid structure of children	484
discussion on use of Röntgen rays for primary epithelioma of	
uvula and soft palate	533
discussion on laryngeal papilloma in a child	534
on the sphenoidal cells	621
Coal, fragments of, removed from middle ear of collier (H. Jones)	263
COBB (F. C.), on the antrum of Highmore	621
COBBLEDICK (Dr.), a case of visible transmission of pulsation to a scar in	14
the membrana tympani (introduced by R. Lake)	14
structure of children .	484
on the diagnosis and treatment of frontal sinus disease	622
Collar-stud : shank and head of large collar-stud impacted in tym-	022
panum (?) and external meatus; removed by post-auricular incision	
(H. Jones)	263
COLLET (F. J.), vertigo of nasal origin (abstract)	322
COLLIER (Mayo), a case of acquired deaf; mutism probably due to cerumen;	
rapid recovery of hearing and speech on removal of cerumen	
(abstract)	107
case of acquired deaf-mutism probably due to impacted cerumen	
in the ear, with rapid recovery of hearing and speech on removal of	
the wax	182
case of recovery from deaf-mutism following the removal of	000
impacted cerumen	238
case of optic neuritis and mastoid disease	346
epilepsy and tinnitus	346
case of chorea of larynx	$\frac{347}{638}$
Collinet: fibrous stenosis of the larynx	641
Commissure (anterior) removal of growths in, by modification of Mac-	041
kenzie's laryngeal forceps (H. FitzGerald Powell).	243
Complication (nasal) result of injury to eye (M. Goris) .	42 6
comparation (mout) to an or many to by (m. doilo)	

	PAGE
COMSTOCK (A. E.), some experiments with parafin (abstract)	678
Constitutional manifestations due to infectious processes in the adenoid structure of children (D. Braden Kyle)	483
Corditis cantorum : see Singers' nodes.	100
Cotton carriers (StC. Thomson)	217
COURTADE (A.), method of registering the permeability of the nasal fossæ	
(abstract)	323
Coussieu (Henry), researches on the bacteriology of middle-ear disease	445
(abstract)	440
CROUZILLAC: a case of secondo-tertiary syphilitic labyrinthitis; cure	
(abstract)	47
CUNNINGHAM (Professor D. J.), demonstration of the central connections of	4.4.1
the nervus acusticus in man and the anthropoid apes CURTIS (H. Holbrook), discussion on electric light in diseases of respiratory	441
organs	532
the technique of frontal sinus operations: report of three cases	00-
without nasal drainage	623
Cut throat followed by cicatricial stenosis of pharynx (E. B. Waggett) .	27
Cyst, dermoid, sublingual (V. Wyatt Wingrave)	$\frac{28}{279}$
of right nasal passage (B. F. Butler)	447
originating from ductus thyreoglossus (G. C. Robinson)	332
Cyst-formation in floor of tympanum following radical operation (Victor	
Pick)	379
DANIEL (P. L.), some rare cases of sarcoma of the thyroid (abstract)	626
DAVIS (H. J.), laryngeal tuberculosis with granulation tissue between the	010
cords	208
tertiary syphilis of the pharynx and larynx; phonation with	
the ventricular bands	208
DAY (Ewing W.), discussion on case of naso-pharyngeal tumour on two cases of mastoiditis, one resulting in thrombosis of the	528
cavernous sinus, the other complicated with tumour of the cerebellum	
simulating abscess	538
Deaf, provision in London for education of (Atwood Thorne) .	667
Deaf-mutes : "Contributions to the functional examinations of deaf-mutes	~ ~ 0
in Denmark" (E. Schmiegelow) (review)	559
Deaf-mutism, acquired, probably due to cerumen; recovery of hearing and speech on removal of cerumen (M. Collier)	107
acquired, probably due to impacted cerumen in ear; recovery of	10.
hearing and speech on removal of wax (M. Collier)	182
recovery from, following removal of impacted cerumen,	000
(M. Collier)	$238 \\ 3-320$
catalytic action of weak electrical currents in certain forms of	0-020
(Professor Urbantschitsch) .	136
complete bilateral, with left facial paralysis due to syphilitic	
intracranial mischief of nature of basal meningitis (P. de Santi)	271
diagnosis and prognosis of deafness by means of paracentesis of	165
membrana tympani (P. Brunel)	$165 \\ 180$
	332
vertigo and tinnitus cured by static electricity (M. Bayer)	428
—— see also Nerve-deafness.	
Deflection of the cartilaginous septum : a simplified method of operating for	100
(Dundas Grant) Deformity of nose, removal by subcutaneous injection of paraffin (Walker	477
Downie)	678
	322
Delle (M.), injections of vaseline for saddle-nose	427
DELSAUX (M.), case of patient with aphonia due to eversion of the ventricle	400
of Morgagni	428

	PAGE
DELSAUX (M.), case of patient with large ulcer of skin of mastoid region with	
abrupt edges and gray fungating surface .	428
case of woman with retro-pharyngeal abscess and swelling of	100
glands in right side of neck and above left clavicle .	428
a patient with aphonia due to eversion of the ventricle of Morgagni	428
tuberculous ulcer on side of tongue	428
sections of brain from patient who died of cerebral abscess of otitic origin	429
microscopic sections of a petrous bone from a patient with mal-	120
formation of the auricle and imperforate meatus externus .	430
DEMPSEY (Dr.), intranasal growth perforating and spreading over the hard	100
palate	439
microscopic slides of the membranous labyrinth	442
DENCH (Edward B.), case of otitic brain abscess; operation; recovery .	157
discussion on tuberculosis of middle-ear	487
on various operative procedures for the relief of chronic suppurative	
otitis media and their comparative value	522
discussion on case of naso-pharyngeal tumour	529
drawings of anomalous circulation of internal jugular veins	535
discussion on pus examination in middle-ear suppuration	537
DENKER (Hagen), on the technique of intranasal operations (abstract) .	323
DEPOUTRE and STANCULÉANU, anatomical and pathological study of the posterior cellules of the mastoid cells near the lateral sinus (abstract)	50
Dermoid cyst, sublingual (V. Wyatt Wingrave)	28
Descos: angina due to Friedländer's pneumo-bacillus (abstract).	321
Diabetes: case of laryngeal perichondritis in diabetic subject (A. J.	021
Hutchison) .	113
Diagnosis, cases for : growth in larynx in case of syphilis (H. Lambert Lack)	33
——— œdema of larynx (H. Lambert Lack)	204
swelling of left side of nose (Furniss Potter)	33
tumour of right vocal cord, formed during influenza in a	
man aged fifty (J. Donelan)	366
of nervous and mental diseases; "Diagnosis of nervous and mental	604
diseases " (H. T. Pershing) (review)	$684 \\ 625$
(antitoxic serum in): use of large doses of antidiphtheria serum	020
(E. Thomas)	111
followed by double auditory neuritis (M. Eeman)	433
intubation of larynx for: forty consecutive cases (C. Basan)	219
Diverticulum of tympanic cavity (Lafarelle)	108
DONELAN (J.), a case of syphilitic laryngitis in a man aged fifty-two	133
case of tumour of right vocal cord formed during influenza in a man	
aged fifty (for diagnosis)	366
discussion on malignant disease of œsophagus .	$\frac{397}{495}$
a case of laryngeal stenosis in a man, aged fifty, resulting from a	490
large syphilitic ulcer of the left side of larynx	544
case of syphilitic contraction of the posterior pillars of the fauces	011
in a man aged forty-four	545
DOWNIE (J. Walker), sarcoma of right tonsil .	373
fibrous growth removed from the naso-pharynx of a boy aged	
fourteen	374
fibrous growth removed from the naso-pharynx of a boy aged eleven	375
sarcoma of fauces.	376
method by which deposition of moisture on laryngeal mirror may	389
be prevented without heat (abstract)	677
the removal of deformities of the nose by the subcutaneous injection	011
of paraffin (abstract) .	678
Drainage (nasal) not performed in three cases of frontal sinus operations	- • •
(H. H. Curtis)	623
Dressing, new method of, after radical mastoid operations for purulent	
otitis media (M. Eeman)	433

PAGE Drills for draining maxillary antrum through tooth-socket (H. FitzGerald Powell) 243 Drumhead, therapeutic value of vibratory massage of (Schwabach) 166 DUBREUILH (W.), eruptions due to orthoform (abstract) 52Ductus thyreoglossus, cyst originating from (G. C. Robinson) 332 Dupuytren's pill causing burn of larynx (J. Garel) 279Dura mater, ragged opening in, closed by epithelial graft (C. A. Ballance) 16 Ear: abscess in the temporo-sphenoidal lobe; two cases presenting no lesion in the ear (D. \hat{B} . Lees). 391 47, 106, 165, 223, 445, 503, 558, 627, 683 abstracts of literature on application of strong caustic to ear causing bleeding from jugular bulb (Jürgens) 446 catarrh, chronic, prognosis in (T. J. Harris) 540 cerumen impacted in ear probable cause of acquired deaf-mutism (M. Collier) 182 disease of, acute suppurative; treatment (E. J. Moure) 643 causing Jacksonian epilepsy (de Champeaux) 107 discussion on deafness and ear disease in children 306-320 - two cases ending fatally (A. L. Whitehead) 152diseases, adrenalin in (Moure and Brindel) 110 dissociating properties of peroxide of hydrogen in otorhinology (Molinié) 110 in relation to life insurance (H. Burger) 333 topical application of mucin in affections of ear (W. Stuart-382 Low) epithelioma of, new method for extirpating (M. Goris) 433exostoses, pedunculated (M. Yearsley) 274fibromyxoma, large (M. D. Lederman) 480 foreign body removed from ear with difficulty (M. D. Lederman) 480 hæmorrhage from, during typhoid fever (Raoult and Specker) 334lupus, treatment by hot air (Lichtwitz) 279malformation of (D. Harrower) 160 massage of : aural masseur (new instrument) 56 middle: cannula for syringing middle ear after ossiculectomy (H. A. Alderton) 159catarrh, chronic: gum-elastic sounds used in (U. Melzi) 446 non-suppurative, associated with nasal obstruction, complicated by hyperostosis of meatus on both sides (Atwood Thorne) 189cholesteatoma (Dundas Grant) 518 - 522disease of : bacteriology (H. Coussieu) . 445chronic non-suppurative: discussion on aims and limitations of intranasal surgical procedures in treatment of. $644 \cdot 665$ followed by temporo-sphenoidal abscess (R. H. Woods) 341 thrombo-phlebitis in middle-ear disease followed by pyæmia (M. Lermoyez) 223fragments of coal removed from middle ear of collier (H. Jones) 263operations in, followed by cerebral hernia (H. Caboche) 445pachymeningitis of middle-ear origin in case of extradural 334 abscess (G. Laurens) pus examination in middle-ear suppuration (W. C. Phillips) 536suppuration: diagnosis and prognosis by means of microscope (E. F. Snydacker) 280 treatment (R. Arthur) 225(C. Williams) 447tuberculosis of (discussion opened by Max A. Goldstein) 487- tumour springing from inner and posterior middle walls simulating exostosis, but consisting of calcareous laminæ (W. Braislin) 156- operation for temporo-sphenoidal abscess of otitic origin followed by Jacksonian epilepsy (P. de Santi) 268

xiv

Ear: operations on : choice of anæsthetic for (J. H. Chaldecott) . ————————————————————————————————————	
(J. C. Simpson) ——— (surgery): complete post-aural operation done without grafting and with improvement in hearing (M. Yearsley)	. 49 . 143
$ scc Py\sigma mia 'otitic).$	000
Ears of school-children, examination of (A. H. Cheatle)	$282 \\ 293$
Education of deaf in London (Atwood Thorne)	667
EEMAN (M.), case of double auditory neuritis following diphtheria ————————————————————————————————————	
lent otitis media	433
Electricity: catalytic action of weak electrical currents in certain forms of deafness (Professor Urbantschitsch) 	136
tinnitus (M. Bayer)	428
Electric light: in treatment of diseases of respiratory organs (W. Freudenthal)	532
Electrolysis, cupric interstitial, in treatment of ozæna (Eugene Yonge)	384
Electro-magnet: instrument for extracting metallic bodies from respiratory passages; photograph (J. Macintyre)	635
——— means of removing iron ball from external meatus (Dr. Alexander) Electro-magnets in extraction of metallic foreign bodies from air-passages	
(Roaldès)	329
ELLIS (H. Bert), discussion on severe hæmorrhage after use of adrenalin	530
Empyema of accessory nasal cavities and right mastoid with malignant	
scarlatina (Trouchaud)	383 218
in an infant (S. S. Shirlow)	305
operation on (M. de Greift) .	435
Encephalon of man who died of leptomeningitis following Bezold's mastoiditis (M. Capart, jun.)	429
Endoscopy, direct, of the upper air-passages and cosophagus; its	
diagnostic and therapeutic value in the search for and removal of foreign bodies (G. Killian)	461
Endothelioma of auricle (M. Broeckaert)	427
Epidermolysis bullosa in woman, associated with mouth and throat lesions	
(William Hill)	366
Epiglottis : epithelioma of (E. B. Waggett) .	27
——— removal as a palliative measure in case of inoperable malignant	
disease of larynx (E. Furniss Potter)	$\begin{array}{c} 681 \\ 554 \end{array}$
Epilepsy and nasal vertigo (Jousset)	381
and tinnitus (M. Collier)	346
cured by operation on abscess in lateral pharyngeal wall (M. Blon-	010
diau)	434
Jacksonian, due to disease of ear (de Champeaux)	107
following operation for temporo-sphenoidal abscess of otitic	
origin (P. de Santi)	268
Epistaxis: family form of recurring epistaxis associated with multiple telangiectases of skin and mucous membranes (W. Osler) .	35
	381
Epithelial graft : see Graft (epithelial).	001
Epithelionia (alveolar) : probably the nature of malignant growth in nose of	
patient aged sixty-one (J. Dundas Grant)	368
involving left arytenoid and aryteno opi-bottic ligament (Bonain) .	642
of ear : new method for (virpation: M. Goris)	433
of epiglottis (E. B. Waggett)	27
of nose, rapidly-growing ; photographs (J. Macintyre) .	636
of tympanic cavity involving mastoid (W. H. Haskin)	535
of uvula and soft palate, primary, treated with Roentgen rays (J.F.	200
McCaw)	532 52
Erysipelas: favourable influence of attack on course of severe case of	
acute otitis media (Sendziak)	223

	PAGE
Ethmoid, suppuration of, in man complaining of excessive pain (E. B.	FAGE
Waggett)	214
Ethmoidal cells (E. L. Vansant)	621
Ethyl-chloride narcosis, further cases of (W. J. McCardie)	167
Eustachian tube, catarrh, chronic: gum elastic sounds used in (U. Melzi)	446
right, hypertrophy of pharyngeal end (M. Hennebert)	428
Eustachian tubes, asymmetry, in case of malformation of auricle (E. C.	140
Baber)	264
Exfoliation of external auditory meatus (M. D. Lederman)	480
Exostoses, aural, pedunculated (M. Yearsley)	274
	414
	165
posterior tympanic walls (W. Braislin)	218
Eye, disease of, in tubercular disease of nasal mucous membrane (Kinsberg)	426
injury to, causing nasal complication (M. Goris)	440
	994
without phlebitis (Thomas)	334
Every (C, II) various of the local line line line line of the terror line of t	10
FAGGE (C. H.), a specimen of tuberculous disease of the temporal bone	19
discussion on cholesteatoma of the middle ear	521
discussion on aims and limitations of intra-nasal surgical procedures	
in treatment of chronic non-suppurative middle-ear disease	662
FAGGE (Dr.), discussion on deafness and ear disease in school-children	317
FARRELL (Thomas H.), specimen of a tubercular larynx	535
Fauces : abstracts of literature on	
hyperæsthesia, in case of abeyance of nasal breathing (L. H. Pegler)	211
——— papilloma of posterior pillar; specimen (H. Sharman)	127
——— phlegmons of, treatment (Dr. Grünwald)	155
—— pillar, left, perforation of (Furniss Potter)	20
sarcoma of (J. Walker Downie)	376
syphilitic contraction of the posterior pillars (J. Donelan)	545
thickening, in case of ædema of larynx (Hunter F. Tod).	212
FELIX (Eugene), labyrinthitis in acquired syphilis (abstract)	47
Fenestra ovalis, abnormality (Professor Politzer)	137
Fibres (respiratory): see Respiratory fibres.	
Fibroma of larynx removed through mouth (M. Rousseau) .	429
of nasal vestibule (W. H. Kelson)	28
of naso-pharynx : general discussion on naso-pharyngeal fibromata	
(C. R. Holmes)	399
soft, enormous (C. R. Holmes)	399
treatment of naso pharyngeal fibromata (Dr. Schäfer)	155
removed from left maxillary antrum (H. FitzGerald Powell)	367
Fibromyxoma (large); specimen (M. D. Lederman)	480
Fibro-papilloma : larynx with unusual movements (H. W. Loeb)	485
Fibro-sarcoma of right vocal cord; microscopic section (W. Milligan)	125
FISK (G. F.), a series of forty-one cases of mastoid operation, of which	
twenty-six were chronic and fifteen acute	97
Fistula (external blind) of neck situated in middle bone in front of larynx;	
microscopic specimens (M. Hennebert) .	428
FOOTE (C. G.), a painless method of skin-grafting (abstract) .	167
Forceps (laryngeal), modification of Mackenzie's laryngeal forceps (H. Fitz-	
Gerald Powell)	243
new form of (H. Lambert Lack)	358
Foreign bodies in auditory meatus (Clauda)	107
	110
	$\overline{642}$
and lower respiratory tract in children (T. H. Hal-	
sted)	542
in nose, in connection with rhinoliths (J. M. Ingersoll)	324
in upper air-passages and œsophagus; diagnosis and treat-	
ment (John Macintyre)	469
value of direct endoscopy in search	100
and removal of (G. Killian)	461
(metallic) extracted from air-passages by electro-magnets	101
(Roaldès)	329
	040

xvi

bodies removed from middle ear (H. Jones) body from æsophagus of lunatic (M. Cheval)	
—— in left bronchus removed by operation (T. H. Kellock) —— in æsophagus (G. A. Peters)	
instrument for extracting metallic bodies from respire	•
passages, photograph (J. Macintyre)	uory
removed from bronchus by intra-thoracic tracheot	omv
(H. Milton)	•
removed with difficulty from ear (M. D. Lederman)	
ossa (canine), demonstration of tube impacted in left maxillary ant	rum
and taken out by operation through canine fossa (J. Macintyre) bssæ (nasal), method of registering permeability of (A. Courtade)	•
OSTER (Hal), the subcutaneous use of paraffin in deformed noses,	with
the report of a case (abstract) .	
owler's invisible respirator	
amework, internal, of nose, complete loss of (Dr. Cathcart) .	·
REUDENTHAL (W.), discussion on severe hæmorrhage after use of adren	alin
- — discussion on the symptoms of mouth breathing . on electric light in diseases of the respiratory organs .	•
(Dr.), application of subcutaneous injections of paraffin for	\dot{the}
closure of retro-auricular openings	•
iedländer's pneumo-bacillus, angina due to (Descos).	
iedrichshall water : analyst's report	•
lvano-cautery: naso-pharyngeal polypi cured by galvano-cau	terv
punctures (J. Boulai)	
REL (J.), a burn of the larynx caused by a Dupuytren's pill (abstra	ct).
SNE (G.) and LERMOYEZ (M.), acute gout of the pharynx (abstract)	•
UDIER: the use of methylene blue in the treatment of chronic supp	ura-
tive otitis media (abstract)	•
ELLÉ (G.), crossed acoustic paralysis (abstract)	•
a case of mastoid pain due to hysteria (abstract)	
ENTA (S.), effects of nasal obstruction on the blood pressure (abstract) .
ographical tongue : see <i>Tongue</i> (geographical).	,
RBER (P. H.), "Atlas der Krankheiten der Nasen, der Nebenhöh und des Nasenrachenraumes" (Atlas of diseases of the nose, of	
accessory cavities, and of the naso-pharynx : review)	. 105
BB (Joseph T.), report of a case in which laryngeal symptoms c	om-
plicated purpura hæmorrhagica	•
and, cervical, microscopical section (W. Jobson Horne)	•
ands of neck, suppurating, simulating otitis (Mounier) —— swelling of, in right side of neck and above left clavicle, with re	• •
pharyngeal abscess (M. Delsaux)	010-
andules, parathyroid, in mammals (A. Torretta) .	:
ass tube for inhalation of medicinal powders into larynx (J. Dur	
Grant)	216,
DLEE (R. J.) and BUCKNALL (T. R. H.), a pharyngeal pouch of large	size
removed by operation (abstract) itre: frequency and distribution in island of Montreal (G. A. Charlt	
LDSTEIN (Max A.), discussion on effect of climate on laryngeal tu	
culosis	
on tuberculosis of middle ear, with report of cases	•
discussion on severe hæmorrhage after use of adrenalin .	•
—— discussion on chronic catarrh of the throat and ear . RIS (M.), nasal complication result of injury to eye .	·
new method for extirpating epithelioma of ear .	:
guenheim, Achille : the late Dr. Achille Gouguenheim, obituary no	tice
at of the pharynx, acute (M. Lermoyez and G. Gasne)	•
ADENIGO (S.), on clearing out the tympanum as a means of improv	ing
the hearing (abstract)	•
it with a lial waged anoning in dure alaged by (C. A. Dallarea)	
ft, epithelial, ragged opening in dura closed by (C. A. Ballance) rafting " in case of complete mastoid operation (W. Milligan)	•

xvii

"Grafting" not employed in complete post-aural operation (M. Yearsley)	page 143
GRANT (J. Dundas), case of cerebral abscess with unusual features; opera-	
tion; recovery case of cholesteatoma treated by the radical mastoid operation with	145
preservation of the lining membrane and Körner's plastic flap	147
varieties of nerve-deafness	169
case of subjective nasal obstruction .	216
a specially constructed glass tube for the inhalation of medicinal	216
powders into the larynx	234
case of traumatic tracheal obstruction	255
discussion on deafness and ear disease in school-children	316
reply to his paper on "Nerve-deafness"	354
case of malignant growth in nose of a male patient, probably of the	
nature of alveolar epithelioma	368
discussion on malignant stricture of the esophagus . 397, 496	6-498
on a simplified method of operating for deflection of the cartila-	
ginous septum	$\frac{477}{518}$
remarks on cholesteatoma of the middle ear	910
frontal sinus and maxillary antrum	595
case of probably congenital papillomata of the larynx removed at	000
the age of twenty-two	632
glass tube for the inhalation of medicinal powders into the larynx .	632
remarks on decease of Mr. Lennox Browne	638
discussion on aims and limitations of intranasal surgical pro-	
cedures in treatment of chronic non-suppurative middle-ear disease	654
discussion on the indications for and against ligation of the internal	000
jugular vein in cases of otitic pyosepticæmia	$\begin{array}{c} 666\\ 675 \end{array}$
and BALLANCE (C. A.), a case of temporo-sphenoidal abscess	15
and THORNE (Atwood), retrospect of otology	6
Granulation tissue between cords in case of laryngeal tuberculosis	0
(H. J. Davis)	208
GREIFT (M. de), operation for empyema of maxillary antrum .	435
Growth, cystic, of the septum, and microscopic section (L. H. Pegler)	363
(fibrous) removed from the naso-pharynx ; two specimens (J. Walker	
Downie)	375
——— in larynx in case of syphilis (H. Lambert Lack)	33 355
intranasal, perforating and spreading over hard palate (Dr. Dempsey)	439
naso-pharyngeal (Dr. Story)	440
———— see Adenoid growths.	
Growths in anterior commissure, modification of Mackenzie's laryngeal	
forceps for removal of (H. FitzGerald Powell)	243
new, in upper air-passages, lantern demonstration of (W. Jobson	
Horne)	379
GRUENING (Emil), cerebral hernia following an operation for caries of the mastoid, complicated with a perisinuous abscess and thrombosis of the	
lateral sinus	97
the significance of trigeminal herpes zoster in connection with	01
mastoid disease	98
GRUNWALD (L.), treatment of phlegmons of the fauces .	155
on the present state of the "ozæna" question	514
discussion on the ultimate results of surgical operations upon	
the frontal sinus and maxillary antrum	595
	500
introduction to discussion	598 619
Gullet: see <i>Esophagus</i> .	019
Gum elastic sounds in chronic catarrhal affections of Eustachian tube and	
middle ear (U. Melzi)	446
Gummatous growth affecting larynx (C. Nourse)	190
•	

xviii

Hæmatoma of left vocal cord (H. FitzGerald Powell) . Hæmophilia: death after removal of tonsils and adenoids in hæmopl	vilia
child (F. J. Steward).	
Hæmorrhage, intralaryngeal, from papillomata of larynx (A. Bronner)	•
from ear during typhoid fever (Raoult and Specker)	•
nasal, intractable (H. Mackenzie)	•
severe, after use of adrenalin (J. O. McReynolds)	•
see Purpura hæmorrhagica.	
see Trachea, hæmorrhagic catarrh of.	
HALL (F. de Havilland), death from the bursting of a tonsillar abs	cess
(abstract) . HALLOPEAU : the use of methylene blue in ozæna (abstract) .	•
	٠
HALSTED (Thomas H.), discussion on spasmodic torticollis . ———— on foreign bodies in the larynx and lower respiratory trac	
children; report of six cases .	6 111
Hand : angio-neurotic cedema of right hand with recently developed att	Jaka
of difficulty in breathing (P. de Santi)	iuns
Hanwell District School, examination of ears of children in (A. H. Ches	(ماtد
HARING (N. C.), discussion on etiology and diagnosis of ethnoidal	
sphenoidal suppurations	ana
HARRIS (Thomas J.), discussion on laryngeal papilloma in a child	
on prognosis in chronic catarrh of the throat and ear: s	ome
remarks by a would-not-be pessimist	
chronic catarrhal otitis (abstract) .	÷
HARROWER (David), case of malformation of the ear	
HARTZ (Henry J.), on the pathology and diagnosis of otitis media insid	iosa
-i.e., sclerosis	
HARVEY (F. G.), six cases of excision of the larynx (abstract) .	
case of lupus nasi.	
HASKIN (W. H.), report of a case of epithelioma of the tympanic ca	vity
involving the mastoid	•
discussion on pus examination in middle-ear suppuration	•
HAUG (Professor), local anæsthesia of the external auditory meatus	•
Hay-fever : etiology and treatment (J. Sawyer)	•
HAYES (F. M.), hypertrophic rhinitis and its sequelæ (abstract) .	٠ ،
HEAD (Gustavus P.), "The practical medicine series of year-bo	
comprising ten volumes on the year's progress in medicine	ana
surgery " (review)	•
Hearing, curious aids to (L. A. Laurence) .	•
improved by clearing out the tympanum (S. Gradenigo) . improvement, great, after complete post-aural operation	
without moffing (M. Vooraley)	uone
without grafting (M. Yearsley)	•
Kingdom to draw up recommendations as to compulsory examina	
of hearing-power of school-children	10115
of school-children, compulsory examination of, report of comm	ittee
(Otological Society) .	
HENNEBERT (M.), case of extensive tuberculous infiltration of left ha	lf of
posterior pharyngeal wall	
case of hypertrophy of pharyngeal end of right Eustad	hian
tube	
	ed in
middle line in front of larvnx	
series of cases of maxillary sinusitis treated by methodical was	shing
with nitrate of silver	
Hernia, cerebral (H. Jones)	•
following operation for caries of mastoid (E. Gruening)
following operations in middle ear (H. Caboche).	•
Herpes of palate (H. Snell)	
zoster, trigeminal, significance in connection with mastoid di	sease
(E. Gruening)	
HEYNINX (M.), use of somnoform .	

	PAGE
HILL (G. William), epidermolysis bullosa in woman, associated with mouth	000
	366
Hoarseness: case in child aged one year and ten months (E. W. Roughton)	33
HOLMES (Christian R.), enormous naso-pharyngeal soft fibroma, with	
Berrene motormeter and the second sec	399
discussion on effect of infectious processes in the adenoid structure	100
	483
- <u>discussion on operative treatment of chronic suppurative otitis</u>	
	526
T T T T T T T T T T T T T T T T T T T	537
	538
	540
	541
HORNE (W. Jobson), macroscopic and microscopic specimens of the larynx	
from cases of lymphadenoma, lympho-sarcoma, tuberculous lymph-	
adenitis, etc.	22
	128
	268
	318
	379
discussion on case of excrescences, or incrustations, or chalky	
deposits low down in trachea	
	544
discussion on etiology and diagnosis of ethmoidal and sphenoidal	
	615
	557
	279
HOVELL (T. Mark), discussion on case of excrescences, or incrustations, or	
	512
discussion on aims and limitations of intranasal surgical pro-	
	660
HUTCHISON (Arthur J.), a case of laryngeal perichondritis in a diabetic	
	113
HUTCHISON (Robert), some of the medical aspects of adenoid vegetations	
	218
Hydrogen, peroxide of : see Peroxide of hydrogen.	
	557
Hyperæsthesia of palate and fauces in case of abeyance of nasal breathing	
	211
Hyperostosis of meatus on both sides in case of chronic non-suppurative	
	189
removal of hyperostosis of left auditory meatus revealing extensive	
	265
	196
	428
	333
see Aphonia (hysterical)	
\mathbf{y}	218
	305
	386
Infectious processes causing constitutional manifestations in the adenoid	
structure of children (D. Braden Kyle)	483
Inflammation : inflammatory diseases of the respiratory tract caused by in-	
	486
of middle ear, questions with regard to (P. McBride) .	48
Inflammatory affections of accessory sinuses of nose (A. L. Turner :	
	335
Influenza as causative factor in inflammatory diseases of the respiratory	
	486
INGERSOLL (J. M.), rhinoliths and foreign bodies in the nose (abstract)	324
	486
on hild exemination in middle can an any interview	537

Injections of gaïoform paraffin for restoration of turbinals in treatment of	PAGE
ozæna (M. Broeckaert)	436
of paraffin (Choussaud)	380
subcutaneous injections of paraffin for closure of retro-auricular	
openings (Dr. Frey) .	379
Instruments, exhibition of	431
for mastoid cases (W. C. Phillips)	536
for radical cure of maxillary sinusitis by method of Luc (E.	9 <i>5</i>
Lombard)	35 56
new: aural masseur	224
Insurance : see Life Insurance.	44 <u>4</u>
Interarytenoid region : cicatricial contraction in, causing laryngeal stenosis	
(H. B. Robinson)	247
Intubation of larynx in diphtheria : forty consecutive cases (C. Basan)	219
used in cases of subglottic stenosis (M. Boulay)	501
Iron ball removed from external meatus by means of electro-magnet (Dr.	
Alexander)	137
t t i i i i i i i i i i i i i i i i i i	
Jacksonian epilepsy : see Epilepsy (Jacksonian).	101
JAMES (Culver), functional aphonia	181 156
Jaws, clonic spasms of muscles of (Professor Schech) . JONES (Hugh), brain with hernia cerebri ; death three months after opera-	100
tion for left temporo-sphenoidal abscess, due to suppuration through	
the tegmen antri	260
section (microscopic) of growth removed from external auditory	
meatus	262
foreign bodies removed from the middle ear: (1) fragments of coal	
removed from the middle ear of a collier; (2) shank and head of a	
large collar-stud impacted in the tympanum (?) and external meatus;	000
removed by post-auricular incision	263
discussion on the indications for and against ligation of the internal	66 6
jugular vein in cases of otitic pyosepticæmia	381
JOUSSET: nasal vertigo and epilepsy (abstract) Jugular and sinus thrombosis; cured case (F. Alt)	378
Jugular bulb, bleeding from, after application of strong caustic to ear	010
(Jürgens)	446
JURGENS: bleeding from the jugular bulb after the application of strong	
caustic to the ear (abstract)	446
KELLOCK (T. H.), foreign body in left bronchus; removal by operation	001
(abstract)	681 28
KELSON (W. H.), case and specimen of fibroma of nasal vestibule	20 356
case of tumour of the larynx case of tuberculous disease of the larynx	357
case of tuberculous disease of the tarying case of tuberculous ulceration of the trachea almost healed	631
discussion on aims and limitations of intranasal surgical	
procedures in treatment of chronic non-suppurative middle-ear	
disease	664
Keratosis, lacunar, of tonsil, pathogenesis (G. B. Wood)	274
of tonsils (Lennox Browne).	633
microscopical specimens (Wyatt Wingrave)	634
KILLIAN (Gustav), on direct endoscopy of the upper air-passages and	
œsophagus; its diagnostic and therapeutic value in the search for	461
and removal of foreign bodies . ————————————————————————————————————	401
direct methods	-509
discussion on case of excrescences, or incrustations, or chalky	
deposits low down in trachea	514
discussion on the ultimate results of surgical operations upon the	
frontal sinus and maxillary antrum	595
KINSBERG: eye disease in tubercular disease of nasal mucous membrane,	
and treatment of the latter with lactic acid (abstract) .	218

 KIRKLAND (T. S.), the pathological conditions of the cranial sinuses KNAPP (A.), a case of meningitis from acute purulent otitis media through osteomyelitis of the petrous bone; operation; autopsy; microscopic 	561
KNAPP (Hermann), notes of three recent cases of sinus thrombosis: two	166 100
KOENIG (C. J.), on a new method of massaging the ossicles by means of Lucae's probe (abstract)	48
KYLE (D. Braden), on constitutional manifestations due to infectious	108 483
LABARRE (M.), case of subdural abscess with granulating pachymeningitis	100
	426
	426
	431
	442
necrosed, removal of (R. Lake)	14
osseous, necrosis; removal by operation (R. Lake)	115
Labyrinthitis in acquired syphilis (E. Felix)	47
secondo-tertiary syphilitic (Crouzillac)	47
LACK (H. Lambert), growth in larynx in a case of syphilis (for diagnosis) .	33
	202
	204
	254
	358
	359
deposits low down in trachea	559
case of great symmetrical thickening of the upper and anterior	000
	546
case of inherited syphilis of the nose, pharynx, and larynx, with	010
	547
the etiology and diagnosis of ethmoidal and sphenoidal suppura-	
	603
	619
discussion on aims and limitations of intranasal surgical	
procedures in treatment of chronic non-suppurative middle-ear disease Lactic acid in treatment of tubercular disease of nasal mucous membrane	655
	218
	108
LAKE (Richard), a case of removal of necrosed labyrinth	14
a case of visible transmission of pulsation to a scar in the membrana	
tympani (shown by Dr. Cobbledick, introduced by R. Lake)	14
laryngeal tuberculosis	57
	115
	138
case of tuberculosis of the larynx, with marked swelling of the	
	197
case of atrophic rhinitis in which melted paraffin had been injected	
	257
	380
	554
case of tuberculous perichondritis . discussion on aims and limitations of intranasal surgical pro-	554
	663
	684
and PEGLER (L. Hemington), case of double subdural abscess, in	504
which the secondary pyzmic symptoms developed after operation; the	
lateral sinus and brain were explored and recovery followed	139
LAPEVRE: medical treatment of adenoid growths (abstract)	45
Laryngitis, acute, followed by subglottic stenosis, treated by intubation	
and tracheotomy; cases (M. Boulay)	501

xxii

\mathbf{I} - model is a second of \mathbf{f} (\mathbf{I} - \mathbf{D} - \mathbf{I} - \mathbf{I}	PAGE
Laryngitis, syphilitic, in a man aged fifty-two (J. Donelan)	183
possibly complicated with tuberculosis (StClair Thomson) .	357
tubercular, advanced case exhibited a year previously and remain-	
ing well without intralaryngeal treatment (Dr. McCall)	236
Laryngo-fissure: partial removal of malignant disease of vocal cords by	
laryngo-fissure; regrowth (StClair Thomson)	30
Laryngological and Otological Society of Munich, proceedings .	155
Laryngological, Otological, and Rhinological Society of Paris, proceedings	641
Laryngological Society of London : annual dinner .	96
election of officers and members of Council	96
proceedings . 20, 197, 241, 355, 449, 489,	
	502
Laryngology : Raccolte di Memorie Italiana sulla Laryngologia, Rhinologia	
ed Otoiatria	13
retrospect of (J. Macintyre)	2
Section of Laryngology at British Medical Association Annual	
Meeting (1902)	571
Sections of Laryngology and Otology (combined meeting, British	011
Medical Association Annual Meeting, 1902)	500
	598
Larynx: abductor paralysis of the larynx (D. J. G. Wishart) .	534
abstracts of literature on 45, 103, 164, 219, 279, 326, 388, 443, 558,	
angeioma, pedunculated (A. Bronner)	118
areolar tissue, submucous: significance in spread of œdema (A. L.	
Turner)	443
—— burn of, caused by a Dupuytren's pill (J. Garel) .	279
(cancer), removal of epiglottis as palliative measure in case of	
inoperable malignant disease (E. Furniss Potter)	681
	001
case in which laryngeal symptoms complicated purpura hæmor-	
rhagica (J. T. Gibb)	52 9
chorea of (Mayo Collier)	347
diseases, adrenalin in (Moure and Brindel)	110
exclsion : six cases (F. G. Harvey)	103
fibroma of, removed through mouth (M. Rousseaux) .	429
fibro-papilloma : case with unusual movements (discussion opened	
by H. W. Loeb)	485
forceps for (H. Lambert Lack)	358
	642
foreign bodies in (Dr. Texier)	
in the larynx of children (T. H. Halsted)	542
glosso-labio-laryngeal paralysis (StClair Thomson)	550
growth of (Wyatt Wingrave)	355
in case of syphilis (H. Lambert Lack) .	33
large, case of (J. W. Bond) .	549
gummatous growth affecting (C. Nourse)	190
importance of examination in cases of aneurism of the aorta	
(John Sendziak)	419
inhalation of medicinal powders into larynx by specially constructed	110
	620
intubation of, for diphtheria : forty consecutive cases (C. Basan) .	219
—— macroscopic and microscopic specimens of larynx from cases of	
lymphadenoma, lympho-sarcoma, tuberculous lymphadenitis, etc. (W.	
Jobson Horne)	22
malformation, congenital (C. J. Koenig)	108
microscopic specimens of an external blind fistula of neck situated	
in the middle line in front of larynx (M. Hennebert)	428
—— mirror for : method by which deposition of moisture on mirror can	
	389
be prevented without heat (J. Walker Downie)	
œdema : case for diagnosis (H. Lambert Lack)	004
case, starting in tonsils (Dr. Mahu)	204
	501
with thickening of palate, uvula, and fauces (Hunter F. Tod)	
orifice, upper: Roentgen-ray photograph showing plate of teeth	501 212
	501
orifice, upper: Roentgen-ray photograph showing plate of teeth impacted in (W. Milligan)	501 212
orifice, upper: Roentgen-ray photograph showing plate of teeth	501 212

	PAGE
Larynx: papilloma: diffuse papillomata of larynx and trachea in child	104
$(L. Béco) \qquad \qquad$	164
in a child (C. D. Roy)	534 672
——— probably congenital papillomata : removal (Dundas Grant)	632
——————————————————————————————————————	254
subcricoid, treated by tracheotomy (P. Sebileau)	443
paralysis, complete, recurring after period of recovery (H. Fitz-	
Gerald Powell)	241
abductor (Gibb Wishart)	681
—— perichondritis : case in diabetic subject (A. J. Hutchison) .	113
phlegmon, acute (Wyatt Wingrave) .	181
stenosis, cicatricial, originating apparently in whooping-cough	150
(Professor Schech)	$\frac{156}{47}$
congenital (G. S. Ross) due to cicatricial contraction in interarytenoid region	41
(H. B. Robinson)	247
fibrous (Collinet)	641
fibrous (Collinet) resulting from syphilitic ulcer of larynx (J. Donelan)	544
syphilitic (?) disease of larynx simulating malignant disease	
(H. Ťilley)	259
syphilis of, hereditary (Dr. von Riedl)	156
tertiary (H. J. Davis)	208
	547
thyroid gland tumour in (W. A. Wells)	$542 \\ -7$
tuberculosis of (R. Lake)	57
(W. H. Kelson)	357 192
case with bacteriological specifien (Lennox Drowne) .	192
effect of climate on, with special reference to high altitudes	150
(Robert Levy)	481
	327
	558
influence of pregnancy on (Veit)	390
thyrotomy for (H. Lambert Lack) .	359
treatment (J. Price Brown)	295
specimen of tubercular larynx (T. H. Farrell)	535
with fixation of left cord (C. A. Parker)	29
with granulation tissue between the cords (H. J. Davis) . with marked swelling of thyroid cartilage (R. Lake) .	$\frac{208}{197}$
- tumour of (W. H. Kelson) .	356
see Forceps (laryngeal).	000
LAURENS (Georges), extradural abscess with pachymeningitis of middle-ear	
origin (abstract)	334
and BROCA (Auguste), meningitis following chronic otitis	
simulating cerebral abscess (abstract)	223
LAW (Edward), case of papillomatous excrescences, or ozænic incrustations,	
or chalky deposits, or other lesion low down in the trachea 510-514, 551	.554
LAWRENCE (L. A.), case and specimen of tubercular rhinitis in a man aged	00
thirty-five treated with Roentgen rays	22
two curious aids to hearing . case of rhinorrhœa of some years' duration in a woman aged	151
	109
thirty-eight LEDERMAN (M. D.), specimen of foreign body removed with difficulty	198 480
specimen of a large fibromyxoma	480
specimens of exfoliation of the external auditory meature.	480
discussion on effect of climate on laryngeal tuberculosis .	483
discussion on operative treatment of chronic suppurative otitis media	526
discussion on case of naso-pharyngeal tumour .	52 9
on pus examination in middle-ear suppuration .	537
LEES (D. B.), two cases of abscess in the temporo-sphenoidal lobe present-	
ing no lesion in ear (abstract)	391
Legacies to hospitals \cdot	5, 97

xxiv

Leptomeningitis causing death after Bezold's mastoiditis (M. Capart, jun.) LERMOYEZ (Marcel), pyæmia following thrombo-phlebitis in middle-ear	429
	223
a discussion on the ultimate results of surgical operations upon the	571
	598
	385
LEVY (Robert), on the effect of climate on laryngeal tuberculosis, with	000
	481
discussion on effect of infectious processes in the adenoid structure	
of children	484
discussion on tuberculosis of middle ear	487
discussion on operative treatment of chronic suppurative otitis	
	527
	532
LICHTWITZ: enlargement of the root of the nose caused by nasal polypi	100
	103
	279 333
Life insurance : ear disease in relation to (H. Burger)	000
tions for and against (C. A. Ballance)	665
	427
Lightning-stroke cause of perforation of membrana tympani (H. Mac-	
naughton-Jones)	344
	486
	550
	427
	125
LITTLEJOHN (Dr.), discussion on deafness and ear disease in school-	
children	320
LODGE (Samuel), discussion on etiology and diagnosis of ethnoidal and	
-Franciscus and Franciscus and Andrews	619
	482
discussion on effect of infectious processes in the adenoid structure	101
	484
on a case of fibro-papilloma of the larynx with unusual move-	485
	488
	528
LOMBARD (E.), instruments for the radical cure of maxillary sinusitis by	
the method of Luc (abstract) .	35
	667
LOVE (J. Kerr), discussion on aims and limitations of intranasal surgical	
procedures in treatment of chronic non-suppurative middle-ear	
, , , , ,	663
	671
Luc: mucocele of the frontal sinus and of the maxillary sinus on the same	0.5
side (abstract)	35
	642
Luc's method in radical cure of maxillary sinusitis (E. Lombard)	35
Labarre) patient with maxillary sinusitis operated on by (M.	426
Lucar's probe in massage of ossicles (C. J. Koenig)	48
Lunatic, foreign body taken from œsophagus of (M. Cheval)	433
	279
	201
Lymphadenitis, tuberculous, macroscopic and microscopic specimens of	-
larynx from cases of (W. Jobson Horne)	22
Lymphadenoma : macroscopic and microscopic specimens of larynx from	
cases of (W. Jobson Horne)	22
Lympho-sarcoma : macroscopic and microscopic specimens of larynx from	
_ cases of (W. Jobson Horne)	22
	682

xxvi

	PAGE
McBRIDE (P.), some questions with regard to acute middle-ear inflamma- tion (abstract)	48
discussion on case of excrescences, or incrustations, or chalky	F10
deposits low down in trachea	513
discussion on cholesteatoma of the middle ear	521
discussion on etiology and diagnosis of ethmoidal and sphenoidal	
suppurations	614
discussion on the aims and limitations of intranasal surgical	
procedures in the treatment of chronic non-suppurative middle-ear	
disease	644
reply	665
McCall (Dr.), an advanced case of tubercular laryngitis, which had been	
exhibited a year previously, and which had remained well without	
intralaryngeal treatment	236
MCCARDIE (W. J.), some further cases of ethyl-chloride narcosis (abstract).	167
McCAW (James F.), discussion on operative treatment of chronic suppura-	
tive otitis media	526
report of a case of primary epithelioma of the uvula and soft palate	
treated with Rochigen rays	532
MACDONALD (Greville, discussion on Dr. Dundas Grant's paper on "Nerve-	
deafness".	352
discussion on etiology and diagnosis of ethmoidal and sphenoidal	
suppurations	614
on the operative cure of laryngeal papillomata .	672
reply	677
MACINTYRE (John), retrospect of laryngology.	2
X-ray photograph of a tube in the left maxillary antrum, and also	4
the tube which had been taken out by the operation through the	
	239
canine fossa	259
on the diagnosis and treatment of foreign bodies in the upper air-	400
passages and gullet	469
discussion on case of excrescences, or incrustations, or chalky	~10
deposits low down in trachea	513
photograph of a very large electro-magnet designed by himself	
with a view to extracting certain metallic bodies from the respiratory	00-
passages .	635
photographs of a rapidly growing epithelioma of the nose for which	000
he had operated	636
remarks on decease of Mr. Lennox Browne	637
MACKENZIE (George Hunter), a case of intractable nasal hæmorrhage	
(abstract) .	325
death of .	631
MACKENZIE's laryngeal forceps for removal of growths in anterior com-	
missure, modification of (H. FitzGerald Powell) .	243
MACNAUGHTON-JONES (H.), discussion on deafness and ear disease in school-	
children	314
perforation of the membrana tympani, result of being struck by	
lightning	344
McReynolds (John O.), discussion on effect of climate on laryngeal tuber-	
culosis	482
discussion on tuberculosis of middle ear	488
discussion on case of naso-pharyngeal tumour	528
report of a case of severe hæmorrhage occurring after the use of	
adrenalin	530
Magnet : see <i>Electro-magnet</i> .	
MAHU (Dr.), case of laryngeal ædema starting in tonsils .	501
on unilateral nasal hydrorrhœa cured by hot air (abstract)	557
MAKUEN (G. Hudson), case of naso-pharyngeal tumour	527
on removal of foreign bodies from lower respiratory tract of	
children	543
Mal-development of branchial clefts, first and second (Dr. Cathcart)	27
Malformation of auricle with asymmetry of Eustachian tubes (E. C. Baber).	264
of ear (D. Harrower)	160

xxvii

Malformation of largery concentral (C. J. Koonic)		I
Malformation of larynx, congenital (C. J. Koenig) Malignant disease of larynx (inoperable); removal of epiglott	is as palli	iative
measure for (E. Furniss Potter)	al by lar	vngo-
fissure (StClair Thomson)	•	
simulated by syphilitic (?) disease of the	e larynx	с (H.
Malignant growth in nose of male patient aged sixty-one (J. I)undas G	
Mammals: parathyroid glandules in (A. Torretta) . Malignant stricture of œsophagus (C. J. Symonds) .	•	394, 4
Man: central connections of nervous acusticus in man ar	1d anthr	
apes (D. J. Cunningham)	of Vin	
(abstract)		icent
MARTUSCELLI (G.), two cases of anomalous auricle, with op	eration in	
(abstract)	:	•
therapeutic value of vibratory massage of drumhead	(Schwaba	ach).
Masseur, aural (new instrument) Mastoid abscess, four cases (R. Lake)	•	· ·
antrum : see Antrum (mastoid).	•	
(caries of): cerebral hernia following operation	for carie	es of
mastoid complicated with perisinuous abscess and t lateral sinus (E. Gruening)	••	is of
case of deformity left after extensive double mast	oid oper	
(C. R. Holmes)	or cellul	es of
mastoid cells near lateral sinus (Stanculéanu and Depou		•
cellulitis, aberrant (M. de Stella)	•	• '
disease and optic neuritis (M. Collier)	•	•
relation of venous system of temporal bone	to (S. O)	
heimer)	nnection	. k with
(E. Gruening)		•
——— involved in case of epithelioma of the tympanic c Haskin)	avity (W	/. Н. . ;
operation : adrenalin chloride in (A. L. Whitehead)		•
complete, performed with "grafting" (W. Mi forty-one cases (G. F. Fisk)	lligan)	•
(radical) in treatment of case of cholest		
preservation of lining membrane and Körner's plastic fla		ındas
Grant)	•	•
for purulent otitis media; new method of	dressing	5 (M.
Eeman)	•	. 4
outfit for mastoid cases (W. C. Phillips)	•	. (
pain due to hysteria (G. Gellé)	aboud)	. (
(right) empyema of, with malignant scarlatina (Trou- suppuration : indications for operative interference (N	N. C. Phi	illips) (
ulcer of skin in mastoid regions with abrupt edg	ges and	gray
fungating surface (M. Delsaux) Mastoiditis, Bezold's acute, with extradural abscess (R. Lake		• •
——— Bezold's, followed by leptomeningitis in a man (M. C	apart, ju	n.) . 4
two cases of mastoiditis, one resulting in thrombosis sinus, the other complicated with tumour of the cerebelly	of caver	nous
abscess (E. W. Dav).	un simul:	ating
Maxillary sinus : see Sinus (maxillary).		
Maxillary sinus: see <i>Sinus</i> (maxillary). Meatus, auditory, carcinoma, rapidly growing (F. C. Abbott)	•	•
Maxillary sinus : see Sinus (maxillary). Meatus, auditory, carcinoma, rapidly growing (F. C. Abbott) ———————————————————————————————————		18, 2

Meatus, deep, membrane stretching across (A. H. Cheatle)	page 137
external auditory: iron ball removed from external meatus by means of electro-magnet (Dr. Alexander)	$137 \\ 157$
microscopic section of growth removed from (H. Jones) . shank and head of large collar-stud impacted in tympanum	262
(?) and external meatus (H. Jones)	$\begin{array}{c} 263 \\ 480 \end{array}$
patient with imperforate meatus externus (M. Delsaux) ——— hyperostosis on both sides in case of chronic non-suppurative	430
catarrh of middle ear (Atwood Thorne) . ————————————————————————————————————	18 9
revealing extensive destruction of left tympanum and mastoid antrum (H. Tilley) . "'Medical Annual" (review)	$\begin{array}{c} 265\\ 448 \end{array}$
Medical aspects of adenoid vegetations in infancy and childhood (R. Hutchison)	218
Medicine: "Practical medicine series of year-books, comprising ten volumes on the year's progress in medicine and surgery "(G. P. Head :	000
review) MELZI (Urbano), on surgical treatment of the commonest form of nasal obstruction, with notes of 100 resections of inferior turbinal (abstract)	$\frac{392}{422}$
the use of gum elastic sounds in chronic catarrhal affections of the Eustachian tube and middle ear (abstract)	446
Membrana tympani : perforation, after being struck by lightning (H. Mac- naughton-Jones) visible transmission of pulsation to scar in (Dr. Cobble-	344
dick) Membrane, abnormal, present in osseous meatus (A. Cheatle) . 18,	$\begin{array}{c} 14 \\ 273 \\ 137 \end{array}$
——————————————————————————————————————	202
Meningitis, basal: syphilitic intracranial mischief of nature of basal meningitis causing left facial paralysis and complete bilateral deafness (P. de Santi)	271
 — due to extension of acute purulent otitis media through osteomyelitis of petrous bone (A. Knapp) — following chronic otitis simulating cerebral abscess (A. Broca and 	166
G. Laurens)	$\begin{array}{c} 223 \\ 642 \end{array}$
Mental hebetude prominent symptom in case of adenoids (Lennox Browne)	180
(Roaldès)	32 9
Methylene blue in treatment of "angina of Vincent" (Mantoux)	$325 \\ 108 \\ 110$
Microscope in diagnosis and prognosis of chronic suppurations of middle	110 6, 97
ear (E. F. Snydacker) .	280 336
MILLER (Frank E.), on corditis cantorum, or nodes, with special reference to etiology and treatment	532
MILLIGAN (W.), a patient upon whom the complete mastoid operation had been performed with "grafting"	$\frac{14}{125}$
	125
laryngeal orifice	127

	PAGE
Naso-pharynx : fibrous growth removed from naso-pharynx, two specimens	075
(J. Walker Downie)	575 440
growth of (Dr. Story)	440
(J. Boulai).	502
tumour, case of (G. H. Makuen)	527
Neck: abstracts of literature on	106
external blind fistula of, situated in middle line in front of larynx,	
microscopic specimens (M. Hennebert) .	428
glands of, suppurating, simulating otitis (Mounier)	627
spasmodic torticollis following adenotomy (J. M. Ingersoll)	486
swelling of glands in, with retro-pharyngeal abscess (M. Delsaux) .	428
Necrosis of osseous labyrinth : removal by operation (R. Lake) .	$\frac{115}{485}$
(rapid) of temporal bone after scarlet fever (Francis R. Packard) . (syphilitic) of intranasal structures, with exposed openings of	400
sphenoidal and ethmoidal sinuses (H. F. Tod)	555
Nerve, facial, relation to mastoid operation (A. H. Cheatle)	152
(fifth), significance of trigeminal herpes zoster in connection with	102
mastoid disease (E. Gruening) .	98
(trigeminal): new method of resecting for facial neuralgia; demon-	
stration on anatomical preparation (M. Broeckaert)	430
Nerve-deafness, discussion on	352
neurasthenic (J. Dundas Grant)	234
varieties of (J. Dundas Grant)	169
Nerves (cardiac): connection with isolated respiratory fibres of the	4175
recurrent nerves (A. Onodi) . (recurrent): connection of their isolated respiratory fibres with	475
sympathetic and cardiac nerves (A. Onodi)	475
(sympathetic): connection with isolated respiratory fibres of the	110
recurrent nerves (A. Onodi)	475
Nervous system (diseases): "Diagnosis of nervous and mental diseases"	
(H. T. Pershing: review)	684
NEUMAYER (Dr.): air changes in the accessory cavities of the nose	155
Neuralgia (facial): method of resecting trigeminal nerve; demonstration	
on anatomical preparation (M. Broeckaert)	430
Neuritis (double auditory) following diphtheria (M. Eeman)	433
(optic) and mastoid disease (Mayo Collier)	346
Nitrate of silver, treatment of maxillary sinusitis by washing with (M.	435
Hennebert) Nose: abstracts of literature on 35, 103, 163, 218, 279, 322, 380, 502, 557,	
accessory cavities: anomalies (Max Scheier)	40
cavities, and of the naso-pharynx " (P. H. Gerber: review).	55
advanced destruction of intranasal structures, with suppuration of	
the right maxillary sinus (H. Tilley)	545
breathing through, abeyance of; nasal passages free (L. H.	~ ~ ~
	211
bridge of nose, restoration by subcutaneous injection of paraffin	070
(S. Paget)	679 426
congenital absence of front of, with occlusion of anterior nares	440
(A. H. Cheatle)	357
cyst of right nasal passage (B. F. Butler)	279
deformities, removal by subcutaneous injection of paraffin (Walker	
Downie)	678
(Hal Foster)	679
deformity: two cases operated on (J. P. Clark)	322
destruction of interior of (very extensive), due to tuberculous	
ulceration (P. de Santi)	133
(discharges): "Purulent nasal discharges: their diagnosis and treatment" (H. Tilley: review)	20
(diseases): adrenalin in (Moure and Brindel)	53 110
(diseases): adrenation in (Moure and Drinder) .	110
of the naso-pharynx "(P. H. Gerber : review)	55

XXX

Nose (diseases): dissociating properties of peroxide of hydrogen in oto-	PAGR
rhinology (Molinié)	110
"Handbook of diseases of the nose and pharynx" (J. B.	110
Ball : review)	54
topical application of mucin in affections of nose (W.	01
Stuart-Low)	382
epithelioma, rapidly-growing, photographs (J. Macintyre)	636
foreign bodies in nose, and rhinoliths (J. M. Ingersoll)	324
(fossæ): method of registering permeability (A. Courtade)	323
framework (internal), complete loss of (Dr. Cathcart) .	25
growth, intranasal, perforating and spreading over hard palate	
(Dr. Dempsey)	439
hæmorrhage from, intractable (H. Mackenzie)	325
hydrorrhœa, unilateral nasal, cured by hot air (G. Mahu)	557
—— lupus of (F. G. Harvey)	201
treatment by hot air (Lichtwitz)	279
malignant growth in nose of male patient, aged sixty-one (J. Dundas	
Grant)	368
—— myeloma of (E. B. Waggett)	206
obstruction (W. Jobson Horne)	128
associated with chronic non-suppurative catarrh of middle	
ear (Atwood Thorne)	189
effects on blood-pressure (S. Genta) .	324
management of various forms (G. G. Perry) .	680
simulated by functional abeyance of nasal respiration	
(L. H. Pegler)	380
subjective case (J. Dundas Grant)	216
surgical treatment, with notes of 100 resections of inferior	
turbinal (U. Melzi)	422
operations on : choice of anæsthetic for (J. H. Chaldecott)	380
polypoid disease, with multiple suppurative sinusitis : sequel to	
case of radical cure (Scanes Spicer)	122
(polypus): enlargement of root of nose caused by nasal polypi	
(Lichtwitz)	103
self-looping nasal polypus snare (Atwood Thorne)	127
respiration of : functional abeyance simulating true nasal obstruc-	
	380
(root) enlargement caused by nasal polypi (Lichtwitz) .	103
(septum) : "bleeding polypi of nasal septum " (Nadoleczny)	48
cartilaginous : simplified method of operating for deflection	
of (J. Dundas Grant).	477
case of great symmetrical thickening of the upper and	F 10
anterior part (H. Lambert Lack)	546
cystic growth with microscopic section (L. H. Pegler)	363
	, 212
ulcerations of triangular cartilage (J. E. Schadle)	40
(surgery): discussion on aims and limitations of intranasal	
surgical procedures in treatment of chronic non-suppurative middle-	005
	-665
	323
swelling of left side of (Furniss Potter)	33
syphilis, acquired (C. A. Parker)	37
	EAT
nares (H. Lambert Lack)	547
(tertiary), intranasal (P. de Santi)	249
ing of sphenoidal and ethnoidal sinuses (H. F. Tod)	EEE
	555
tumours of (M. L. Béco)	430
vertigo, and epilepsy (Jousset)	381
(vestibule): complete occlusion of right nasal vestibule (Herbert	322
Tilley)	5 A K
fibroma of (W. H. Kelson)	545
	28

xxxii

	PAGE
Nose: see Mucous membrane (nasal). ————————————————————————————————————	
see Sinus (nasal accessory).	
Nostril (right), imperforate : two cases (Boulai)	103
Nostrils (anterior), occlusion in case of congenital absence of front of nose	
(A. H. Cheatle)	357
occlusion (complete), of anterior nares in case of syphilis of nose,	
pharynx and larynx (H. Lambert Lack).	547
NOURSE (Chichele): case of gummatous growth affecting the larynx	190
discussion on Dr. Dundas Grant's paper on "Nerve-deafness" .	353
	000
Obituary: Browne (Lennox)	629
Gouguenheim, Achille	1
Occlusion (complete) of nares in case of inherited syphilis (H. Lambert Lack)	281
——————————————————————————————————————	$\begin{array}{c} 547 \\ 545 \end{array}$
Occlusion, partial membranous, of right posterior choana (H. Lambert Lack)	
(Edema, angio-neurotic, of right hand, with recently developed attacks of	202
difficulty in breathing (P. de Santi)	253
——————————————————————————————————————	$200 \\ 204$
starting in tonsils (Dr. Mahu)	501
with thickening of palate, uvula, and fauces (Hunter F.	001
Tod)	212
	~~-
adama (A. L. Turner)	443
(Esophagus : abstracts of literature on	330
cancer, four cases cured by "cancroine" (Adamkiewicz).	330
cancer, four cases cured by "cancroine" (Adamkiewicz). ————————————————————————————————————	
for and removal of foreign bodies (G. Killian)	461
— — examination by direct methods (G. Killian)	505
foreign body in (G. A. Peters)	331
taken from œsophagus of lunatic (M. Cheval) .	433
foreign bodies in, diagnosis and treatment (J. Macintyre)	469
malignant stricture : diagnosis and treatment (C. J. Symonds) 394,	449
	-501
Olfactometry, report on (M. Capart)	432
ONODI (Adolph), dead bone wedged in below the vocal cords (abstract)	326
on the connection of the isolated respiratory fibres of the recurrent	4
with the sympathetic and cardiac nerves	475
discussion on etiology and diagnosis of ethmoidal and sphenoidal	010
suppurations Ophthalmic School : examination of ears of children in (A. H. Cheatle)	618
OPPENHEIMER (Seymour), the venous system of the temporal bone and its	282
relation to the complications of mastoid disease (abstract) .	558
Ornithodorus méguini : see Argas (or Ornithodorus) méguini.	000
Orthoform : eruptions due to (W. Dubreuilh)	52
Osler (William), on a family form of recurring epistaxis, associated with	
multiple telangiectases of the skin and mucous membrane (abstract).	35
Osseous meatus : sce Meatus (bony).	
Ossicles: massaging of ossicles by Lucae's probe (C. J. Koenig).	48
Ossiculectomy : cannula for syringing middle ear after (H. A. Alderton)	159
Osteomyelitis of petrous bone: extension of acute purulent otitis media	
through osteomyelitis of petrous bone causing meningitis (A. Knapp).	166
(temporo-parieto-occipital) with granulating pachymeningitis and	
subdural abscess (M. Labarre).	426
Otitis: abscess of brain due to (E. B. Dench)	157
catarrhal, chronic (T. J. Harris)	683
chronic, followed by meningitis simulating cerebral abscess (A.	
Broca and G. Laurens)	223
(chronic suppurative) with granulation polypi (Lennox Browne)	360
media (acute): severe case favourably influenced by attack of	000
erysipelas (Sendziak) ————————————————————————————————————	223
and pneumonia (1. stately wilson)	51

PAGR Otitis media: catarrhal (non-suppurative), as factor in etiology of facial paralysis (H. O. Reik) 334- (chronic suppurative) : comparative value of various operative procedures (E. B. Dench) 522- employment and nature of radical surgery 525(G. L. Richards) methylene blue in treatment of (Gaudier). 108radical operation performed by nature on (Pick) 446 (insidiosa), *i.e.*, sclerosis, pathology and diagnosis (H. J. Hartz) 539(purulent acute) causing meningitis, by extension through osteomyelitis of petrous bone (A. Knapp) 166Otitis, chronic (purulent): new method of dressing after radical mastoid operations for (M. Eeman) 433 Otitis media, questions with regard to inflammation of middle ear (P. MacBride) 48 - simulated by suppurating glands of neck (Mounier) 627 see Pyosepticamia (otitic) Otological Society of the United Kingdom appoints committee to draw up recommendations as to compulsory examination of hearing-power of school-children 320proceedings 14, 137, 260, 306, 437 - second annual dinner 13 Otology: "Raccolte di memorie italiana sulla laryngologia, rhinologia et otoiatria " 13 retrospect of (J. Dundas Grant and Atwood Thorne) 6 Section of Otology (British Medical Association Annual Meeting 1902)644 Sections of Laryngology and Otology (combined meeting, British 598Medical Association Annual Meeting 1902) Otomycosis and red cerumen (G. Pacinotti) 109 - (Aspergillus niger) (Wyatt Wingrave) 345Otorrhœa, chronic, with enormous subperiostical abscess (Dr. Alexander) 378 Ozæna: ozænic incrustations in trachea; question of in case shown by Edward Law 510. 551 pathology and treatment, present position (E. Barth)
present state of the "ozæna" question (L. Grünwald) 163514treatment by cupric electrolysis (E. S. Yonge) 384 - by methylene blue (Hallopeau) 110 by restoration of turbinals by injections of Gaioform paraffin (M. Broeckaert) 436 Pachymeningitis (granulating), with subdural abscess and temporo-parieto-occipital o-teo mychiis M. Labarre) 426334 - of middle-ear origin in case of extradural abscess (G. Laurens) PACINOTTI (G.), otomycosis and red cerumen (abstract) 109 PACKARD (Francis R.), case of rapid necrosis of the temporal bone following scarlet fever 485PAGET (Stephen), the use of paraffin for restoring the bridge of the nose 679 (abstract) Pain, excessive, accompanying ethnoidal suppuration (E. B. Waggett) 214excruciating, and great tenderness over healthy right frontal sinus in case of left frontal sinus disease (P. H. Abercrombie) 348 marked, in case of ulceration of nasal septum (F. W. Bennett) 134mastoid, pain due to hysteria (G. Gellé) Painless method of skin-grafting (C. G. Foote) 333 167 Palate, herpes of (H. Snell) 132hyperæsthesia, in case of abeyance of nasal breathing (L. H. Pegler) 211thickening, in case of ædema of larynx (Hunter F. Tod). 212hard: intranasal growth perforating and spreading over hard palate 439 (Dr. Dempsey) soft: epithelioma of the uvula and soft palate (primary), treated with Roentgen rays (J. F. McCaw) 532d

xxxiii

xxxiv

Polate soft t turney of unusual nature (F. P. Preum)	PAGE 201
Palate, soft: tumour, of unusual nature (E. R. Brown)	321
ulceration, perforating, tuberculous (Clauda)	321
(? syphilitic) occurring during course of antisyphilitic treat-	
ment (Atwood Thorne)	205
Papilloma, large recurrent, which seemed to grow from left maxillary	
antrum (A. Bronner)	372
of larynx: case of nearly fatal intralaryngeal hæmorrhage from	··-
papillomata of larynx (A. Bronner)	388
papinomata of larying (A. Dichner)	
diffuse papillomata of larynx and trachea in child (L. Béco)	164
in a child (C. D. Roy)	533
operative cure of laryngeal papillomata (G. Macdonald) .	672
——— probably congenital papillomata; removal (Dundas Grant)	632
rapidly recurring (H. Lambert Lack)	254
(subcricoid): tracheotomy in treatment of (P. Sebileau) .	443
of tonsil, and of posterior pillar (H. Sharman).	127
(of trachea): diffuse papillomata of larynx and trachea in child	141
	101
(L. Béco)	164
papillomatous growth on posterior edge of vomer (H. Tilley)	258
see also Fibro-papilloma.	
Papillomatous excrescences in trachea, question of, in case shown by	
Dr. Edward Law	551
Paracentesis of membrana tympani as means of prognosis and diagnosis in	
deafness (P. Brunel)	165
Paraffin : application of subcutaneous injections of paraffin for the closure	200
of retro-auricular openings (Dr. Frey)	379
built of a new post of the suboutoneous injection of new fin	019
bridge of nose restored by subcutaneous injection of paraffin	0.50
(Stephen Paget)	679
experiments with (A. E. Comstock)	678
(Gaïoform) injections of, for restoration of turbinals in treatment	
	436
injections of (Choussaud)	380
in treatment of saddle-nose (M. Broeckaert) .	427
interstitial injections in treatment of atrophic rhinitis (A.	
	680
(melted) injected into inferior turbinate bodies with good results in	000
	0.50
case of atrophic rhinitis (R. Lake)	257
nasal deformities removed by subcutaneous injection (Walker	
	678
	679
see Vaselin (paraffin).	
Paralysis, abductor paralysis of the larynx (G. Wishart) . 534,	681
	631
	108
	370
	010
	004
	334
left facial, due to syphilitic intracranial mischief of nature of basal	
	271
of larynx, complete, recurring after period of recovery (H. Fitz-	
	241
of left vocal cord (F. Willcocks)	245
	370
probably of specific origin (P. de Santi) .	28
of right vocal cord, complete (E. W. Roughton)	32
of vocal cords (abductor and complete), in case of glosso-labio-	04
laryngeal paralysis (StClair Thomson)	550
Parasite found in each ear-Argas (or Ornithodorus) Méguini (J. C.	
Simpson)	49
Parathyroid glandules in mammals (A. Toretta)	106
PARKER (C. A.), case of tubercular larynx, with fixation of the left cord .	29
case of stenosis of the pharynx	34
notes on acquired syphilis of the nose and pharynx (abstract)	37
	274
	-, -

Pathological conditions of cranial sinuses (T. S. Kirkland)	РА
Pathology of Eustachian tube (M. Labarre).	4
PEARSON (S. V.), acute retro-pharyngeal abscess of infants (abstract)	38
PEGLER (L. H.), case of nasal breathing in a female, aged twenty-three—	
nasal passages free; hysterical aphonia; rhinalgia	20
case of abeyance of nasal breathing, the passages being free	
palate and fauces hyperæsthetic	21
on functional abeyance of nasal respiration simulating the nasa	l
obstruction	7, 38
specimen of cystic growth of the septum, and microscopic section	
case of geographical tongue	5
discussion on the ultimate results of surgical operations upon the	
frontal sinus and maxillary antrum ——— discussion on aims and limitations of intra-nasal surgical pro-	59
	66
cedures in treatment of chronic non-suppurative middle-ear disease	
secondary pyæmic symptoms developed after operation; the lateral	
sinus and brain were explored, and recovery followed	1
PELAEZ (P. L.), present state of rhinology as regards ozæna (abstract)	10
Perforation of left faucial pillar (Furniss Potter)	-
of the membrana tympani, result of being struck by lightning	
(III. Macnaughton Jones) , , , , , , , , , , , , , , , , , , ,	3
Perference in the second state of the second s	1]
——— tuberculous case (R. Lake)	55
Peritonitis, acute, following empyema of maxillary antrum (C. Reitter) Peritonsillar abscess : see <i>Abscess (new Constitution)</i> .	2
PERMEWAN (W.), discussion on \vdots	33
Peroxide of hydrogen : dissociating properties in oto-rhinology (Molinié)	11
PERRIN: tuberculosis of the larynx in childhood (abstract)	32
PERRY (G. Goldsmith), the management of various forms of nasal obstruc-	
tion (abstract)	68
PERSHING (Howell T.), "The diagnosis of nervous and mental diseases '	
(review)	68
PETERS (G. A.), foreign body in the cosophagus (abstract)	- 31
Petrous bone: microscopic sections from patient with malformation of	4
auricle and imperforate meatus externus (M. Delsaux)	
through osteomyelitis of petrous bone causing meningitis (S. Knapp)	
Pharynx : abstracts of literature on	
chorea of (Pick)	38
(diseases) "A handbook of diseases of the nose and pharynx " (J. B	
Ball: review)	. i
——— fibrous tumour of (M. Schiffers)	. 4
gout, acute (M. Lermoyez and G. Gasne)	. 3
	4
Hennebert)	4
	. 1
operation on abscess in lateral pharyngeal wall curing epilepsy (M	
Blondiau)	. 4
(posterior wall of) extensive tuberculous infiltration of left hal	f
(M. Hennebert)	. 4
—— pouch of large size, removed by operation (R. J. Godlee and T. R	
H. Bucknall)	•
stenosis, case of (C. A. Parker)	•
= 1 (1 + 1 + 1) (1 + 1 + 1) (1 + 1)	•
(cicatricial): sequel of cut throat (E. B. Waggett)	
syphilis, acquired (C. A. Parker)	
syphilis, acquired (C. A. Parker)	$\frac{1}{2}$
syphilis, acquired (C. A. Parker)	· · 2) 5
 syphilis, acquired (C. A. Parker) tertiary (H. J. Davis) with complete occlusion of anterior nares (H. Lambert Lack see Abscess (retro-pharyngeal). 	
 syphilis, acquired (C. A. Parker) tertiary (H. J. Davis) with complete occlusion of anterior nares (H. Lambert Lack see Abscess (retro-pharyngeal). PHILLIPS (Sidney), rheumatism a cause of epistaxis in children (abstract) 	. 2) 5 . 3
 syphilis, acquired (C. A. Parker) tertiary (H. J. Davis) with complete occlusion of anterior nares (H. Lambert Lack see Abscess (retro-pharyngeal). PHILLIPS (Sidney), rheumatism a cause of epistaxis in children (abstract) PHILLIPS (Wendell C.), discussion on laryngeal papilloma in child on pus examination in middle-ear suppuration 	· · 2) 5 · 3 · 3 · 5 · 5
 syphilis, acquired (C. A. Parker) tertiary (H. J. Davis) with complete occlusion of anterior nares (H. Lambert Lack see Abscess (retro-pharyngeal). PHILLIPS (Sidney), rheumatism a cause of epistaxis in children (abstract) 	. 2) 5 . 3 . 5

xxxvi

	PAGE
PHILLIPS (Wendell C.), discussion on exploratory operation for possible cere-	
bellar tumour or abscess	539
discussion on chronic catarrh of throat and ear	541
	684
(abstract)	334
Phlegmon of larynx, acute (Wyatt Wingrave)	181
Phlegmons of fauces, treatment (Dr. Grünwald)	155
Phonation with ventricular bands in case of tertiary syphilis of pharynx	
and larynx (H. J. Davis)	208
PICK (Dr. Victor), a case of presumable cyst-formation in floor of tympanum	
following radical operation	379
——— chorea pharyngis (abstract)	388
radical operation performed by nature for chronic suppurative	
otitis media (abstract)	446
cyst of tympanum (abstract)	447
Pill: see Dupuytren's pill.	20
Pillar of fauces, left, perforation (Furniss Potter)	321
Pneumonia: otitis media and (T. Stacey Wilson)	51
POLITZER (Professor), demonstration of preparations showing abnormalities	01
of fenestra ovalis and stapes	137
Polypoid disease of nose with multiple suppurative sinusitis, sequel to case	
of radical cure (Scanes Spicer)	122
Polypus : bleeding polypi of nasal septum (Nadoleczny)	48
bony thickening over, and polypi within, right frontal sinus (Scanes	
Spicer)	124
from left frontal sinus : report on (V. Wyatt Wingrave) .	350
granulation polypi with chronic suppurative otitis (Lennox	050
Browne)	350
(nasal) enlargement of root of nose caused by nasal polypi	103
(Lichtwitz)	105
(J. Boulai)	502
self-looping nasal polypus snare (Atwood Thorne)	127
Post-auricular incision in removal of shank and head of large collar-stud	
impacted in typanum (?) and large auditory meatus (H. Jones)	263
POTTER (E. Furniss), perforation of left faucial pillar	20
case of swelling of left side of nose (for diagnosis)	33
removal of the epiglottis as a palliative measure in a case of	
inoperable malignant disease of the larynx (abstract)	681
Pouch, pharyngeal, of large size removed by operation (R. J. Godlee and	
T. R. H. Bucknall)	41
Powders (medicinal), inhalation into larynx by specially constructed glass	216
tubes (J. Dundas Grant) Powell (H. FitzGerald), case of complete recurrent laryngeal paralysis in	210
a male aged twenty-four which had reappeared after a period of	
recovery	241
case of hæmatoma of the vocal cord in a female aged twenty-nine	$\overline{242}$
a modification of Mackenzie's laryngeal forceps for removal of	
growths in the anterior commissure and drills for draining the	
maxillary antrum through the tooth-socket	243
——— fibroma removed from left maxillary antrum of male aged eighteen	367
Pregnancy: influence on laryngeal tuberculosis (Veis)	390
PRICE-BROWN (J.), treatment of laryngeal tuberculosis .	295
PRITCHARD (Urban), a specimen of aspergillus	19
discussion on deafness and ear disease in school-children 318, discussion on cholesteatoma of the middle ear .	$\frac{320}{521}$
a discussion on the aims and limitations of intra-nasal surgical pro-	941
cedures in the treatment of chronic non-suppurative middle-ear disease	651
(reply)	665
Probe : Lucæ's probe in massage of ossicles (C. J. Koenig	48
Probes (wooden) and cotton-carriers (StClair Thomson)	217

	PAGE
Pulsation, visible transmission to scar in membrani tympani (Dr. Cobble- dick)	14
Purpura hæmorrhagica complicated by laryngeal symptoms (J. T. Gibb) . Pus-examination: see <i>Bacteriology</i> .	529
Pyæmia following thrombo-phlebitis in middle-ear disease (M. Lermoyez)	223
	334
secondary pyæmic symptoms developing after operation for double subdural abscess (L. H. Pegler and R. Lake)	139
Pyosepticæmia (otitic) : indications for and against ligation of the internal jugular vein in cases of otitic pyosepticæmia (C. A. Ballance)	665
RANDALL (B. Alex.), some observations on the limits of hearing . RAOULT and SPECKER: hæmorrhage from the ear during typhoid fever	161
(abstract)	334
REIK (H. O.), catarrhal otitis media (non-suppurative) as a factor in the etiology of facial paralysis (abstract)	334
REITTER (Carl), empyema of maxillary antrum and acute peritonitis (abstract)	218
Resections of inferior turbinal (Urbano Melzi) Respiration, artificial, exploration of cerebellum and drainage of cerebellar	422
abscess during (E. W. Roughton) ————————————————————————————————————	627
(L. H. Pegler) 337, Respirator : Fowler's invisible respirator	$\frac{380}{224}$
Respiratory fibres (isolated) of the recurrent nerves: connection with sympathetic and cardiac nerves (A. Onodi)	475
organs : diseases of, use of electric light in (W. Freudenthal) . ————————————————————————————————————	532
(J. Macintyre) ————————————————————————————————————	635
influenza, (W. B. Shields) ————————————————————————————————————	$ 486 \\ 542 \\ 543 $
Retro-auricular openings: applications of subcutaneous injections of paraffin for closure of (Dr. Frey) Reviews: Ball (James B.), "A handbook of diseases of the nose and	379
pharynx " ——— Gerber (P. H.), "Atlas der Krankheiten der Nasen, der Nebenhohlen	54
und der Nasenrachenraumes" (Atlas of diseases of the nose, of its	55
accessory cavities, and of the naso-pharynx) ————————————————————————————————————	448
Taubstummen in Dänemark " (Contributions to the functional examinations of deaf-mutes in Denmark)	559
——— Tilley (H.), "Purulent nasal discharges: their diagnosis and	58
treatment" (review) . 	504
London '' Rheumatism : cause of epistaxis in children (S. Phillips)	381
Rhinitis, atrophic, interstitial injections of paraffin in treatment of (A. Brindel) ————————————————————————————————————	680
good results (B. Lake)	257
(hypertrophic) and its sequelæ (F. M. Hayes)	557 40
- (tubercular) treated with Röntgen rays (L. A. Lawrence)	$\frac{22}{209}$
Rhinalgia in case of abeyance of nasal breathing (L. H. Pegler). Rhinology : present state as regards ozæna (P. L. Pelaez)	108
"Raccolte di memorie italiana sulla laryngologia, rhinologia et	13
otoiatria" Rhinolith (specimen of) (H. Cheatle)	358
Rhinoliths and foreign bodies in nose (J. M. Ingersoll) .	324

xxxviii

Rhino-pharyngeal albuminuria (Capitau)	PAGE 502
Rhinorrhea, case of (G. C. Cathcart)	255
of some years' duration (L. A. Lawrence)	$\frac{198}{480}$
RICHARDS (George L.) on aural bougies	480
	485
discussion on fibro-papilloma with unusual movements	488
on chronic suppurative otitis media: employment and nature of	100
radical surgery	525
discussion on chronic catarrh of the throat and ear	541
VON RIEDL (Dr.), case of hereditary syphilis of throat and larynx	156
ROALDES: note on the use of electro-magnets in extracting metallic foreign bodies from the air-passages (abstract)	329
ROBINSON (G. Canby), on a cyst originating from the ductus thyroglossus (abstract)	332
ROBINSON (H. Betham), case of laryngeal stenosis due to cicatricial contrac-	
tion in the interarytenoid region	247
discussion on malignant stricture of the cosophagus . 397,	494
Röhrer (F.), discussion on aims and limitations of intra-nasal surgical	653
procedures in treatment of chronic non-suppurative middle-ear disease Röntgen ray photograph of tube in left maxillary antrum (J. Macintyre)	$\frac{033}{239}$
showing plate of teeth impacted in upper laryngeal	<u>200</u>
orifice (W. Milligan)	127
Röntgen rays employed for primary epithelioma of the soft palate and	
uvula (J. F. McCaw)	532
——— in treatment of tubercular rhinitis (L. A. Lawrence) .	22
ROOT (Arthur G.), discussion on effect of climate on laryngeal tuberculosis	481
Ross (George S.), congenital stenosis of the larynx (abstract)	47
ROUGHTON (E. W.), case of complete paralysis of the right vocal cord in a	
man aged thirty-three	32
case of hoarseness in a child aged one year and ten months	33
exploration of the cerebellum and drainage of a cerebellar abscess	
during artificial respiration	627
ROUSSEAUX (M.), case of microscopic sections of myxoma of faucial tonsil .	429
	429
Roy (C. Dunbar), discussion on effect of climate on laryngeal tuber-	101
	481
discussion on effect of infectious processes in the adenoid structure of children	484
	533
	, 97
	504
to fur modelar and only digital bolicity of hondon. Transactions reviewed	001
addle-nose, injections of paraffin vaseline in treatment of (M. Broeckaert and M. Delie)	427
addle-nose, subcutaneous injection of vaseline (paraffin) in treatment of	
(Scanes Spicer) DE SANTI (Philip), case of paralysis of the left vocal cord in a woman aged	118
forty-two, probably of specific origin	28
— — appointed surgeon to ear department, Westminster Hospital	111
case of very extensive destruction of the interior of the nose, due to	
	133
case of tertiary intra-nasal syphilis in which the right frontal sinus	
had been opened twice with negative results in a married woman aged	
had been opened twice with negative results in a married woman aged forty-eight	249
had been opened twice with negative results in a married woman aged forty-eight ————————————————————————————————————	
had been opened twice with negative results in a married woman aged forty-eight —— a case of angio-neurotic œdema of right hand, with recently developed attacks of difficulty in breathing	249 253
 had been opened twice with negative results in a married woman aged forty-eight a case of angio-neurotic œdema of right hand, with recently developed attacks of difficulty in breathing a case of Jacksonian epilepsy following operation for temporo- 	253
had been opened twice with negative results in a married woman aged forty-eight —— a case of angio-neurotic cedema of right hand, with recently developed attacks of difficulty in breathing —— a case of Jacksonian epilepsy following operation for temporo- sphenoidal abscess of otitic origin	
had been opened twice with negative results in a married woman aged forty-eight — a case of angio-neurotic œdema of right hand, with recently developed attacks of difficulty in breathing — a case of Jacksonian epilepsy following operation for temporo- sphenoidal abscess of otitic origin — a case of complete bilateral deafness, with left faucial paralysis, due	253 268
 had been opened twice with negative results in a married woman aged forty-eight a case of angio-neurotic œdema of right hand, with recently developed attacks of difficulty in breathing a case of Jacksonian epilepsy following operation for temporosphenoidal abscess of otitic origin a case of complete bilateral deafness, with left faucial paralysis, due to syphilitic intracranial mischief of the nature of basal meningitis 	253 268 271
 had been opened twice with negative results in a married woman aged forty-eight a case of angio-neurotic œdema of right hand, with recently developed attacks of difficulty in breathing a case of Jacksonian epilepsy following operation for temporosphenoidal abscess of otitic origin a case of complete bilateral deafness, with left faucial paralysis, due to syphilitic intracranial mischief of the nature of basal meningitis 	253 268

Sarcoma of right tonsil (J. Walker Downie) . SAWYER (James), hay-fever : its ctiology and treatment (abstract)	PA . 3 . 2
Scar in membrana tympani, vi-ible transmission of pulsation to (Cobbledick)	
Scarlatina (malignant), complicated by empyema of the accessory na cavities and of right mastoid (Trouchaud)	sal . 3
Scarlet-fever followed by rapid necrosis of temporal bone (F. R. Packar Schadle (J. E.), ulcerations of the triangular cartilage of the sept (abstract)	
SchFFFR (Dr.), treatment of naso-pharyngeal fibromata Sснесн (Professor), cicatricial stenosis of the larynx originating	. 1
parently in whooping-cough. ————————————————————————————————————	
ifty-six vagues injury from attempted suicide by shooting in the mouth SCHEIER (Max), contribution to the study of anomalies of the na	. 1 . 1 sal
accessory cavities (abstract)	. 4
SCHMIEGELOW (E.), on tuberculosis of the larynx in a man aged sixty-t (abstract) . 	. 5
Dänemark '' ("Contributions to the functional examinations of de mutes in Denmark '') (review)	af- . 5
School-children : committee appointed by Otological Society of the Uni Kingdom to draw up recommendations as to compulsory examinat	on
of hearing-power of school-children ————————————————————————————————————	. 3 cal . 4
deafness and ear disease in, discussion on	306-3
examination of ears of 1,000 school-children (report by A. Cheatle)	. 2
SCHWABACH : on the therapeutic value of vibratory massage of the dru head (abstract) Sclerosis (or otitis media insidiosa) (H. J. Hartz)	.1
SEBILEAU (Pierre), tracheotomy in the treatment of subcricoid papilloma the larynx (abstract)	of . 4
SEMON (Sir Felix), discussion on malignant stricture of the esophagus 397 ————————————————————————————————————	ky
deposits low down in trachea . ————————————————————————————————————	512, 5 dal . 6
discussion on aims and limitations of intra-nasal surgical procedu in treatment of chronic non-suppurative middle-car disease	res 6
SENDZIAK (John), favourable influence of an attack of erysipelas on t course of a severe case of acute otitis media (abstract) importance of examination of larynx in cases of aneurism of aort	. 2
Septum (cartilaginous): see Nose (septum), cartilaginous).	
Serum (antidiphtheria), use of large doses (E. Thomas) SHARMAN (H.), specimen of papilloma of the tonsil and of the poster	
pillar SHIELDS (W. E.), discussion on effect of infectious processes in the adeno structure of children	. 4
 on influenza as a causative factor in inflammatory diseases of t respiratory tract discussion on laryngeal papilloma in a child 	he . 4 . 5
SHIRLOW (S. Stewart), empyema of maxillary antrum in an infant aged ni	ne . 30
months (letter)	
Silver (nitrate of), treatment of maxillary sinusitis by washing with (Hennebert) SIMPSON (J. Christian) case of a parasite—"Argas (or Ornithodoru	. 4

1110011	
Singers nodes (conditie contomum) (E. F. Millow)	PAGE 590
Singers, nodes (corditis cantorum) (F. E. Miller)	$\frac{532}{378}$
Sinus and jugular thrombosis : cured case (F. Alt) Sinus (cavernous) ; thrombosis of, after mastoiditis (E. W. Day)	538
(ethmoidal:) suppuration in, etiology and diagnosis (L. Grünwald)	598
——————————————————————————————————————	603
frontal, disease of : diagnosis and treatment (L. A. Coffin)	622
———— meningitis following operation on in two cases (Dr. Luc) .	642
mucocele of (Gaudier)	323
mucocele of frontal sinus and of maxillary sinus on same	0
side (Luc)	35
operations on, technique (H. H. Curtis)	623
suppuration : operation for cure of (W. T. Thomas)	325
ultimate results of surgical operations upon (M. Lermoyez)	571
(H. Tilley)	582
(left frontal), disease of (P. H. Abercrombie)	348
— polypus from, report on (V. Wyatt Wingrave) .	350
(right frontal), bony thickening over and polypi within (Scanes Spicer)	124
frequent attacks of excruciating pain and great tenderness	
over healthy right frontal sinus in case of left frontal sinus disease	
(P. H. Abercrombie).	348
	
nasal syphilis (P. de Santi)	249
(lateral) abscess (perisinuous) and thrombosis of lateral sinus com-	07
plicating caries of mastoid (E. Gruening)	97
— anatomical and pathological study of posterior cellules of mastoid cells near lateral sinus (Stanculéanu and Depoutre)	50
	50
(M. Cheval)	427
thrombosis of (M. Capart)	427
three casestwo fatal, one recovered (H. Knapp).	100
(maxillary) mucocele of frontal sinus and of maxillary sinus on	
same side (Luc)	35
suppuration of, with destruction of intranasal structures	
(H. Tilley)	545
treated with naphthol camphor (Dr. Viollet)	501
(nasal accessory): "Accessory sinuses of the nose : their surgical	
anatomy and the diagnosis and treatment of their inflammatory affec-	
tions" (A. L. Turner : review).	335
after-treatment of operations on the nasal accessory	000
sinuses (W. A. Wells)	326
Norma vor) air changes in accessory cavities of nose (Dr.	155
Neumayer) (diseases) (R. C. Myles)	619
some cases of disease of accessory sinuses	010
presenting unusual features (F. Spicer)	380
empyema of accessory cavities of nose and of right	
mastoid with malignant scarlatina (Trouchaud)	383
(sphenoidal and ethmoidal): openings exposed in case of necrosis	
of intranasal structures (H. Tod)	555
(sphenoidal): suppuration in; etiology and diagnosis (L. Grünwald)	598
(H. Lambert Lack)	603
Sinuses (cranial) : bacteriology (H. S. Stacy).	566
– pathological conditions of (T. S. Kirkland) .	561
Sinusitis (maxillary): instruments for radical cure by method of Luc	95
(E. Lombard)	35 4 2 6
treated by methodical washing with nitrate of silver	440
(M. Hennebert)	435
multiple suppurative, with polypoid disease of nose: sequel to case	100
of radical cure of (Scanes Spicer)	122
Skin: telangiectases (multiple) of skin associated with family form of	
recurring epistaxis (W. Osler)	35
(ulcer of) in mastoid regions, with abrupt edges and gray fungating	
surface (M. Delsaux).	428

Ship matting pointage method of (C. C. Footo)	PAGE 167
Skin-grafting, painless method of (C. G. Foote)	482
SMITH (S. MacCuen), discussion on effect of climate on laryngeal tuberculosis	404
discussion on operative treatment of chronic suppurative otitis	505
media	525
Snare: self-looping nasal polypus snare (W. Milligan).	127
SNELL (H.), case of herpes of the palate	132
SNOW (Sargent F.), discussion on effect of climate on laryngeal tuberculosis	483
SNYDACKER (E. F.), the microscope as an aid to diagnosis and prognosis in	
chronic suppuration of the middle ear (abstract)	280
"Soloid" microscopic stains	336
Somnoform (use of)(M. Heyninx)	434
Sounds of gum elastic in chronic catarrhal affections of Eustachian tube	
and middle ear (U. Melzi)	446
Spasms, clonic, of muscles of jaw, tongue, etc. (Professor Schech)	156
SPECKER and RAOULT: hæmorrhage from the ear during typhoid fever	
(abstract)	334
Speech (almost inarticulate), prominent symptom in case of adenoids	
(Lennox Browne)	180
Sphenoidal abscess: see Temporo-sphenoidal abscess.	100
	621
cells (C. G. Coakley)	021
SPICER (Frederick), some cases of disease of accessory sinuses of the nose	
presenting unusual features	380
SPICER (R. H. Scanes), case of a female whose saddle-nose had been treated	
by subcutaneous injection of vaselin (paraffin), with casts and photo-	
graphs taken before and after treatment.	118
sequel to case of radical cure of multiple suppurative sinusitis and	
polypoid disease of nose, previously exhibited April 10, 1895, and	
January 8, 1896	122
a case of bony thickening over, and polypi within, the right frontal	
sinus of a man aged forty: operation; recurrence of bony growths, and	
commencing similar symptoms on the opposite side of the face	124
discussion on the ultimate results of surgical operations upon the	
frontal sinus and maxillary antrum	595
discussion on etiology and diagnosis of ethmoidal and sphenoidal	000
suppurations	615
discussion on aims and limitations of intranasal surgical procedures	010
in treatment of chronic non-suppurative middle-ear disease .	657
	677
discussion on operative cure of laryngeal papillomata	
Sputum from case of laryngeal tuberculosis, bacilli found in (Lennox Browne)	192
(Wyatt Wingrave)	195
STACY (H. Skipton), the bacteriology of the sinuses	566
STANCULÉANU and DEPOUTRE : anatomical and pathological study of the	
posterior cellules of the mastoid cells near the lateral sinus (abstract)	50
Stapes, abnormality in (Professor Politzer)	137
STEIN (O. J.), on use of Röntgen rays for primary epithelioma of soft	
palate and uvula	533
STELLA (M. de), aberrant mastoid cellulitis	435
Stenosis of larynx, cicatricial, originating apparently in whooping-cough	
(Professor Schech)	156
congenital (G. S. Ross)	47
due to cicatricial contraction in interarytenoid region	
(H B Bobinson)	247
(H. B. Robinson)	641
fibrous (Collinet)	544
- resulting from symmetric ulter of farying (5. Domenan)	
of pharynx, case of (C. A. Parker)	34
cicatricial stenosis of pharynx, sequel of cut throat (E. B.	25
Waggett)	27
(subglottic) following acute laryngitis, treated by intubation and	
tracheotomy, cases M. Boulay	501
STEWARD (Francis J.), death after the removal of tonsils and adenoids in a	
hæmophilic child (abstract)	682
STORY (Dr.), naso-pharyngeal growth	440
Stricture: see Malignant stricture of the æsophagus.	

xli

(Income The second	PAGE
STUART-Low (W.), the topical application of mucin in certain affections of nose, throat and ear (abstract).	382
STUCKY (J. A.), discussion on effect of infectious processes in the adenoid structure of children.	484
discussion on influenza as causative factor of inflammatory diseases	
of respiratory tract	486
discussion on case of naso-pharyngeal tumour	528
discussion on severe hæmorrhage after use of adrenalin .	530
discussion on chronic catarrh of the throat and ear	541
Suicide, attempted, by shooting in mouth, causing injury to vagus	
(Professor Schech)	156
Suppuration : cholesteatoma without (Breyre)	106
— in ethmoidal sinus, in man complaining of excessive pain (E.	
B. Waggett)	214
etiology and diagnosis (L. Grünwald) .	598
(H. Lambert Lack)	603
in sphenoidal sinus: etiology and diagnosis (L. Grünwald)	598
(H. Lambert Lack).	603
of frontal sinus, operation for cure of (W. T. Thomas) .	325
of middle-ear and mastoid antrum (chronic), treatment (C. Williams)	447
chronic, diagnosis and prognosis by means of microscope	
(E. F. Snydacker)	280
treatment (R. Arthur)	225
of mastoid : indications for operative interference (W. C. Phillips) .	684
of right maxillary sinus with destruction of intra-nasal structures	
(H. Tilley).	545
pus examination of middle-ear suppuration (W. C. Phillips)	536
Surgery: "Practical medicine series of year-books, comprising ten volumes	
on the year's progress in medicine and surgery " (G. P. Head: review)	392
(radical) in chronic suppurative otitis media (G. L. Richards)	525
Surgical operations upon frontal sinus and maxillary antrum, ultimate	
results (M. Lermoyez)	571
(H. Tilley)	582
Suture (immediate) after operation on air-passages (E. J. Moure)	389
Swelling of nose (left side) (Furniss Potter)	33
of thyroid cartilage in case of tuberculosis of larynx (R. Lake)	197
SYMONDS (Charters J.), malignant disease of the œsophagus (abstract of	
opening to discussion)	394
(reply)	398
the diagnosis and treatment of malignant stricture of the œsophagus	449
	-501
Syphilis, acquired, labyrinthitis in (E. Felix).	47
growth in larynx in case of syphilis (H. Lambert Lack) .	33
of nose and pharynx (acquired) (C. A. Parker) .	37
of nose, pharynx, and larynx, with complete occlusion of anterior	- 1-
nares (H. Lambert Lack)	547
of pharynx and larynx (tertiary) (H. J. Davis).	208
of throat and larynx, hereditary (Dr. von Riedl)	156
paralysis of left vocal cord, probably of specific origin (P. de Santi)	28
secondo-tertiary syphilitic labyrinthitis (Crouzillac)	47
	~ . ~
(J. Donelan)	545
syphilitic (?) disease of larynx simulating malignant disease (H. Tilley)	259
	071
left '' :'. l complete bilateral deafness (P. de Santi)	271_{122}
	133
possibly complicated with tuberculosis (Dr. StClair	955
Thomson)	357
sphenoidal and ethmoidal sinuses (H. Tod)	555
(?) syphilitic ulceration of soft palate occurring during course of	000
antisyphilitic treatment (Atwood Thorne)	205
ulcer of larynx causing stenosis (J. Donelan)	$\frac{205}{544}$
arour of fur fire of a bolions (0. Polician)	

Syphilis, tertiary, intranasal: right frontal sinus opened twice with negative	PAGE
results (P. de Santi)	249
Tabloid urea	504
Teeth : Röntgen ray photograph showing plate of teeth impacted in upper	001
laryngeal orifice (W. Milligan).	127
Telangiectases, multiple, of skin and mucous membrane associated with	
family form of recurring epistaxis (W. Osler)	$\frac{35}{137}$
rapid necrosis following scarlet fever (F. R. Packard)	485
tuberculosis of temporal bone in adult after operation (A. H. Cheatle)	267
specimen (C. H. Fagge) .	19
(W. Jobson Horne) .	$\frac{268}{558}$
Temporo-sphenoidal abscess (J. Dundas Grant and C. A. Ballance)	15
see Abscess (temporo-sphenoidal).	
TEXIER (Dr.), case of foreign bodies in the larynx .	642
Therapeutics : abstracts of literature on	, 447 111
THOMAS (W. Thelwall), an operation for the cure of frontal sinus suppura-	111
tion (abstract)	325
a case of otitic pyæmia without phlebitis: suppurative choroiditis	004
of the opposite eye (abstract)	$\frac{334}{488}$
discussion on severe hæmorrhage after use of adrenalin	530
discussion on symptoms of mouth-breathing	531
THOMSON (StClair), case of regrowth of malignant disease in a man aged	
fifty-two, after partial removal by laryngo-fissure	$\frac{30}{217}$
	357
case of glosso-labio-laryngeal paralysis with complete paralysis of	
one vocal cord and abductor paralysis of the other	550
Thorax: see <i>Trachestency</i> (intra-thoracic). THORNE (Atwood), a self-bound masal polypus snare	127
case of chronic non-suppurative catarrh of the middle ear, associ-	
ated with nasal obstruction, and complicated by hyperostosis of the	
meatus on both sides	189
course of antisyphilitic treatment	205
discussion on Dr. Dundas Grant's paper on nerve-deafness	353
the provision in London for the education of the deaf	667
(reply)	$672 \\ 6$
Throat: abstracts of literature on	502
——— catarrh, chronic, prognosis in (T. J. Harris)	540
(diseases): epidermolysis bullosa associated with mouth and throat	000
lesions (W. Hill)	366
Stuart-Low)	382
operations on; choice of anæsthetic for (J. H. Chaldecott)	380
syphilis of, hereditary (Dr. von Riedl)	156
Throat Hospital, Golden Square, legacy to	6, 97
Thrombo-phlebitis in middle-ear disease followed by pyæmia (M. Lermoyez)	223
— — of lateral sinus: ligature of internal jugular (recovery) (M. Cheval)	427
Thrombosis, jugular and sinus : cured case (F. Alt)	378
of cavernous sinus after mastoiditis (E. W. Day)	$\frac{538}{427}$
and perisinuous abscess complicating caries of mas-	141
toid (E. Gruening)	97
Three cases—two fatal, one recovered (H. Knapp).	100
Thyroid cartilage: marked swelling in case of tuberculosis of larynx (R. Lake)	197

xliii

Theread aland abstracts of literature on	51 1	06, 332	Р.
Thyroid gland, abstracts of literature on .			
cystic adenoma of the pyramidal lobe (E. B	. wagget	• •	Ę
sarcoma of : rare cases (P. L. Daniel) .	•	•	6
tumour in the larynx (W. A. Wells)	•	•	Ę
Thyrotomy for tuberculosis of larynx (H. Lambert Lack)		•	5
TILLEY (Herbert), "Purulent nasal discharges: their diag	mosis and	treat-	
ment" (review)	· .		
case of papillomatous growth on posterior edge of ve	omer		2
case of syphilitic (?) disease of the larynx simula	ting mali	ionant.	- 1
disease	ting man	Shant	2
	ha laft an	ditorr	4
girl, aged fifteen, in whom a large hyperostosis of th	he len au	anory	
meatus had been removed, revealing extensive destruc	tion of th	ie leit	
tympanum and mastoid antrum	•	•	2
discussion on deafness and ear disease in school-chil		•	ŧ
discussion on malignant stricture of the cosphagus		397 489)-4
case of advanced destruction of intranasal struct	ures asso	ciated	
with suppuration of the right maxillary sinus .			E
on complete occlusion of right nasal vestibule in a n	oan aged t	hirty-	
two	and agoa (Ę
a discussion on the ultimate results of surgical c	morations	unon.	C
	perations	upon	Ę
the frontal sinus and maxillary antrum	•	•	
(reply)	· · ,	• • •	5
discussion on etiology and diagnosis of ethmoidal	and sphe	noidal	
suppurations	. •	•	ϵ
discussion on aims and limitations of intranasal surg	gical proce	dures	
in treatment of chronic non-suppurative middle-ear dis	ease .		6
discussion on operative cure of laryngeal papillomat			6
Tinnitus and enilepsy (Mayo Collier)			8
deafness, and vertigo cured by static	Baver)		4
ToD (Hunter F.), case of œdema of larynx	\cdot of the r	alate	
uvula, and fauces in a boy aged ten	or the P	, and e e e e	2
	•	ing to	4
case of syphilitic necrosis of the intranasal structur			
view the opening of the sphenoidal sinus on each si	de, and d	or the	~
posterior ethmoidal on the left .	· · ·	•	5
discussion on provision in London for education of t	he deat	•	6
TOMMASI (J.), hæmorrhagic tracheal cough (abstract) .	•	•	3
Tongue, case of glosso-labio-laryngeal paralysis (StClair The	ompson)	•	5
——— clonic spasms of (Professor Schech) —— geographical (L. H. Pegler)			1
geographical (L. H. Pegler)	•		5
sublingual dermoid in a male aged seventeen (V. W	vatt Wing	rave)	
varix of, five examples (Lennox Browne)	J 2	5/	1
ulcer (tuberculous) on side of (M. Delsaux)	•	•	4
see Tonsil (lingual).	•	•	
Tomerus tie mosterion with how extended of lineared tensil (T.	nun an Dua		1
Tongue-tie, posterior, with hypertrophy of lingual tonsil (Le	mox bro	owne)	1
Tonsil: abscess: bursting causing death (F. de H. Hall)	•	•	6
(Ă. Lyons) .		•	6
keratosis, microscopical specimens (V. Wyatt Wingr	ave)	•	6
——————————————————————————————————————	•		6
——— lacunar, pathogenesis (G. B. Wood) .			2
— papilloma, specimens (H. Sharman) .			1
(faucial) myxoma, microscopic sections of (M. Rouss	seaux)	•	4
		•	1
might any of (1 Wallow Downio)	•	•	
right, succoma of (J. Walker Downie) .	•	•	3
	D	•	5
Tonsillitis (follicular) (R. C. Brown)		•	1
ulcerative, two cases with unusual sequelæ (Lennox			6
——— ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St			
——— ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St		Fitz-	
——— ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St Tooth-socket: drills for draining maxillary antrum thro Gerald Powell)	ugh (H.		2
——— ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St Tooth-socket: drills for draining maxillary antrum thro Gerald Powell)	ugh (H.		2
——— ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St Tooth-socket: drills for draining maxillary antrum thro Gerald Powell) TORRETTA (A.) the parathyroid glandules in mammals	ugh (H.		
 ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St Tooth-socket : drills for draining maxillary antrum thro Gerald Powell) TORRETTA (A.) the parathyroid glandules in mammals anatomico-physiological researches (abstract) 	ugh (H. : compar	rative	
—— ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St Tooth-socket : drills for draining maxillary antrum thro Gerald Powell) TORRETTA (A.) the parathyroid glandules in mammals anatomico-physiological researches (abstract) Torticollis (spasmodic) following adenotomy (discussion op	ugh (H. : compar	rative	1
 ulcerative, two cases with unusual sequelæ (Lennox Tonsils: death after removal in a hæmophilic child (F. J. St Tooth-socket : drills for draining maxillary antrum thro Gerald Powell) TORRETTA (A.) the parathyroid glandules in mammals anatomico-physiological researches (abstract) 	ugh (H. : compar bened by	rative	24 10 4

xliv

mack.	
TOUBERT : two cases of foreign bodies in the auditory meatus (abstract) . Trachea : abstracts of literature on . 103, 164, 219, 326, 388. Trachea : case of papillomatous excressences, or ozænic incrustations, or	
chalky deposits, or other lesion low down in the trachea, shown by	
Dr. Edward Law. 510-514, 551 ——— examination by direct methods (Gustav Killian) 508	-554 5-509
hæmorrhagic catarrh of (J. Tommasi)	329
obstruction, traumatic (J. Dundas Grant) (papilloma) diffuse papillomata of larynx and trachea in child	255
(L. Béco)	164
tuberculous ulceration almost healed (W. H. Kelson)	$\begin{array}{c} 631 \\ 501 \end{array}$
in treatment of subcricoid papilloma of larvnx (P. Sebileau)	443
intra-thoracic, in removal of foreign body from bronchus (H.	15
Milton) Traumatic tracheal obstruction (J. Dundas Grant)	$\frac{45}{255}$
TRAUTMANN (Professor Lorenz Ferdinand), obituary notice .	281
Trigeminal herpes zoster: see <i>Herpes Zoster</i> ; <i>Nerve</i> (fifth). TROUCHAUD: malignant scarlatina, complicated by empyema of the	
accessory nasal cavities and of the right mastoid (abstract)	383
Tube : demonstrations of X-ray photograph of tube in left maxillary antrum (J. Macintyre)	239
demonstration of same tube when taken out by operation through	200
canine fossa (J. Macintyre)	239
Tube (glass) : see Glass tube.	431
Tuberculosis causing infiltration of left half of posterior pharyngeal wall	100
(M. Hennebert) growth (tuberculous) of mucous membrane of right middle tur-	428
binal: sections (A. Bronner)	249
—— infiltration (tuberculous) of left half of posterior pharyngeal wall (M. Hennebert)	428
of larvnx (R. Lake)	$\frac{420}{57}$
(W. H. Kelson)	$\frac{357}{192}$
case with bacteriological specimen (Lennox Browne)	$192 \\ 195$
effect of climate on, with special reference to high altitudes	401
(Robert Levy)	$\frac{481}{327}$
in man aged sixty-two (E. Schmiegelow)	558
influence of pregancy on (Veis)	$\frac{390}{535}$
thyrotomy for (H. Lambert Lack)	359
treatment (J. Price-Brown)	$\frac{295}{29}$
	208^{29}
with marked swelling of thyroid cartilage (R. Lake)	197
of middle ear; report of cases (discussion opened by Max A. Goldstein)	487
of nasal mucous membrane, eye disease in (Kinsberg)	218
of temporal bone in adult after operation (A. Cheatle)	$\begin{array}{c} 267 \\ 19 \end{array}$
(W. Jobson Horne)	268
—— perichondritis (tuberculous), case of (R. Lake)	$\begin{array}{c} 554 \\ 554 \end{array}$
——— ulcer (tuberculous) on side of tongue (M. Delsaux)	428
ulceration (perforating tuberculous) of soft palate (Clauda)	321
(tubercular), causing extensive destruction of interior of nose (P. de Santi)	133
	631
Tumour (fibrous) of pharynx (M. Schiffers)	430

xlv

Tumour, naso-pharyngeal (case shown by G. Hudson Makuen) . 527 ——— of cerebellum (possible), exploratory operation (T. P. Berens and	раде -529
W. C. Phillips)	539
W. Day)	538
—— of larynx (W. H. Kelson)	356
of middle ear springing from inner and posterior tympanic walls	105
simulating exostosis but consisting of calcareous laminæ (W. Braislin) of soft palate of unusual nature (E. R. Brown).	$\frac{165}{321}$
of thyroid gland in the larynx (W. A. Wells)	542
of right vocal cord formed during influenza (J. Donelan).	366
Tumours of nose (L. Béco)	430
Turbinal, inferior, resections of (Urbano Melzi)	422
(A. Bronner)	249
Turbinals, restoration of, by injections of galoform paraffin in treatment	
of ozæna (M. Broeckaert)	436
Turbinate bodies, inferior, injected with melted paraffin with good results in case of atrophic rhinitis (R. Lake)	257
TURNER (A. Logan), "The accessory sinuses of the nose, their surgical	201
anatomy and the diagnosis and treatment of their inflammatory	
affections " (review) .	335
the submucous areolar tissue of the larynx and its significance in the spread of œdema (abstract).	443
Tympanic cavity, epithelioma of, involving mastoid (W. H. Haskin)	535
Tympanum, carcinoma of (Dr. Alexander)	377
clearing out the tympanum as a means of improving the hearing	509
(S. Gradenigo)	503
(V. Pick)	379
cyst of (V. Pick)	447
diverticulum of tympanic cavity (Lafarelle)	108
prognosis in deafness (P. Brunel)	165
shank and head of large collar-stud impacted in tympanum (?) and	~ ~ ~
external auditory meatus (H. Jones) tumour of middle ear springing from inner and posterior tympanic	263
walls (W. Braislin) .	165
left, extensive destruction revealed by removal of hyperostosis of	
left auditory meatus (H. Tilley)	265
Typhoid fever: hæmorrhage from ear during (Raoult and Specker)	334
Ulcer of skin in mastoid regions with abrupt edges and gray fungating	
surface (M. Delsaux) .	428
	$\frac{544}{428}$
Ulceration of nasal septum with marked pain (F. W. Bennett) . 134,	
of soft palate, perforating tuberculous (Clauda)	321
(?) syphilitic, occurring during course of antisyphilitic	
treatment (Atwood Thorne)	$205 \\ 631$
(tubercular) causing extensive destruction of interior of nose	091
(P. de Santi)	133
Ulcerations of triangular cartilage of septum (J. E. Schadle)	40
URBANTSCHITSOH (Professor), catalytic action of weak electrical currents in the treatment of certain forms of deafness	136
Urea: "tabloid" urea	504
Uvula: epithelioma of the uvula and soft palate (primary) treated with	
Röntgen rays (J. F. McCaw)	532
thickening, in case of ædema of larynx (Hunter F. Tod). unique accident (A. H. Boys)	$\frac{212}{558}$
• • • • • ·	200
Vagus nerve: injury from attempted suicide by shooting in mouth	150
(Professor Schech)	156

xlvi

IIIQCA.	
	PAGE
VANSANT (Eugene), discussion on symptoms of mouth-breathing.	. 531
on the ethmoidal cells	. 621
Varix, lingual, five examples (Lennox Browne)	. 185
Vaseline (injections of) for saddle-nose (M. Delie) .	. 427
(paraffin): subcutaneous injections in treatment of saddle-nose)
(Scanes Spicer)	. 118
VAUGHAN (A. Ll.), and CHAMPION (S. Gurney), a report on forty-three con-	
secutive cases of diphtheria (abstract)	. 625
Vein (jugular, internal): ligation in cases of otitic pyosepticæmia; indica-	
tions for and against (C. A. Ballance)	665
ligature of, in case of thrombo-phlebitis (M. Cheval)	427
Veins (jugular): anomalous circulation (E. B. Dench).	535
VEIS: the influence of pregnancy on laryngeal tuberculosis (abstract)	390
Ventricle of Morgagni: aphonia due to eversion of (M. Delsaux).	428
Ventricular bands: phonation with ventricular bands in case of tertiary	
	208
syphilis of pharynx and larynx (H. J. Davis)	428
Vertigo, deafness, and tinnitus cured by static electricity (M. Bayer)	
nasal, and epilepsy (Jousset)	381
of nasal origin (F. J. Collet)	322
Vestibule (nasal) : see Nose (vestibule of).	005
Vincent's angina treated by methylene blue (Mantoux)	. 325
VINRACE (Dennis), remarks on decease of Mr. Lennox Browne .	639
VIOLLET (Paul), treatment of chronic diffuse hypertrophic rhinitis (abstract)	40
on treatment of suppuration in maxillary sinus by naphthol	
camphor	501
Vocal cord : dead bone wedged in below vocal cords (Onodi)	326
granulation tissue between cords in case of laryngeal tuberculosis	5
(H. J. Davis)	208
malignant disease of vocal cords; regrowth after partial removal by	,
laryngo-fissure (StClair Thomson)	. 30
—— microscopical section (W. Jobson Horne)	. 544
(left) fixation in case of tubercular larynx (C. A. Parker).	29
(left) Instation in case of subercular farying (C. A. Farker).	242
	242. 245
paralysis of (F. Willcocks)	370
probably of specific origin (P. de Santi)	28
(right) fibro-sarcoma, microscopic specimen (W. Milligan)	. 125
myxoma (J. Nardi)	. 105
	32
tumour formed during influenza (J. Donelan)	. 366
vocal cords: paralysis (abductor and complete) in case of glosso-lablo-	
laryngeal paralysis (StClair Thomson)	. 550
Vomer: papillomatous growth on posterior edge of (H Tilley) .	. 258
WAGGETT (E. B.), case of epithelioma of the epiglottis in a middle-aged man	27
case of cicatricial stenosis of the pharynx in a young woman, the	Э
sequel of cut throat inflicted eighteen months previously	. 27
case of myeloma of the nose in a woman aged thirty .	206
ethmoidal suppuration in a man complaining of excessive pain	214
discussion on case of excrescences, or incrustations, or chalky	
denosits low down in traches 51	1,552
$\frac{1}{10000000000000000000000000000000000$	556
WELLS (Walter A.), the after-treatment of operations on the nasal accessory	, 000
sinuses (abstract)	326
report of a case of thyroid gland tumour in the larynx	542
WHITEHEAD (A. L.), notes of two cases of aural disease terminating fatally	152
the use of advenaling shlaride in the most of drawing laterily	
the use of adrenalin chloride in the mastoid operation	. 152
discussion on aims and limitations of intranasal surgical procedures	
in treatment of chronic non-suppurative middle-ear disease .	. 664
Whooping-cough apparently cause of cicatricial stenosis of larynx (Pro	
fessor Schech)	156
WILD (Dr.), discussion on etiology and diagnosis of ethmoidal and sphenoida	
suppurations	. 618

xlvii

xlviii

	PAGE
WILLCOCKS (F.), case of paralysis of the left vocal cord.	245
WILLIAMS (Cornelius), the treatment of chronic suppuration of the middle	4.477
ear and mastoid antrum (abstract)	447
WILLIAMS (P. Watson), discussion on etiology and diagnosis of ethmoidal	
and sphenoidal suppurations	614
WILSON (T. Stacey), otitis media and pneumonia (abstract)	51
WINGRAVE (V. Wyatt), case of sublingual dermoid cyst in a male aged	
seventeen	28
case of acute phlegmon of the larynx in a male aged eighteen .	181
slides of sputum from Mr. Lennox Browne's case of laryngeal	
tuberculosis	195
case of otomycosis (Aspergillus niger)	345
report on polypus from frontal sinus (left)	350
discussion on Dr. Dundas Grant's paper on "Nerve-deafness"	353
— — case of laryngeal growth in a man aged fifty	355
case of bulbar paralysis in female aged twenty-three	370
case of paralysis of left vocal cord in a female aged twenty-seven .	370
case of bilateral adductor paralysis in a boy aged seven years	631
—— microscopical specimens of keratosis of the tonsil	634
	641
WISHART (Gibb), the use of adrenalin (abstract)	111
discussion on effect of infectious processes in the adenoid structure	
of children	484
on abductor paralysis of the larynx .	534
(abstract)	681
WOOD (G. B.), the pathogenesis of lacunar keratosis of the tonsil (abstract)	274
Wooden probes : see <i>Probes</i> (wooden).	411
Woods (R. H.), case of temporo-sphenoidal abscess following middle-ear	
disease	341
abscess of the brain following middle-ear disease	438
abscess of the brain following initial-ear disease	700
X Rays: see Röntgen rays.	
I Ivayo. Soo Itomigon rays.	

YEARSLEY	(Macleod	l), case in v	which the	complete p	ost-aura	l operation	u was	
done	without	grafting, a	nd with g	eat impro	vement	in the hea	ring-	
power		• •	•	•	•	•		143
			inculated e			•		274
Yonge (Eu	igene S.)	, treatmen	t of ozæna	by cupric (electroly	sis (abstrac	et) .	384