

# INFECTION CONTROL

---



## EDITORIAL

**Shuffling Our Streptococcal Strategies:  
In-Hospital and Out**  
Alan Bisno, MD

## ORIGINAL ARTICLES

**Should Routine Throat Cultures Be Done In  
Hospital Personnel Complaining of a Sore Throat?**  
Chatrchai Watanakunakorn, MD

**Influence of Chlorhexidine in Ethanol and in Isopropanol on the  
Bacterial Colonization of the Umbilicus of Newborns**  
B. Nyström, MD; S. Bygdeman, MD; A. Henningsson, RN;  
R. Tunell, MD; U. Berg, MD

**The Efficacy of Antibiotic Prophylaxis in the  
Prevention of Post-Cesarean Section Endometritis**  
Leigh Grossman Donowitz, MD; Sandra M. Norris, PharmD

**Multiple Dose Vials: Persistence of Bacterial  
Contaminants and Infection Control Implications**  
Robert N. Longfield, CDR MC USN; L. Patrick Smith, MA;  
Jenice N. Longfield, MD, MPH; Jacqueline Coberly, MHS; David Cruess, PhD

**Readers' Forum: Infection Control and the  
Hospitalized AIDS Patient**  
Audrey Adams, RN; Franklin D. Lowy, MD

**Topics in Clinical Microbiology: *Haemophilus ducreyi***  
Judy A. Daly, PhD

**Product Commentary: Product Evaluation Committee**  
Sue Crow, RN, MSN



## WHAT'S THE BEST HANDWASH/SCRUB? HANDS UP OR HANDS DOWN IT'S

# HIBICLENS<sup>®</sup>

(CHLORHEXIDINE GLUCONATE)

It is well established that hand-washing is the most important single procedure in preventing transmission of hospital-acquired infections. HIBICLENS, the only proven antiseptic/antimicrobial, is the best agent available for both personnel handwashing and surgical scrubbing. HIBICLENS

provides the most immediate and prolonged protection against infection, with the best bactericidal "kill rate." And to encourage skin cleansing among hospital personnel, HIBICLENS offers cosmetic acceptability coupled with an excellent safety profile. Gentle to the skin, HIBICLENS is virtually

nonirritating and nonsensitizing, with a low potential for toxicity.

Available as both a liquid and impregnated in a disposable Sponge/Brush, HIBICLENS remains the single most effective antiseptic/antimicrobial skin cleanser for use throughout the hospital.

### THE BEST ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

# INFECTION CONTROL

## Table of Contents

### Editorial

- Shuffling Our Streptococcal Strategies: In-Hospital and Out** 181  
Alan Bisno, MD

### Original Articles

- Should Routine Throat Cultures Be Done in Hospital Personnel Complaining of a Sore Throat?** 183  
Chatrchai Watanakunakorn, MD
- Influence of Chlorhexidine in Ethanol and in Isopropanol on the Bacterial Colonization of the Umbilicus of Newborns** 186  
B. Nystrom, MD; S. Bygdeman, MD; A. Henningsson, RN; R. Tunell, MD; U. Berg, MD
- The Efficacy of Antibiotic Prophylaxis in the Prevention of Post-Cesarean Section Endometritis** 189  
Leigh Grossman Donowitz, MD; Sandra M. Norris, PharmD
- Multiple Dose Vials: Persistence of Bacterial Contaminants and Infection Control Implications** 194  
Robert N. Longfield, CDR MC USN; L. Patrick Smith, MA; Jenice N. Longfield, MD, MPH; Jacqueline Coberly, MHS; David Cruess, PhD
- Readers' Forum: Infection Control and the Hospitalized AIDS Patient** 200  
Audrey Adams, RN; Franklin D. Lowy, MD
- Topics in Clinical Microbiology: *Haemophilus ducreyi*** 203  
Judy A. Daly, PhD
- Product Commentary: Product Evaluation Committee** 207  
Sue Crow, RN, MSN

### Departments

- |                               |     |                           |     |
|-------------------------------|-----|---------------------------|-----|
| <b>Letters to the Editor</b>  | 180 | <b>Book Reviews</b>       | 209 |
| <b>Classified Marketplace</b> | 208 | <b>Calendar of Events</b> | 211 |

---

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.

---

**Publisher:** Infection Control (ISSN-0195-9417) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare, New Jersey 08086. Telephone: Thorofare (609) 848-1000.

**Copyright 1985:** All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

**Subscriptions:** Subscription requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Scope Incorporated, 11-11, Shoto 2-chrome, Shibuya-Ku, Tokyo 150, Japan. Annual subscription price is: Individual: One year—\$35.00; Two years—\$60.00; Three years—\$75.00. Institutional: One year—\$50.00; Two years—\$75.00; Three years—\$90.00. All subscriptions, without exception, will start with the first issue published after the order is received. Back copies are available, but must be purchased separately. Cost per individual copy is \$6.00. Foreign subscribers add \$15.00 to regular rate; foreign orders, \$8.00

**Change of address:** Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086. **Postmaster:** Form 3547 to SLACK Incorporated, 6900 Grove Road, Thorofare, NJ 08086.

As of Volume 1, Number 1, INFECTION CONTROL is listed in *Index Medicus*, *Current Contents—Clinical Practice*, *Hospital Literature Index*, and *Cumulative Index to Nursing and Allied Health Literature*.

# Safe for Scopes



**HEPATITIS**  
**Sporicidin, diluted 1:16, inactivates the Hepatitis B Virus in 10 minutes.**  
*(Centers for Disease Control, Phoenix, Arizona)*

Courtesy of Olympus and ACMI

**Completely disinfects flexible and rigid scopes in 10 minutes with only 0.13% glutaraldehyde.**

**Safe to use . . .** Does not cloud scope lenses nor harm metals, rubber and/or plastics. Does not stain or irritate the hands. No gloves are necessary for safety. Vapors do not irritate the eyes or nostrils.

**Most effective . . .** The only sterilizing solution which is fully effective against the tubercle bacillus, influenza, hepatitis and enteroviruses when diluted 1 in 16.

**Stable . . .** Fully effective for 30 days after activation.

**Proven . . . The most effective cold sterilant and disinfectant ever registered by the E.P.A.**

“Sporicidin, diluted 1 in 16, (0.13% glutaraldehyde), is effective for high level hospital disinfection . . .”  
*Centers for Disease Control, Atlanta, GA (Guidelines . . . revised August 1982)*

“This study has determined that although E.P.A. requirements for classifying a sterilizing agent were satisfied by Cidex, they were exceeded by Sporicidin.”  
*Journal of Dental Research, Vol. 60, March 1981 (U.S. Army Institute of Dental Research, Wash., DC)*

“Sporicidin . . . was both more stable and more active against test spores than . . . Cidex and Cidex-7.”  
*Infection Control, 1(2): 90-93, 1980*



**The Sporicidin Company**

4000 Massachusetts Avenue, NW, Washington, DC 20016 Call Toll Free (800) 424-3733

## EDITOR

**Richard P. Wenzel, MD**  
Charlottesville, Virginia

## SENIOR ASSOCIATE EDITOR

**William Schaffner, MD**  
Nashville, Tennessee

## ASSOCIATE EDITORS

**Sue Crow, RN, MSN**  
Shreveport, Louisiana

**John E. McGowan, Jr., MD**  
Atlanta, Georgia

**Dennis G. Maki, MD**  
Madison, Wisconsin



**SLACK**

SLACK Incorporated  
6900 Grove Road  
Thorofare, New Jersey 08086

**Publisher**  
Richard N. Roash

**Associate Publisher**  
Eric Baloff

**Managing Editor**  
Donna Carpenter

**Assistant Editor**  
M. Lynne Stanwood

**Circulation Manager**  
Kevin J. Fenton

**Advertising Manager**  
Randall Roash

**Classified  
Advertising Representative**  
Lorraine Giles

## EDITORIAL

### ADVISORY BOARD

Robert C. Aber, MD  
Hershey, Pennsylvania

Charles S. Bryan, MD  
Columbia, South Carolina

John P. Burke, MD  
Salt Lake City, Utah

Marie B. Coyle, PhD  
Seattle, Washington

Burke A. Cunha, MD  
Mineola, New York

Richard E. Dixon, MD  
Trenton, New Jersey

Harvey A. Elder, MD  
Loma Linda, California

Bruce Farber, MD  
Pittsburgh, Pennsylvania

Peter C. Fuchs, MD, PhD  
Portland, Oregon

Richard A. Garibaldi, MD  
Farmington, Connecticut

Donald A. Goldmann, MD  
Boston, Massachusetts

Dieter H.M. Gröschel, MD  
Charlottesville, Virginia

Peter A. Gross, MD  
Hackensack, New Jersey

Karen Hadley, RN, MPH  
New Orleans, Louisiana

David K. Henderson, MD  
Bethesda, Maryland

Peter N.R. Heseltine, MD  
Los Angeles, California

Cyrus C. Hopkins, MD  
Boston, Massachusetts

Allen B. Kaiser, MD  
Nashville, Tennessee

Harold Laufman, MD, PhD  
New York, New York

William J. Ledger, MD  
New York, New York

Barbara McArthur, RN, PhD  
Detroit, Michigan

Rob Roy MacGregor, MD  
Philadelphia, Pennsylvania

C. Glen Mayhall, MD  
Richmond, Virginia

Ronald Lee Nichols, MD  
New Orleans, Louisiana

Harry C. Nottebart, Jr., JD, MD  
Richmond, Virginia

James E. Peacock, Jr., MD  
Winston-Salem, North Carolina

Frank S. Rhame, MD  
Minneapolis, Minnesota

William A. Rutala, PhD, MPH  
Chapel Hill, North Carolina

William E. Scheckler, MD  
Madison, Wisconsin

Robert J. Shannon, MSPH  
Boston, Massachusetts

Walter E. Stamm, MD  
Seattle, Washington

Charles W. Stratton, MD  
Nashville, Tennessee

Timothy R. Townsend, MD  
Baltimore, Maryland

William M. Valenti, MD  
Rochester, New York

James Veazey, MD  
Albany, New York

Kathy J. Wydra, RN  
Geneva, New York

## FOREIGN ADVISORY BOARD

Graham Ayliffe, MD, FRC Path.  
Birmingham, England

Professor G. Berencsi  
Szeged, Hungary

Professor Jaap Dankert  
Groningen, Netherlands

Professor Dr. F. Daschner  
Freiburg, West Germany

Lars O. Kallings, MD  
Stockholm, Sweden

Professor W.B. Kędzia  
Sieroca, Poland

Professor A.P. Krasilnikow  
Minsk, USSR

Professor Dr. W. Marget  
Munich, West Germany

Bertil Nyström, MD  
Huddinge, Sweden

Ian Phillips, MA, MD, MRC Path.  
London, England

Samuel Ponce de Leon, MD  
Mexico City, Mexico

Hans Reber, MD  
Basel, Switzerland

Professor Gerald Reybrouck  
Leuven, Belgium

Manfred L. Rotter, MD, DipBact  
Vienna, Austria

Theodore Sacks, MD  
Jerusalem, Israel

Dr. Bernhard M. Thimm  
Federal Republic of Germany

Professor Dr. med. H.P. Werner  
Mainz, West Germany

Professor Dr. W. Weuffen  
Greifswald, German Democratic Republic