

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

Neoplasia of the nose and sinuses	R. C. S. POINTON	407
Tumours of the nose and sinuses in relation to wood-workers	ESME HADFIELD	417
Fibrosarcoma and pseudosarcoma of the larynx	D. GARFIELD DAVIES	423
The pathology, the audiogram and the prognosis in perceptive deafness.	ALAN G. KERR	435
The incidence of deafness in childhood	R. M. HARVEY and T. J. WILMOT	449
Rhinosporidiosis of the nose	ALI AFZAL KHAN, K. A. KHALEQUE and M. N. HUDA	461
Pathomechanism of haemorrhages following tracheotomy	A. POTONDI	475
Clinical Records—		
Method of fixing the nasogastric feeding tube	N. SHAH	485
The closure of tympanic membrane perforations by cauterly—a reappraisal	S. L. SELLARS	487
Dysphagia due to massive cervical osteophyte	U. PRASAD	493
Unusual presentation of a benign pharyngeal tumour	S. K. DE	497
Oxyphilic cell adenoma of the larynx (oncocyoma)	P. VIPULAKOM	501
General Notes		

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net, post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFPENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.


9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent, England.

© *Journal of Laryngology and Otology*, 1969

Announcing . . . an Audiometer of exceptional distinction



THE **AMPLIVOX** MODEL 103 DIAGNOSTIC AUDIOMETER

to ISO Specification R389:1964

A sophisticated design for the comprehensive evaluation of hearing acuity and the differential diagnosis of hearing impairments

- * Easy-to-use controls for all tests from simple clinical to advanced research levels
- * Narrow band masking for pure tone, wide band white noise for speech
- * Unique masking threshold indicator
- * Plug-in Adaptor for SIS1 and Lüscher Tests
- * Unique Patient's Signal assists subject's concentration
- * Photo-electric switching for noise-free operation
- * Twin channel facilities with multiple switching for dozens of tests
- * Plug-in circuit boards for ease of service
- * Output for free field audiometry

Please write for technical literature

AMPLIVOX

Hearing Centres, Ltd
Beresford Avenue, Wembley, Middx. Tel: 01-902 8991

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Refer your patients to

Ingrams

INDEPENDENT HEARING AID SUPPLIERS

*Ingrams have the
different makes
to choose from*

LONDON 2 Shepherd Street, London, W.1. Hyde Park 9041
(2 minutes from Green Park)

BIRMINGHAM 20 Auchinleck Sq, Broad St, Birmingham, 15. Midland 4314
(In the Five Ways Shopping Centre)

BRIGHTON 5 Duke Street, Brighton, 1, Brighton 28699
(First turning off West Street)

CROYDON 11 Essex House, Co'lege Road, Croydon. Croydon 4663
(Opposite the Technical College)

MANCHESTER Mansfield Chambers (Rooms 21 & 22), Blackfriars 4104
17 St. Anne's Square, Manchester, 2. (STD Code
(Off Deansgate) 061-834 4104)

...and in SCOTLAND it's BONOCHORD-INGRAMS...

ABERDEEN 461 Union Street, Aberdeen. Aberdeen 29632
(Near Holborn Junction)

EDINBURGH 17 Stafford Street, Edinburgh. Caledonian 1942
(Corner of Alva Street)

GLASGOW 38 Bath Street, Glasgow, C.2. Douglas 7710
*(Next door to Glasgow Corporation
Transport Office)*

Domiciliary visits in EVERY part of the country.

INGRAMS FOR THE LARGER RANGE OF HEARING AIDS—

Subscribers to the Code of Ethics of the Hearing Aid Industry Association.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

WHEN A HEARING AID IS RECOMMENDED

***REFER YOUR PATIENTS
TO THE EXPERTS—***

AMPLIVOX

Hearing Aids

A wide selection of hearing aids always available from the world's manufacturers. We are the exclusive agent in the United Kingdom and Eire for Dahlberg, U.S.A., in addition to Amplivox.

Ear Defenders

All types of ear defenders available at all branches.

Medical Acoustic Division

Audiometers, Acoustic Booths, Group and Speech Training Hearing Aids. We are the exclusive agent for the United Kingdom and Eire for Tracor, U.S.A.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY
AMPLIVOX HEARING CENTRES, THE ONLY COMPANY IN THE
WORLD MANUFACTURING AND SUPPLYING A COMPLETE
RANGE OF EQUIPMENT FOR THE PREVENTION, TESTING
AND ALLEVIATION OF DEAFNESS

AMPLIVOX HEARING CENTRES

80 NEW BOND STREET, LONDON, W.1. TEL.: 01-493 9888

Branches at:

London · Birmingham · Bournemouth · Bristol · Cardiff · Dublin
Edinburgh · Glasgow · Leeds · Liverpool · Manchester · Newcastle · Wembley

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.



STAINLESS STEEL POLISH


SMR Stainless Steel Polish cleans and preserves with superior results —ends fingerprints, watermarks and surface stains.

22 oz. economy size . . . \$2.50

SURGICAL MECHANICAL RESEARCH INC.

P.O. Box 1185, Newport Beach, Calif. 92663
FACTORY DIRECT SALES

Knott's Berry Farm



Please send for our new catalog
Direct factory sales, F.O.B. Newport Beach, Calif.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What clinicians say about ORBENIN

Clinicians have frequently testified to the success of Orbenin in the treatment of Gram-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia Lung Abscess Tonsillitis Pharyngitis Acute bronchitis

Septicaemia

Boils Carbuncles Infected dermatoses

Osteomyelitis Osteitis

Post-operative wound infections Burns Skin graft protection

Acute endocarditis

Staphylococcal enterocolitis Staphylococcal urinary tract infections
Staphylococcal meningitis

Dosage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. 2-10 years—half adult dose.

In severe infections the dosage may be increased.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.

Side-effects

As with other penicillins.

Additional information is available on request.




Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England, originators of the new penicillins.



DOWN'S

House's suction and irrigation tubes




DOWN BROS. AND MAYER & PHELPS LTD.

CHURCH PATH, MITCHAM, SURREY

IN CANADA:
261 Davenport Road,
Toronto, 2B, Ontario

IN U.S.A.: Downs Surgical Inc.,
655, 73rd Street,
Niagara Falls, N.Y. 14304

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



THE DROP THAT SOOTHES AND CLEARS THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.


'OTOSPORIN'

Full information is available on request.



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



PETERS CLINIC AUDIOMETERS AND BÉKÉSY

Are the ideal tools for More Advanced Audiometry.


The Audiometers offer:—

- Two continuously variable attenuators accurate to 1 db.
- SISI Test (built-in) and automatic alternate loudness balance switching.
- Maximum attenuation of 120 db for loudness discomfort level tests.
- Narrow band SYNCHRONOUS masking (a new semi-automatic masking technique).
- Full speech test facilities with white noise masking.
- Plug-in circuit boards and operator output checks.
- Conversion to a true BÉKÉSY AUDIOMETER at will.
- Extra features not listed are offered by the AP/6 compared to the AP/5 AUDIOMETER.

write for full details to:

ALFRED PETERS AND SONS LTD
GELL STREET SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Tegretol[®]
Anticonvulsant

Geigy

**Controls seizures
without sedation
and improves
behaviour and mood**

Tegretol is available as tablets each containing 200 mg
5-carbamoyl-5H-dibenz (b,f) azepine.

Detailed literature is available on request.

Geigy (U.K.) Limited,
Pharmaceuticals Division,
Macclesfield, Cheshire.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.



P. C. WERTH LTD. Contractors to H.M. Government
and Local Authorities
*Specialist Supply, Maintenance, Calibration Services for Audiological
Test and Teaching Equipment*

17 STRATFORD PLACE, OXFORD ST., LONDON W1N 0DH

Telephone: 01-629 5559

*Clinical, Diagnostic, Screening and Bekesy Audiometers. Acoustic Impedance Apparatus.
Stereo Auditory Trainers. Visible Speech Apparatus. Artificial Mastoid, etc.*

Kamplex DA11 Twin-Channel Clinical Audiometer

Our latest model with
many new features:

New audiogram light indi-
cator.

Masking to 100dB intensity
for pure tone and speech.


Fowler, Sisi and Luscher
tests.

Automatic pulsing with 4
time intervals.


Complete speech facilities
with 4 built-in weighting
curves.

Simplicity of operation.

Probably the most keenly
priced twin-channel audio-
meter currently available.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Any earache, any age new AUDAX Ear Drops relieves pain in minutes

AUDAX* formulation is unique providing choline salicylate—a very effective local analgesic anti-inflammatory and anti-pruritic agent with its own spectrum of anti-microbial action together with a penetrant to assure direct contact with the painful area.

analgesic, antimicrobial
anti-inflammatory, anti-pruritic

AUDAX Ear Drops are indicated in the following clinical conditions—acute and chronic otitis media, acute and chronic otitis externa, inflammation in the external auditory canal, and for the relief of pruritus and pain of boils and furuncles in the external auditory canal.

AUDAX Ear Drops contain no sensitising or irritant constituents.



Full information on request
H R Napp Limited, Watford, England

*AUDAX is a regd trade mark. A new product of Napp Group Research—dedicated to Physician and Patient.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

5 drops
to remove
ear wax
easily
rapidly
safely

CERUMOL[®]

Active ingredients per 100 ml.
p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P 2.7 G.,
Chlorbutol B.P. 5 G., 0l. Terebinth 10 ml.

In convenient dropper vial for surgery
use. Also in 2 oz. Hospital pack.

LABORATORIES FOR APPLIED BIOLOGY LTD
91 Amhurst Park London N 16
Tel: STAmford Hill 2252

Please mention *The Journal of Laryngology and Otology* when replying to advertisements