
# Take the Lead in Infection Control



#### Practical Handbook for Healthcare Epidemiologists, Second Edition


Ebbing Lautenbach MD, MPH, MSCE, University of Pennsylvania, Philadelphia, PA and Keith Woeltje MD, PhD, Washington University School of Medicine, St. Louis, MO 400 pp., Hard Cover, 2004, ISBN 1-55642-677-1 Order#16771, \$94.95

If you work in today's healthcare epidemiology programs **you will need** the latest edition of *Practical Handbook for Healthcare Epidemiologists*. Situations that are encountered daily can be challenging, and now the answers needed are available in one solid resource.

Extensively updated and revised, this **best selling** handbook is concise

and user-friendly, and will provide practical information regarding many aspects of establishing and managing a healthcare epidemiology program.

The Society for Healthcare Epidemiology of America (SHEA) has recruited over 50 recognized leaders in the field to share their expertise. They discuss overarching goals, as well as successful strategies for handling specific situations and problems. There is also extensive information on infection control in the outpatient setting and measures to take after exposure to infectious agents. This is the most complete hands-on source about healthcare epidemiology and infection prevention and control.



Practical Handbook for Healthcare Epidemiologists, Second Edition PDF CD-ROM

CD-ROM, 2004,

ISBN 1-55642-699-2 Order#16992, **\$94.95** 

All the text, all the images—in a user-friendly PDF CD-ROM.



16992 \$94.95

16771 & 16992 \$142.42

Subtotal \$

Handling Charge ( )

CA & NJ Sales Tax\* \$5.00

TOTAL \$

Please add applicable state and local taxes.

ORDER #

16671

PRICE

\$94.95

Call to order: 800-257-8290 or 856-848-1000


Visit our Website at: www.slackbooks.com/ epidemiology

SLACK Incorporated Professional Book Division 6900 Grove Road Thorofare, New Jersey 08086-9864

FAX: 856-853-5991

Send e-mail to: orders@slackinc.com

**CODE: 1A1178** 



# **Get Full-Text Online!**

## Full-text articles are available online for Infection Control and Hospital Epidemiology!

- Read the latest issue
- Find an archived article (PDF format)
- Search by topic, author or keyword

FREE, unlimited access to every article for subscribers

Non-subscribers may obtain full-text articles on a pay-per-view basis

ICHEJournal.com

Hands and germs hang out in the same places. Especially in your hospital. Hibigeebie <mark>Proteus Mirabilis</mark> Hibigeebie Klebsiella Pneumonia Hibigeebie <mark>Acinetobacter Baumannii</mark> Staphylococcus Epidermidis Hibigeebie <mark>Escherichia Col</mark>i

Hands are the first, and last, lines of defense against the spread of pathogens. It's not a job for just any antiseptic. The CDC advises that alcohol alone is not appropriate when hands are visibly dirty or contaminated with proteinaceous materials.<sup>1</sup>

#### Compare washing with Hibiclens to using other antiseptic solutions like alcohol, iodine and PCMX:

- Broad-spectrum residual action lasts up to 6 hours after washing.<sup>2</sup>
- Efficacy is **not** compromised by contact with organic matter like blood.<sup>3</sup>
- Proprietary formulation is gentler on your skin.<sup>4</sup>
- For 34 years, the standard by which all others are compared.
- Removes dirt and debris leaving hands clean.
- · With Hibiclens as your first, and last, wash of the day, you'll have one less thing to worry about.

#### Kill the Hibigeebies with

### **HIBICLENS**

Antimicrobial Antiseptic Skin Cleanser

HIBICLENS



Guideline for Hand Hygiene in Health-Care Settings. Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force-October 25, 2002 / Vol. 51 / No. RR-16. Accessed at: http://www.cdc.gov/mmw/PDF/Fr/FSI6.pdf on 18 September 2005. "Regent Medical Study #030917-150 "Judge-endaded" Lab Test Time-Rill Study 5- Millures S. and (ADV-SES) and

# THINK

rapid, persistent, superior

#### INTRODUCING ChloraPrep 26mL

THE MOST RAPID-ACTING, MOST PERSISTENT AND SUPERIOR PREOPERATIVE SKIN PREPARATION AVAILABLE IN THE OR SUITE

- Rapid activity against gram-positive and gramnegative bacteria
- Persistent antimicrobial activity—prevents regrowth of micro-organism on the skin for at least 48 hours
- Unlike povidone-iodine, Chlorhexidine (CHG) remains active in presence of blood, serum, and other protein-rich biomaterials!
- Use of CHG has demonstrated a 50% reduction in the incidence of catheter-related bloodstream infections compared to povidone iodine!

A tinted and clear 10.5 mL applicator is also available.

The new, single-use applicator is convenient, latex-free, hands-off and sterile to help prevent cross-contamination



REDUCE THE RISK.

For directions for use, visit chloraprep.com.

 Chaiyakunapruk N, Veenstra DL, Lipsky BA, Saint S. Chlorhexidine compared with povidone-iodine solution for vascular catheter-site care: a meta-analysis. Ann Intern Med. 2002;136:792-801.

© 2005 Medi-Flex, Inc. ADV-120



WITH SCRUB TEAL" TINT APPLICATOR

2% CHLORHEXIDINE GLUCONATE (CHG) w/v AND 70% ISOPROPYL ALCOHOL (IPA) v/v



