

VOL. XII.—1897.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, II, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN**

EDITORS :

JOHN MACINTYRE, M.B., F.R.S.E.,
DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.,
ARTHUR SANDFORD, M.D., M.Ch.R.U.I.

W. MILLIGAN, M.D. (Manchester), Sub-Ed.
R. LAKE, F.R.C.S. (London), Managing Sub-Ed.

WITH THE CO-OPERATION OF

DRS. **BARON (Bristol), BETTMAN (Rome), BOTEY (Barcelona),**
CARTAZ (Paris), BRYSON DELAVAN (New York), DODD (Chicago),
DRAISPUL (St. Petersburg), GRAZZI (Florence), GUYE (Amsterdam),
HICGUET (Brussels), MIDDLEMASS HUNT (Liverpool), HUTCHISON (Glasgow),
JOAL (Paris), KARWOWSKI (Warsaw), KELLY (Glasgow),
LACARRET (Toulouse), LICHTWITZ (Bordeaux),
LIEVEN (Aix-la-Chapelle), PROF. JOHN N. MACKENZIE (Baltimore),
PROF. MASSEI (Naples), MEYJES (Amsterdam), E. MEYER (Berlin),
HOLGER MYGIND (Copenhagen), PORTER (St. Louis),
STGEORGE REID (London), RUEDA (Madrid), SAJOUS (Paris),
SENDZIAK (Warsaw), SOTA (Seville), STCLAIR THOMSON (London),
WAGGETT (London), WOODS (Dublin), AND ZIEM (Pantzig).

CONTENTS.

Original Article—

Foreign Body Removed from Larynx with the Aid of the Autoscope. By MAX THORNER
Page 1

Retrospect, 1896 Pages 2 to 29

Societies' Meetings—

BRITISH LARYNGOLOGICAL, RHINOLOGICAL, AND OTOLOGICAL ASSOCIATION.—Paralysis of Cord, *Wingrave*—Mastoid Operation for Nausea and Vomiting, *Grant*—Laryngo-Fissure, *Browne, Wingrave*—Autoscopy, *Milligan*—Instruments, *Browne, Lake*—Breathing in Singers, *Campbell* Pages 30 to 45

LARYNGOLOGICAL SOCIETY OF LONDON.—Specimens of Larynx of Goose and Cormorant, *Semon*—Epithelioma of Larynx, *Beale*—Arrested Development, *Bond*—Sarcoma of Nose, *Bond*—Angioma of Septum, *Bond*—Frontal Sinus Disease, *Baber*—Hæmatoma of Palate, *Lave*—Sarcoma of Tonsil, *Tilley*—Syphilis of Larynx, *Tilley*—Cerebro-Spinal Fluid from Nose, *Thomson*—Papilloma of Larynx, *Willcox*—Cancer of Larynx, *Spencer, Stabb*—Ulceration of Mouth, *Ball*—Syphilitic Disease, *Herne*—Malignant of Thyroid, *Grant*.
Pages 45 to 55

Obituary—

EUGEN BEAUMAINPage 56
G. R. LEWINPage 56

GUIDE TO ADVERTISEMENTS.

	PAGE
Bullock & Co.	vii.
Burroughs, Wellcome & Co.	vi.
Central London Throat Hospital	xii
Down Bros.	x.
Ingram & Royle.	vii., ix.
Lambert Pharmacal Co.	ii.
Mayer & Meltzer	xi.
Rebman Publishing Company	vii., vii.
Slater Bros.	iv


CONSULTING ROOM ESSENTIALS.

The Vereker Chloride of Ammonium Inhaler.

THE benefits derived from the use of Chloride of Ammonium in Throat and Lung troubles have been so marked that a considerable demand has arisen for Inhalers for the production of the vapour. The difficulty of constructing an Inhaler capable of generating absolutely neutral fumes was, however, for some time a drawback which somewhat retarded the general adoption of the treatment. The fumes, when either acid or alkaline, are very irritating, and to inhale them is likely to do more harm than good. On the other hand, neutral fumes have a most stimulating and cleansing effect upon the congested and inflamed mucous membrane, facilitating expectoration and relieving the laboured respiration at once. In the Vereker Inhaler the regulation

of the tubes, ensuring neutrality of the fumes, is a very simple matter, and once charged it lasts for a considerable number of inhalations.

Supplied to the Profession at **5s.** each.



The Post-Nasal and Laryngeal "Paroleine" Atomiser.

This simple and durable Atomiser provides the laryngologist with a ready means of applying medicaments to the larynx and pharynx.

By an ingenious arrangement the spray can be directed either laterally or perpendicularly. The inflamed mucous membranes of the walls of the pharynx, tonsils, fauces, larynx, and trachea may thus be treated with medicated solutions with an ease and effectiveness never before obtained. Aqueous solutions of the usual curative agents may be employed; or, better still,

solutions of Carbolic Acid, Menthol, Pinol, Iodoform, &c., in "Paroleine," may be used.

"Paroleine" is a bland, soothing, oily substance, without taste, odour, or colour, and is a ready and stable solvent of those therapeutic agents formerly applied in ointments.


The Atomiser supplied to the Profession at **5s. 2d.** each.



The Naso-Pharyngeal "Paroleine" Atomiser.

This strongly-made Atomiser is especially adapted for the application of the spray of aqueous and oily solutions of mucous membrane stimulants. Watery solutions are made by compressing the bulb in the ordinary way; but if it is desired to vaporize the ingredients of an ointment, the latter must be placed in the bottle with a spatula, and afterwards melted by placing the bottle in warm water. By far the best oily medium is "Paroleine," a tasteless and colourless body, which readily dissolves the antiseptic agents in general use. In addition, it possesses unique soothing and healing qualities of its own.

Supplied to the Profession at **3s. 5d.** each.



BURROUGHS, WELLCOME & CO.,

SNOW HILL BUILDINGS, LONDON, E.C.

Cable and Telegraphic Address: "Burcome, London."