

# Index

- abelian gauge symmetry, 18, 29
- Ademollo–Gatto theorem, 238, 239, 343
- Adler–Bardeen theorem, 228, 234
- anomalous dimension, 53
- anomaly, 22, 82, 83
  - $\pi^0 \rightarrow \gamma\gamma$ , 83, 233, 235
  - and baryon spin structure, 354
  - axial anomaly, 83, 93, 102
  - Bardeen formula, 93, 232
  - baryon number, 104
  - in large  $N_c$  limit, 283
  - in weak decays, 222
  - trace anomaly, 96, 105, 349
  - Wess–Zumino–Witten action, 228
- anomaly cancellation, 59, 94, 105
- antisymmetric tensor  $\epsilon^{\mu\nu\alpha\beta}$ , 536
- approximate symmetry, 16
- asymmetry parameter, 467
  - forward–backward, 467
  - left–right, 467
- asymptotic freedom, 51
- atomic parity violation, 462
- axial  $U(1)$  transformation, 79, 82, 92
- axial-vector coupling  $g_A$ , 334, 342, 355
- b* quark
  - $B \rightarrow K^*\gamma$ , 431
  - $B^0 - \bar{B}^0$  mixing, 416
  - $B_s \rightarrow \ell^+\ell^-$ , 432
  - bottomonium, 367
  - $CP$  violation, 421
  - Heavy Quark Effective Theory, 413
  - inclusive decay, 403
  - lifetimes and branching ratios, 405
  - mass, 401
- B*-parameter
  - B* mesons, 416
  - kaons, 265
- background field method, 507, 524
- bag model, 303
  - bag constant, 303
  - gluons, 307
  - static cavity, 304
- baryon number violation, 103
- baryon–antibaryon asymmetry, 104, 195, 255
- baryons
  - effective lagrangian, 343, 534
  - large  $N_c$  limit, 283
  - matrix elements, 331, 334
  - quark model, 301, 383
  - spin structure, 330, 339, 352
  - state vectors, 293
  - strangeness content, 349
  - $SU(3)$  properties, 294, 331
- beta decay
  - hyperon, 359
  - neutrinoless double beta decay, 5, 192
  - nucleon, 355
- beta function
  - $QCD$ , 51, 98, 246
  - $QED$ , 39, 40
- beyond the Standard Model
  - effective lagrangians, 138, 491
  - Majorana mass, 176
  - rare decays, 139, 255
- bottomonium, 366
- box diagram
  - B* meson, 416
  - D* meson, 418
  - kaon, 263
- Breit–Fermi interaction
  - $QCD$ , 381
  - $QED$ , 144
- bremstrahlung
  - muon decay, 159
  - soft photons, 154
- c* quark
  - $D^0 - \bar{D}^0$  mixing, 418
  - charmonium, 366, 375
  - D* decays, 404

- c quark (cont.)
  - mass, 401
  - spectrum of charmed hadrons, 386
- Cabibbo angle, 69
- Cabibbo matrix, 68
- Cabibbo–Kobayashi–Maskawa matrix, 68, 69
  - angle  $\alpha$ , 425
  - angle  $\beta$ , 424
  - angle  $\gamma$ , 429
  - measured values, 70
  - unitarity, 264
  - unitarity triangle, 420
  - $V_{us}$ , 239
  - Wolfenstein parameterization, 69, 420, 425
- canonical field dimension, 30, 541
- Casimir invariant, 42
- center-of-mass
  - correction in wavepacket method, 335
  - in bag model, 306
- charge commutation rules, 532
- charge conjugation  $C$ , 7, 167
- charge quantization, 29, 59
- charge radius
  - baryon, 331
  - pion, 218, 295
  - proton, 295, 332
- chiral loops, 121
- chiral perturbation theory, 200, 209
  - general  $\mathcal{O}(E^2)$  lagrangian, 201, 203
  - general  $\mathcal{O}(E^4)$  lagrangian, 211
  - large  $N_c$  limit, 287
  - low-energy constants, 211, 213, 219, 222, 289
  - radiative transitions, 222
  - renormalization, 211, 215, 524
  - renormalization coefficients, 526
  - underlying physics, 225
- chiral symmetry, 78, 127, 200
  - chiral perturbation theory, 209
  - explicit breaking, 201
- chirality, 6
- Coleman–Glashow relation, 384
- color, 28
- connected Green’s functions, 505
- conserved vector current hypothesis CVC, 356
- constituent gluon, 390
- conversion factors, 535
- correlator, 319
- Coulomb interaction, 145
- covariant derivative
  - $SU(2)_L \times U(1)$ , 60
  - abelian, 18, 29
  - chiral, 534
  - definition, 18
  - mixed case, 21
  - nonabelian, 20, 41
- $CP$  violation, 73, 255, 266
  - $B^0 - \bar{B}^0$  mixing, 421
  - $K_L \rightarrow \pi\pi$ , 266
- $\epsilon$ , 267, 268, 270
- $\epsilon'$ , 267, 268, 270, 271
- $B$  decay, 421, 433
- decays to  $CP$  eigenstates, 423
- leptons, 71
- neutrinos, 184
- non- $CP$  eigenstates, 426
- nonleptonic hyperon decay, 365
- semileptonic decay, 268, 427
- without mixing, 428
- $CPT$ 
  - $CPT$  theorem, 8
  - invariance, 268, 276
- creation operator, 292
- cross sections, 538
- current
  - axial-vector, 6, 15, 165, 205, 336, 341, 365, 530
  - charged weak, 63
  - electromagnetic, 63
  - isospin, 13
  - neutral weak, 64, 458
  - vector, 6, 15, 165, 166, 336, 341, 530
- current algebra, 258, 529
- $D$  mesons
  - inclusive decays, 403
  - lifetimes and branching ratios, 404
- Darwin potential, 146
- Dashen’s theorem, 204
- day-night asymmetry, 188
- decay constants
  - $B$  meson  $F_B$ , 417
  - pion  $F_\pi$ , 205, 530
  - rho meson  $g_\rho$ , 166
- decay rates, 538
- decoupling theorem, 111, 119, 485
- deep-inelastic lepton scattering, 55, 353, 461
- dibaryon, 391, 396
- dilation current, 95
- dimensional regularization, 33, 121, 130, 159, 212
  - Dirac algebra, 541
  - integrals, 542
  - solid angle, 543
- dimensional transmutation, 54
- Dirac algebra, 541
- Dirac form factor, 151
- Dirac matrices, 536
- Dirac spinor, 537
- discrete symmetries, 7, 78
- dispersion relations, 171, 320
- double-beta decay, 5, 192
- dual field strength  $\vec{F}$ , 83
  - $F\vec{F}$ , 100
- duality, 321
- effective field theory, 106
  - baryons, 343
  - chiral perturbation theory, 200
  - effective lagrangian, 107

- energy expansion, 117, 121, 123
- general features, 119, 129
- Heavy Quark Effective Theory, 411
- heavy quark expansion, 405
- integrating out heavy fields, 111, 112, 115
- limits, 124
- matching, 114, 117, 242
- method of regions, 134
- Non-Relativistic  $QCD$  ( $NRQCD$ ), 370
- power counting, 121, 122
- renormalization, 115, 122
- separation of scales, 124, 130
- effective lagrangian
  - baryon decays, 362
  - electroweak interaction, 492
  - external sources, 126, 127
  - general  $\mathcal{O}(E^2)$  chiral lagrangian, 200
  - general  $\mathcal{O}(E^4)$  chiral lagrangian, 211
  - neutral current, 459
  - New Physics, 138, 171, 491
  - $QED$ , 136
  - symmetry breaking, 124
- electric dipole moment, 275, 276
- electron, 144
- electroweak interactions, *see*
  - Weinberg–Salam–Glashow model
- electroweak matrix element, 339
- energy-momentum tensor, 16, 95, 98, 349
- equal spacing rule, 383
- Euler–Heisenberg lagrangian, 137, 141
- exclusive decays of heavy quarks, 409
- exotics, 300
- external sources, 203
  - path integrals, 496
  - effective lagrangians, 126
  - generating functional, 80
- Fermi couplings ( $G_F$ ,  $G_\mu$ ,  $G_\beta$ )
  - definitions, 65, 158, 208
- Feynman parameterization, 538
- Feynman rules
  - electroweak interactions, 476
  - $QCD$ , 45
  - $QED$ , 32
- field dimension, 541
- field strength
  - abelian, 19
  - nonabelian, 20, 40, 60
- Fierz transformation, 156, 537
- fine structure constant, 36
- form factor
  - baryon, 341
  - pion, 215
- $\mathcal{F}_t$  value, 357
- functional differentiation, 496, 503
- Furry’s theorem, 136
- $G$ -parity, 167, 342
- gamma function, 543
- gauge symmetry, 18, 74
- gauge-fixing, 45, 513
  - axial gauge, 514
  - covariant gauges, 514
  - electroweak, 475
  - Feynman gauge, 31, 159
  - Landau gauge, 31
  - ’t Hooft–Feynman gauge, 477
  - unitary gauge, 477
- Gell–Mann matrices, 41
- Gell–Mann–Okubo relation, 204, 345, 383
- general relativity, 74
- generating functional, 80, 88, 497, 503
- generators of group, 20
- ghost fields, 45, 49, 475, 516
- global vs. local symmetry, 17
- gluons, 40
  - and bag model, 307
  - and spin structure of proton, 355
  - gluonia (glueballs), 281, 391, 394
  - large- $N_c$  limit, 278
- Goldberger–Treiman relation, 347, 358
- Goldstone bosons, 24, 127
  - $\eta'$  and the large  $N_c$  limit, 283
  - pions and kaons, 25, 200, 202
- Goldstone’s theorem, 24
- Gordon decomposition, 537
- grand unification, 470
- Grassmann variables, 45, 90, 509
- Haag’s theorem, 110, 530, 531
- hadronic molecule, 396
- heat kernel, 97, 230, 520
  - fermionic operator, 524
  - heat-kernel coefficients, 523
- Heavy Quark Effective Theory, 411
- heavy-quark expansion, 405
- heavy-quark limit, 385
  - $1/m$  corrections, 389
  - $1/m_B$  corrections, 407
  - exclusive decay, 409
  - rare B decay, 433
  - spectroscopy, 387
  - symmetry, 413, 415
  - weak decay, 405, 411
- heavy-quark mass, 399
  - $1S$  mass, 403
  - pole mass, 402
- helicity suppression, 205, 237
- Higgs boson, 61
  - couplings, 438, 439
  - custodial symmetry, 451
  - data vs. Standard Model, 447
  - discovery, 434
  - effective lagrangian, 439, 441
  - electroweak corrections, 448
  - mass value, 436
  - non-Standard Model couplings, 448
  - spin/parity, 434

- Higgs boson (cont.)  
 two Higgs doublets, 455  
 two-doublet potential energy, 455  
 vacuum energy, 438  
 vacuum stability, 453
- Higgs boson decays  
 fermion–antifermion pairs, 443  
 four-body states, 444  
 massless states, 444  
 three-body states, 443
- Higgs boson production, 446  
 gluon–gluon fusion, 446
- Higgs mechanism, 28, 62, 434
- hybrid, 391, 396
- hyperfine interaction  
*QCD*, 302, 382, 386  
*QED*, 146, 384
- Inami–Lim functions  
 kaon mixing, 264
- inclusive decays, 403
- infrared problem, 153
- interpolating field, 297, 394
- inverse amplitude method, 393
- isospin symmetry, 13, 23, 25, 77, 200
- Jacobian, 89, 229  
 axial anomaly, 92  
 trace anomaly, 96  
 Wess–Zumino–Witten action, 229
- jets, 374, 402
- $K^0$ -to- $\bar{K}^0$  matrix element, 265  
 $B_K$ , 265  
 $\hat{B}_K$  scale and scheme independent, 265
- kaon mixing  
 short distance component, 265
- kaons  
 $K_L$ ,  $K_S$ , 262  
*CP* violation, 266, 269  
 leptonic decay, 237  
 mass, 203  
 mass matrix, 260  
 mixing, 260  
 nonleptonic decay, 249  
 rare decays, 255  
 semileptonic decay, 238
- Kobayashi–Maskawa matrix, 68, 535  
 $V_{ud}$ , 355  
 $V_{us}$ , 360
- Lamb shift, 153
- large  $N_c$  limit, 278  
 $\eta'$  as Goldstone boson, 283  
 chiral lagrangian, 287  
 double line notation, 279  
 sigma meson, 393  
 Skyrme model, 308, 318  
 spectroscopy, 280  
 strong *CP* problem, 289
- lattice-gauge theory, 371, 395
- leading log summation  
 kaon decay, 247
- Lee–Sugawara relation, 362
- leptogenesis, 105, 195
- lepton, 144
- lepton number, 3, 5, 139  
 violation, 11, 103, 192
- lepton universality, 164, 237  
 test of in  $Z^0$  decays, 467
- Lie algebra, 19
- LSZ reduction formula, 530
- magnetic moment, 339, 340  
 baryons, 339  
 electron, 151
- Majorana neutrinos  
 dimension-5 operator, 175  
 fields, 11, 175  
 leptogenesis, 195  
 mass, 9, 177, 192  
 phases, 71, 178
- mass  
 $\overline{MS}$  mass, 401  
 $b$  quark, 401  
 $c$  quark, 401  
 constituent, 298, 341, 382  
 diagonalization, 44, 66, 176, 274  
 dimension-5 operator, 175  
 Dirac, 9, 173  
 gauge boson, 1, 62, 65  
 heavy quark, 367, 398, 399  
 Higgs boson, 436  
 Majorana, 9, 173, 192  
 neutrino, 177  
 neutrino mass differences, 4  
 nonstrange quark, 346  
 pole mass, 402  
 quark, 3, 201, 202, 205, 344  
 quark mass ratio, 203, 375, 384  
 running, 399  
 strange quark, 346
- massless limit, 5, 103, 201, 205
- Meissner effect, 26, 303
- mesonic molecule, 391
- mesons  
 $\eta(549)$ , 204  
 $\eta'(960)$ , 283, 382  
 $\rho(770)$ , 165, 219, 224, 226  
 $a_1(1260)$ , 227  
 large  $N_c$  limit, 282, 285  
 quark model, 300  
 state vector, 293  
*SU*(3) assignments, 293
- method of regions, 131
- metric tensor (Minkowskian), 535
- Michel parameter, 164
- Mikheyev–Smirnov–Wolfenstein (MSW) effect, 181
- mixing

- $B^0 - \bar{B}^0$ , 416
- $D^0 - \bar{D}^0$ , 418
- $K^0 - \bar{K}^0$ , 260
- $\pi^0 - \eta$ , 375
- neutrino, 70
- quark, 66, 68
- muon, 155
  - decay
    - QED* radiative correction, 159
    - tree-level, 156
  - muon capture, 357
- natural parity, 300
- naturalness, 436
- NDR (naive dimensional regularization), 541
- neutrino oscillation
  - accelerator-based, 190
  - adiabaticity, 184, 188
  - atmospheric neutrinos, 190
  - CP* violation, 184
  - in matter (MSW effect), 181
  - phenomenology, 185
  - reactor neutrinos, 189
  - solar neutrino spectrum, 186
  - two-flavor approximation, 180
  - vacuum, 179
- neutrinos
  - Majorana phases, 71
  - mass, 173
  - mass differences, 4
  - mass eigenstates, 174
  - mixing, 70, 176
  - number of generations, 197
  - oscillation, 5, 179
- Noether current, 12, 83, 129, 352
- Noether's theorem, 12, 81, 352, 365
- nonabelian gauge symmetry, 19, 40
- nonleptonic interaction
  - $B$ ,  $D$  decays, 410
  - $\Delta I = 1/2$  rule, 247, 249, 250, 361
  - chiral lagrangian, 362
  - effective lagrangian, 241, 252
  - hamiltonian, 240, 242, 248
  - hyperon decay, 360
  - kaons, 240
  - lattice matrix element, 255
- nonrelativistic limit, 129, 145, 370, 389, 410
- nonrelativistic *QCD* (*NRQCD*), 370
- nuclear weak processes, 355
- nuclei
  - beta decay, 355
  - muon capture, 357
- Okubo–Zweig–Iizuka (OZI) rule, 285
- operator-product expansion (OPE), 242, 321, 405
- parity  $P$ , 7
- path integrals
  - effective field theory, 115
  - external sources, 496
- fermions, 509
- field theory, 502
- functional differentiation, 496, 503
- gauge fields, 512
- generating functional, 497, 503
- harmonic oscillator, 499
- perturbation theory, 498
- propagator, 493
- quadratic forms, 506, 511
- wavefunctions, 495
- Pauli form factor, 151
- Pauli matrices, 536
- PCAC, 529
  - applications, 258, 347, 357
  - charge commutation rules, 532
  - soft-pion theorem, 531
- penguin diagram, 247, 269, 270, 425, 432
  - chiral evaluation, 271
- perturbative vacuum, 303
- physical constants, 535
- pions
  - $\pi \rightarrow e\nu, \mu\nu$ , 205
  - as Goldstone bosons, 25, 200
  - decay constant  $F_\pi$ , 205, 530
  - form factor, 215, 226, 236
  - mass, 201
  - pion–nucleon interactions, 347, 348
  - radiative transitions, 219
  - scattering, 392
- planar diagram, 279
- PMNS mixing matrix, 71, 178
  - measured values, 71, 190
  - neutrinoless double beta decay, 194
- Poincaré algebra, 26
- polarizability, 220
- polarized Møller scattering, 463
- pole mass, 402
- potential model, 298, 368
- propagators, 538
- pseudoscalar axial form factor, 357
- QCD* sum rules, 318, 328
  - Borel transformation, 323
  - correlator, 319
  - dispersion relation, 319
  - effective continuum threshold, 326
  - examples, 324
  - moments, 323, 325
  - operator product expansion, 321
  - perturbative contributions, 325
  - QCD* continuum approximation, 321
  - vacuum condensates, 322
- quadratic forms, 506, 511
- Quantum Chromodynamics
  - $\alpha_s$ , 55, 169
  - $\theta$ -term, 44
  - Feynman rules, 45
  - lagrangian, 40
  - Ward identities, 47

- Quantum Electrodynamics, 28
  - Feynman rules, 32
  - gauge symmetry, 29
  - lagrangian, 28
  - on-shell renormalization, 35
  - precision tests, 151
  - running coupling constant, 37
  - Ward identity, 36
- quark
  - constituent, 298, 336
  - flavor, 3
  - heavy-quark mass, 399
  - mass estimates, 3, 346
  - mass ratios, 203, 375, 384
- quark mixing, 68
- quark model, 327
  - bag model, 303
  - matrix elements, 334
  - potential model, 299
  - relativistic wavefunction, 296
  - spatial wavefunctions, 295, 332
  - spin wavefunctions, 291, 330, 353
- quark potential, 398
- quarkonium, 366
  - annihilation decays, 372
  - hadronic transitions, 375
  - radiative corrections, 373
  - spectroscopy, 367
- radiative corrections
  - beta decays, 208, 356
  - electroweak, 474, 483
    - $\Delta\rho$ ,  $\Delta\kappa$ ,  $\Delta r_w$ , 484
  - heavy-quark decay, 373
  - muon decay, 159
  - pion decay, 206, 208, 235
- rare decay
  - B* mesons, 430
  - kaons, 255
  - pions, 219
- reactor neutrino oscillations, 189
- Regge trajectory, 379
- Regge-pole, 380
- renormalizability, 30
- renormalization, 39
  - minimal subtraction, 35, 36
  - modified minimal subtraction, 35, 36
  - on-shell, 35, 36, 148, 478
- renormalization constants
  - chiral perturbation theory, 212, 215, 219
  - QCD*, 47, 50
  - QED*, 32, 36
- renormalization group, 52, 245, 249
- renormalization point, 39
- rephasing
  - invariants, 72, 269, 420
  - of fields, 68, 267
- representation independence, 109
- rho-parameter, 139, 456, 460
- running coupling constant
  - QCD*, 53, 169
  - QED*, 37, 39, 487
- scale invariance, 15, 17, 79
- scattering length, 223
- second-class currents, 167
- seesaw mechanism, 175
- self-energy
  - fermion, 74, 160
  - photon, 32
  - W* and *Z*, 479
- semileptonic decay
  - heavy-quark, 410
  - heavy-quark effective theory, 413
- hyperon, 359
- kaon, 238, 258
- tau, 163
- sigma meson, 391
- sigma model
  - explicit symmetry breaking, 124
  - exponential representation, 108, 110
  - linear, 14
    - anomaly, 228
    - effective lagrangian, 107, 114, 226, 533
    - explicit breaking, 17
    - matching, 114
    - renormalization, 116
    - spontaneous symmetry breaking, 24
  - linear representation, 107, 109
  - nonlinear, 108
  - square-root representation, 108, 110
  - symmetry breaking, 24
- sigma term, 98, 344, 348
- Sine–Gordon model, 309
- Skyrme model, 308, 336
  - lagrangian, 310
  - nucleon mass, 328
  - quantization, 314
  - skyrmion, 312
- soft-pion theorem, 26, 272, 530
- solar neutrinos
  - pp* chain, 186
- soliton, 309, 310
- spectator model, 403
- spectral functions, 168
  - measured in tau decay, 168
  - $V - A$ , 272
- spectroscopic notation, 300, 367
- spin matrix element, 330
- spin structure of nucleon, 352
- spin-orbit interaction
  - QED*, 145
- spontaneous symmetry breaking
  - $SU(2)_L \times U(1)$ , 62
  - sigma model, 25
- static quark, 387

- strangeness content of the nucleon, 349  
string tension, 368  
strong  $CP$  violation, 44, 103, 273, 289  
  and  $\bar{\theta}$ , 274  
 $SU(2)$   
   $SU(2)_L$ , 57  
  chiral coefficients, 213  
  chiral  $SU(2)$ , 213  
  conjugate representation, 61  
  isospin, 13  
 $SU(2)_L \times U(1)$ , *see* Weinberg–Salam–Glashow model  
 $SU(3)$ , 41, 74  
   $f_{abc}$ ,  $d_{abc}$  coefficients, 42  
  chiral  $SU(3)$ , 127, 202, 213  
  flavor  $SU(3)$ , 77, 292  
  fundamental representation, 41  
  regular (adjoint) representation, 43  
 $SU(6)$  classification scheme, 376  
supermultiplet, 376  
supersymmetry  
  grand unified theories, 470  
  superweak model, 277  
Sutherland–Veltman theorem, 234  
symmetry  
  classification of, 22, 76  
  dynamical breaking, 22, 200, 202, 533  
  spontaneous breaking, 22–24, 62, 76  
*t* quark  
  electroweak radiative corrections, 484  
  mass, 403  
  toponium, 408  
  weak decay, 408  
tau lepton, 163  
tensor interaction  
   $QED$ , 146  
tetraquark, 396  
theta-term ( $\theta$ -term), 44, 101, 273, 275  
theta-vacuum, 99, 101, 102  
time reversal  $T$ , 7  
trace anomaly, 95, 105, 349  
trace relations, 536  
transverse gauge, 372  
*U*-spin, 204, 384  
Uehling potential, 148, 153  
unitarity, 218, 236, 392, 410, 540  
unitarity triangle, 420  
  angle  $\alpha$ , 420, 425  
  angle  $\beta$ , 420, 424  
  angle  $\gamma$ , 420, 429  
unnatural parity, 300  
vacuum polarization, 33, 34, 47, 137, 171  
  gauge boson, 480, 483  
vacuum saturation, 254  
van Vleck determinant, 517  
vector dominance, 227  
vertex correction, 148  
   $Z \rightarrow b\bar{b}$ , 488  
   $QCD$ , 49  
   $QED$ , 148  
*W* bosons  
  decays to fermions, 471  
  mass, 1, 65  
  self-energies, 480  
Ward identities, 36, 47, 84, 87, 233  
Watson’s theorem, 266, 540  
Watson–Sommerfeld transformation, 379  
wavepacket method, 306, 334, 335  
weak hypercharge, 28, 57, 59, 60  
weak isospin, 28, 57, 61  
weak mixing angle (Weinberg angle), 63  
  definitions, 469  
  effective mixing angle, 465, 468  
  on-shell, 479  
  running, 458  
Weinberg power counting theorem, 122  
Weinberg–Salam–Glashow model, 57  
  Feynman rules, 476  
  lagrangian, 60  
  neutral current phenomenology, 458  
  quark mixing, 66  
  radiative corrections, 159, 478  
  symmetry breaking, 62  
  weak mixing angle, 63  
Wess–Zumino–Witten anomaly action, 228, 232  
Wilson coefficient, 130, 134, 242, 249  
  kaon mixing, 263  
  scale and scheme dependence, 264  
winding number, 99  
Wu–Yang convention, 268  
Yang–Mills theory, 19  
Yukawa coupling, 61  
*Z* boson, 63  
  decays into fermions, 466  
  mass, 1, 63  
  neutral current interaction, 460  
  self-energy, 482  
  testing lepton universality, 467  
  vertex correction, 488  
   $W^3$ – $B$  mixing, 63  
zero-point energy, 97  
zeta-function regularization, 521

