

Contents

| | |
|--|----------------|
| <i>Preface</i> | <i>page xi</i> |
| <i>List of symbols</i> | <i>xiii</i> |
| 1 Scope, motivation, and orientation | 1 |
| Part I Classical theory | 5 |
| 2 A charge coupled to its electromagnetic field | 7 |
| 2.1 The inhomogeneous Maxwell–Lorentz equations | 8 |
| 2.2 Newton’s equations of motion | 12 |
| 2.3 Coupled Maxwell’s and Newton’s equations | 13 |
| 2.4 The Abraham model | 17 |
| 2.5 The relativistically covariant Lorentz model | 22 |
| 2.5.1 The four-current density | 24 |
| 2.5.2 Relativistic action, equations of motion | 27 |
| 3 Historical notes | 33 |
| 3.1 Extended charge models (1897–1912) | 33 |
| 3.2 Nonrelativistic quantum electrodynamics | 36 |
| 3.3 The point charge | 37 |
| 3.4 Wheeler–Feynman electrodynamics | 41 |
| 4 The energy–momentum relation | 44 |
| 4.1 The Abraham model | 44 |
| 4.2 The Lorentz model | 48 |
| 4.3 The limit of zero bare mass | 51 |
| 5 Long-time asymptotics | 54 |
| 5.1 Radiation damping and the relaxation of the acceleration | 55 |
| 5.2 Convergence to the soliton manifold | 59 |
| 5.3 Scattering theory | 61 |

| | | |
|-------|---|-----|
| 6 | Adiabatic limit | 65 |
| 6.1 | Scaling limit for external potentials of slow variation | 66 |
| 6.1.1 | Appendix 1: How small is ε ? | 71 |
| 6.1.2 | Appendix 2: Adiabatic protection | 72 |
| 6.2 | Comparison with the hydrodynamic limit | 74 |
| 6.3 | Point-charge limit, negative bare mass | 75 |
| 7 | Self-force | 80 |
| 7.1 | Memory equation | 81 |
| 7.2 | Taylor expansion | 83 |
| 7.3 | How can the acceleration be bounded? | 86 |
| 8 | Comparison dynamics | 91 |
| 8.1 | An example for singular perturbation theory | 94 |
| 8.2 | The critical manifold | 95 |
| 8.3 | Tracking of the true solution | 97 |
| 8.4 | Electromagnetic fields in the adiabatic limit | 100 |
| 8.5 | Larmor's formula | 101 |
| 9 | The Lorentz–Dirac equation | 106 |
| 9.1 | Critical manifold, the Landau–Lifshitz equation | 107 |
| 9.2 | Some applications | 109 |
| 9.3 | Experimental status of the Lorentz–Dirac equation | 114 |
| 10 | Spinning charges | 119 |
| 10.1 | Effective spin dynamics of the Lorentz model | 119 |
| 10.2 | The Abraham model with spin | 121 |
| 10.3 | Adiabatic limit and the gyromagnetic ratio | 125 |
| 11 | Many charges | 130 |
| 11.1 | Retarded interaction | 130 |
| 11.2 | Limit of small velocities | 132 |
| 11.3 | The Vlasov–Maxwell equations | 138 |
| 11.4 | Statistical mechanics | 139 |
| 12 | Summary and preamble to the quantum theory | 145 |
| | Part II Quantum theory | 147 |
| 13 | Quantizing the Abraham model | 149 |
| 13.1 | Lagrangian and Hamiltonian rewriting of the Abraham model | 150 |
| 13.2 | The Pauli–Fierz Hamiltonian | 153 |
| 13.3 | Fock space, self-adjointness | 160 |
| 13.4 | Energy and length scales | 164 |
| 13.5 | Conservation laws | 167 |
| 13.6 | Boundary conditions and the Casimir effect | 169 |
| 13.7 | Dipole and single-photon approximation | 171 |

| | | |
|--------|---|-----|
| 14 | The statistical mechanics connection | 177 |
| 14.1 | Functional integral representation | 177 |
| 14.2 | Integrating out the Maxwell field | 187 |
| 14.3 | Some applications | 191 |
| 15 | States of lowest energy: statics | 200 |
| 15.1 | Bound charge | 201 |
| 15.2 | Energy–momentum relation, effective mass | 204 |
| 15.2.1 | Appendix: Properties of $E(p)$ | 211 |
| 15.3 | Two-fold degeneracy in the case of spin | 216 |
| 16 | States of lowest energy: dynamics | 220 |
| 16.1 | The time-adiabatic theorem | 221 |
| 16.2 | The space-adiabatic limit | 224 |
| 16.3 | Matrix-valued symbols | 228 |
| 16.4 | Adiabatic decoupling, effective Hamiltonians | 232 |
| 16.5 | Semiclassical limit | 236 |
| 16.6 | Spin precession and the gyromagnetic ratio | 239 |
| 17 | Radiation | 247 |
| 17.1 | N -level system in the dipole approximation | 248 |
| 17.2 | The weak coupling theory | 250 |
| 17.3 | Resonances | 257 |
| 17.4 | Fluorescence | 263 |
| 17.5 | Scattering theory | 268 |
| 18 | Relaxation at finite temperatures | 279 |
| 18.1 | Bounded quantum systems, Liouvillean | 280 |
| 18.2 | Equilibrium states and their perturbations, KMS condition | 283 |
| 18.3 | Spectrum of the Liouvillean and relaxation | 285 |
| 18.4 | The Araki–Woods representation of the free photon field | 288 |
| 18.5 | Atom in interaction with the photon gas | 290 |
| 18.6 | Complex translations | 293 |
| 18.7 | Comparison with the weak coupling theory | 297 |
| 19 | Behavior at very large and very small distances | 300 |
| 19.1 | Infrared photons | 301 |
| 19.2 | Energy renormalization in Nelson’s scalar field model | 304 |
| 19.3 | Ultraviolet limit, energy and mass renormalization | 312 |
| 19.3.1 | Self-energy | 313 |
| 19.3.2 | Effective mass | 316 |
| 19.3.3 | Binding energy | 319 |
| 19.3.4 | Lamb shift and line width | 321 |
| 19.3.5 | g -factor of the electron | 322 |

| | | |
|------|-----------------------------------|-----|
| 20 | Many charges, stability of matter | 326 |
| 20.1 | Stability of atoms and molecules | 328 |
| 20.2 | Quasi-static limit | 331 |
| 20.3 | H-stability | 334 |
| | <i>References</i> | 339 |
| | <i>Index</i> | 358 |