

INSTRUCTIONS TO AUTHORS

The Lichenologist is an international journal and welcomes papers and short communications from contributors anywhere in the world on any aspect of lichenology.

Manuscript Submission

Manuscripts must be original, clearly and precisely presented in English and electronic versions submitted to The Lichenologist ScholarOne website <<http://mc.manuscriptcentral.com/lich>> following the on-screen instructions. Please note that submission must be done from *The Lichenologist* ScholarOne account belonging to the Corresponding Author. Authors submitting a manuscript do so on the understanding that, if it is accepted, copyright of the paper will be assigned exclusively to the British Lichen Society (see Copyright below).

Author recommendations for referees. When uploading a manuscript to ScholarOne, authors will be invited to name "Author Recommended Referees" and "Author Opposed Referees". While recommending one or more referees can be very helpful to editors, they are under no obligation to use them. Equally, editors are under no obligation to avoid using opposed referees but if they do use one they are required to bear in mind the author's request when assessing the report from an opposed individual.

Scope

Papers are accepted in all areas of lichen biology. However, we do not publish the following: (1) species lists or new records unless they are of exceptional interest; (2) descriptions of new species unaccompanied by additional information placing these in a wider context (e.g. detailed comparisons with similar species, phylogenetic analysis, key to the genus or group, biogeographical analysis); (3) descriptions of new chemical entities that lack a biological context (i.e. of a purely phytochemical nature); (4) reports of biological activity of lichen extracts or specific metabolites that lack a lichen biology context (e.g. that relate only to drug discovery).

Book Reviews. Books dealing with any aspect of lichenology will be reviewed. Publishers wishing to have works reviewed in *The Lichenologist* should send them to Dr D.J. Hill, Yew Tree Cottage, Yew Tree Lane, Compton Martin, Bristol, BS40 6JS (d.j.hill@bristol.ac.uk), in the first instance.

Manuscript Format

Abstract. This should contain a short summary of the work reported in the paper sufficient to inform a reader who does not have sight of the full paper. If the paper describes one or more new taxa then the Abstract should report their principal distinguishing characteristics (e.g. "*Bryonora granulata* Fryday, with a finely granular thallus containing perlatolic acid"). If the paper reports experimental or survey data then, if appropriate, include headline values.

Key words. Supply 3–6 key words or phrases in addition to those in the title.

Text. This must be word processed on A4 (210 × 297 mm) or letter (8.5 × 11 inch) in double spacing with 2·5 cm margins all round. On all points of style concerning text and tables consult recent copies of the journal. Complete scientific names (genus, species and authority) must be cited at first mention. Thereafter the generic name may be abbreviated to the initial except at the beginning of a sentence or where the abbreviation might result in confusion with other genera. Recent issues should be consulted for layout of new species, new combinations, synonymy and lists of specimens examined. Examples of style are given below. All nomenclatural novelties must be deposited in a designated data repository (e.g. MycoBank <<http://www.mycobank.org>>, Index Fungorum <<http://www.indexfungorum.org>>, Fungal Names <<http://fungalinfo.im.ac.cn>>) and the accession number included after the taxon name; this is intended to minimize future confusion and make taxonomic data more widely available. A short diagnosis, in either Latin or English, should follow the repository number. This should be a statement of that which in the opinion of the author distinguishes the new taxon from other taxa. A full and accurate description of the species should follow the diagnosis. The spelling of locality names in the British Isles and abroad must follow the most recent editions of maps published by the Ordnance Survey and *The Times Atlas of the World*, respectively.

Please see examples below regarding description and citation of species/specimens:

(a) description of new species:

Fissurina immersa B. O. Sharma, Khadilkar & Makhija sp. nov.

MycoBank No.: MB561855

Similis *F. inabensis* sed differt ascosporis minoribus et simido norstictico continente.

Typus: India, Karnataka, Mudigiri, 26 January 1980, P. G. Patwardhan 80.92 (AMH—holotypus).

(b) citation of described species or new combinations:

Pyrenopsis furfuracea (Nyl.) Th. Fr.

Bot. Notiser 1866: 58 (1866); type: Scotland, Ben Lawers, 1864, Jones (H-NYL 42916—lectotype; BM—isolectotype).

Pyrenopsidium terrigenum (Th. Fr.) Forss., *Nova Acta R. Soc. Scient. Upsal. ser. 3*, 13(6): 81 (1985).—*Pyrenopsis haematopsis* (Sommerf.) β. *terrigena* Th. Fr. in Hellbom, *Övers K. Vetens. Akad. Förh.* 22(6): 478 (1865); type: Sweden, Lule Lappmark, Skarfi, 1864, Hellbom (UPS—holotype).

(c) citation of specimens examined:

Long lists of citations are discouraged. Data should be reproduced as either maps or lists containing only data essential for locating specimens and collecting sites. Complete lists, with the below format, can be deposited with appropriate Institutions, and their location noted in the text, or could be provided in Supplementary Information.

Selected specimens examined. **British Isles:** Scotland: V.C.96, Easterness: Abernethy Forest, near Forest Lodge, 38/01.16, on *Pinus lignum*, 1975, Coppins [2199]

& Rose (BM, E).—**Germany:** *Bayern: Allgauer Alpen, 1957, Schoppel & Poelt* [Poelt, *Lichenes Alpinum* no. 56] (H).—**Australia:** Tasmania: Weindorfers Forest, 41° 38'S, 145°56'E, 920 m, 1988, *Kantvilas* 68/88 (E); Cox Bight, behind west beach, sea-level, 1985, J. A. Elix 20945 (ANUC). Victoria: Belle Creek, c. 1800 m, 5 vi 1983, M. E. Hale (HO).

Tables. These must be self-explanatory and each presented on separate pages outside the main text. A short title should be provided with any additional information contained in footnotes. Vertical columns should be separated by spacing; vertical lines must be avoided.

Figures. Refer to all *drawings, diagrams, graphs* and *photographs* as figures. These should be of the highest quality and suitable for direct reproduction after reduction where appropriate. Each figure should be presented as a separate file. Plan figures to appear within a single column (67 mm) or for reproduction across two columns (139 mm).

Drawings, diagrams and graphs. Graphs should ideally be prepared using specialist graphics packages such as Sigma Plot or Prism. Graphs can either have *x* and *y* axes only or can have both top and bottom and left and right hand axes (i.e. boxed). Axes and tick marks should be 1mm thick with tick marks 2-3 mm long and inward pointing. Axis and tick mark labels should be in Times New Roman (not bold). Preferred symbols for graphs are ○; ●; □; ■; Δ; ▲; keys to symbols, etc, should be given in figure captions. Where multiple graphs are grouped into a single figure, any axes with common labelling (including tick labels where relevant) need only be labelled once (e.g. the lowermost *x* axis if those of all graphs in a column have the same units and descriptions) and the figure should be consolidated by positioning the individual graphs closer together; consult a recent copy of *The Lichenologist* for examples. Colour should not be used in graphics unless the figure is intended to be printed in colour.

Photographs (colour or black and white) should be submitted at the size they will appear. Note that there is a charge for colour printing (see **Charges** below). At the Senior Editor's discretion, images can be published in colour online free of charge while the hard copy appears in black and white, provided that colour is not essential for their interpretation. In such cases the colour and black and white reproductions must be from the same image file. This facility will be largely restricted to morphological and anatomical images since greyscale graphics are discouraged.

Subdivisions of figures should be labelled with capital letters, e.g. A, B, C, etc, and separated by white lines no more than 1–1.5 mm wide. All *legends* for figures should be provided on a separate page to be included with the text of the paper after the references.

Format for supplying electronic artwork. To ensure that your figures are reproduced to the highest possible

standards and your article is published as quickly and efficiently as possible, we recommend the following formats and resolutions for supplying electronic figures.

Please ensure that your figures are saved at final publication size and are in our recommended file formats.

Line artwork (e.g. graphs, drawings histograms, diagrams)

Format: tif or eps

Colour mode: black and white (also known as 1-bit)

Resolution: 1200 dpi

Size: please size to final publication size

Combination artwork (line/tone)

Format: tif or eps

Colour mode: greyscale (also known as 8-bit) Resolution:

800 dpi

Size: please size to final publication size

Black and white halftone artwork (e.g. photographs)

Format: tif

Colour mode: greyscale (also known as 8-bit) Resolution:

300 dpi

Size: please size to final publication size

Colour halftone artwork (e.g. photographs) Format: tif

Colour mode: CMYK colour

Resolution: 300 dpi

Size: please size to final publication size

References. Citations in the text should take the form: Green & White (2014) or (Brown 1999a, b, 2009; Smith & Jones 2015). Multiple citations should be ordered chronologically. When papers are by three or more authors, give only the name of the first author followed by *et al.* (e.g. Halonen *et al.* 1998) throughout the text. At the end of the text, list the references alphabetically using the following standard forms:

Gauslaa, Y., Coxson, D. & Solhaug, K. A. (2012) The paradox of higher light tolerance during desiccation in rare old forest cyanolichens than in more widespread co-occurring chloro- and cephalolichens. *New Phytologist* **195**: 812–822.

Ovstedal, D. O. & Smith, R. I. L. (2001) *Lichens of Antarctica and South Georgia. A Guide to their Identification and Ecology.* Cambridge: Cambridge University Press.

Wetmore, C.M. (2007) *Caloplaca.* In: *Lichen Flora of the Greater Sonoran Desert Region Vol. III* (T.H. Nash, III, C. Gries & F. Bungartz, eds): 179–220. Tempe, Arizona: Lichens Unlimited, Arizona state University.

Sohrabi, M. & Leavitt, S. (2012) Current status of the phylogeny of the family *Megasporaceae*. In *Abstracts of the 7th International Association for Lichenology Symposium, 9–13 January, 2012, Bangkok, Thailand*, p. 151.

Hogan, E.J. (2009) *Nitrogen-phosphorus relationships in lichens.* Ph.D. thesis, University of Nottingham.

References should be listed in alphabetic sequence with: single authors, by date; two authors, alphabetically, then by date; three or more authors by date only. When papers

are by more than ten authors, give the names of only the first ten followed by "et al."

Abbreviations, etc. For guidance on units, symbols, chemical nomenclature and abbreviations consult author guidelines for *The New Phytologist*.

Data Archiving

Nomenclatural novelties must be deposited in a designated repository (see above) and new gene sequences must be deposited in a recognized data base such as GenBank or the European Nucleotide Archive. Molecular data sets should be archived in repositories such as Dryad or TreeBase. We encourage authors of physiological and ecological papers to archive their raw data in an appropriate repository; alternatively they can provide these as Supplementary Information.

Copyright

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the British Lichen Society. The Copyright Transfer Agreement, a copy of which is sent with the proofs or can be found on the journal home page listed on the back cover, should be signed by the appropriate person(s) and should accompany the original submission of a manuscript to this journal. The transfer of copyright does not take effect until the manuscript is accepted for publication. Copyright in the paper for the United States of America shall be assigned to the Society. It is the policy of the publisher that authors need not obtain permission in the following cases only: (1) to use their original figures or tables in their future works; (2) to make copies of their papers for use in their classroom teaching; and (3) to include their papers as part of their dissertations.

Offprints

In consideration for the assignment of copy-right, the Society will supply 25 offprints and a pdf file of each

paper or Short Communication but not of Book Reviews. Further reprints can be ordered at extra cost directly from Cambridge University Press when the author returns the proofs of their article.

Colour Figures

Authors are responsible for the cost of coloured illustrations. However, the Senior Editor is often able to offer a subsidy from British Lichen Society funds to its members who find that they have insufficient money to meet the full cost of colour printing. Authors should consult the Senior Editor regarding current charges and possible subsidies.

Open Access

The Lichenologist offers authors the option to publish their work under a Gold Open Access model. For details of our policy and pricing, please visit <http://journals.cambridge.org/action/stream?pageId=9128&level=2>

Cambridge Journals Language Editing Service

Cambridge recommends that authors have their manuscripts checked by an English language native speaker before submission; this will ensure that submissions are judged at peer review exclusively on academic merit. We list a number of third-party services specialising in language editing and/or translation, and suggest that authors contact as appropriate. Use of any of these services is voluntary, and at the author's own expense. <http://journals.cambridge.org/action/stream?pageId=8728&level=2&menu=Authors&pageId=3608>

Notice

While the Senior Editor and Editors endeavour to check the accuracy of statements in contributions in as far as they are able, it should be emphasized that views expressed in papers in *The Lichenologist* are those of their authors and do not necessarily represent those of the British Lichen Society, Cambridge University Press, the Senior Editor, or the members of the Editorial Board.

The Journal of Agricultural Science


Senior Editor (Animal papers)

Julian Wiseman, *University of Nottingham, UK*

Senior Editor (Crops & Soils papers)

Paul Bilsborrow, *Newcastle University, UK*

The Journal of Agricultural Science publishes papers concerned with the advance of agriculture and the use of land resources throughout the world. It publishes original scientific work related to strategic and applied studies in all aspects of agricultural science, including: crop and animal physiology, modelling of crop and animal systems, the scientific underpinning of agronomy and husbandry, engineering solutions, decision support systems, land use, environmental impacts of agriculture and forestry, impacts of climate change, rural biodiversity, experimental design and statistical analysis, the application of new analytical and study methods (including molecular studies). The journal also publishes book reviews and letters.



The Journal of Agricultural Science is available online at:
<http://journals.cambridge.org/ags>

**To subscribe contact
Customer Services****Americas:**

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Rest of world:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

Submit your research online

<http://mc.manuscriptcentral.com/jagrisci>

Free email alerts

Keep up-to-date with new material – sign up at
journals.cambridge.org/ags-alerts

For free online content visit:
<http://journals.cambridge.org/ags>

 **CAMBRIDGE**
UNIVERSITY PRESS

Antarctic Science

Published on behalf of Antarctic Science Ltd, Cambridge

Editors

Laurie Padman, Earth & Space Research, Corvallis, USA

Walker O. Smith, Virginia Institute of Marine Sciences, USA

Alan P. M. Vaughan, British Antarctic Survey, Cambridge, UK

David W. H. Walton, British Antarctic Survey, Cambridge, UK

Antarctic Science provides a truly international forum for the broad spread of studies that increasingly characterize scientific research in the Antarctic. The journal attracts papers from all countries currently undertaking Antarctic research. Whilst emphasising interdisciplinary work, the journal publishes papers from environmental management to biodiversity, from volcanoes to icebergs, and from oceanography to the upper atmosphere. No other journal covers such a wide range of Antarctic scientific studies.

Price information

is available at: <http://journals.cambridge.org/ans>

Free email alerts

Keep up-to-date with new material – sign up at

<http://journals.cambridge.org/ans-alerts>

For free online content visit:
<http://journals.cambridge.org/ans>

**ANTARCTIC
science**



VOLUME 25 NO 6 DECEMBER 2013
ISSN 0964-1602

- MICE PREDATION ON ALBATROSS CHICKS
- MEASURING SEAL MASS BY PHOTGRAMMETRY
- EUKARYOTIC INTRONS IN THE ROSEN SEA
- UV CLIMATOLOGY AT ESCUDERO STATION
- ROSS SEA LATE QUATERNARY CLIMATE
- SALINITY OF SNOW-LAIDEN SEA ICE

Antarctic Science

is available online at:
<http://journals.cambridge.org/ans>

To subscribe contact
Customer Services

in Cambridge:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

subscriptions_newyork@cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

Experimental Agriculture

Editor

Dave Harris, ICRISAT, Kenya


Experimental Agriculture publishes the results of original research from any source on the agronomy of field, plantation and herbage crops grown for human or animal food; for industrial purposes; and on systems of agricultural production, particularly in the warmer regions of the world. It is especially concerned with experimental work designed to explain agronomic results in biological and environmental terms. The journal publishes accounts of new experimental techniques, new methods of crop production and discusses problems in countries where production is developing rapidly. There are regular book reviews and occasional, often invited, reviews of research.

For free online content visit:
<http://journals.cambridge.org/eagsample>

Free email alerts

Keep up-to-date with new content

<http://journals.cambridge.org/eag-alerts>



Experimental Agriculture
is available online at:
<http://journals.cambridge.org/eag>

**To subscribe contact
Customer Services**

Americas:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Rest of world:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

Price Information

is available at:
<http://journals.cambridge.org/eag>



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE

JOURNALS

Edinburgh Journal of Botany

An International Journal of Plant Systematics and Biodiversity

Published on behalf of the Royal Botanic Garden Edinburgh

Senior Editor

Mark Newman, Royal Botanic Garden Edinburgh, UK

Edinburgh Journal of Botany is an international journal of plant systematics and related aspects of bio-diversity, conservation science and phytogeography. It covers all groups of plants and fungi and publishes contributions on all geographic areas, although it is particularly valued for its articles on South East and South West Asian, Sino-Himalayan and Brazilian biodiversity. Papers linking traditional and modern taxonomic techniques are especially encouraged, and commissioned book reviews and review articles are also included. There is an international editorial board of wide-ranging expertise delivering a high quality, fully illustrated journal.


Price information

is available at: <http://journals.cambridge.org/ejb>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/ejb-alerts>

For free online content visit:
<http://journals.cambridge.org/ejb>



Edinburgh Journal of Botany
is available online at:
<http://journals.cambridge.org/ejb>

To subscribe contact
Customer Services

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

Genetics Research

Editor-in-Chief

Noam Shomron, Tel Aviv University, Israel

Genetics Research is a key forum for original research on all aspects of human and animal genetics, reporting key findings on genes, mutations and molecular interactions leading to a better understanding of human disease. The journal focuses on the use of new technologies, such as massive parallel sequencing together with bioinformatics analysis, to produce increasingly detailed views of how genes function in tissues and how these genes perform, individually or collectively, in disease aetiology. The journal publishes original work, review articles, short papers, computational studies, and novel methods and techniques in research covering humans and well-established genetic organisms (such as the mouse and rat). Key subject areas include medical genetics, genomics, human evolutionary and population genetics, bioinformatics, genetics of complex traits, molecular and developmental genetics, Evo-Devo, quantitative and statistical genetics, behavioural genetics and environmental genetics. The breadth and quality of research make the journal an invaluable resource for medical geneticists, molecular biologists, animal breeders, and researchers involved in genetic basis of diseases, evolutionary and developmental studies.

Price information

is available at: <http://journals.cambridge.org/grh>

Free email alerts

Keep up-to-date with new material – sign up at

<http://journals.cambridge.org/grh-alerts>

For free online content visit: <http://journals.cambridge.org/grh>

GENETICS RESEARCH



CAMBRIDGE
UNIVERSITY PRESS

Genetics Research
is available online at:
<http://journals.cambridge.org/grh>

To subscribe contact
Customer Services

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

The Lichenologist

Volume 47 • 2015

Edited for the British Lichen Society by

P. D. CRITTENDEN (Nottingham, U.K.)

A. F. BRAITHWAITE-Managing
(Nottingham, UK)
R. P. BECKETT (Scottsville, RSA)
B. J. COPPINS (Edinburgh, UK)
A. CRESPO (Madrid, Spain)
P. DIEDERICH (Luxembourg)
S. EKMAN (Uppsala, Sweden)
D. ERTZ (Merse, Belgium)
A. M. FRYDAY (East Lansing, USA)
D. J. HILL – Book Reviews (Bristol, UK)

J. D. LAWREY (Fairfax, USA)
R. LÜCKING (Berlin, Germany)
L. MYLLYS (Helsinki, Finland)
A. ORANGE (Cardiff, UK)
S. PÉREZ-ORTEGA (Madrid, Spain)
C. PRINTZEN (Frankfurt, Germany)
T. SPRIBILLE (Graz, Austria)
M. WEDIN (Stockholm, Sweden)
S. WILL-WOLF (Madison, USA)
R. Yahr (Edinburgh, UK)



Index Volume 47 (2015)

New taxa in **bold** and new combinations marked with an asterisk.

- agriculture, epiphytic lichens on holm oak 59–68
Ahti, T. *see* Pino–Bodas *et al.*
 see also Stenroos *et al.*
Allocetraria sinensis 33–34
 yunnanensis 33–34
Amandinea crassiuscula 262–263
 incrustans 263
 langloisii 263–264
 leucomela 264–265
 lobarica 257–261
 mediospora 265
 megaspora 265
 montana 264
 subduplicata 265–266
 submontana 264
Andersen, H. L. *see* Jørgensen and Andersen
Antarctica, *Austrostigmidium* 143–156
Anzia colpota 102–103
 formosana 103–106
 hypoleucoesoides 106–108
 *hypomelaena** 108–109
 japonica 109
 leucobatoides 109–111
 opuntiella 111
 ornata 111–112
 pseudocolpota 112
 rhabdorhiza 113
Aptroot, A., Sobreira, P. N. B. and Cáceres, M. E. S.,
 a remarkable new *Ramonia* (*Gyalectaceae*) from
 Brazil, with a key to the species 21–29
 see also Sobreira *et al.*
Aragón, G. *see* Prieto *et al.*
Arthoniaceae 253–254
Arup, U., Vondrák, J. and Halici, M. G., *Parvoplaca*
 nigroblastidiata – a new corticolous lichen
 (*Teloschistaceae*) in Europe, Turkey and Alaska
 379–385
ascospores, multisporous in *Ramonia variospora* 22–26
Aspidelia 197–203
 beckettii 197–203
Asplund, J. and Wardle, D. A., changes in functional
 traits of the terricolous lichen *Peltigera aphthosa*
 across a retrogressive boreal forest
 chronosequence 187–195
Astrochapsa sipmanii 158–160
Atla alaskana 95–97
 recondita 97
 Atla 93–98
Bactrospora angularis 133
basidia, *Tremella cetrariellae* 362–364
basidiospores, *Tremella cetrariellae* 362–364
Benatti, M. N. *see* Masson *et al.*
biodiversity, epiphytic lichens on holm oak 59–68
Boluda, C. G., Divakar, P. K., Hawksworth, D. L.,
 Villagra, J. and Rico, V. J., molecular studies reveal
 a new species of *Bryoria* in Chile 387–394
Rico, V. J., Crespo, A., Divakar, P. K. and
 Hawksworth, D. L., molecular sequence data from
 populations of *Bryoria fuscescens* s. lat. in the
 mountains of central Spain indicates a mismatch
 between haplotypes and chemotypes 279–286
Book reviews, *Images from Lichenes Australasici Exsiccati*
 and of Other Characteristic Australasian Lichens by
 Felix Schumm and John A. Elix. Reviewed by
 D. J. Hill 349
Lichen Secondary Metabolites: bioactive properties and
 pharmaceutical potential edited by Branislav
 Ranković. Reviewed by D. L. Hawksworth
 277–278
Brazil, *Bactrospora angularis* 133
 Calopadia saxicola 137–139
 Ramonia variospora 22–25
Breuss, O. and Lücking, R., three new lichen species
 from Nicaragua, with keys to the known species of
 Eugenilla and *Malmidea* 9–20
Bryoria araucana 387–394
 glabra 387–394
 trichodes 387–394
Buaruang, K., Scharnagl, K., Divakar, P., Leavitt, S. D.,
 Crespo, A., Nash, T. H., Manoch, L., Lücking, R.
 and Lumbsch, H. T., molecular data support
 Pseudoparmelia as a distinct lineage related to
 Relicina and *Relicinopsis* (Ascomycota, *Lecanorales*)
 43–49
Bulbothrix fungicola 323–334
 johannis 326–329
 pseudocoronata 323–334
 pseudofungicola 323–334
 suffixa 323–334
Burgaz, A. R. *see* Pino–Bodas *et al.*
Cáceres, M. E. S. *see* Aptroot *et al.*
 see also Sobreira *et al.*
Calicium corynillum 205–214
 viride 205–214
Calopadia ahtii 382
 saxicola 137–139
 turkuensis 382
chemistry, comparison of *Bryoria* species 393
 Glomerulophoron 235
 Inoderma 235
 Sporodophoron 235
chemotypes, *Bryoria fuscescens* 279–286
Chen, K. *see* Wei, X.-L. *et al.*
Chile, *Austrostigmidium* 143–156

- Bryoria glabra* 387–394
China, Allocetraria yunnanensis 31–34
Anzia colpota 102–103
 formosana 103–106
 hypoleucoes 106–108
 *hypomelaena** 108–109
 japonica 109
 leucobatoides 109–111
 opuntiella 111
 ornata 111–112
 pseudocolpota 112
 rhabdorhiza 113
Cladia aggregata 395–402
Cladina 215–231
Cladonia farinacea 287–303
 furcata 287–303
 multiformis 287–303
 pseudostellata 215–231
 scabriuscula 287–303
 stereoclada 287–303
 subrangiformis 287–303
 uncialis 215–231
Clerc, P. see *Perlmutter et al.*
Coccomyxa 403–414
conservation, Lobaria scrobiculata 183–186
 the status of *Calicium corynellum* 205–214
Crespo, A. see *Boluda et al.*
 see also *Buaruang et al.*
 see also *Ferencova et al.*
Cruentotrema kurandense 165

De Los Ríos, A. see *Pérez-Ortega et al.*
Degelia 343–348
Degelia rosulata 343–348
Diederich, P. see *Millanes et al.*
Diel, H. see *Schultz et al.*
Divakar, P. K. see *Boluda, Divakar et al.*
 see also *Boluda, Rico et al.*
 see also *Buaruang et al.*
Dyplolabia afzelii 165

ecology, epiphytic lichens on holm oak 59–68
Peltigera aphthosa 187–195
Elix, J. A. see *Giralt et al.*
Elliptochloris 403–414
Endococcus cladiæ 396–397
Epiphloea 369–378
Epiphloea byssina 369–378
 terrena 369–378
Ertz, D. see *Frisch et al.*
Eugeniella paleola 9–10
Eugeniella 9–20
Everglades National Park, Stirtonia byssoidæ 2–4
 coei 4
 latispora 5–6

Ferencova, Z., Hawksworth, D. L. and Crespo, A.,
 the status and application of the generic name
 Aspidelia 197–203
fire, epiphytic lichens on holm oak 59–68
Fissurina duplomarginata 160

Florence, A. see *Yahr et al.*
forests, changes in functional traits of Peltigera aphthosa
 187–195
Frisch, F., Ohmura, Y., Ertz, D. and Thor, G.,
 Inoderma and related genera in *Arthoniaceae* with
 elevated white pruinose pycnidia or sporodochia
 233–256
*Fuscopannaria crystallifera** 39
Fuscopannaria 35–42

galls, Tremella cetrariellæ 362–364
Garrido-Benavent, I., Llop, E. and Gómez-Bolea, A.,
 the effect of agriculture management and fire on
 epiphytic lichens on holm oak trees in the eastern
 Iberian Peninsula 59–68
 see also *Pérez-Ortega et al.*
Gassicurtia vaccinii 266
Giralt, M., Van Den Boom, P. P. G. and Elix, J. A.,
 Amandinea lobarica, a new corticolous species from
 Guatemala, with notes on some additional
 Amandinea taxa 257–268
Glomerulophoron 252–253
Glomerulophoron mauritiae 252–253
Goffinet, B. see *Wang, X. Y. et al.*
Gómez-Bolea, A. see *Garrido-Benavent et al.*
Graphis bukittinaensis 160–161
 chloroalba 165
 cincta 341
 cremicolor 165
 diplocheila 165
 jejuensis 341
 koratensis 338–340
 leprographa 165
 nigrocarpa 341
 novopalmitcola 165
 paraschiffnerti 13
 renschiana 341
 sayeri 165
 seminuda 341
 singaporensis 161–163
 srilankensis 165
 subhiascens 165
 subserpentina 341
growth, Ramalina usnea 51–58
Gumboski, E. L., Calopadia saxicola (Pilocarpaceæ,
 Ascomycota), a new saxicolous species
 growing on rocky seashores in southern Brazil
 137–141

Halici, M. G. see *Arup et al.*
haplotypes, Bryoria fuscescens 279–286
hapters, in Hypogymnia 69–75
Hawksworth, D. L. see *Boluda, Divakar et al.*
 see also *Boluda, Rico et al.*
 see also *Ferencova et al.*
Hestmark, G., lectotypification of *Umbilicaria virginis*
 (*Umbilicariaceæ*) 77–81
homoplasy, Cladonia furcata complex 287–303
host selection, Tremella cetrariellæ 362–364
host-parasite interface, Austrostigmadium
 mastodiae 150–152

- Hypogymnia* 69–75
Hypogymnia papilliformis 117–119
- Inoderma* 237–239
Inoderma afromontanum 239–241
 byssaceum 241–242
 nipponicum 243–244
 *subabietinum** 244–246
- Jørgensen, P. M. and Andersen, H. L., the lichen genus *Psoromedium* (Pannariaceae) re-evaluated, with nomenclatural notes on *Degeliella* and *Psoromaria* 343–348
 see also Wolseley *et al.*
- Joseph, S. and Sinha, G. P., contributions to the genus *Synarthonia* (lichenized Ascomycota, Arthoniaceae) 123–130
- Kantvilas, G. see Wolseley *et al.*
keys, *Amandinea* 266–267
Anzia from China 102
Arthoniaceae 253–254
Atla 97–98
Bactrospora 133–136
Calopadia in Brazil 140
Caloplaca 382
Eugeniella 10–12
Gassicurtia vaccinii 266–267
Graphidaceae 318–321
Hypogymnia in Far East Russia 121
lichenicolous fungi on *Cladina* 400–401
Malmidea 15–19
Melaspilea 176–177
Parvoplaca 382
Porina 357
Ramonia 26–28
Stirtoria 6
Synarthonia 129
Kraichak, E. see Pitakpong *et al.*
Kroschia, a synonym of *Fuscopannaria* 35–42
- Leavitt, S. D. see Buaruang *et al.*
Leptogium 374–377
Leptogium byssinum 374–377
 terrenum 374–377
- Liang, M. M. see Wang, X. Y. *et al.*
- Lichen Diversity Value, epiphytic lichens on holm oak 59–68
- lichenicolous fungi, *Austrostigmnidium mastodiae* 143–156
Endococcus cladiæ 396–397
Lichenopeltella soiliæ 397–399
Lichenosticta hoegnabbae 399–400
on *Cladina* 396–402
Tremella cetrariellæ 362–364
- Lichenopeltella soiliæ* 397–399
Lichenosticta hoegnabbae 399–400
- Liu, D. see Wang, X. Y. *et al.*
Llop, E. see Garrido-Benavent *et al.*
Lobaria scrobiculata 183–186
Lücking, R. and Pérez-Ortega, S., four new species of
- Ocellularia* (lichenized Ascomycota: Graphidaceae) from Cuba, with a revised taxonomy of the *O. bahiana* complex and a key to theトレモイド taxa with small, brown, (sub-) muriform ascospores 305–322
 see also Buaruang *et al.*
 see also Perlmutter *et al.*
 see also Pitakpong *et al.*
 see also Weerakoon *et al.*
- Lum, S. see Weerakoon *et al.*
- Lumbsch, H. T. see Buaruang *et al.*
 see also Pino–Bodas *et al.*
 see also Pitakpong *et al.*
 see also Weerakoon *et al.*
 see also Wei, X.-L. *et al.*
- Magain, N. and Serusiaux, E., the lichen genus *Kroschia* is a synonym of *Fuscopannaria* (Pannariaceae) 35–42
Malmidea 9–20
Malmidea cineracea 14
 *nigromarginata** 19
 *piperina** 19
Manoch, L. see Buaruang *et al.*
Martín, M. P. see Pino–Bodas *et al.*
Martinez, I. see Prieto *et al.*
Masson, D., Benatti, M. N. and Sérusiaux, E., the description of a new species reveals underestimated diversity in the lichen genus *Bulbothrix* (Parmeliaceae) in Africa 323–334
McCune, B., Tchabanenko, S and Wei, X. L., *Hypogymnia papilliformis* (Parmeliaceae), a new lichen from Far East Russia and China 117–122
Melanotrema platystomum 165
Melaspilea 167–182
Melaspilea deformis 170–171
 demissa 171–176
 gibberulosa 169–171
Merinero, S. see Prieto *et al.*
Micarea 403–414
microsatellite markers, *Lobaria scrobiculata* 183–186
Millanes, A. M., Diederich, P., Westberg, M., Pippola, E. and Wedin, M., *Tremella cetrariellæ* (*Tremellales*, Basidiomycota, Fungi), a new lichenicolous fungus on *Cetrariella delisei* 359–368
Muangsan, N. see Pitakpong *et al.*
Myriotrema clandestinum 165
- Nash, T. H. see Buaruang *et al.*
- neotropical species,
- Eugeniella palleola*
- 9–10
-
- Graphis paraschiffneri*
- 13
-
- Malmidea cineracea*
- 14
-
- Ramonia variospora*
- 22–25
-
- Stirtoria byssoidæa*
- 2
-
- coei*
- 4
-
- latispora*
- 5
-
- new combinations,
- Anzia hypomelaena**
- 108–109
-
- Fuscopannaria crystallifera**
- 39
-
- Inoderma subabietinum**
- 244–246
-
- Malmidea nigromarginata**
- 19
-
- piperina**
- 19
-
- Parvoplaca chelyae**
- 384–385

- Psoromaria rosulata** 348
*versicolor** 348
- Sporodophoron americanum*** 247–248
*cretaceum** 248–250
- new genera, **Austrostigmadium** 143–156
Glomerulophoron 252–253
Sporodophoron 246–247
- new records, *Allocetraria yunnanensis* (China) 31–34
Bryoria glabra (Chile) 387–394
Cladina aggregata (New Zealand) 395–402
Cruentotrema kurandense (Singapore) 165
Dyplolabia afzelii (Singapore) 165
Endococcus cladiae (New Zealand) 396–397
Eugeniella palleola (Nicaragua) 9–10
Graphis renshiana (Thailand) 341
chloroalba (Singapore) 165
cincta (Thailand) 341
cremicolor (Singapore) 165
diplocheila (Singapore) 165
jejuensis (Thailand) 341
leprographa (Singapore) 165
nigrocarpa (Thailand) 341
novopalnicola (Singapore) 165
- paraschiffneri** (Nicaragua) 13
sayeri (Singapore) 165
seminuda (Thailand) 341
srilankensis (Singapore) 165
subhiascens (Singapore) 165
subserpentina (Thailand) 341
- Lichenopeltella soiliiae* (New Zealand) 397–399
Lichenosticta hoegnabbae (New Zealand) 399–400
- Malmidea cineracea** (Nicaragua) 14
*nigromarginata** (Nicaragua) 19
*piperina** (Nicaragua) 19
- Melanotrema platystomum* (Singapore) 165
Myriotrema clandestinum (Singapore) 165
- Niesslia cladoniicola* (Australia) 395–402
- Ocellularia ascidioidea* (Singapore) 165
depressa (Singapore) 165
exigua (Singapore) 165
granulifera (Singapore) 165
viridipallens (Singapore) 165
zamboangensis (Singapore) 165
- Ramonia variospora** (Brazil) 22–25
Sarcographa oculata (Singapore) 165
Stirtonia byssoidae (America) 4
coei (America) 5
latispora (America) 2
- new species, *Allocetraria yunnanensis* 33–34
Amandinea lobarica 257–268
Anzia pseudocolpota 112
Astrochapsa sipmanii 158–160
Atla alaskana 95–97
recondita 97
- Austrostigmadium mastodiae** 143–156
Bactrospora pilosa 133
Bulbothrix johannis 326–329
Calopadia saxicola 137–139
Endococcus cladiae 396–397
Eugeniella palleola 9–10
Fissurina duplomarginata 160
Glomerulophoron mauritiae 252–253
- Graphis bukittimaensis* 160–161
koratensis 338–340
paraschiffneri 13
singaporensis 161–163
Hypogymnia papilliformis 117–119
Inoderma afromontanum 239–241
nipponicum 243–244
Lichenopeltella soiliiae 397–399
Lichenosticta hoegnabbae 399–400
Malmidea cineracea 14
Ocellularia coronata 306–308
fuscospora 308–309
gueidaniana 163
nigririmis 309–311
radiata 311–313
rivasplatiana 163–164
subdupiensis 164–165
Parvoplaca nigroblastidiata 382–384
Porina rivalis 354–356
Ramonia variospora 22–25
Sporodophoron gossypinum 250–251
primorskicense 251–252
Stirtonia byssoidae 2
coei 4
latispora 5
Synarthronia psoromica 128
sikkimensis 128–129
Tremella cetrariellae 362–364
New Zealand, *Endococcus cladiae* 396–397
Lichenopeltella soiliiae 397–399
Lichenosticta hoegnabbae 399–400
Niesslia cladoniicola 400
Ngo, K. M., see Weerakoon et al.
Nicaragua, *Eugeniella palleola* 9–10
Graphis paraschiffneri 13
Malmidea cineracea 14
*nigromarginata** 19
*piperina** 19
Niesslia cladoniicola 400
- Ocellularia ascidioidea* 165
coronata 306–308
depressa 165
exigua 165
fuscospora 308–309
granulifera 165
gueidaniana 163
nigririmis 309–311
obturascens 311
radiata 311–313
referta 316–317
rivasplatiana 163–164
rudior 313–315
subdupiensis 164–165
viridipallens 165
zamboangensis 165
Ohmura, Y. see Frisch et al.
Orange, A., a new freshwater *Porina* (*Porinaceae*, *Ostropales*) from Great Britain 351–358
- Pannariaceae*, 35–42
Papong, K. B. see Pitakpong et al.

- phylogenetic relationship of *Pseudoparmelia*, *Relicina*, and *Relicinopsis* 43–49
*Parvoplaca chelyae** 384–385
nigroblastidiata 382–384
Peltigera aphthosa 187–195
 Pérez-Ortega, S., Garrido-Benavent, I. and De Los Ríos, A., *Austrostigmidium*, a new austral genus of lichenicolous fungi close to rock-inhabiting meristematic fungi in *Teratosphaeriaceae* 143–156
see also Lücking and Pérez-Ortega
 Perlmutter, G. B., Tucker, S. C., Rivas Plata, E., Clerc, P. and Lücking, R., *Melaspilea demissa* (Tuck.) Zahlbr. (lichenized Ascomycota) in eastern North America with a key to North American species of *Melaspilea* s. lat. 167–182
 photobiont, *Fuscopannaria* 35–42
 molecular and morphological diversity with *Micarea* 403–414
 phylogenetic analysis, *Anzia* 99–115
Arthoniaceae 233–256
Atla 93–98
Bryoria 387–394
Bryoria fuscescens 279–286
Bulbothrix 323–334
Calicium 205–214
Caloplaca 379–385
Cladonia 215–231
Cladonia furcata complex 287–303
*Fuscopannaria crystallifera** 39
Graphis 335–340
 highly effective primer excluding algae 269–275
Inoderma 233–256
Leptogium 369–378
 photobionts of *Micarea* 403–414
Porina 351–358
Pseudoparmelia 43–49
Psoromidium 343–348
Relicina 43–49
Relicinopsis 43–49
Teratosphaeriaceae 143–156
Tremella 360–364
 phylogram, *Allocetraria* 32
Bryoria 389
Caloplaca 381
Fuscopannaria 38
Kroswia 38
Leptogium 373
Pannaria 38
 photobionts of *Micarea* 403–414
Porina 353–354
Pseudoparmelia 43–49
Relicina 43–49
Relicinopsis 43–49
Tremella 363
 Pino-Bodas, R., Burgaz, A. R., Martín, M. P., Ahti, T., Stenroos, S., Wedin, M. and Lumbsch, H. T., the phenotypic features used for distinguishing species within the *Cladonia furcata* complex are highly homoplasious 287–303
see also Stenroos et al.
see also Zhurbenko and Pino-Bodas
 Pippola, E. *see* Millanes et al.
 Pitakpong, A., Kraichak, E., Papong, K. B., Muangsan, N., Suwanwaree, P., Lumbsch, H. T. and Lücking, R., new species and records of the lichen genus *Graphis* (*Graphidaceae*, Ascomycota) from Thailand 335–342
 polyphyletic, *Cladonia furcata* complex 287–303
Porina rivalis 353–356
 Prieto, M., Romera, L., Merinero, S., Aragón, G. and Martínez, I., development and characterization of fungal specific microsatellite markers in the lichen *Lobaria scrobiculata* (*Lobariaceae*, Ascomycota) 183–186
see also Schultz et al.
Pseudococcomyxa 403–414
Pseudoparmelia 43–49
Psoromaria 343–348
*Psoromaria rosulata** 348
*versicolor** 348
Ramalina usnea 52–58
variospora 22–25
Ramonia 21–29
Relicina 43–49
Relicinopsis 43–49
 Resl, P. *see* Schneider et al.
 rhizines, in *Hypogymnia* 69–75
 Rico, V. J. *see* Boluda, Divakar et al.
see also Boluda, Rico et al.
 Rivas Plata, E. *see* Perlmutter et al.
 Romera, L. *see* Prieto et al.
 Sanders, W. B. and Tokamov, S. A., diffuse growth in the fruticose beard lichen *Ramalina usnea* (L.) R. Howe 51–58
Sarcographa oculata 165
 Scharnagl, K. *see* Buaruang et al.
 Schneider, K., Resl, P., Westberg, M. and Spribille, T., a new, highly effective primer pair to exclude algae when amplifying nuclear large ribosomal subunit (LSU) DNA from lichens 269–275
 Schultz, M., Wedin, M., Diel, H. and Prieto, M., *Epiphloea* belongs to *Collemataceae* (Lecanoromycetes, lichenized Ascomycota) 369–378
 Seavey, F. and Seavey, J., three new *Stirtonia* from Everglades National Park with a key to the neotropical species 1–7
 Seavey, J. *see* Seavey and Seavey
 Sérusiaux, E. *see* Magain and Sérusiaux
see also Masson et al.
 Shi, H. X. *see* Wang, X. Y. et al.
 Singapore, *Astrochapsa sipmanii* 158–160
Cruentotrema kurandense 165
Dyplolabia afzelii 165
Fissurina diplomarginata 160
Graphis bukittimaensis 160–161
chloroalba 165
cremicolor 165
diplocheila 165
leprographa 165
novopalamicola 165

- sayeri* 165
singaporenensis 161–163
srilankensis 165
subhiascens 165
Melanotrema platystomum 165
Myriotrema clandestinum 165
Ocellularia ascidioidea 165
depressa 165
exigua 165
granulifera 165
gueidaniana 163
rivasplatiana 163–164
subudupiensis 164–165
viridipallens 165
zamboangensis 165
Sarcographa oculata 165
Sinha, G. P. *see* Joseph and Sinha 123–124
Škaloud, P. *see* Yahr *et al.*
Sobreira, P. N. B., Aptroot, A. and Cáceres, M. E. S., a world key to species of the genus *Bactrospora* (*Roccellaceae*) with a new species from Brazil 131–136
see also Aptroot *et al.*
Sporodophoron 246–247
Sporodophoron americanum 247–248
cretaceum 248–250
gossypinum 250–251
primorskicense 251–252
Spribille, T. *see* Schneider *et al.*
Stenroos, S., Pino-Bodas, R., Weckman, D. and Ahti, T., phylogeny of *Cladonia uncialis* (*Cladoniaceae*, Lecanoromycetes) and its allies 215–231
see also Pino-Bodas *et al.*
Stirtonia 1–7
Stirtonia byssoidaea 2
coei 4
latispora 5
Suwanwaree, P. *see* Pitakpong *et al.*
Synarthronia 128–129
Synarthronia bicolor 124–128
psoromica 128
sarcographoides 128
sikkimensis 128–129
stigmatidalis 129
synonymy, *Kroswia* is a synonym of *Fuscopannaria* 35–42
Tchabanenko, S. *see* McCune *et al.*
Thailand, *Graphis cincta* 341
jejuensis 341
nigrocarpa 341
renschiiana 341
seminuda 341
subserpentina 341
Thor, G. *see* Frisch *et al.*
Thüs, H. *see* Wolseley *et al.*
Tibell, L. *see* Tibell, S.
Tibell, S. and Tibell, L., two new species of *Atla* (*Verrucariaceae*) 93–98
Tokamov, S. A. *see* Sanders and Tokamov
Tremella cetrariellae 362–364
cetrariicola 362–364
tribute, Peter James 83–92
Tucker, S. C. *see* Perlmutter *et al.*
Tuckermannopsis 362–364
Umbilicaria virginis 77–81
Unciales 215–231
USA, *Stirtonia byssoidaea* 2
coei 4
latispora 5
Van Den Boom, P. P. G. *see* Giralt *et al.*
Villagra, J. *see* Boluda *et al.*
Vondrák, J. *see* Arup *et al.*
Vojtsekovich, A. *see* Yahr *et al.*
Wang, L. S. *see* Wang, X. Y. *et al.*
Wang, R.-F., Wei, X.-L. and Wei, J.-C., a new species of *Allocetraria* (*Parmeliaceae*, Ascomycota) in China 31–34
Wang, X. Y., Goffinet, B., Liu, D., Liang, M. M., Shi, H. X., Zhang, Y. Y., Zhang, J. and Wang, L. S., taxonomic study of the genus *Anzia* (*Lecanorales*, lichenized Ascomycota) from Hengduan Mountains, China 99–115
Wardle, D. A. *see* Asplund and Wardle
Weckman, D. *see* Stenroos *et al.*
Wedin, M. *see* Millanes *et al.*
see also Pino-Bodas *et al.*
see also Schultz *et al.*
Weerakoon, G., Ngo, K. M., Lum, S., Lumbsch, H. T. and Lücking, R., on time or fashionably late for lichen discoveries in Singapore? Seven new species and nineteen new records of *Graphidaceae* from the Bukit Timah Nature Reserve, a highly urbanized tropical environment in South-East Asia 157–166
Wei, J.-C. *see* Wang, R.-F. *et al.*
see also Wei, X.-L. *et al.*
Wei, X.-L., Chen, K., Lumbsch, H. T. and Wei, J.-C., rhizines occasionally occur in the genus *Hypogymnia* (*Parmeliaceae*, Ascomycota) 69–75
see also Wang R.-F. *et al.*
Westberg, M. *see* Millanes *et al.*
see also Schneider *et al.*
Wolseley, P., Jørgensen, P. M., Kantvilas, G. Thüs, H., a tribute to Peter James (1930–2014) 83–92
Yahr, R., the status of the conservation priority species *Calicium corynellum* in the British Isles 205–214
Florence, A., Škaloud, P. and Vojtsekovich, A., molecular and morphological diversity in photobionts associated with *Micarea* s. str. (*Lecanorales*, Ascomycota) 403–414
Zhang, J. *see* Wang, X. Y. *et al.*
Zhang, Y. Y. *see* Wang, X. Y. *et al.*
Zhurbenko, M. P. and Pino-Bodas, R., new lichenicolous fungi growing on *Cladina* in New Zealand 395–402

Vol.47, Part 1

January 2015

Articles

SEAVEY, F. and SEAVEY, J.	Three new <i>Stirtonia</i> from Everglades National Park with a key to neotropical species	1
BREUSS, O. and LÜCKING, R.	Three new lichen species from Nicaragua, with keys to the known species of <i>Eugeniella</i> and <i>Malmidea</i>	9
APTROOT, A., SOBREIRA, P. N. B. and CÁCERES, M. E. S.	A remarkable new <i>Ramonia</i> (<i>Gyalectaceae</i>) from Brazil, with a key to the species	21
WANG, R.-F., WEI, X.-L. and WEI, J.-C.	A new species of <i>Allocetraria</i> (<i>Parmeliaceae</i> , Ascomycota) in China	31
MAGAIN, N. and SÉRUSIAUX, E.	The lichen genus <i>Kroswia</i> is a synonym of <i>Fuscopannaria</i> (<i>Pannariaceae</i>)	35
BUARUANG, K., SCHARNAGL, K., DIVAKAR, P., LEAVITT, S. D., CRESPO, A., NASH, T. H., MANOCH, L., LÜCKING, R. and LUMBSCH, H. T.	Molecular data support <i>Pseudoparmelia</i> as a distinct lineage related to <i>Relicina</i> and <i>Relicinopsis</i> (Ascomycota, <i>Lecanorales</i>)	43
SANDERS, W. B. and TOKAMOV, S. A.	Diffuse growth in the fruticose beard lichen <i>Ramalina usnea</i> (L.) R. Howe	51
GARRIDO-BENAVENT, I., LLOP, E. and GÓMEZ-BOLEA, A.	The effect of agriculture management and fire on epiphytic lichens on holm oak trees in the eastern Iberian Peninsula	59
WEI, X.-L., CHEN, K., LUMBSCH, H. T. and WEI, J.-C.	Rhizines occasionally occur in the genus <i>Hypogymnia</i> (<i>Parmeliaceae</i> , Ascomycota)	69
Short Communication		
HESTMARK, G.	Lectotypification of <i>Umbilicaria virginis</i> (<i>Umbilicariaceae</i>)	77

Vol.47, Part 2

WOLSELEY, P.,
JØRGENSEN, P. M.,
KANTVILAS, G. and THÜS, H.

Articles

TIBELL, S. and TIBELL, L.

WANG, X. Y., GOFFINET, B.,
LIU, D., LIANG, M. M.,
SHI H. X., ZHANG Y. Y.,
ZHANG, J. and WANG, L. S.

McCUNE, B.,
TCHABANENKO, S.
and WEI, X. L.

JOSEPH, S. and SINHA, G. P.

SOBREIRA, P. N. B., APTROOT, A.
and CÁCERES, M. E. S.

GUMBOSKI, E. L.

March 2015	83
A tribute to Peter James (1930–2014)	83
Two new species of <i>Atla</i> (<i>Verrucariaceae</i>)	93
Taxonomic study of the genus <i>Anzia</i> (<i>Lecanorales</i> , lichenized Ascomycota) from Hengduan Mountains, China	99
<i>Hypogymnia papilliformis</i> (<i>Parmeliaceae</i>), a new lichen from Far East Russia and China	117
Contributions to the genus <i>Synarthonia</i> (lichenized Ascomycota, <i>Arthoniaceae</i>)	123
A world key to species of the genus <i>Bactrospora</i> (<i>Roccellaceae</i>) with a new species from Brazil	131
<i>Calopadia saxicola</i> (<i>Pilocarpaceae</i> , Ascomycota), a new saxicolous species growing on rocky seashores in southern Brazil	137

Vol.47, Part 3

May 2015

Articles

PÉREZ-ORTEGA, S.,
GARRIDO-BENAVENT, I.
and DE LOS RÍOS, A.

WEERAKOON, G., NGO, K. M.,
LUM, S., LUMBSCH, H. T. and
LÜCKING, R.

PERLMUTTER, G. B.,
TUCKER, S. C., RIVAS PLATA, E.,
CLERC, P. and LÜCKING, R.

PRIETO, M., ROMERA, L.,
MERINERO, S., ARAGÓN, G.
and MARTINEZ, I.

ASPLUND, J. and WARDLE, D. A.

Short Communication

FERENCOVA, Z.,
HAWKSWORTH, D. L.
and CRESPO, A.

Austrostigmidium, a new austral genus of
lichenicolous fungi close to rock-inhabiting
meristematic fungi in *Teratosphaeriaceae*

143

On time or fashionably late for lichen discoveries in
Singapore? Seven new species and nineteen new records of
Graphidaceae from the Bukit Timah Nature Reserve, a highly
urbanized tropical environment in South-East Asia

157

Melaspilea demissa (Tuck.) Zahlbr. (lichenized Ascomycota) in
eastern North America with a key to North American species
of *Melaspilea* s. lat.

167

Development and characterization of fungal specific
microsatellite markers in the lichen *Lobarina scrobiculata*
(*Lobariaceae*, Ascomycota)

183

Changes in functional traits of the terricolous lichen *Peltigera*
aphthosa across a retrogressive boreal forest chronosequence

187

The status and application of the generic name *Aspidelia*

197

Vol.47, Part 4

July 2015

Articles

- YAHR, R. The status of the conservation priority species
Calicium corynellum in the British Isles 205
- STENROOS, S., PINO-BODAS, R., Phylogeny of *Cladonia uncialis* (*Cladoniaceae*,
WECKMAN, D. and AHTI, T. Lecanoromycetes) and its allies 215
- FRISCH, A., OHMURA, Y., *Inoderma* and related genera in *Arthoniaceae* with elevated white
ERTZ, D. and THOR, G. pruinose pycnidia or sporodochia 233
- GIRALT, M., VAN DEN BOOM, P. P. G. *Amandinea lobarica*, a new corticolous species from Guatemala,
and ELIX, J. A. with notes on some additional *Amandinea* taxa 257

Short Communication

- SCHNEIDER, K., RESL, P., A new, highly effective primer pair to exclude algae when
WESTBERG, M. and SPRIBILLE, T. amplifying nuclear large ribosomal subunit (LSU) DNA from
lichens 269

Book review

277

Vol.47, Part 5

September 2015

Articles

BOLUDA, C. G., RICO, V. J., CRESPO, A., DIVAKAR, P. K. and HAWKSWORTH, D. L.	Molecular sequence data from populations of <i>Bryoria fuscescens</i> s. lat. in the mountains of central Spain indicates a mismatch between haplotypes and chemotypes	279
PINO-BODAS, R., BURGAZ, A. R., MARTÍN, M. P., AHTI, T., STENROOS, S., WEDIN, M. and LUMBSCH, H. T.	The phenotypic features used for distinguishing species within the <i>Cladonia furcata</i> complex are highly homoplasious	287
LÜCKING, R. and PÉREZ-ORTEGA, S.	Four new species of <i>Ocellularia</i> (lichenized Ascomycota: <i>Graphidaceae</i>) from Cuba, with a revised taxonomy of the <i>O. bahiana</i> complex and a key to thelotremoid taxa with small, brown, (sub-)muriform ascospores	305
MASSON, D., BENATTI, M. N. and SÉRUSIAUX, E.	The description of a new species reveals underestimated diversity in the lichen genus <i>Bulbothrix</i> (<i>Parmeliaceae</i>) in Africa	323
PITAKPONG, A., KRAICHAK, E., PAPONG, K. B., MUANGSAN, N., SUWANWAREE, P., LUMBSCH, H. T. and LÜCKING, R.	New species and records of the lichen genus <i>Graphis</i> (<i>Graphidaceae</i> , Ascomycota) from Thailand	335
JØRGENSEN, P. M. and ANDERSEN, H. L.	The lichen genus <i>Psoromidium</i> (<i>Pannariaceae</i>) re-evaluated, with nomenclatural notes on <i>Degelia</i> and <i>Psoromaria</i>	343
Book review		349

Vol.47, Part 6

November 2015

Articles

ORANGE, A.

A new freshwater *Porina* (*Porinaceae, Ostropales*) from
Great Britain

351

MILLANES, A. M., DIEDERICH, P.,
WESTBERG, M., PIPPOLA, E. and
WEDIN, M.*Tremella cetrariellae* (*Tremellales, Basidiomycota, Fungi*), a new
lichenicolous fungus on *Cetrariella delisei*

359

SCHULTZ, M., WEDIN, M.,
DIEL, H. and PRIETO, M.*Epiphloea* belongs to *Collemataceae* (Lecanoromycetes,
lichenized Ascomycota)

369

ARUP, U., VONDRÁK, J. and
HALICI, M. G.*Parvoplaca nigroblastidiata*, a new corticolous lichen
(*Teloschistaceae*) in Europe, Turkey and Alaska

379

BOLUDA, C. G., DIVAKAR, P. K.,
HAWKSWORTH, D. L.,
VILLAGRA, J. and RICO, V. J.Molecular studies reveal a new species of *Bryoria* in Chile

387

ZHURBENKO, M. P. and
PINO-BODAS, R.New lichenicolous fungi growing on *Cladonia* in New Zealand

395

YAHR, R., FLORENCE, A.,
ŠKALOUD, P.
and VOYTSEKHOVICH, A.Molecular and morphological diversity in photobionts
associated with *Micarea* s. str. (*Lecanorales, Ascomycota*)

403

Dates of Publication

Volume 47 Part 1 29 January 2015

Part 2 16 March 2015

Part 3 19 May 2015

Part 4 23 July 2015

Part 5 9 September 2015

Part 6 2 November 2015

All manuscripts submitted to *The Lichenologist* are reviewed by at least two active researchers. The Senior Editor thanks the following individuals who, in addition to the editors, reviewed manuscripts during 2015.

A. Aptroot	M. Grube	P. R. Nelson
H. Andersen	H. Harada	A. Nordin
L. Ament	R. C. Harris	Y. Ohmura
J. Asplund	D. L. Hawksworth	P. Osyczka
B. Baur	S. Heiðmarsson	M. Piercey-Normore
A. Beck	M. de los A. Herrera Campos	P. Resl
J. Bjerke	D. J. Hill	J. Rikkinen
I. M. Brodo	B. P. Hodkinson	H. T. Root
W. von Brackel	T. Hohn	D. Schroeder
F. Bungartz	H. Holien	K. Schneider
G. Brunialti	H. Johannesson	E. Sérusiaux
S. Clayden	G. Kantvilas	S. M. Short
M. Dal-Forno	S. Leavitt	J. W. Sheard
P. K. Divikar	J. C. Lendemer	H. J. M. Sipman
P. S. Dyer	L. Lindblom	L. Śliwa
C. J. Ellis	E. Llop	U. Søchting
A. Elvebakk	P. Löhmus	K. A. Solhaug
J. Etayo	S. Loppi	A. Suija
S. E. Favero-Longo	H. T. Lumbsch	M. Svensson
F. Fernández-Mendoza	N. Magain	J. E. Taylor
S. Fernández-Brime	J. Miadlikowska	G. Thor
A. Frisch	H. Mayrhofer	H. Thüs
J. Garty	P. M. McCarthy	S. Tibell
Y. Gauslaa	B. McCune	E. Timdal
B. Goffinet	C. A. Morse	G. Weerakoom
T. G. A. Green	S. Munzi	P. W. Wolseley

The Editorial Board thanks K. Challis, B. J. Coppins and J. R. Laundon for checking proofs of papers published in 2015

BRITISH LICHEN SOCIETY
OFFICERS AND CONTACTS 2016

President

J. M. Simkin, Ph.D., 41 North Road, Ponteland, Newcastle-upon-Tyne, NE20 9UN

Vice President

A. Pentecost, D. Sc., The Old House, Storth Road, Storth, Cumbria, LA7 7NS

Secretary

C. J. Ellis, Ph.D., Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh,
Lothian EH3 5LR (email: c.ellis@rbge.ac.uk)

Treasurer

J. F. Skinner, 28 Parkanaur Avenue, Southend-on-Sea, Essex SS1 3HY

Assistant Treasurer and Membership Secretary

H. Döring, Ph.D., Mycology Section, Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3AB,
(email: h.doring@kew.org)

Regional Treasurers

J. W. Hinds, Ph.D., 254 Forest Avenue, Orono, Maine 04473-3202, USA (Americas)

Senior Editor (Lichenologist)

P. D. Crittenden, Ph.D., School of Life Sciences, The University of Nottingham,
University Park, Nottingham NG7 2RD

Editor (Bulletin)

P. F. Cannon, Ph.D., CABI and Royal Botanic Gardens Kew; postal address Royal Botanic Gardens,
Kew, Richmond, Surrey TW9 3AB

Conservation Officer

B. W. Edwards, Dorset Environmental Record Centre, Library Headquarters, Colliton Park,
Dorchester, Dorset DT1 1XJ

Mapping Recorder and Archivist

M. R. D. Seaward, D.Sc., F.L.S., F.I.Biol., Department of Environmental Science,
The University, Bradford, West Yorkshire BD7 1DP

Librarian

R. G. Woods, B.Sc., Ty Mawr Mill, Llanfihangel Brynpabuan, Builth Wells, Powys LD2 3SH

Curator

R. K. Brinklow, B.Sc., c/o Dundee Museums and Art Galleries, Albert Square,
Dundee DD1 1DA, www.herbarium@britishlichensoociety.org.uk

Field Meetings Secretary

S. G. Price, Woodlands, Combs Road, Combs, High Peak, Derbyshire SK23 9UP

Members of Council

J. A. Bailey I. Blatchley R. K. Brinklow J. R. Douglass M. M. Putnam
S. Quin N. Sanderson C. Tregaskes P. A. Wolseley

Membership of the British Lichen Society is open to all individuals (not institutions) anywhere in the world interested in any aspect of lichenology. Subscriptions, due on joining and afterwards on 1 January each year, are: Regular membership without *The Lichenologist* £30; Regular membership with *e-Lichenologist* £40; Regular membership with print *The Lichenologist* £45; Discounted (student and senior) membership without *The Lichenologist* £15; Discounted membership with *e-Lichenologist* £25; Discounted membership with print *The Lichenologist* £30. (for US dollar rates, contact the US Regional Treasurer). All members receive the Society's twice-yearly Bulletin. Details of the Society, including membership, may be found on the Society's website www.britishlichensoociety.org.uk or obtained from the Membership Secretary (address above).

This journal issue has been printed on FSC™-certified paper and cover board. FSC is an independent, nongovernmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed in the UK by Bell & Bain Limited, Glasgow.

The Lichenologist

Volume 48 Part 1 January 2016

Editorial	1
Articles	
KOŠUTHOVÁ, A., FERNÁNDEZ-BRIME, S., WESTBERG, M. and WEDIN, M.	<i>Collolechia</i> revisited and a re-assessment of ascus characteristics in <i>Placynthiaceae</i> (<i>Peltigerales</i> , Ascomycota) 5
ELVEBAKK, A., HONG, S. G., PARK, C. H., ROBERTSEN, E. H. and JØRGENSEN, P. M.	<i>Gibbosporina</i> , a new genus for foliose and tripartite, Palaeotropic <i>Pannariaceae</i> species previously assigned to <i>Psoroma</i> 15
LUANGSUPHABOOL, T., PIAPUKIEW, J., PARNMEN, S., NELSEN, M. P., LUMBSCH, H. T. and SANGVICHEN, E.	Diversity of the <i>Trypethelium eluteriae</i> group in Thailand (Ascomycota, <i>Trypetheliales</i>) 55
SULZBACHER, M. A., WARTCHOW, F., OVREBO, C. L., SOUSA, J. O., BASEIA, I. G., MONCADA, B. and LÜCKING, R.	<i>Sulzbacheromyces caatingae</i> : notes on its systematics, morphology and distribution based on ITS barcoding sequences 61
TRUONG, C. and CLERC, P.	New species and new records in the genus <i>Usnea</i> (<i>Parmeliaceae</i> , lichenized Ascomycota) from tropical South America 71
Book review 95	

The Lichenologist, Vol. 48, Part 1 was published on 14 January 2016

Cambridge Journals Online

For further information about this journal and
our **Open Access option** please
go to the journal website at:
journals.cambridge.org/lic



MIX
Paper from
responsible sources
FSC® C007785

CAMBRIDGE
UNIVERSITY PRESS