Psychological Medicine

MONOGRAPH SUPPLEMENT 15

The natural history of schizophrenia: a five-year follow-up study of outcome and prediction in a representative sample of schizophrenics by Michael Shepherd, David Watt, lan Falloon and Nigel Smeeton

Cambridge University Press

The natural history of schizophrenia: a five-year follow-up study


Although there is a large literature on the course and outcome of the schizophrenias few investigators have established either the representativeness of the cohort or the standardization of the diagnosis. Both these conditions were met in this follow-up study of 121 schizophrenics over a 5-year period: the clinical and social criteria of evaluation were carried out independently. There was marked variation in outcome, women faring better than men. The prediction of the natural history of schizophrenic disorders is discussed in the light of the results.

Psychological Medicine

Michael Shepherd, David Watt, Ian Falloon and Nigel Smeeton

The natural history of schizophrenia: a five-year follow-up study of outcome and prediction in a representative sample of schizophrenics

MONOGRAPH SUPPLEMENT 15



CAMBRIDGE UNIVERSITY PRESS

Cambridge New York Port Chester Melbourne Sydney

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 40 West 20th Street, New York, N.Y. 10011, U.S.A. 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1989

Printed in Great Britain by the University Press, Cambridge

CONTENTS

Ch 1	Synopsis Introduction Duration of follow-up	page	3
1.2 1.3 1.4	Previous follow-up studies of schizophrenia		3 5 5 8
	Six recent follow-up studies		5
	Depressive disorder and schizophrenia		
1.5	Constraints on generalization of conclusions and inter-study comparison		8
Ch 2	Method		11
2.1 2.2 2.3 2.4 2.5 2.6 2.7	Subjects		11
	The cohort		11
	Assessment procedures		12
	Clinical assessments Social assessment		12
	Attrition of cohort at 5-year follow-up		12 13
	Outcome		13
2.8	Data analysis		14
	Associations between independent and dependent variables		14
2.8.2			14
Ch 3	Results		16
3.1	First admissions		16
3.1.1	Socio-demographic features of first admissions at entry to study		16
	(a) Age		16
	(b) Sex		16
	(c) Marital status		16
	(d) Employment		16
212	(e) Living circumstances		17
3.1.2	Clinical variables of first admissions at entry to study		17
	(a) Age at onset of illness		17
	(b) Type of onset(c) Previous episodes		17
	(d) Duration of key admission		17 17
	(e) First rank symptoms and key admissions		17
3.1.3			17
3.1.4	•		18
	(a) Deaths (including suicides) during the 5-year follow-up		18
	(b) Readmission to hospital		18
	(c) Course of illness and schizophrenic symptoms during the 5-year follow- up period and at 5 years		18
	(d) Depressive symptoms during the 5-year follow-up period and at 5 years		18
3.1.5			19
	(a) Relationships		19
	(b) Sociability and leisure		20
	(c) Employment		20
316	Relation between clinical and social morbidity in first admissions		20

iv Contents

3.1.7	Prediction	20
	(a) Results of cross-tabulation of first admissions	20
	(b) Prediction of outcome for first admissions	21
3.2	The whole cohort	21
3.2.1	Sociodemographic variables of the cohort	21
	(a) Age	21
	(b) Sex	21
	(c) Marital status	21
	(d) Employment	21
	(e) Living circumstances	21
3.2.2	Clinical variables at entry to study	21
	(a) Age at onset of illness	21
	(b) Type of onset	22
	(c) Number of previous episodes	22
	(d) Duration of previous admissions	22
	(e) Duration of key admission	22
	(f) First-rank symptoms at key admission	22 22
3.2.3	Treatment received by whole cohort	22
3.2.4	Clinical outcome over 5 years	23
	(a) Deaths (including suicides) and attrition during the 5-year follow-up period	23
	(b) Readmission to hospital	23
	(c) Course of illness and schizophrenic symptoms during the 5-year follow-up	24
	period and at 5 years	
	(d) Depressive symptoms during the 5-year follow-up period and at 5 years	24
3.2.5	Social impairment at 5 years	25
	(a) Relationships	25
	(b) Sociability and leisure	26
	(c) Employment	26
3.2.6	The relationship between clinical morbidity and social impairment	26
3.2.7	Prediction of outcome of the whole cohort	28
	(a) Results of cross-tabulations and multiple linear regression	28
	(b) Prediction of clinical and social outcome for the whole cohort	30
3.3	Differences between first admission and readmitted patients	30
3.4	Effect of sex on outcome	31
3.5	Relationships between dependent variables	32
C1 4		2
Ch 4	Discussion and conclusions	34
4.1	Limitations	34
4.2	Discrepancy between clinical and social outcome	35
4.3	Prediction of outcome	35 36
4.3.1	Outcome and sociodemographic factors	
	Clinical factors and outcome	37
4.3.3	Combining factors for prediction	38
4.4 4.4.1	Individual prediction	38 38
	Requirements for a reliable basis for prediction Conclusions	39
4.5	Conclusions	35
	Appendix 1	41
	Appendix 2	42
•	List of tables	43
	References	44

This study was supported by a grant from the Wellcome Trust. The clinical follow-up data were collected by Dr K. Katz and the social data by Mr J. Robinson and Mr P. Wilson. Dr Graham Dunn gave valuable assistance in computer programming and preliminary analysis of the data.

Mrs Julie Smith, Mrs Dorothy Faulds and Mrs Brenda Robinson typed the many drafts of this manuscript.