

# Subject index

- Absolute responsivity, 161, 164  
Absorption cross section, 81–3  
Absorption length, 81–3, 275  
Accelerator, 93–102  
Acceptance, 26, 328  
Accidentals, 139, 307  
Acoustic radiation, 74–5  
Active target, 129  
Aerogel, 193  
Afterpulsing, 164–5  
Albedo events, 299  
Alignment, 19  
Analog/digital converter (ADC) (*see also*  
Flash ADC), 143–4, 171, 248, 316  
Analog methods for wire chambers, 228  
Analyzing power, 373  
Angular distribution, 87–91  
Annihilation, 46, 53–4  
Anti-(veto) counter, 167–8, 304, 337  
Antineutron, 315  
Antiparticle, 4, 5, 10  
Antiproton  
beam, 102, 107  
interactions, 82, 85, 87  
multiple scattering, 71  
trigger, 312  
Antiproton–proton collider, 101–2, 115  
Arrival time method, 231  
Atomic properties of common materials, 84  
Atomic properties of elements, 83  
Atomic shell, 42, 56  
Attachment in gases, 211, 215, 223, 253,  
268, 290  
Attenuation coefficient, 392  
Attenuation length, 155, 159  
Auger electron, 56  
Axial field magnet, 331–2, 346  
Axial field spectrometer (AFS), 346–7
- Background, 17, 307, 374  
Bargmann–Michel–Telegdi equation, 362  
Barium flouride, 333–4  
Barn, 391  
Baryon, 3, 9  
Baryon quantum number, 7  
Beam–beam events, 367  
Beam dump, 120, 130  
Beam monitor, 74, 115, 207  
Beam profile, 113–14  
Beam transport, 108–15, 329  
Bending magnet (*see* Dipole magnet)  
Betatron oscillation, 97  
Bethe–Bloch formula, 35–41  
BGO, 149–50, 333–4  
Bhabha scattering, 46, 65–6, 115, 299  
Binding energy, 274–5  
Binomial distribution, 389  
Biological effectiveness, 120  
Booster, 97  
Bragg peak, 33  
Branching ratio, 10, 366  
Bremsstrahlung  
coherent, 73–4  
ordinary, 47–53, 59, 260  
Brookhaven, AGS, 95, 376  
Bubble chamber, 4, 16, 23, 25, 129,  
285–8, 333, 367  
Burst guard discriminator, 136–7
- Calibration, 17, 19  
Calorimeter  
continuous, 259, 266, 333–4  
electromagnetic, 266–74, 337–9,  
341–5, 347–8, 379  
hadron, 74, 278–9, 315–6, 337–9,  
342–7, 379–80  
liquid argon, 268–71, 275, 277–8, 316

- particle identification, 280
- PWC, 268–9, 272, 349–50
- readout, 266–8
- resolution, 269–72, 279–81
- scintillator, 152, 267–9, 273, 315–16
- uranium, 278–81
- CAMAC, 19, 141–2, 227–8
- Cascade particle, 9, 312–15, 365
- Cathode pad (strip), 228–30, 256
- Center of momentum (CM) frame, 11–13
- Central detector, 333, 379
- Cerenkov angle vs velocity, 180
- Cerenkov counter
  - absorption, 201–3
  - aerogel, 193–6, 346
  - differential, 184, 196–201, 349
  - efficiency, 191–2, 194–5
  - gas, 186–90, 193–5
  - intensity monitor, 115
  - particle identification, 335
  - radiator, 183
  - threshold, 184, 190–6, 310–1, 346, 377
  - total internal ref, 190–1
  - (*see also* DISC, Lead-glass, Ring imaging counters)
- Cerenkov effect, 42, 178–83
- CERN
  - ISR, 100–2
  - LEAR, 102
  - LEP, 102–3
  - PS, 95, 102
  - SPS, 95, 100, 102, 107
- Channeling (radiation), 73–4
- Characteristic energy, 238
- Characteristic length, 113
- Charge, measurement of, 358–9
- Charge coupled device (CCD), 248, 257
- Charge division, 230–1, 346
- Charge exchange in gases, 211
- Charged current interaction, 88
- Charged hadron beam, 107
- CHARM spectrometer, 246, 337–8, 340
- Chord, 326
- Clearing field, 290
- Clipping, 146
- Clusters, ionization, 255, 296–7
- Coaxial cable, 144–6
- Cockcroft–Walton accelerator, 94
- Coincidence curve, 138, 140, 329–30
- Coincidence overlap, 137
- Coincidence unit, 137–41
- Coincidence width, 137–8
- Colliding beam accelerator, 99–102
- Collimator, 103
- Collision length, 81
- Collision time, 32, 395
- Compton effect, 56–8
- Computer, online, 17, 352
- Constant fraction discriminator, 136
- Constants, physical, 385
- Cooling, phase space, 101–2
- Coplanarity, 305, 307
- Cornell, CESR, 100
- Cosmic rays, 14, 74, 118–19, 349
- Coulomb interference cross section, 370
- Coulomb scattering, 64–7, 370
- Coupling, electronic, 134–5
- Crate controller, 141
- Crazing, 153
- Critical angle
  - channeling, 72–3
  - internal reflection, 157
- Critical energy, 52–3, 260
- Critical pressure, 187–8
- Critical temperature, 187–8
- Cross section and probability, 391–2
- Cryogenic liquids, 126
- Crystal Ball spectrometer, 347–9
- Curvature, 23, 326
- Cyclotron frequency, 363
- Dalitz plot, 26
- Dark current, 165
- Data acquisition, 351–4
- Data analysis, 18–26
- Deadtime, 15, 316
- Decay length, 7
- $dE/dx$ 
  - in liquid or solid, 35–6, 286, 288
  - in gases, 41, 239, 254
  - measurement of, 167, 169, 252–5, 286, 288, 359
  - particle identification, 252–7, 335
- Delay curve (*see* Coincidence curve)
- Delay line, 230, 249
- Delta ray (knock-on electron), 42, 44–5, 192–3, 208, 224, 288
- Density effect, 40–1, 44
- Depolarizing resonance, 99
- DESY
  - DORIS, 100
  - HERA, 102–3
  - PETRA, 100–1
- Detailed balance, 362
- Detector uses, 17
- Differential cross section, 392
- Diffraction scattering, 85, 368
- Diffusion, 212–13, 236–9, 249–50, 256
- Dipole magnet, 96, 108–11, 331–2, 339, 344
- Dirac theory, 37, 59, 362
- Direct pair production, 53
- Direct photon, 309–10, 315
- DISC Cerenkov counter, 197–9, 314

- Discriminator, 134–7  
 Dispersion, 178–9, 197  
 Distribution function, 388  
 Double nuclear scattering, 129, 372  
 Double pulse resolution, 135  
 Drift chamber  
   construction, 241–6, 251  
   cylindrical, 18, 242–5  
    $dE/dx$ , 252–7  
   degradation, 252  
   efficiency, 239, 245  
   electronics, 247–9, 251, 341  
   gas, 234–40, 243, 256, 345  
   high voltage, 245  
   magnetic field, 235–7  
   monitor, 249  
   planar, 241–2, 345  
   principle, 234–5  
   space-time relation, 234, 242, 252  
   spatial resolution, 234, 236–7, 239, 249–52  
   time response, 333  
   tubes (PDT), 245–6, 340–1  
   (see also Time projection chamber)  
 Drift space, 108, 110  
 Drift velocity, 212–13, 235–40  
 Duty cycle, 93
- $E \times B$  correction, 20, 225, 235, 241  
 Effective mass, 6, 7, 320–1, 365  
 Elastic scattering  
   coherent, 81–2  
   electromagnetic, 64–7  
   hadronic, 80, 368–72  
   luminosity, 115  
   quasi-, 81–2  
   spectrometer, 328–9, 371–2  
   TOF, 172  
   trigger, 305–7, 318  
 Electromagnetic shower, 14, 16, 46, 259–66, 270–1, 273  
 Electromagnetic shower detector (see Calorimeter)  
 Electron  
   annihilation, 53–4  
   beam, 96, 106, 330, 375  
   bremsstrahlung, 47–53  
   channeling, 74  
   detection, 201–2, 266–74, 279, 286, 294, 335, 375–80  
   energy loss to radiation, 51–3  
   energy spectrum, 270–1, 273  
   ionization loss, 41, 46–7  
   magnetic moment, 8, 9, 363  
   mass, 8, 9  
   multiple scattering, 71  
   pair production, 59–63  
   polarized scattering, 88, 374  
   pulse height spectrum, 45  
   radius, 38  
   range, 47  
   relativistic rise, 47  
   shower, 259–66  
   spectrometer, 375, 377, 380  
   spin, 362  
   trigger, 308, 310–11  
 Electron affinity, 211  
 Electron–positron collider, 100–2, 115  
 Electron–electron interactions, 85, 87  
 Electroweak interaction, 3  
 EMC spectrometer, 246, 249, 319, 336, 340  
 Emittance, 113  
 Empty target correction, 72, 369, 372  
 Emulator, 317, 352  
 Emulsion, 16–17, 288–9  
 Energy deposition of 10 GeV proton, 275  
 Energy loss (see  $dE/dx$ , Ionization energy loss)  
 Energy transfer, maximum, 13–14  
 European Hybrid Spectrometer (EHS), 202  
 Excitation, 208  
 Expectation value, 388  
 External muon identifier, 286
- Fan in/out, 142–3  
 FASTBUS, 142  
 Fermi momentum, 126, 128  
 Fermi plateau, 40–1  
 Fermilab  
   main ring, 95, 97–8, 106–7, 130  
   Tevatron I, 102–3  
 Filter, event, 20  
 Fission compensation, 278–81  
 Fixed target accelerator, 94–9  
 Flash ADC, 248, 255  
 Flash tube detector, 266, 298, 333  
 Flat top, 98  
 Fluorescence, 56, 148  
 Fluorescent converter, 157  
 Flux monitors, 115–17  
 Foam limit, 287  
 Foil, radioactive, 115–17  
 Form factor, 370  
 Forward particle, 10–11, 87–8  
 Four-vector, 6  
 Frank–Condon principle, 151  
 FREJUS spectrometer, 349–50  
 Frequency function, 388
- $g$  factor, 362  
 $g$  factor anomaly, 362  
 $g$ -2 experiments, 359  
 Gas Cerenkov radiator, 188, 193  
 Gas jet target, 15, 130–1

- Gases, fundamental processes, 208–15  
 Gate generator, 143  
 Gauge boson, 3, 5, 8, 89  
 Gaussian distribution, 389–90  
 Geiger mode, 206–7, 268  
 Geometrical fitting, 22–4  
 Giant resonance, 55  
 Gluon, 5  
 Gravitational force, 2, 5  
 Graviton, 5  
  
 Hadron, 3, 79  
 Hadronic shower, 274–8, 281  
 Hall probe, 328  
 Heavy ions, 74, 120  
 Helical trajectory, 22–4, 325  
 High voltage system, 165–6  
 Hodoscope, 168–9  
 Holography, 288  
 Horn, neutrino, 105–6  
 Huyghens construction, Cerenkov, 181  
 Hybrid bubble chamber, 286  
 Hydrogen atom, radius, 49  
 Hydrogen, liquid, 36, 101, 125–7, 287  
 Hydrophone, 74  
 Hyperon, 3  
   beam, 108  
   decay, 90–1  
  
 Impact parameter, 30–2  
 Inclusive production, 85–7  
 Index of refraction, 178–9, 182–3,  
   187–8, 190, 193, 202  
 Inefficiency, 22, 307  
 Interaction length, 392  
 Interferometer, 190  
 Ionization chamber, 115, 206–7  
 Ionization energy loss  
   classical, 30–4  
   fluctuations, 42–6  
   quantum, 34–42  
 Ionization in gases, 208–10  
 Ionization potential, 37–41, 208–9  
  
 J particle, 376–9  
 Jet, 4, 316, 381  
  
 K+ detector, 298  
 Kaon  
   beam, 107  
   detection, 298  
   interactions, 82, 85  
   ionization loss, 35–6  
   mass, 8, 359  
   multiple scattering, 71  
   production, 86–7  
   properties, 8  
   range, 35–6, 298  
   TOF, 172–4  
   trigger, 306, 308, 312, 318  
 Kaonic atom, 359  
 KEK  
   synchrotron, 95  
   TRISTAN, 102–3  
 Kinematic fitting, 25–6  
  
 Laboratory (LAB) frame, 10–12  
 Lagrangian multiplier, 26  
 Lambda particle  
   decay distribution, 363  
   magnetic moment, 9, 363–4  
   polarization, 363  
   precession angle, 364  
   production, 86–7  
   properties, 9  
   trigger, 309, 313  
 Landau distribution, 43–4, 53, 210  
 Large pt production, 88, 309, 316, 346  
 Larmor precession frequency, 236  
 Lead–glass counter, 156, 202–3, 315  
 Leading particle, 88  
 Left–right ambiguity, 241, 318  
 Lepton, 3, 8  
 Lepton number, 88  
 Lifetime, 364–6  
 Light collection, 156–61, 185–6, 197  
 Light guide, 157, 159–60  
 Limited streamer mode, 268  
 Linear accelerator (Linac), 94–6  
 Linear attenuation coefficient, 54, 63  
 Linear energy transfer, 120  
 Liouville theorem, 112, 160  
 Liquid hydrogen (*see* Hydrogen, liquid)  
 Logic levels, 134  
 Lookup table, 317  
 Lorentz invariant, 11–12  
 Lorentz transformation, 5, 6  
 Lorenz–Lorentz law, 187  
 Luminosity, 99, 101  
  
 Magic gas, 216, 220  
 Magnetic field  
   configurations, 331–3  
   measurement, 328, 360, 364  
 Magnetic moment, 10, 362–4  
 Magnetic shield, 165  
 Magnetostriction, 293  
 MARK III spectrometer, 175  
 Mark-J spectrometer, 341, 345  
 Marx generator, 293  
 Mass, measurement of, 359–61  
 Mass attenuation coefficient, 63  
 Mean free path, 81  
 Meson, 3, 8

- Minimum bias trigger, 304
- Minimum ionization, 38
- Missing mass, 26
- Mobility, 212
- Moliere radius, 264
- Moliere theory of multiple scattering, 69–73
- Moller scattering, 46, 65, 375
- Momentum resolution, 326–7, 329, 332
- Momentum transfer, 14
- Monitoring, 17, 169, 175, 202, 249, 351, 354
- Monte Carlo technique, 26
- Motion of ions in E and B fields, 235–7, 394–5
- Mott scattering, 65, 375
- Multiparticle spectrometer (BNL), 241–2, 320
- Multiple scattering, 67–73, 197, 239, 327
- Multiplication, charge, 214–20, 268
- Multiplicity, 85–7, 89
- Multistep avalanche chamber, 225
- Multiwire Proportional Chamber (MWPC)
  - construction, 218–22
  - deadtime, 224
  - efficiency, 220–4, 226, 295
  - electronics, 225–31
  - electrostatic force, 219–20
  - energy resolution, 220
  - field distribution, 218–9
  - gas, 221, 268, 295
  - in magnetic field, 224–5
  - spatial resolution, 218, 223, 228, 231, 268
  - time resolution, 224, 337
  - trigger, 226
  - wire clusters, 223, 227
  - (see also Proportional chamber)
- Muon
  - beam, 107, 336
  - bremsstrahlung, 47
  - decay, 8, 361
  - detection, 279, 298, 332, 336, 341, 359
  - ionization loss, 35–6
  - lifetime, 8, 10
  - magnetic moment, 8, 363
  - mass, 8, 359
  - momentum in pion decay, 359–61
  - production, 85, 88
  - range, 35–6, 298
  - trigger, 298, 308, 311–12, 315, 319–21, 337
- NA1 spectrometer, 230
- NA3 spectrometer, 222, 227
- NaI scintillator, 149–50, 167, 333–4, 348
- Neutral current interaction, 88–9
- Neutral hadron beam, 107–8
- Neutrino
  - beam, 105–6, 341
  - detection, 129, 279, 282–3, 285, 336, 379
  - fission, 118
  - interactions, 88–91, 201
  - mass, 10, 359–61
  - solar, 118, 349
  - trigger, 303, 341
- Neutron
  - beam, 107–8
  - detection, 152, 167, 201, 280–2, 313–14
  - interactions, 79–83
  - lifetime, 9, 10
  - production, 55
  - properties, 9
  - trigger, 306, 308, 313
- NIM electronics, 133–4, 142
- Noise, 22
- Novosibirsk, VEPP-4, 100
- Nuclear magnetic resonance (NMR), 131–2, 328, 360–1, 364, 375
- Nuclear shadowing, 129
- Nucleon, 3
- Nucleon decay, 3, 14, 117, 193, 349–51
- Nucleus, radius, 83
- Offline analysis chain, 19
- Omega particle, 3, 4, 9, 313–15, 365–6
- Omega spectrometer, 104, 318
- Optical theorem, 370
- Pair production, 42, 59–63, 260
- Parity, 88, 363
- Particle identification, 16–17, 25, 252–7, 280, 335
- Particle physics, 1, 2
- Pattern recognition, 20–2, 318, 381
- Pedestal, 144
- Penning effect, 210
- Periodic table, 387
- Phase space ellipse, 113–14
- Phosphorescence, 148
- Photoelectric effect, 54–6
- Photomultiplier tube (PMT), 159, 161–5, 172, 174, 182, 186, 193–4
- Photon
  - annihilation, 53–4
  - beam, 104–5, 115
  - bremsstrahlung, 47–52
  - channeling, 73–4
  - Compton effect, 55–8
  - detection, 152, 167, 200–3, 266–74, 279, 286, 341, 347
  - hadronic interactions, 84–5
  - pair production, 55, 59–63
  - photoelectric effect, 55–6
  - shower, 259–66
  - trigger, 308–10, 349

- Photonuclear absorption, 55  
 Physics analysis, 26  
 Pickup electrode, 115  
 Pileup, 270, 336  
 Pion  
   beam, 107, 360, 369  
   channeling, 72–3  
   decays, 8, 202, 360, 366, 378  
   detection, 279, 315  
   energy spectrum, 273  
   interactions, 82, 85–6  
   ionization loss, 35–6, 41  
   mass, 8, 359  
   multiple scattering, 71–3  
   production, 86–8, 107  
   range, 35–6, 298  
   shower, 273–5  
   spin, 362  
   TOF, 172–4  
   trigger, 308–11  
 Pionic atom, 359  
 Plasma frequency, 41  
 Poisson distribution, 389  
 Polarization, 12, 372–6  
 Polarized target, 15, 131–2, 337, 374–6  
 Positron  
   annihilation, 53–4  
   bremsstrahlung, 48  
   channeling, 74  
   ionization loss, 46–7  
   pair production, 59–63  
   shower, 259–66  
 Positronium, 54  
 Potential energy vs atomic spacing, 151  
 Preprocessing, 19–20  
 Pretrigger, 304  
 Primary ionization, 208–9  
 Primary ionization rate, 43  
 Probability, 388–92  
 Projected space angle, 69, 70  
 Proper time, 6  
 Proportional chamber  
   gases, 45, 216–18, 281  
   principles, 16, 205–8  
   pulse height, 45  
   (see also Drift chamber, Multiwire Proportional Chamber)  
 Proton  
   beam, 93–4, 107  
   channeling, 72–3  
   detection, 279  
   hadronic energy loss, 274–5  
   interactions, 80–2, 85–7  
   ionization loss, 35–6, 41, 45  
   magnetic moment, 9, 363  
   mass, 9  
   multiple scattering, 71, 73  
   range, 33–6, 298  
   recoil mass distribution, 372  
   spin, 9, 362  
   TOF, 173  
   trigger, 308, 312–13  
   (see also Nucleon decay)  
 Proton–proton collider, 100–1, 115  
 Proton–proton interactions, 367  
 Punch through, 311  
  
 Quadrupole magnet, 94, 97, 109–15  
 Quality factor, 120  
 Quantum chromodynamics (QCD), 4, 5, 376  
 Quantum efficiency, 161, 163–4  
 Quantum electrodynamics (QED) 3, 29, 48, 59, 65, 85, 107  
 Quark model, 4, 91, 117, 359  
 Quasistable particle, 8, 10  
 Quenching  
   gases, 211, 239  
   scintillator, 150–2  
  
 Radiation length, 52, 260  
 Radiation protection, 120–2  
 Radiation sickness, 121  
 Radiative corrections, 372  
 Radio frequency quadrupole (RFQ), 94  
 Radioactive source, 119  
 Radioactivity, 115–17, 119, 122  
 Raether criterion, 215, 290  
 Range, 33–6, 45–6  
 Rayleigh scattering, 55  
 Recoil particle, 10–11  
 Recombination in gases, 206–7, 210–11, 293  
 Reflection, 157–9, 184–5  
 Register (latch), 143  
 Relativistic rise, 39–41, 253–5  
 Relativity, 5  
 Residual, 19  
 Resolving time, 137–8  
 Resonance, 3, 4, 80, 85, 89  
 Response time, 15  
 RF cavity, 94, 96  
 RF structure, 93–4  
 Ring imaging Cerenkov counter (RICH), 193, 198–200  
 Risetime method, 231  
 Rossi–Greisen equation, 69  
 Rutherford scattering, 64–6  
  
 Sagitta, 326  
 Sample mean, 388  
 Sampling calorimeter, 16, 259  
 Saturated avalanche mode, 268  
 Scaler, 143  
 Scattering, 10–14  
 Scintillation, 148

- Scintillation counter  
 construction, 16, 148  
 deadtime, 333  
 $dE/dx$ , 167, 341, 360  
 efficiency, 167–8  
 energy resolution, 168  
 intensity monitor, 115  
 response time, 333  
 spatial resolution, 168–9  
 timing, 169–75  
 trigger, 165, 341
- Scintillation efficiency, 150
- Scintillator  
 decay time, 150–2  
 fibers, 155  
 glass, 156  
 inorganic, 148–9  
 liquid, 152  
 noble gas, 155–6  
 organic, 149–55  
 plastic, 153–5, 167, 174–5
- Screening, 40, 48–50, 59–61
- Secondary beams, 103–8
- Secondary emission monitor, 115
- Self-absorption, 151
- Semiconductor detector, 16, 129–30,  
 296–8, 360–1
- Separated beam, 112–3
- Separator, electrostatic, 103–4
- Serpukov, 95, 103
- Shower (*see* Electromagnetic or Hadronic  
 shower)
- Sigma particle, 9, 10, 313–14
- Silicon detector (*see* Semiconductor)
- SLAC  
 linac, 94–6, 115, 286, 374  
 SLC, 102–3  
 SPEAR, 100, 347
- Slewing, 135–6
- Sokolov–Ternov effect, 99
- Solenoid magnet, 331–2
- Source, accelerator, 93–4, 99
- Space, charge repulsion, 213–14, 217
- Space–time relation, 234, 252
- Spark chamber, 289–93
- Spark counter, 298–300
- Spatial resolution, 15
- Spectrometer  
 colliding beam, 329, 341–9, 367, 379–80  
 design criteria, 329–36  
 fixed target, 328–9, 336–41, 360,  
 363–5, 369, 371, 375–7  
 magnetic relations, 325–7  
 nucleon decay, 349–50
- Spin  
 measurement of, 361–2  
 quantum number, 3, 38
- Spline fit, 24
- Split field magnet, 331–2
- Standard deviation, 389
- Statistics, 388–90
- Straggling, 45
- Strangeness quantum number, 3, 7
- Streamer chamber, 16, 210, 293–4, 336–7
- Strong interaction, 2, 3, 79–88
- Structural materials, 397
- SU(3) model, 3
- Synchrotron, 96
- Synchrotron oscillation, 97
- Synchrotron radiation, 47, 98–9, 335
- $t$  distribution, 12, 26
- Target, 125–32
- TASSO spectrometer, 174, 193–6, 244–5,  
 268
- Termination, cable, 145–6
- Thin lens approximation, 111
- Thomas–Fermi model of atom, 39, 49, 65
- Thomson cross section, 58
- Thyratron, 290
- Time/digital convertor (TDC), 144, 171,  
 247–8
- Time dilation, 6, 7, 363
- Time of flight (TOF), 172–5, 298–300, 335
- Time projection chamber (TPC), 242,  
 256–7
- Toroidal magnet, 331–2, 337–40
- Total cross section, 79–85, 89, 367–9,  
 391–2
- Total specific ionization, 208–9
- Townsend's ionization coefficient, 214
- Track length, 262
- Track sensitive target, 286
- Tracking, 15, 19, 333
- Transition radiation, 42, 294–7, 335
- Transmission, optical, 185–6
- Transmission measurement, 368–9
- Transport coefficient, 237–8
- Transverse momentum, 88
- Trigger  
 beam, 303–4  
 data acquisition, 336, 351–3  
 deposited energy, 315–7, 379  
 final state, 304–7  
 general properties, 16–17, 303–7  
 higher level, 316–21, 371  
 identified particle, 307–15  
 multiplicity, 305
- Truncated mean technique, 253–4
- Two body scattering, LAB frame, 393
- UA1 spectrometer, 18, 379–80
- Ultraviolet light, (UV), 159, 161, 179,  
 183–6, 200–1

- Updating discriminator, 136  
Uranium calorimeter, 279–81, 347
- Vacuum, beam, 101, 130  
Van de Meer method, 368  
Variance, 388–9  
Vee, 25  
Velocity, measurement of, 172, 196  
Vertexing, 25
- Villari effect, 293  
Virtual particle, 11
- W* gauge boson, 3, 5, 18, 88, 379–81  
Waist, 113–14  
Wavelength shifter, 153–4, 157, 186, 267  
Weak interaction, 2, 3, 88–91  
Winston cone, 160–1
- Z* gauge boson, 3, 5, 89

