

**100% more
material in 1993**

EDITORS

P F Fox,

Department of Food Chemistry,
University College Cork, Cork, Ireland

P Jelen,

University of Alberta, Department of
Food Science, Faculty of Agriculture
& Forestry, Edmonton, Canada T6G 2P5

AIMS AND SCOPE

The *International Dairy Journal* publishes original, refereed research papers and critical reviews on all aspects of dairy science and technology. Within this scope, the journal pays particular attention to applied research and to the interface of the dairy and food industries.

Published in association with the International Dairy Federation, the journal provides a truly international forum for the communication of research in dairy science, including the research and development of dairy and allied products.

The journal's coverage includes:

- Biosynthesis, chemistry and physico-chemical properties of milk constituents;
- Microbiology, enzymology, biotechnology and bioengineering;
- Dairy engineering and new developments in processing;
- Relevant emulsion science, food structure and texture;
- Raw material quality; milk assembly;
- Flavour and off-flavour development;
- Milks from non-bovine species;
- Product development and usage of dairy ingredients in other foods;
- Relevant sensory science/consumer studies;
- Analytical, nutritional, environmental and legal subjects.

INTERNATIONAL DAIRY JOURNAL



Published in association
with the International
Dairy Federation

ABSTRACTED/INDEX IN:

- AGRICOLA database
- CABS (Current Awareness in Biological Sciences)
- Food Science and Technology Abstracts
- Publications in Food Microbiology
- Cambridge Scientific Abstracts
- CAB International database

SUBSCRIPTION DETAILS:

- ISSN 0958-6946
- Volume 3 1993 (1 volume in 8 issues)
Subscription Price: £264.00/US\$422.00
- Volume 4 1994 (1 volume in 8 issues)
Subscription Price: £284.00/US\$454.00

ORDER FORM

Please send me a free sample copy of the International Dairy Journal

Name:

Organisation:

Address:

Post / Zip Code

Country

Send to

Anton Molenaar,
Elsevier Applied Science,
Crown House, Linton Road,
Barking, Essex, IG11 8JU, UK.
Tel: (081) 594 7272
Fax: (081) 594 5608 (orders)
(081) 594 5140 (enquiries)



JOURNAL OF DAIRY RESEARCH

EDITED BY

B. A. ROLLS
M. L. GREEN

AFRC Institute of Food Research, Reading Laboratory,
Shinfield, Reading RG2 9AT, UK

Consulting Editors

R. G. VERNON
B. A. LAW

Assistant Editors

B. F. BONE
MARY C. A. GRIFFIN
C. J. WILDE

Editorial Assistant

B. GILLIAN DAY

Secretary

C. J. STAKER



CAMBRIDGE
UNIVERSITY PRESS

VOLUME 60, 1993

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211
10 Stamford Road, Oakleigh, Melbourne 3166 Australia

© Proprietors of *Journal of Dairy Research* 1993

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (February 1993)

PAGE

| | |
|---|-----|
| Response of Jersey and Friesian cows to once a day milking and prediction of response based on udder characteristics and milk composition. V. R. CARRUTHERS, S. R. DAVIS, A. M. BRYANT, H. V. HENDERSON, C. A. MORRIS and P. J. A. COPEMAN | 1 |
| Effects of oxytocin, machine stripping and milking rate on production loss of cows milked once a day. V. R. CARRUTHERS, S. R. DAVIS and P. J. A. COPEMAN | 13 |
| Classification of newly calved cows into moderate and severe responders to experimentally induced <i>Escherichia coli</i> mastitis. G. VANDEPUTTE-VAN MESSOM, C. BERVENICH, E. ROETS, A.-M. MASSART-LEËN, R. HEYNEMAN, W. D. J. KREMER and A. BRAND | 19 |
| Effect of pre-milking teat dipping on clinical mastitis on dairy farms in England. J. E. HILLERTON, M. F. H. SHEARN, R. M. TEVERSON, S. LANGRIDGE and J. M. BOOTH | 31 |
| Effect of breed, protein genetic variants and feeding on cows' milk coagulation properties. D. MACHEBOEUF, J.-B. COULON and P. D' HOUR | 43 |
| Comparison of the ability to bind lipids of β -lactoglobulin and serum albumin from ruminant and non-ruminant species. M. D. PÉREZ, P. PUYOL, J. M. ENA and M. CALVO | 55 |
| Binding from Mg^{2+} and Ca^{2+} to β -casein A ¹ : a multi-nuclear magnetic resonance study. N. M. WAHLGREN, P. DEJMEK and T. DRAKENBERG | 65 |
| Ultrafiltration of defatted whey: improving performance by limiting membrane fouling. G. DAUFIN, F. MICHEL, J.-P. LABBÉ, A. QUEMERAIS and A. GRANGEON | 79 |
| Fractionation of whey protein components through a large pore size, hydrophilic, cellulosic membrane. R. K. MEHRA and W. J. DONNELLY | 89 |
| Purification and identification of TGF- β 2-related factor from bovine colostrum. Y. TOKUYAMA and H. TOKUYAMA | 99 |
| Short communications | |
| Application of reversed-phase HPLC to the study of proteolysis in UHT milk. R. LÓPEZ-FANDIÑO, A. OLANO, C. SAN JOSÉ and M. RAMOS | 111 |
| Comparative study by HPLC of caseinomacropptides from cows', ewes' and goats' milk. R. LÓPEZ-FANDIÑO, M. I. ACEDO and M. RAMOS | 117 |
| Main lactic acid bacteria isolated during ripening of Casar de Cáceres cheese. B. POULLET, M. HUERTAS, A. SÁNCHEZ, P. CÁCERES and G. LARRIBA | 123 |
| Use of Peldri II (a fluorocarbon compound) in the preparation of cheese samples for examination by scanning electron microscopy. M. FRAU, A. BLANCO, J. CAÑELLAS and C. ROSSELLÓ | 129 |

No. 2 (May 1993)

| | |
|---|-----|
| Effects on milk yield and composition of intra-abomasal infusions of sodium caseinate, an enzymic hydrolysate of casein or soya-protein isolate in dairy cows. J.-J. CHOUNG and D. G. CHAMBERLAIN | 133 |
| Changes in milk on heating: viscosity measurements. T. J. M. JEURNINK and K. G. DE KRUIF | 139 |
| Influence of processing on the molecular modifications of milk proteins in the course of enzyme coagulation. S. IAMETTI, R. GIANGIACOMO, G. MESSINA and F. BONOMI | 151 |
| Ultrafiltration with a microfiltration membrane of acid skimmed and fat-enriched milk coagula: hydrodynamic and rheological approaches. H. ATTIA, M. BENNASAR, A. LAGAUDE, B. HUGODOT, J. ROUVIERE and B. TARODO DE LA FUENTE | 161 |
| Multinuclear NMR study of the pH dependent water state in skim milk and caseinate solutions. P. MARIETTE, C. TELLIER, G. BRULÉ and P. MARCHAL | 175 |
| Purification and characterization of three proteins isolated from the proteose peptone fraction of bovine milk. E. S. SØRENSEN and T. E. PETERSEN | 189 |
| Neutral volatile compounds in the raw milks from different species. L. MOIO, J. DEKIMPE, P. ETIEVANT and F. ADDEO | 199 |
| Powerful odorants in bovine, ovine, caprine and water buffalo milk determined by means of gas chromatography-olfactometry. L. MOIO, D. LANGLOIS, P. ETIEVANT and F. ADDEO. | 215 |
| Routine Limulus amoebocyte lysate (LAL) test for the endotoxin determination in milk using a Toxinometer ET-201. J. MOTTAR, J. DE BLOCK, M. MERCHERS, K. VANTOMME and R. MOERMANS. | 223 |
| Purification and some properties of proteinase from <i>Pseudomonas fluorescens</i> No. 33. H. KUMURA, K. MIKAWA and Z. SAITO | 229 |
| High-fat spreadable processed cheese for people with high blood cholesterol. N. A. ABOU-ZEID | 239 |
| Yogurt production from reconstituted skim milk powders using different polymer and non-polymer forming starter cultures. C. WACHER-RODARTE, M. V. GALVAN, A. FARRÉS, F. GALLARDO, V. M. E. MARSHALL and M. GARCIA-GARIBAY | 247 |
| Short communications | |
| Circulating proloactin levels in the newborn lamb. G. E. THOMPSON | 255 |
| Effect of microwave heating on the thiamin content of cows milk. C. VIDAL-VALVERDE and P. REDONDO | 259 |
| Microflora present in kefir grains of the Galician region (North West Spain). L. ANGULO, E. LOPEZ and C. LEMA | 263 |

Review article

- Proteolytic enzymes of *Lactococcus lactis*. P. S. T. TAN, B. POOLMAN and W. N. KONINGS 269

No. 3 (August 1993)

- Influence of switch level of automatic cluster removers on milking performance and udder health. M. D. RASMUSSEN 287
- Effect of caprine arthritis-encephalitis virus infection on milk cell count and *N*-acetyl- β -glucosaminidase activity in dairy goats. D. P. RYAN, P. L. GREENWOOD and P. J. NICHOLLS 299
- Bromocriptine treatment of periparturient goats: long-term suppression of prolactin and lack of effect on lactation. I. A. FORSYTH and P. D. LEE 307
- Concentration of citrate in the mammary secretion of sows during lactogenesis II and established lactation. M. A. HOLMES and P. E. HARTMANN 319
- Process integration study of a milk powder plant. L. J. ROBERTSON and A. J. BALDWIN 327
- Proteolysis during storage of UHT milk: differences between whole and skim milk. R. LÓPEZ-FANDIÑO, A. OLANO, N. CORZO and M. RAMOS 339
- Rheology of whey protein concentrate solutions as a function of concentration, temperature, pH and salt concentration. Q. TANG, P. A. MUNRO and O. J. MCCARTHY 349
- Effect of heat treatment and other milk proteins on the interaction of lactoferrin with monocytes. R. ORIA, M. ISMAIL, L. SÁNCHEZ, M. CALVO and J. H. BROCK 363
- Numerical taxonomy of psychrotrophic bacteria isolated from raw ewes' milk. M.-R. GARCÍA-ARMESTO, M. PRIETO, C. ALONSO, M.-L. GARCÍA-LÓPEZ, M.-C. GARCÍA-FERNÁNDEZ and A. OTERO 371
- Interactions of temperate bacteriophages of *Streptococcus salivarius* subsp. *thermophilus* with lysogenic indicators affect phage DNA restriction patterns and host ranges. B. FAYARD, M. HAEFLIGER and J.-P. ACCOLAS 385
- Proteolytic specificity of chymosin on bovine α_{s1} -casein. P. L. H. MCSWEENEY, N. F. OLSON, P. F. FOX, A. HEALY and P. HØJRUP 401
- Polyclonal antibodies with predetermined specificity against bovine α_{s1} -casein: application to the detection of bovine milk in ovine milk and cheese. M.-P. ROLLAND, L. BITRI and P. BESANÇON 413
- Growth of *Listeria monocytogenes* in Camembert and other soft cheeses at refrigeration temperatures. J. P. BACK, S. A. LANGFORD and R. G. KROLL 421
- Relationships between plasmin levels in rennet caseins and proteolytic and rheological changes on storage of cheese analogues made from these caseins. D. M. MULVIHILL and A. MCCARTHY 431

Short Communications

- Heat treatment of milk can increase apparent fluorescent somatic cell count.
T. CLARKE 439
- Mitogenic activity of hydrophobic fractions of proteose peptone from cows',
ewes' and goats' milk measured with MARK 3 hybridoma culture. A. MATI,
F. MOULTI-MATI, J.-M. GIRARDET, E. FOKOU, F. BELLEVILLE-NABET, P.
NABET and G. LINDEN 443

No. 4 (November 1993)

- Milk removal in familiar and unfamiliar surroundings: concentrations of
oxytocin, prolactin, cortisol and β -endorphin. R. M. BRUCKMAIER,
D. SCHAMS and J. W. BLUM. 449
- Yield and composition of milk from lactating mares: effect of body condition at
foaling. M. DOREAU, S. BOULOT and Y. CHILLIARD 457
- Preliminary stages of fouling from whey protein solutions. M. T. BELMAR-BEINY
and P. J. FRYER 467
- Discovery of an ovine α_{s2} -casein variant. L. CHIANESE, G. GARRO, F. ADDEO, G.
LOPEZ-GALVEZ and M. RAMOS 485
- Comparative study of the separation of casein from bovine, ovine and caprine
milks using HPLC. S. E. KAMINARIDES and E. M. ANIFANTAKIS 495
- Effect of the A and B variants of both α_{s1} - and κ -casein on bovine casein micelle
solvation and κ -casein content. S. G. ANEMA and L. K. CREAMER 505
- Enzyme-induced coagulation of casein micelles: a number of different kinetic
models. D. B. HYSLOP 517
- Phosphorylation, glycosylation and amino acid sequence of component PP3
from the proteose peptone fraction of bovine milk. E. S. SØRENSEN and T. E.
PETERSEN 535
- Oscillatory rheological study of the gelation mechanism of whey protein
concentrate solutions: effects of physicochemical variables on gel formation.
Q. TANG, O. J. MCCARTHY and P. A. MUNRO 543
- Growth of lactic acid bacteria and bifidobacteria on lactose and lactose-related
mono-, di- and trisaccharides and correlation with distribution of β -
galactosidase and phospho- β -galactosidase. J. B. SMART, C. J. PILLIDGE and
J. H. GARMAN 557
- Toxin production by *Bacillus cereus* in dairy products. A. D. SUTHERLAND 569
- Influence of pH and sugars on the growth and production of diarrhoeagenic
toxin by *Bacillus cereus*. A. D. SUTHERLAND and A. M. LIMOND 575
- Production of a bacteriocin active on lactate-fermenting clostridia by
Lactococcus lactis subsp. *lactis* immobilized in coated alginate beads. N.
ZEZZA, G. PASINI, A. LOMBARDI, A. MERCENIER, P. SPETTOLI, A. ZAMORANI
and M. P. NUTI 581

Contents

vii

Flow behaviour of low solids fresh cheeses. J. KOROLCZUK 593

Review article

Composition and characteristics of camel milk. Z. FARAH 603

DIRECTIONS TO CONTRIBUTORS

NOTE

Full Directions to Contributors, of which this is a summary, appear in the first (February) issue of each volume.

GENERAL

The Journal of Dairy Research publishes reports on all aspects of dairy science from any country. Material for publication should be sent to the Editor: Dr B. A. Rolls, AFRC Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2EF, UK. Receipt of all material will be acknowledged. Submission of a paper will be taken to imply that it reports original unpublished work, that it is not under consideration elsewhere, and that if accepted by the *Journal* it will not be published elsewhere in any language without the consent of the Editors. Authors of accepted articles will be asked to assign their copyright, under certain conditions, to the *Journal*.

FORM OF PAPERS

Papers should be written in English using the spelling of the *Concise Oxford Dictionary* and should as far as possible be comprehensible to the non-specialist reader. They should be concise, but without omitting necessary material, and contain sufficient detail to allow repetition of the work.

Papers should be typed with wide margins on one side of A4 or quarto paper, double spaced throughout including References, Figure legends and Table headings and footnotes. Submit a top copy and two good copies (photocopies or carbon), packed flat. A single copy will be accepted from outside Europe.

Authors should consult a recent issue of the *Journal of Dairy Research* to familiarize themselves with Journal conventions and layout. Attention to these and other details will speed publication.

LAYOUT OF PAPERS

The paper should generally be divided as follows. (a) *Cover sheet* with the title of the article, names of authors each with one forename, together with their affiliations, a shortened version of the title suitable as a heading, and the name and address for correspondence. (b) A brief *Summary* should encapsulate the whole paper, showing clearly the new knowledge acquired. (c) The introduction, without heading, should not contain a full literature review, but should indicate why the subject of enquiry is interesting or important, and why the authors have chosen the approach described. (d) The *Experimental or Materials and Methods* section should contain adequate descriptions of procedures or appropriate references; sources of all materials (including address with post code) and sources or strains of animals, microorganisms and so on should be indicated. (e) *Results* should be as concise as possible, without repetition or inclusion of irrelevant material. Tables and illustrations should be used efficiently. (f) The *Discussion* should not repeat the results but discuss their significance. Any acknowledgements are given in a separate paragraph without heading. It is the responsibility of the authors to ensure that individuals or organizations acknowledged as providing materials or otherwise are willing to be identified. (g) *References*. Note. For some types of paper, other divisions may be preferable.

REFERENCES

References should be given in the text as Brown & Jones (1987) or (Schmidt, 1985; Nakamura *et al.* 1989); the first author with *et al.* is used for papers with three or more

authors. Where necessary, papers are distinguished as Lenoir (1988*a*), (Litov *et al.* 1990*a, b*). When several references appear together in the text, cite them in chronological order, and alphabetically within years. The Reference list at the end of the paper, which should begin on a fresh page, is given in strict alphabetical order. Authors should refer to a recent issue for the format of references.

TABLES

Tables should be numbered and carry headings enabling them to be understood without reference to the text. Each Table should be typed on a separate sheet, but their approximate position in the text should be indicated. Symbols for footnotes should be in the order †, ‡, §, ||, ¶, ††, etc. The use of *, **, etc. should be limited to indicating levels of significance.

ILLUSTRATIONS

Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should each be on a separate sheet, not larger overall than those on which the paper is typed, and packed flat. Curves or lines should not extend beyond the experimental points, which should be indicated, symbols used being, in order: ○, ●, △, ▲, □, ■, ×, +. Attached to each Figure should be a translucent flyleaf on which should be indicated clearly: title of paper and authors, Figure number, all numerals and lettering intended to appear on the final illustration, in the correct positions relative to the drawing underneath. *There should be no letters or numerals on the drawing or photograph itself.* Each Figure should be provided with a legend such that with the Figure it is comprehensible without reference to the text. Figure legends should be typed on a separate sheet or sheets.

Photographs should be glossy black and white prints accompanied by a legend as above. Scale bars on the photograph are preferable to magnifications in the legend. Only one copy of each illustration is required, but authors should ensure that photocopies provided with the other copies of the paper are of adequate quality to allow referees to judge their value.

STATISTICAL TREATMENT

Individual results should not normally be given. The methods of statistical analysis should be clearly described; a suitable reference is adequate. Authors should make it clear whether they are quoting (e.g.) SD or SE. Any statement that two groups of values are different should be supported by the level of significance involved, as a single or range of *P* value: ($P = 0.008$) or ($P < 0.01$). Differences should not be claimed or implied if $P > 0.05$.

ETHICS OF EXPERIMENTS

Authors are expected to adhere to the relevant codes covering human subjects and the use of animals.

PROOFS

Authors will be advised when to expect proofs, which should be returned without delay to Mrs B. Gillian Day, AFRC Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2EF, UK. Proofs are sent for the correction of any printer's or editorial errors, not for addition of new material or revision of the text. Excessive alteration may have to be disallowed or made at the authors' expense, and may delay publication. Order forms for offprints are sent with proofs and should be returned directly to The University Press, Cambridge.

JOURNAL OF DAIRY RESEARCH

Volume 60 Number 4 November 1993

CONTENTS

| Original articles | Pages |
|--|---------|
| Milk removal in familiar and unfamiliar surroundings: concentrations of oxytocin, prolactin, cortisol and β -endorphin R. M. BRUCKMAIER, D. SCHAMS and J. W. BLUM | 449-456 |
| Yield and composition of milk from lactating mares: effect of body condition at foaling M. DOREAU, S. BOULOT and Y. CHILLIARD | 457-466 |
| Preliminary stages of fouling from whey protein solutions M. T. BELMAR-BEINY and P. J. FRYER | 467-483 |
| Discovery of an ovine α_{s2} -casein variant L. CHIANESE, G. GARRO, F. ADDEO, G. LOPEZ-GALVEZ and M. RAMOS | 485-493 |
| Comparative study of the separation of casein from bovine, ovine and caprine milks using HPLC S. E. KAMINARIDES and E. M. ANIFANTAKIS | 495-504 |
| Effect of the A and B variants of both α_{s1} - and κ -casein on bovine casein micelle solvation and κ -casein content S. G. ANEMA and L. K. CREAMER | 505-516 |
| Enzyme-induced coagulation of casein micelles: a number of different kinetic models D. B. HYSLOP | 517-533 |
| Phosphorylation, glycosylation and amino acid sequence of component PP3 from the proteose peptone fraction of bovine milk E. S. SØRENSEN and T. E. PETERSEN | 535-542 |
| Oscillatory rheological study of the gelation mechanism of whey protein concentrate solutions: effects of physicochemical variables on gel formation Q. TANG, O. J. MCCARTHY and P. A. MUNRO | 543-555 |
| Growth of lactic acid bacteria and bifidobacteria on lactose and lactose-related mono-, di- and trisaccharides and correlation with distribution of β -galactosidase and phospho- β -galactosidase J. B. SMART, C. J. PILLIDGE and J. H. GARMAN | 557-568 |
| Toxin production by <i>Bacillus cereus</i> in dairy products A. D. SUTHERLAND | 569-574 |
| Influence of pH and sugars on the growth and production of diarrhoeagenic toxin by <i>Bacillus cereus</i> A. D. SUTHERLAND and A. M. LIMOND | 575-580 |
| Production of a bacteriocin active on lactate-fermenting clostridia by <i>Lactococcus lactis</i> subsp. <i>lactis</i> immobilized in coated alginate beads N. ZEZZA, G. PASINI, A. LOMBARDI, A. MERCENIER, P. SPETTOLI, A. ZAMORANI and M. P. NUTI | 581-591 |
| Flow behaviour of low solids fresh cheeses J. KOROLCZUK | 593-601 |
| Review article Composition and characteristics of camel milk Z. FARAH | 603-626 |

© Proprietors of *Journal of Dairy Research* 1993

Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0022-0299(199311)60:4;1-6