

Human Embryo Research: Yes or No?

THE CIBA FOUNDATION


Experimental research on early human embryos is an emotive subject. Most of the public debate has so far centred on moral issues rather than on scientific aspects such as the needs and possibilities of research.

In 1985 the Ciba Foundation held a unique meeting to provide a forum in which scientists, moral philosophers, doctors, and lawyers could discuss the issues raised by embryo research. This book records the fascinating and informative exchanges that took place.

256 pages

Hardback 0 422 50490 5 £17.95

Paperback 0 422 60600 6 £6.95



TAVISTOCK

11 New Fetter Lane, London EC4P 4EE.

Genetical Research

EDITORIAL BOARD

CHARLOTTE AUERBACH ARTHUR CHOVNICK W. HAYES
BRUCE HOLLOWAY D. ISH-HOROWICZ MARY F. LYON
ANNE McLAREN M. VAN MONTAGU R. NÖTHIGER J. PAUL
W. J. PEACOCK PETER A. PETERSON R. H. PRITCHARD
R. RILEY A. ROBERTSON N. S. WILLETTS


EXECUTIVE EDITOR

E. C. R. REEVE

ASSISTANT EXECUTIVE EDITORS

DAVID J. FINNEGAN TRUDY F. C. MACKAY

Volume 48 1986



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

Published by
The Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1986

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (August 1986)

DEAN, ANTHONY M., DYKHUIZEN, DANIEL E. and HARTL, DANIEL L. Fitness as a function of β -galactosidase activity in <i>Escherichia coli</i>	1
HOEKSTRA, MERL F., NAUGHTON, TOM and MALONE, ROBERT E. Properties of spontaneous mitotic recombination occurring in the presence of the <i>rad52-1</i> mutation of <i>Saccharomyces cerevisiae</i>	9
GOLENBERG, EDWARD M. Chromosomal location of peptidase, <i>PEPT-1</i> , genes in <i>Triticum aestivum</i> var. Chinese Spring	19
GOUX, JEAN-MICHEL and PASTEUR, GEORGES. A sex-linked enzyme in a reptile-association with a recent centric fusion in the common lizard	21
HARTL, G. B. and HOGER, H. Biochemical variation in purebred and crossbred strains of domestic rabbits (<i>Oryctolagus cuniculus</i> L.)	27
LAMOREUX, M. LYNN and GALBRAITH, DONALD B. DK/Lm: A Strain of Laboratory Mouse with an Unusual Expression of the Lethal Yellow (A^y) Phenotype	35
HILL, WILLIAM G. and RASBASH, JONATHAN. Models of long term artificial selection in finite population	41
ERRATUM	51
BOOK REVIEWS	53

No. 2 (October 1986)

GUZMAN, ELENA C. and JIMENEZ-SANCHEZ, ALFONSO. Effect of multiple copies of <i>rpoBC</i> on the rate of RNA synthesis in <i>Escherichia coli</i>	61
MUKHERJEE, A. S. and GHOSH, MITA. A different level of X-chromosomal transcription in an $\ln(1)BM^2$ (reinverted) strain and in its hyperploid derivatives resolves an X-coded regulatory activity for dosage compensation in <i>Drosophila</i>	65
MACKAY, TRUDY F. C. Transposable element-induced fitness mutations in <i>Drosophila melanogaster</i>	77
FITZPATRICK, BENJAMIN J. and SVED, JOHN A. High levels of fitness modifiers induced by hybrid dysgenesis in <i>Drosophila melanogaster</i>	89
LYNCH, CAROL BECKER, ROBERTS, R. C. and HILL, W. G. Heterosis among lines of mice selected for body weight. 3. Thermoregulation	95
HETZEL, D. J. S. and NICHOLAS, F. W. Growth, efficiency and body composition of mice selected for post-weaning weight gain on <i>ad libitum</i> or restricted feeding	101
CHARLESWORTH, BRIAN. Genetic divergence between transposable elements	111
OHTA, TOMOKO. Actual number of alleles contained in a multigene family	119
HILL, WILLIAM G. and RASBASH, JONATHAN. Models of long-term artificial selection in finite population with recurrent mutation	125
BOOK REVIEWS	133
BOOKS RECEIVED	137

No. 3 (December 1986)

YAMAMOTO, NOBUTO <i>and</i> MCDONALD, ROBERT J. Genomic structure of phage F22, a hybrid between serologically and morphologically unrelated <i>Salmonella typhimurium</i> bacteriophages P22 and <i>Fels 2</i>	139
PIZZIRANI-KLEINER, ALINE A. <i>and</i> AZEVEDO, J. L. Effect of the <i>bncA</i> gene on the instability of <i>Aspergillus nidulans</i>	145
BIRD, STEPHEN R. <i>and</i> SEMEONOFF, ROBERT. Selection for oviposition preference in <i>Drosophila melanogaster</i>	151
MONTCHAMP-MOREAU, CATHERINE <i>and</i> KATZ, MARIANO. A theoretical analysis of linkage disequilibrium produced by genetic drift in <i>Drosophila</i> populations	161
TERRACOL, RÉGINE. Transcription of rDNA insertions in bobbed mutants of <i>Drosophila melanogaster</i>	167
NADEAU, JOSEPH H. A chromosomal segment conserved since divergence of lineages leading to man and mouse: The gene order of aminoacylase-1, transferrin, and beta-galactosidase on mouse Chromosome 9	175
PENNYCUIK, PAMELA R., RAPHAEL, KATHRYN A., CHAPMAN R. E. <i>and</i> HARDY, MARGARET H. The site of action of the asebia locus (<i>ab</i>) in the skin of the mouse	179
TAKAHATA, NAOYUKI. An attempt to estimate the effective size of the ancestral species common to two extant species from which homologous genes are sequenced	187
VANLERBERGHE, F., DOD, B., BOURSOT, P., BELLIS, M. <i>and</i> BONHOMME, F. Absence of Y-chromosome introgression across the hybrid zone between <i>Mus musculus domesticus</i> and <i>Mus musculus musculus</i>	191
SANYAL, S., VAN NIE, R., DE MOES, J. <i>and</i> HAWKINS, R. K. Map position of dysgenetic lens (<i>dyl</i>) locus on chromosome 4 in the mouse	199
BOOK REVIEWS	201
BOOKS RECEIVED	209
INDEX	211

NOTES TO CONTRIBUTORS

GENETICAL RESEARCH publishes original work on all aspects of genetics, or in any field of research which has an important bearing on genetics. Reviews of topical interest will also be considered. Papers will be submitted to referees, and will generally be printed in order of acceptance. Short papers (see below) will be given priority in publication.

CONTRIBUTIONS are welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to the Executive Editor, Dr E. C. R. Reeve, Institute of Animal Genetics, West Mains Road, Edinburgh EH9 3JN, or to a member of the Editorial Board with a particular interest in that area of genetics. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers should be as concise as clarity permits, and illustrations should be restricted to the *minimum needed*.

SHORT PAPERS This category is designed for concisely written reports of work for which rapid publication is considered desirable. Such papers will normally be published within three months of receipt in acceptable form. They should not exceed 4 pages of print in length, and should include a summary.

TYPESCRIPTS A top copy and two other copies should be submitted. The top copy should be typed with double-spacing on one side of good quality paper, leaving margins of about 1½ inches at the left-hand side and at the top and bottom of each sheet. Each copy should include a complete set of illustrations. The title should ordinarily identify the organism. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper, and changes of address may be added in footnotes. A footnote to the title page should also give the name and address to whom reprint requests may be made. Sources of financial support should be included with other acknowledgements at the end of the text. The title page of the typescript should include a short title for running headlines (limited to 50 letters and spaces), and the name and address of the author (or his proxy) to whom the proofs are to be sent, under the heading: *Proofs to be sent to...* Main headings should be typed in capitals and (except summary and references) numbered consecutively. Subheadings should be typed in lower case, and underlined except for those words and symbols which would be italicized in the text. Subheadings should be numbered (i), (ii), etc., within each main heading. **Numeral 1 and letter e: if your typewriter uses one symbol for both, please make clear to the Printer which is intended in formulae, gene symbols, etc.**

SUMMARY The summary will be printed at the beginning of the paper. It should give a concise abstract of the significant content and conclusions of the paper, in a form suitable for abstracting journals to use, and should not exceed 250 words.

ILLUSTRATIONS The separate category of Plates no longer applies in the new format. All illustrations, including photographs, diagrams, graphs etc. are to be labelled consecutively Figure 1, 2... according to their relative positions in the text. Each figure should have a legend to be printed underneath it. Photographs should be supplied as unmounted glossy prints, with a sketch or separate set to show the arrangement required when several photographs are to form one figure. The names of the authors and the

orientation of the figure should be indicated on the back of each photograph. *Diagrams* should be about twice the size of the printed figure, but not larger than 12 × 8 inches, unless exceptionally complicated, and the thickness of lines and size of points should be determined accordingly. They may be submitted as glossy photographic prints or be drawn in indian ink on white Bristol-board, tracing linen or graph paper ruled in pale blue (but not other colours). The lettering on drawings should be lightly inserted *in soft pencil only*, so that the printer can put in the finished lettering. Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back.

TABLES Each table should be typed on a separate sheet of paper and its approximate position in the text indicated on the typescript. Each should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion. Table footnotes should ordinarily employ the symbols *, †, ‡, §, ||, ¶, **, etc., in that order.

SYMBOLS Gene and mathematical symbols should generally be printed in italics. Please underline those to be italicized when they appear in the text and tables. Bold letters add to printing costs and should only be used where they are necessary to avoid confusion. The author must assume responsibility for the accurate printing of complex mathematical formulae submitted in typewritten form, by differentiating between letters and numbers which are open to misinterpretation, and identifying all Greek, Hebrew and script letters by means of marginal notes at their first appearance. Note that Greek symbols cannot be italicized and that '+' as the symbol for a wild-type allele should not be italicized.

NOMENCLATURE Wherever possible, standardized nomenclature should be employed. The author should refer to the following publications for guidance: Novick *et al.* (*Bacteriological Reviews* 40, 168–189) for plasmids; O'Brien (Ed.), *Genetic Maps 3*, Cold Spring Harbor 1984, for recent information on most species and recent gene lists.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, *both titles of articles and names of periodicals* should be written out in full.

PROOFS Two sets of single-sided page proofs, together with the typescript of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor, together with the typescript. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

OFFPRINTS Fifty offprints of each paper, or short paper, are provided free of charge. Additional offprints may be ordered in the form sent out with proofs, provided this is returned within fourteen days of receipt.

Genetical Research

Contents

- 139 YAMAMOTO, NOBUTO *and* MCDONALD, ROBERT J. Genomic structure of phage F22, a hybrid between serologically and morphologically unrelated *Salmonella typhimurium* bacteriophages P22 and *Fels 2*
- 145 PIZZIRANI-KLEINER, ALINE A. *and* AZEVEDO, J. L. Effect of the *bncA* gene on the instability of *Aspergillus nidulans*
- 151 BIRD, STEPHEN R. *and* SEMEONOFF, ROBERT. Selection for oviposition preference in *Drosophila melanogaster*
- 161 MONTCHAMP-MOREAU, CATHERINE *and* KATZ, MARIANO. A theoretical analysis of linkage disequilibrium produced by genetic drift in *Drosophila* populations
- 167 TERRACOL, RÉGINE. Transcription of rDNA insertions in bobbed mutants of *Drosophila melanogaster*
- 175 NADEAU, JOSEPH H. A chromosomal segment conserved since divergence of lineages leading to man and mouse: The gene order of aminoacylase-1, transferrin, and beta-galactosidase on mouse Chromosome 9
- 179 PENNYCUK, PAMELA R., RAPHAEL, KATHRYN A., CHAPMAN, R. E. *and* HARDY, MARGARET H. The site of action of the asebia locus (*ab*) in the skin of the mouse
- 187 TAKAHATA, NAOYUKI. An attempt to estimate the effective size of the ancestral species common to two extant species from which homologous genes are sequenced
- 191 VANLERBERGHE, F., DOD, B., BOURSOT, P., BELLIS, M. *and* BONHOMME, F. Absence of Y-chromosome introgression across the hybrid zone between *Mus musculus domesticus* and *Mus musculus musculus*
- 199 SANYAL, S., VAN NIE, R., DE MOES, J. *and* HAWKINS, R. K. Map position of dysgenetic lens (*dyl*) locus on chromosome 4 in the mouse
- 201 BOOK REVIEWS
- 209 BOOKS RECEIVED
- 211 INDEX

© Cambridge University Press 1986

Cambridge University Press

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge