


MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

*of the
Cambridge Philosophical Society*

VOLUME 159



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

University Printing House, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
32 Avenue of the Americas, New York, NY 10013–2473, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/Orense, 4, planta 13, 28020 Madrid, Spain
Lower Ground Floor, Nautica Building, The Water Club, Beach Road,
Granger Bay, Cape Town 8005, South Africa

© Cambridge Philosophical Society 2015

Printed in the United Kingdom by Bell and Bain Limited, Glasgow

INDEX FOR VOLUME 159

| | PAGE |
|---|------|
| Aldous, D. & Lando, T. The stretch-length tradeoff in geometric networks: average case and worst case study | 125 |
| Araújo, J., Bentz, W., Mitchell, J. D. & Schneider, C. The rank of the semigroup of transformations stabilising a partition of a finite set | 339 |
| Bárány, B. On the Ledrappier–Young formula for self-affine measures | 405 |
| Barreira, L. & Valls, C. Stability of L^1 contractions | 23 |
| Blomer, V. & Kala, V. Number fields without n -ary universal quadratic forms | 239 |
| Boubel, C. The algebra of parallel endomorphisms of a pseudo-Riemannian metric: semi-simple part | 219 |
| Brandolini, L., Colzani, L., Gigante, G. & Travaglini, G. L^p and Weak- L^p estimates for the number of integer points in translated domains | 471 |
| Brendle, T. E. & Margalit, D. Factoring in the hyperelliptic Torelli group | 207 |
| Cassou–Noguès, P. & Veys, W. The Newton tree: geometric interpretation and applications to the motivic zeta function and the log canonical threshold | 481 |
| Di Cerbo, G., & Di Cerbo, L. F. Positivity in Kähler–Einstein theory | 321 |
| Florens, V., Guerville–Ballé, B. & Marco-Buzunariz, M. A. On complex line arrangements and their boundary manifolds | 189 |
| Fraser, J. M. & Pollicott, M. Micromeasure distributions and applications for conformally generated fractals | 547 |
| Ghioca, D., Nguyen, K. & Tucker, T. J. Portraits of preperiodic points for rational maps | 165 |
| Guardo, E. & Van Tuyl, A. On the Hilbert functions of sets of points in $\mathbb{P}^1 \times \mathbb{P}^1 \times \mathbb{P}^1$ | 115 |
| Guth, L. Polynomial partitioning for a set of varieties | 459 |
| Hadžić, M. & Rein, G. On the small redshift limit of steady states of the spherically symmetric Einstein–Vlasov system and their stability | 529 |
| Hussain, M. A Jarník type theorem for planar curves: everything about the parabola | 47 |
| Ito, T. & Nakamura, I. Erratum to “On surface links whose link groups are abelian” | 187 |
| Koda, Y. Automorphisms of the 3-sphere that preserve spatial graphs and handlebody-knots | 1 |
| Kuo, W. & Tweedle, D. Primitive submodules for Drinfeld modules | 275 |
| Lopez, A. F. Augmented base loci and restricted volumes on normal varieties, II: The case of real divisors | 517 |
| Lupton, G. & Smith, S. B. Gottlieb groups of function spaces | 61 |
| Mazzeo, R. & Rowlett, J. A heat trace anomaly on polygons | 303 |
| Nguyen, H. D. Regularity bounds for complexes and their homology | 355 |
| Olsen, L. On the exact rate of convergence of frequencies of digits and local dimensions of multinomial measures | 387 |
| Paulin, R. An explicit André–Oort type result for $\mathbb{P}^1(\mathbb{C}) \times \mathbb{G}_m(\mathbb{C})$ | 153 |
| Pfaff, C. <i>Out</i> (F_3) Index Realization | 445 |
| Rodenhausen, M. & Wade, R. D. Centralisers of Dehn twist automorphisms of free groups | 89 |
| Sendov, B. & Sendov, H. Loci of complex polynomials, part II: polar derivatives | 253 |
| Townsend, C. Principal bundles as Frobenius adjunctions with application to geometric morphisms | 433 |
| Vaaler, J. D. & Widmer, M. Number fields without small generators | 379 |
| Zupan, A. Uniqueness of higher genus bridge surfaces for torus knots | 79 |

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

A paper should be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form only. Authors are encouraged to prepare their manuscripts in LaTeX 2 ϵ using the PSP class file. The class file, together with a guide, PSP2egui.tex, and sample pages, PSP2esam.tex, can be downloaded from <ftp://ftp.cambridge.org/pub/texarchive/journals/latex/pss> in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas, *Some applications of a theorem of G. H. Hardy* would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2 \sin \theta/(1+y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , I ; $e.k$, $k.k$.

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit \square from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value . .)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

[Figure 1 here]

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. *A basis for ...*

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

[Table 3 here]

Heading for tables should be shown in the following way:

Table 1. *A basis for ...*

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann of Math.* (2) **72** (1960), 20-104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves* Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication the relevant TeX files of the final version, accompanied by a pdf file, should be sent to the Editor by e-mail.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

MATHEMATICAL PROCEEDINGS

of the
Cambridge Philosophical Society

VOLUME 159 PART 3, pages 379–566, November 2015

CONTENTS

| | |
|--|-----|
| VAALER, J. D. & WIDMER, M. Number fields without small generators | 379 |
| OLSEN, L. On the exact rate of convergence of frequencies of digits and local dimensions of multinomial measures | 387 |
| BÁRÁNY, B. On the Ledrappier–Young formula for self-affine measures | 405 |
| TOWNSEND, C. Principal bundles as Frobenius adjunctions with application to geometric morphisms | 433 |
| PFAFF, C. <i>Out (F3)</i> Index Realization | 445 |
| GUTH, L. Polynomial partitioning for a set of varieties | 459 |
| BRANDOLINI, L., COLZANI, L., GIGANTE, G. & TRAVAGLINI, G. L^p and Weak- L^p estimates for the number of integer points in translated domains | 471 |
| CASSOU–NOGUÈS, P. & VEYS, W. The Newton tree: geometric interpretation and applications to the motivic zeta function and the log canonical threshold | 481 |
| LOPEZ, A. F. Augmented base loci and restricted volumes on normal varieties, II: The case of real divisors | 517 |
| HADŽIĆ, M. & REIN, G. On the small redshift limit of steady states of the spherically symmetric Einstein–Vlasov system and their stability | 529 |
| FRASER, J. M. & POLLICOTT, M. Micromeasure distributions and applications for conformally generated fractals | 547 |

©The Cambridge Philosophical Society 2015

Cambridge Journals Online
For further information about this journal
please go to the journal website at:
journals.cambridge.org/psp



CAMBRIDGE
UNIVERSITY PRESS