

BECOME A LIFE MEMBER AND YOU'LL JOIN PRESTIGIOUS COMPANY

Become a Life member of Fauna & Flora International to show an extraordinary commitment to an organisation that has been at the forefront of conservation for over 100 years.

Since its inception in 1903 as the world's first international conservation organisation Fauna & Flora International has been working tirelessly for the preservation of plants and animals across the world. For over 100 years Life Members have provided the support and commitment that has helped us to achieve so much, not least key achievements such as:

- Reintroducing the Arabian oryx to the wild
- Establishing the International Gorilla Conservation Programme
- Establishing Viet Nam's first locally managed conservation organisation

Collaboration is key to our approach, and wherever possible we work with other global conservation organisations to ensure we are effective and efficient. That's why in 2015 we moved into the David Attenborough Building of the Cambridge Conservation Initiative with several other global conservation groups. [Now we are asking you to be part of our wider collaborative work by becoming a Life Member.](#)

As a Life Member you will receive *Oryx—The International Journal of Conservation* and our annual magazine *Fauna & Flora*, and you will also be invited to special events, where you can network with some of the world's leading conservationists. You will be joining a select group of supporters who have shown an extraordinary commitment to international conservation.

By joining Fauna & Flora International as a Life Member with a one-off payment of £1,500 you will be making a genuine difference to our conservation work and will forever be part of our global conservation organisation.

To join as a Life Member, you can:

Call us on +44 (0)1223 749 019

Email us at members@fauna-flora.org

Visit www.fauna-flora.org/membership



© Gill Shaw/FFI

"I have been a member of Fauna & Flora International since the 1950s... investment in the work of FFI is truly an investment in the future of our planet"

Sir David Attenborough

ABOUT FAUNA & FLORA INTERNATIONAL

Fauna & Flora International (FFI) protects threatened species and ecosystems worldwide, choosing solutions that are sustainable, based on sound science and take account of human needs. Operating in more than 50 countries worldwide, FFI saves species from extinction and habitats

from destruction, while improving the livelihoods of local people. Founded in 1903, FFI is the world's longest established international conservation body and a registered charity.



PLEASE SUPPORT OUR CONSERVATION EFFORTS

Your support helps us continue our vital work to protect biodiversity all over the world. From conservation of the last remaining Sumatran tigers to protection of the mountain gorilla, or replanting the Niedzwetzky apple, FFI is doing everything it can to ensure that threatened species are not lost. We could not do this without the generous support of many individuals.

Choose to donate to us and we will regularly keep you up to date with how we spend the money we receive, sending you

ongoing communications such as campaign updates and emails – if you want them of course.

So please consider making a contribution to our work today – and helping us ensure a sustainable future for threatened species of plants and animals everywhere.

If you would like to make a donation to Fauna & Flora International, just go to www.fauna-flora.org/donate or call +44 (0) 1223 749 019.

CAMBRIDGE

JOURNALS

Environmental Conservation

International Journal of Interdisciplinary Environmental Science

Published for the Foundation for Environmental Conservation

Editor

Nicholas V. C. Polunin, University of Newcastle, UK

Environmental Conservation is one of the longest-standing, most highly-cited of the interdisciplinary environmental science journals. It includes research papers, reports, comments, subject reviews, and book reviews addressing environmental policy, practice, and natural and social science of environmental concern at the global level, informed by rigorous local level case studies. The journal's scope is very broad, including issues in human institutions, ecosystem change, resource utilisation, terrestrial biomes, aquatic systems, and coastal and land use management. *Environmental Conservation* is essential reading for all environmentalists, managers, consultants, agency workers and scientists wishing to keep abreast of current developments in environmental science. Selected papers are made freely available online as part of **EC Perspectives**.

Price information

is available at: <http://journals.cambridge.org/enc>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/enc-alerts>



Environmental Conservation is available online at:
<http://journals.cambridge.org/enc>

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

subscriptions_newyork@cambridge.org

For free online content visit:
<http://journals.cambridge.org/enc>



CAMBRIDGE
UNIVERSITY PRESS

Instructions for contributors

Before submitting material to *Oryx—The International Journal of Conservation* please carefully read and follow the journal's full Instructions for contributors (including the General instructions, Guidelines for preparation of figures and plates, and the Code of conduct for researchers contributing articles) at oryxthejournal.org.

How to submit a manuscript

By submitting an article to *Oryx* you join an international community of conservation practitioners, researchers and academics. Necessarily high standards mean that not all manuscripts are accepted, but following the advice in the full Instructions for contributors at oryxthejournal.org will facilitate your submission. To submit material to the journal you will need to create an account at mc.manuscriptcentral.com/oryx. All article types, Letters, replies to Letters and Conservation News items must be submitted online. During the submission you will be asked to indicate that the submitted manuscript has not been published, or submitted for publication, elsewhere, that all authors have abided by the Code of conduct for researchers contributing articles, and that all authors have read the submitted manuscript and agreed to its submission. You will then be given a unique reference number that you must use in all correspondence with the Editorial Office, always including it in the subject line of any e-mail so that we can respond promptly.

General instructions

See the full General instructions at oryxthejournal.org for details of the types of articles that *Oryx* considers, manuscript requirements, the prescription for the presentation of text, Tables, Figures, Plates and Appendices/Supplementary material, and other relevant matters.

Open Access option

The Cambridge Open Option gives authors the option to make their articles freely available to everyone, immediately on publication, in exchange for a one-off charge paid either by the authors or by their associated funding body. Payment of this one-off fee entitles permanent archiving both by Cambridge University Press and by the author, and enables anyone else to view, search and download an article for personal and non-commercial use. See oryxthejournal.org for full details.

Guidelines for preparation of figures and plates

For detailed guidance on designing maps and data plots, advice on the wise use of graphics formats, and video screencast demonstrations to help with drafting beautiful figures, please see the journal's online *Graphics for Conservation* manual. Figures are printed at widths of 79, 107.5 and 165 mm (3.1, 4.2 and 6.5 inches, respectively); wherever possible, design for the narrower widths. See recent issues of the journal for examples of suitably designed Figures. Plates (i.e. photographs) are usually printed at 79 mm width. On initial submission Figures and Plates can be at low to medium resolution as long as they are legible. For accepted articles we require Figures and Plates at publication quality. We welcome colour Figures and Plates but they can be printed only at the author's expense; contact the Editorial Office for a costing. Figures and Plates can, however, be published in colour online and greyscale in print at no cost to the author; in such cases authors need to ensure that any colour graphic will also reproduce well in greyscale. See oryxthejournal.org for the full guidelines.

Code of conduct for researchers contributing articles

We believe it is important that conservation research conforms to the highest possible ethical and legal standards, and the journal therefore has a Code of conduct for researchers contributing articles. When you submit an article for consideration by *Oryx* you will be required to assent that all authors on the article have abided by this Code of conduct. See oryxthejournal.org for the full text.

How to submit other material

Oryx is well known for its coverage of international conservation news and related matters, and we welcome contributions to these sections of the journal. Send all prospective Briefly news and details of Grants & Opportunities to the Editorial Office. To submit Letters, replies to Letters and Conservation News items see oryxthejournal.org. Deadlines for material for the Briefly (news items <6 months old and <150 words in length summarizing recent conservation developments that have been published by authoritative sources, including websites), Conservation News (major recent developments, <6 months old and <700 words, in conservation or important announcements that have not been published elsewhere) and Grants & Opportunities (short descriptions, <350 words, of grants and funding opportunities for conservationists) sections are 1 October, 1 January, 1 April and 1 July for the January, April, July and October issues, respectively. See oryxthejournal.org for full details.

- 1 The difference conservation can make: integrating knowledge to reduce extinction risk, *J.P. Rodríguez*
- 3 Briefly
- 13 Conservation news
- Letters*
- 19 Wildlife migration in Ethiopia and South Sudan longer than ‘the longest in Africa’: a response to Naidoo et al., *P. Schapira, M. Monica, G.G. Rolkier & H. Bauer*
- 20 Namibia and Botswana’s zebra migration: still the longest, but for how long? A reply to Schapira et al., *R. Naidoo, M. Chase, K. Landen, P. Beytell, P. du Preez, G. Stuart-Hill & R. Taylor*
- 21 Why the devil does not have the best tunes: a response to Verissimo & McKinley, *K. Hobson*
- 22 Understanding conservation marketing and focusing on the best available evidence: a reply to Hobson, *D. Verissimo & E. McKinley*
- Offsetting and conservation**
- 23 Biodiversity offsetting and conservation: reframing nature to save it, *E. Apostolopoulou & W.M. Adams*
- 32 Correct framing of biodiversity offsets and conservation: a response to Apostolopoulou & Adams, *A. von Hase & K. ten Kate*
- 35 If biodiversity offsets are a dead end for conservation, what is the live wire? A response to Apostolopoulou & Adams, *J. Dempsey & R.-C. Collard*
- 40 Biodiversity offsetting and the reframing of conservation: a reply to ten Kate & von Hase and Dempsey & Collard, *E. Apostolopoulou & W.M. Adams*
- 43 Fire is REDD+: offsetting carbon through early burning activities in south-eastern Tanzania, *K. Khatun, E. Corbera & S. Ball*
- 53 The transition from No Net Loss to a Net Gain of biodiversity is far from trivial, *J.W. Bull & S. Brownlie*
- 60 Effects of human disturbance on the mongoose lemur *Eulemur mongoz* in Comoros: implications and potential for the conservation of a Critically Endangered species, *B. Nadhurou, R. Righini, M. Gamba, P. Laiolo, A. Ouledi & C. Giacoma*
- 68 Monitoring local well-being in environmental interventions: a consideration of practical trade-offs, *B. Palmer Fry, M. Agarwala, G. Atkinson, T. Clements, K. Homewood, S. Mourato et al.*
- 77 Two decades of change in state, pressure and conservation responses in the coastal forest biodiversity hotspot of Tanzania, *N.D. Burgess, I. Malugu, P. Sumbi, A. Kashindy, A. Kijazi, K. Tabor et al.*
- 87 Using camera trap data to assess the impact of bushmeat hunting on forest mammals in Tanzania, *C. Hegerl, N.D. Burgess, M.R. Nielsen, E. Martin, M. Ciolli & F. Rovero*
- 98 Harnessing values to save the rhinoceros: insights from Namibia, *J.R. Muntifering, W.L. Linklater, S.G. Clark, S. !Uri-≠Khob, J.K. Kasaona, K. /Uiseb et al.*
- 106 Financial compensation for damage to livestock by lions *Panthera leo* on community rangelands in Kenya, *H. Bauer, L. Müller, D. Van Der Goes & C. Sillero-Zubiri*
- 115 Food consumption patterns of the Vulnerable Socotra cormorant *Phalacrocorax nigrogularis* indicate minimal overlap with fisheries in the eastern Arabian Gulf, *S. Bin Muzaffar, R. Gubiani, S. Benjamin, R. AlShihi, A. Al-Romithi & F.H. Al Kaabi*
- 124 Socio-economic consequences of cattle predation by the Endangered Persian leopard *Panthera pardus saxicolor* in a Caucasian conflict hotspot, northern Iran, *S. Babrgir, M.S. Farhadinia & E.M. Moqanaki*
- 131 Last of the green: identifying priority sites to prevent plant extinctions in Brazil, *M.F. Diniz, T.V. Gonçalves & D. Brito*
- 137 Population size assessment of the Endangered red-billed curassow *Crax blumenbachii*: accounting for variation in detectability and sex-biased estimates, *F. Alves, G.M. López-Iborra & L.F. Silveira*
- 146 Relationship between human disturbance and Endangered giant panda *Ailuropoda melanoleuca* habitat use in the Daxiangling Mountains, *C. Zhao, B. Yue, J. Ran, T. Moermond, N. Hou, X. Yang & X. Gu*
- 153 The current distribution and status of leopards *Panthera pardus* in China, *A. Laguardia, J.F. Kamler, S. Li, C. Zhang, Z. Zhou & K. Shi*
- 160 The current distribution and status of leopards *Panthera pardus* in China—CORRIGENDUM, *A. Laguardia, J.F. Kamler, S. Li, C. Zhang, Z. Zhou & K. Shi*
- 161 Recovery of the Critically Endangered Hainan gibbon *Nomascus hainanus*, *H. Deng, M. Zhang & J. Zhou*
- 166 Partial altitudinal migration of the Near Threatened satyr tragopan *Tragopan satyra* in the Bhutan Himalayas: implications for conservation in mountainous environments, *N. Norbu, Ugyen, M.C. Wikelski & D.S. Wilcove*
- 174 Effects of anthropogenic mortality on Critically Endangered red wolf *Canis rufus* breeding pairs: implications for red wolf recovery, *J.W. Hinton, K.E. Brzeski, D.R. Rabon Jr & M.J. Chamberlain*
- 182 Intensive vehicle traffic impacts morphology and endocrine stress response in a threatened amphibian, *H. Cayuela, L. Quay, A. Dumet, J.-P. Léna, C. Miaud & V. Rivière*
- 189 Grants & opportunities
- Cover* The mongoose lemur *Eulemur mongoz*, native to Madagascar and introduced to the Comoros, is categorized as Critically Endangered. The Comoros population is important because it is a valuable genetic reservoir in view of the threats to the species on Madagascar. A survey of the species on Anjouan and Mohéli has revealed no evidence of an impact of anthropogenic disturbance on abundance, although group size and composition were sensitive to human impacts. For further details, see pp. 60–67. (Photograph © Frans Lanting / Getty)