SMITHSONIAN INSTITUTION RADIOCARBON MEASUREMENTS II

AUSTIN LONG

Radiation Biology Laboratory, Smithsonian Institution
Washington, D. C. 20560

These analyses were performed from November 1963 to November 1964 with equipment and techniques essentially unchanged since the previous date list. Unless otherwise noted all samples were submitted by Smithsonian staff members, each of whom was most helpful in supplying information pertaining to the samples and in discussion of results.

SAMPLE DESCRIPTIONS

I. ARCHAEOLOGICAL SAMPLES

A. Eastern United States

SI-127. Hirsh Mound, Bath County, Virginia **920 ± 130**
A.D. 1030

Charcoal from hearth in burial mound in Bath County (38° 05' N Lat, 79° 50' E Long), associated with occasional Radford potsherd and triangular projectile point in the mound fill. Coll. 1962 by C. G. Holland; subm. by Clifford Evans.

SI-128. Davis Farm, Virginia **1300 ± 140**
A.D. 650

Charcoal from Davis Farm village site (37° 43' N Lat, 78° 20' Long), associated with both Stony Creek and Albemarle pottery. Depth 10 to 30 in. Coll. 1962 by Holland; subm. by Evans. Seriation analysis by Evans places site in Middle Woodland Period, in transition between Stony Creek and Albemarle pottery types.

SI-129. Pulaski County, Virginia **350 ± 200**
A.D. 1600

Charcoal from 1 to 2 ft depth at Site PU-3 (37° 12' N Lat, 80° 36' W Long). Pottery seriation by Evans of this site with others in the area places site in Late Woodland, in transition between Radford and New River pottery types. Coll. 1963 by Holland; subm. by Evans.

SI-130. Pulaski County, Virginia **620 ± 120**
A.D. 1330

Charcoal from 1.5 to 2.0 ft depth at Site PU-9 (37° 09' N Lat, 80° 32' W Long), associated with Wythe net and knot roughened pottery, all pre-Radford, according to seriation analysis by Evans. Coll. 1963 by Holland; subm. by Evans. *Comment*: earliest pottery found to date in SW Virginia.

SI-131. Lee County, Virginia **740 ± 130**
A.D. 1210

Charcoal from Site LE-17B (36° 37' N Lat, 83° 14' W Long), 1.5 to 2.0 ft depth. Pottery associated with sample does not fit seriation of this SW Vir-

ginia area, being almost entirely New River and Lee Linear Complicated Stamped wares. Presumably of Late Woodland age. Coll. 1963 by Holland; subm. by Evans.

Bowman series, Virginia

Charcoal from refuse pits at Bowman site on bank of Cedar Creek (39° 00' N Lat, 78° 19' W Long), Shenandoah County; should indicate age of Keyser Cord-marked pottery type, the only type found at this site. Coll. 1963 by H. A. MacCord; subm. by Evans.

SI-135. Feat. 8 **240 ± 120**
A.D. 1710

SI-136. Feat. 6 **310 ± 120**
A.D. 1640

SI-137. De Shazo site, Virginia **360 ± 120**
A.D. 1590

Charcoal from Feat. 3, 1 ft depth, De Shazo site (38° 15' N Lat, 77° 16' W Long), King George County. Should date Rappahannock Fabric-impressed pottery type. Brass bead found in same pit. This may be site of Cuttatawoman on Smith's map of Virginia based on his 1608 explorations of Rappahannock River Valley. Coll. 1964 by MacCord; subm. by Evans.

SI-138. Irwin site, Virginia **910 ± 120**
A.D. 1040

Charcoal from Feat. 3, 14 in. depth at Irwin site (37° 15' N Lat, 77° 22' W Long), Prince George County. Should indicate age of Stony Creek and Chickahominy pottery types in central Virginia. Coll. 1964 by MacCord; subm. by Evans.

B. Central United States

SI-59. Molstad site, South Dakota **360 ± 50**
A.D. 1590

Wooden post butt from Site 39DW234 (45° 27' 30" N Lat, 100° 20' 45" W Long), Dewey County. Sample No. 1698 from S part of Feat. 10, E of House 2. Chouteau Aspect 0.85 ft below surface, above aeolian loess layer. Coll. 1962 by J. J. Hoffman; subm. by R. W. Neuman. *Comment*: date agrees with A.D. 1475 ± 100 (SI-25, Smithsonian I).

Red Willow Reservoir series, Nebraska

Charcoal samples from three sites in Red Willow and Frontier County. Coll. 1962 by R. T. Grange, Jr.; subm. by M. F. Kivett and Grange, Nebraska State Hist. Soc.

SI-68. Site 25RW28 **1430 ± 45**
A.D. 530

(40° 20' 41" N Lat, 100° 28' 42" W Long). Sample No. 52, fill and floor of Feat. 8, large basin-shaped house pit. House and fill both from Woodland Period.

SI-70. Site 25FT54 **640 ± 50**
A.D. 1310

(40° 23' 36" N Lat, 100° 44' 47" W Long). Samples No. 1557, 1558,

1554, 1560 combined, from refuse deposit in Area B, 0.5 to 1.0 ft depth. *Comment* (W.R.W.): Central Plains Phase; a few sherds may be related to Over Focus, South Dakota.

SI-72. Site 25Ft80 **440 ± 40**
A.D. 1510

(40° 22' 50" N Lat, 100° 43' 52" W Long). Feat. 1, refuse in storage pit. Central Plains Phase.

Lower Cheyenne River series, South Dakota

Stanley County (44° 46' N Lat, 100° 43' W Long), Site 39ST1. Juniper post samples associated with or above long-rectangular houses of Thomas Riggs Focus. Coll. 1951 and 1955 and subm. by W. R. Wedel.

SI-116. No. 3161 **800 ± 60**
A.D. 1150

Feat. 5, Area 3, a long rectangular house. *Comment*: another section from same log was dated at A.D. 1600 ± 85 (I-582, unpub. date). The A.D. 1150 date is more consistent with archaeological context and with most of previously obtained C¹⁴ dates in area.

SI-117. (USNM No. 422229) **790 ± 60**
A.D. 1160

Feat. 102 in house Feat. 34, a long rectangular house. *Comment*: same post was previously dated at A.D. 1175 ± 125 (I-581, Isotopes III) and A.D. 920 ± 60 (SI-12, Smithsonian I). Present analysis confirms Isotopes date and earlier analysis from this lab. should be disregarded.

SI-118. (USNM No. 422230) **870 ± 60**
A.D. 1080

Feat. 103 in house Feat. 34. *Comment*: same post was dated previously at A.D. 1300 ± 200 (M-840, Michigan V) and A.D. 1080 ± 60 (SI-17, Smithsonian I). Present number substantiates previous one from this lab.

SI-119. No. X-90 **610 ± 100**
A.D. 1340

From midden stratigraphically above floor of Feat. 34 (see SI-117, 118, above).

Medicine Creek Reservoir series

Samples of unburned wood, probably Juniper, from Site 25FT13 (40° 18' N Lat, 100° 13' 52" W Long), in Frontier County, Nebraska. Coll. 1948 by Kivett and Metcalf; subm. by Wedel.

SI-87. USNM No. 431811, Feat. 1 **930 ± 60**
A.D. 1020

0 to 18 in. depth below surface. *Comment*: another sample from this feature dates A.D. 1440 ± 100 (I-584, Isotopes III).

SI-88. USNM No. 432143, Feat. 30 **940 ± 60**
A.D. 1010

SI-89. Tiber Reservoir Site, Montana **270 ± 60**
A.D. 1680

No. 24TL26-1959 charcoal from Sec. V, Feat. 3 (hearth) (48° 31' N Lat,

11° 30' W Long), Toole County, Montana. Sample is from excavation of hunting camp of unknown association or age.

La Roche series, South Dakota

Samples from Chouteau Aspect circular houses at Site 39ST9 (44° 13' 20" N Lat, 99° 55' W Long), South Dakota. Coll. 1963 by Hoffman; subm. by Neuman.

SI-95. (No. 54) Charcoal **270 ± 50**
A.D. 1680

SI-97. (No. 76) Juniper post butt **290 ± 60**
A.D. 1660

SI-104. (No. 61) Wooden post butt **430 ± 60**
A.D. 1520
Area A, House 3, Post 185

1.2 ft to 1.8 ft below surface. Sample from early, circular house, representing early La Roche Culture.

SI-105. (No. 82) Charred wood from Juniper **570 ± 55**
A.D. 1380
roof beam
Area E, House 2, Feat. 25

1.03 ft to 1.81 ft below datum. Sample dates a circular house component which directly overlies a rectangular house component.

SI-106. (No. 69) Charcoal **310 ± 55**
A.D. 1640
Area B, House 4, Feat. 10 (cache pit)

Charcoal collected from all levels of cache pit, 0.5 ft to 3.0 ft below surface. *Comment* (R.W.N.): tree ring dates by George Will in 1947 from this site give A.D. 1445, 1450, 1460, 1465. These dates were based upon a master chart for the Bismark, North Dakota area and are in question, since extension of master chart this far away may not be fully applicable.

SI-73. Frontier County, Nebraska **820 ± 50**
A.D. 1130

Wood post fragments from Site 25FT17 (No. USNM 433503) (40° 23' N Lat, 100° 14' W Long). Feat. 70, depth 20 to 24 in. SE center post. Coll. 1948 by Kivett, Metcalf; subm. by Wedel. *Comment*: wood from same house unit as SI-34 (A.D. 465 ± 65, Smithsonian I), which did not agree with consistent dates of A.D. 1085 to A.D. 1240 (SI-32, SI-36, SI-40, SI-47, Smithsonian I), on similar Upper Republican cultural materials. Present date bears out anomaly of SI-34.

SI-75. Fanning site, Kansas **<100**
post A.D. 1850 (2σ)

Charred corn from bottom of Cache Pit 3, Site 14DP1 (39° 51' N Lat, 95° 9' 30" W Long), Doniphan County. Coll. 1963 by W. M. Bass, Jack Schock; subm. by Wedel. *Comment*: maximum age is on 2σ criterion, including only counting uncertainty. *Comment* (W.R.W.): on archaeological and historical evidence, site was occupied between ca. 1650 and 1750.

C. Western United States

SI-45. Lamb Spring site, Colorado **7870 ± 240**
5920 B.C.

Bison bone fragments, unburned, from bison bone bed in Site 5D0201 (39° 30' N Lat, 105° 4' W Long), in Douglas County, ca. 8 mi S of Littleton, Colorado. Associated with bone bed were Eden and Scottsbluff points similar to those found at Horner site. Coll. 1962 by Wedel and Metcalf; subm. by Wedel. *Comment*: see discussion of Horner site, SI-74, below.

SI-74. Horner site, Wyoming **7880 ± 1300**
5930 B.C.

Charcoal from Site 48PA29 (44° 33' 45" N Lat, 109° 49' W Long), Park County, ca. 4 mi NE of Cody, Wyoming. Sample is from stratum bearing Eden and Scottsbluff points, and bones of more than 500 bison. Site has yielded much definite Yuma Complex cultural material. Coll. 1952 by F. Goto and Roy Phillips; subm. by Wedel. *Comment*: large standard deviation is due to unusually small size of sample. Other dates from site are 6876 ± 250 B.P. (C-302, burned bone) and 6920 ± 500 (C-795, charcoal) (Libby, 1955), and 8840 ± 140 (UCLA 697 B, charred bone) (Berger *et al.*, 1964).

Carbon County series, Montana

Charcoal samples from Site 24CB221, a small rock shelter on Big Horn River (45° 08' N Lat, 108° 10' W Long). Coll. 1963 by W. M. Husted; subm. by Neuman.

SI-98. Feat. 14 **8690 ± 100**
6740 B.C.

Shallow, circular firepit in brown sand. Top of firepit 0.1 ft below upper surface of brown sand. Agate basin artifacts were found in brown sand.

SI-101. Feat. 15 (No. 210) **8600 ± 100**
6650 B.C.

Shallow, oval firepit in brown sand. Top of firepit is 0.1 to 0.2 ft below upper contact of brown sand.

SI-99. Feat. 5 **1050 ± 70**
A.D. 900

Oval, basin-shaped firepit. Pit is younger than brown sand. *Comment*: large corner-notched point in firepit suggests Late Middle Prehistoric.

SI-100. Feat. 3 **1070 ± 70**
A.D. 880

Deep, circular, rock-filled firepit, associated with upper cultural level. *Comment*: associated artifacts indicate Late Prehistoric Period.

Barry's Landing series, Big Horn River, Montana

Two charcoal samples from shallow, oval firepits in two small rock shelters on right bank of Big Horn River (45° 08' N Lat, 108° 10' W Long), Big Horn County, Montana. Associated artifacts indicate Late Prehistoric Period. Coll. 1963 by Husted; subm. by Neuman.

SI-102. No. 24BH251-38 **1800 ± 60**
A.D. 150

Feat. 2 in upper cultural level. *Comment*: age is definitely pre-Late Pre-historic.

SI-103. No. 24BH253-97 **1280 ± 55**
A.D. 670

Feat. 5 in only occupation noted in site.

SI-114. Tuktu site, Brooks Range, Alaska **6510 ± 610**
4560 B.C.

Charred long bone fragments from Anaktuvuk Pass (68° 12' N Lat, 151° 36' W Long). Hearth area No. 1, 4 to 8 in. depth in gravels of kame terrace. Associated with Tuktu complex artifacts. See Campbell (1961). Coll. 1959 and subm. by J. M. Campbell, Dept. of Anthropol., Univ. of New Mexico, Albuquerque. *Comment*: date supports hypothesis that Tuktu complex predates Denbigh Flint Complex.

SI-86. Walnut Canyon, Arizona **3880 ± 90**
1930 B.C.

Wood (probably *Salix* sp.) from split twig figurines from cave in N wall of Walnut Canyon near Walnut Canyon Natl. Monument (35° 10' N Lat, 111° 30' W Long). Samples NA5607.9, NA5607.14 and NA5607.23 combined. Coll. 1963 and subm. by A. P. Olson, Mus. of Northern Arizona, Flagstaff. *Comment*: other dates on similar figurines: 3530 ± 300 B.P. (M-563, Michigan II), 3100 ± 110 B.P. (A-47, Arizona I).

D. Mexico

SI-124. Purron Dam (Tr 15), Mexico **2750 ± 60**
800 B.C.

Charcoal from silt and sand filling spillway of dam 1.0 km S of Purron Cave (18° 10' N Lat, 97° 07' W Long), Tehuacan Valley, Puebla, Mexico. Coll. 0 to 18 cm above plastered floor of spillway against E wall. Coll. 1964 by R. B. Woodbury and J. A. Neely; subm. by Woodbury. *Comment* (R.B.W.): dam represents beginning of large-scale irrigation in Mesoamerica.

E. South America

Valdivia series

Charcoal and shell (all *Anomalocardia subrugosa*) from midden and associated with pottery sequence of Valdivia culture determined by Evans and Meggers. Site G-31 (1° 56' S Lat, 80° 45' W Long), Guayas Province, Ecuador. Subm. by Clifford Evans.

General Comment (C.E.): a detailed discussion of the meaning of a large series of dates from Valdivia Phase and Machalilla Phase of Early Formative Period of Coastal Ecuador is given in Meggers, Evans and Estrada (1965).

SI-112. Charcoal **3350 ± 200**
1400 B.C.

Cut J, Zone D, level 3.90 to 4.20 m. Should date earliest part of period A of Valdivia culture. *Comment*: sample was small and finely-divided and was

not pretreated; result should be thus considered a minimum age. Stratigraphically, sample lies below SI-22 (4450 ± 90), Smithsonian I, M-1318 (4170 ± 140), and M-1317 (4480 ± 140), Michigan IX.

SI-81. (No. 336) Shell **4270 ± 60**
2320 B.C.

Cut A, level 2.00 to 2.20 m. Coll. 1956 by Estrada. Middle Period A.

SI-83. (No. 334) Shell **4530 ± 55**
2580 B.C.

Cut A, level 1.60 to 1.80 m. Coll. 1956 by Estrada. Late Period A.

SI-84. (No. 315) Shell **4390 ± 60**
2440 B.C.

SI-84 R. (replicate analysis) **4540 ± 50**
2590 B.C.

Cut H, level 1.30 to 1.40 m. Coll. 1957 by Evans and B. J. Meggers. Late Period B. *Comment:* two analyses are in agreement.

SI-85. (No. 314) Shell **4170 ± 65**
2220 B.C.

Cut H, level 1.20 to 1.30 m. Coll. 1957 by Evans and Meggers. Middle to Late Period B.

SI-80. (No. 309) Shell **4140 ± 60**
2190 B.C.

Cut H, level 0.20 to 0.40 m. Coll. 1957 by Evans and Meggers. Early Period C.

SI-78. (No. 312) Shell **3970 ± 65**
2020 B.C.

0.80 to 1.00 m. Coll. 1957 by Evans and Meggers. Early Period C.

SI-82. (No. 335) Shell **4120 ± 65**
2170 B.C.

Cut A, level 1.80 to 2.00 m. Coll. 1956 by Estrada; subm. by Evans. Middle to Late Period A.

Buena Vista series

Shell (*Anomalocardia subrugosa*) from midden and associated with pottery of Valdivia culture periods as determined by pottery analysis of Evans and Meggers. Site G-54 ($1^{\circ} 56' \text{ S Lat}$, $80^{\circ} 44' \text{ W Long}$), Guayas Province, Ecuador. Coll. 1961 by Evans and Meggers; subm. by Evans.

SI-71. (No. 1157-8) **4040 ± 55**
2090 B.C.

Cut 1, level 1.00 to 1.30 m. Late Period C.

SI-69. (No. 1155) **3450 ± 50**
1500 B.C.

Cut 1, level 0.60 to 0.80 m. Late Period C.

SI-67. La Cabuya, Ecuador **2830 ± 45**
880 B.C.

Shell (*Anomalocardia subrugosa*) from midden of Site G-110 ($1^{\circ} 58' \text{ S Lat}$, $80^{\circ} 45' \text{ W Long}$), Guayas Province, associated with pottery of Machalilla

Culture (Meggers and Evans, 1962). No. 1191, cut 2, level 0.20 to 0.40 m. Machalilla Culture is contemporary with Later Period C of Valdivia Culture. Coll. 1961 by Evans and Meggers; subm. by Evans.

La Cabuya series

Two samples of charred food clinging to pot sherds from Site G-110 (See SI-67 above). Associated sherds belong to Machalilla Culture.

SI-107. Cut 2, Level 0 to 20 cm	3320 ± 170
	1370 B.C.
SI-108. Cut 2, Level 20 to 40 cm	2980 ± 160
	1030 B.C.

Comment (C.E.): sherds were from same vessel even though in slightly different, but adjacent strata; hence discrepancy between two dates must be explained in other terms than the association. Best estimate would be an average of the two samples for level 0 to 40 cm, cut 2 or 3150 ± 160 B.P. Shell sample from cut 2, level 20 to 40 cm gave date of 2830 ± 45 (SI-67, this paper).

Guadalupe Mound Complex, Venezuela

Two charcoal samples from Cut 6 in external mound E-1 (10° N Lat, 69° 40' W Long), District of Jimenez, State of Lara. Both samples associated with cultivated maize. Coll. 1953 and subm. by Mario Sanoja, Dept. of Anthropol., Univ. of Andes, Marida, Venezuela.

SI-120. Depth 120 cm (level 6)	380 ± 50
	A.D. 1570

Represents first known appearance of cultivated maize in northern South America.

SI-121. Depth 0 to 20 cm (level 2)	380 ± 50
	A.D. 1570

Represents last occupation of this mound.

Parana series, Brazil

Charcoal samples from 2 archaeological excavations in state of Parana, related to appearance of pottery at each site. Coll. 1964 by Igor Chmyz; subm. by Evans.

SI-139. (No. 01) 0.75 to 0.30 m	310 ± 50
	A.D. 1640
SI-140. (No. 02) 0.15 to 0.30 m	760 ± 50
	A.D. 1190

Rio Paranapanema Valley, Municipio de Cambara (22° 55' S Lat, 50° W Long). SI-139 has only chipped stone artifacts with it; SI-140 is above non-ceramic zone and is associated with painted pottery and a relatively small amount of coiled and corrugated ware. *Comment*: this lab. finds no technical explanation for age reversal, but considering consistency of SI-140, 141, 142, it is apparently SI-139 which is in error, and presumably represents intrusion of younger material into the section.

SI-141. (No. 03) 0.10 to 0.20 m	800 ± 50
	A.D. 1150

SI-142. (No. 04) 0.04 to 0.50 m **730 ± 50**
A.D. 1220

Rio Vermelho Valley, Município de União da Vitória (26° 8' S Lat, 51° W Long). SI-142 is associated with non-ceramic material and SI-141 is from a pottery containing horizon.

F. Asia and Pacific

SI-125. Mitaka, Japan **5090 ± 65**
3140 B.C.

Charcoal from International Christian Univ. site (35° 40' 46" N Lat, 139° 31' 40" E Long), Mitaka City, Tokyo, Japan, from Location 21 in humus layer associated with Atamadai and Katsusaka pottery types and overlain by 85 cm of gravel. Coll. 1964 by J. E. Kidder, Jr.; subm. by Evans. *Comment*: result is consistent with early Middle Jomon pottery types associated with charcoal.

SI-93. Honshu Island, Japan **4580 ± 60**
2630 B.C.

Charcoal from floor of house No. 13, Oomiyama site (ca. 35° N Lat, ca. 148 E Long), Nagano Prefecture. Coll. 1961 by Ichiro Yawata of Archaeol. Lab., Tokyo Univ. of Education; subm. by Evans. Sample is from Middle Jomon Period pit house. Only other Middle Jomon date is from shell midden in Ubayama, 4570 ± 150 B.P. (UCLA-279, UCLA III). *Comment* (C.E.): agrees with estimate and other dates of similar pottery complex.

SI-113. Tang Buddha, China **1440 ± 50**
A.D. 510

Wood chips from arm of a dry lacquer Buddhist image about life size. Image assigned to Tang Dynasty (A.D. 618-906) on basis of stylistic evidence alone. Subm. by R. J. Gettens, Freer Gallery of Art. *Comment*: wood is probably *Cryptomeria*; thus the particular tree rings dated may predate the image by 100 or 200 yr.

Ponape series

Specimens of charcoal from trench in N side of mound of Site P-2: Idehd, Ponape, Caroline Islands (6° 50' 17" N Lat, 158° 20' 15" E Long). Samples are from ash midden where ceremonial fires were made using basalt columns and coral to form a hearth. Thus there is possibility of contamination with burnt organic material from fossil coral. In light of consistency of the numbers obtained from C¹⁴ analysis, possibility considered minimal. Samples coll. 1963 by Evans, Meggers and S. H. Riesenbergl; subm. by Evans.

Sample No.	Location coordinates		Date
	Meters in from base of mound	Meters from surface	
SI-90	3.50	1.20	520 ± 65
			A.D. 1430
SI-91	8.50	1.47	690 ± 50
			A.D. 1260
SI-92	8.00 to 8.50	2.25 to 2.45	770 ± 60
			A.D. 1180

Comment (C.E.): dates fall in line according to stratigraphic order and seem reasonable in light of ethnological information for Ponape and Caroline Islands.

II. GEOLOGIC SAMPLES

SI-28. Gladstone Creek, Alaska 370 ± 120 A.D. 1580

Cracked bone (moose or caribou) near Gladstone Creek (61° 21' N Lat, 138° 10' W Long). Associated with stone scrapers and projectile heads of possible Taye Lake culture. Coll. 1962 and subm. by D. B. Krinsley, U. S. Geol. Survey, Washington, D. C.

Kluane Lake series, Yukon Territory

Peat from terrace 32 ft above Kluane Lake (61° 21' N Lat, 138° 45' W Long), at Dog Head Point associated with layer 5 cm thick of wind-borne ash. Coll. 1962 and subm. by Krinsley.

SI-110. Immediately above ash 510 ± 60 A.D. 1440

SI-111. Immediately below ash 1280 ± 60 A.D. 670

Birch Creek, Alaska series

Samples from alluvium of Birch Creek (65° 42' 30" N Lat, 144° 22' W Long). All dipping 17° as result of Pingo updoming. Coll. 1963 and subm. by Krinsley.

SI-122. (63-54 A) Fibrous peat 5720 ± 65 3770 B.C.

1.77 to 1.85 m below top of bluff. *Comment*: date is maximum for updoming of Pingo.

SI-123. (63-54 E) Wood chips 6950 ± 400 5000 B.C.

2.77 m below top of bluff.

SI-115. Monterey Bay, California 18,940 ± 1100 16,990 B.C.

Skull bone of *Hydrodamalis steller* (extinct) dredged from bottom of Monterey Bay (37° N Lat, 122° W Long). Coll. 1962 by R. E. Jones, Univ. of California, Davis; subm. by Remington Kellogg. All historically recorded occurrences of this species are in vicinity of Bering Island in Bering Sea.

SI-109. Willcox Playa, Arizona 10,110 ± 400 8160 B.C.

Mollusc shell composed of *Sphaerium*, *Cyraululus*, *Lymnaea* (*Fossaria*), *Succinea*, *Vertigo* (id. by E. J. Roscoe, Chicago Mus. Natl. Hist.). Sample from alt 4173 to 4174.5 ft in excavation W of beach ridge on W side of Willcox Playa (32° 5' N Lat, 109° 55' W Long), Cochise County, Arizona. Coll. 1963 by J. F. Schreiber, Jr. and G. L. Pine, Univ. of Arizona; subm. by Schreiber. Sediment inclosing shells probably deposited in a pond or swamp. *Comment*: date is consistent with pond or swamp association of the shells, since A. Long (mss. in preparation) indicates that at that time the lake had just receded from a final high level above collection site.

III. HYDROLOGIC SAMPLES

Seven samples of rain, spring and well water from which the dissolved CO_2 and HCO_3 were quantitatively removed and analyzed for C^{14} content. Purpose of study was not only to evaluate the initial concentration of C^{14} in the carbonate phase of precipitation, but also to determine rate of flow of ground water in mountainside aquifer systems by sampling the aquifer at several stations along the slopes and calculating the ages, assuming no mixing of waters of different age and no exchange with older carbonate. Such "high-resolution" carbon dating is possible in certain instances owing to rapid rise of atmospheric $\text{C}^{14}/\text{C}^{12}$ ratio, caused by thermonuclear explosions.

Data reported here as percent of modern C^{14} activity; age results along with complete hydrologic situations are to be reported elsewhere. All samples coll. 1963 and subm. by J. J. Sigalove, Isotopes Inc., Westwood, New Jersey.

Mt. Humphry, San Francisco Peaks series, Arizona
(ca. 35° N Lat, 112° W Long)

	Location	Elevation (ft)	% Modern
SI-63.	Arbinean Canyon Spring	11,500	
(composite sample)	Flagstaff Canyon Spring	10,500	134.5 ± 3.1
SI-64.	Water Dept. cabin area, Pipe Line Rd., Spring	9440	123.9 ± 2.9
SI-65.	Fish & Game Comm. Spring on Old Snow Bowl Rd.	8500	114.7 ± 1.3
SI-66.	Leroux Spring	7600	116.7 ± 1.4

Mt. Graham, Pinaleno Mts., Arizona series
(ca. 33° N Lat, 110° W Long)

	Location	Elevation (ft)	% Modern
SI-61.	Heliograph Station Rain Water	10,028	143.8 ± 5.5
SI-60.	Columbine Ranger Station Spring Water	9500	123 ± 11
SI-62.	Federal Prison Camp Well Water at 220'	3400	98 ± 3.9

REFERENCES

Date lists:

Arizona I	Wise and Shutler, 1958
Isotopes III	Trautman, 1963
Michigan II	Crane and Griffin, 1958
Michigan V	Crane and Griffin, 1960
Michigan IX	Crane and Griffin, 1964
Smithsonian I	Sigalove and Long, 1964
UCLA III	Fergusson and Libby, 1964

- Berger, R., Horney, A. G., Libby, W. F., 1964, Radiocarbon dating of bone and shell from their organic components: *Science*, v. 144, p. 999-1001.
- Campbell, J. M., 1961, The Tuktuk Complex of Anaktuvuk Pass: *Anthropol. Papers, Univ. Alaska*, v. 9, no. 2, p. 61-80.
- Crane, H. R., and Griffin, J. B., 1958, University of Michigan radiocarbon dates II: *Science*, v. 127, p. 1098-1105.
- 1960, University of Michigan radiocarbon dates V: *Am. Jour. Sci. Radioc. Supp.*, v. 2, p. 31-48.
- 1964, University of Michigan radiocarbon dates IX: *Radiocarbon*, v. 6, p. 1-24.
- Fergusson, G. J., and Libby, W. F., 1964, UCLA radiocarbon dates III: *Radiocarbon*, v. 6, p. 318-339.
- Libby, W. F., 1955, *Radiocarbon Dating*, 2nd ed.: Univ. of Chicago Press.
- Meggers, B. J., and Evans, C., 1962, The Machalilla Culture: An early formative complex on the Ecuadorian coast: *Am. Antiquity*, v. 28, no. 2, p. 186-192.
- Meggers, B. J., Evans, C., and Estrada, E., 1965, The early formative period of coastal Ecuador: The Valdivia and Machalilla phases: *Bull. U. S. Nat. Mus.*, in press.
- Sigalove, J. J., and Long, Austin, 1964, Smithsonian Institution radiocarbon measurements I: *Radiocarbon*, v. 6, p. 182-188.
- Trautman, M. A., 1963, Isotopes, Inc., radiocarbon measurements III: *Radiocarbon*, v. 5, p. 62-79.
- Wise, E. N., and Shutler, Dick, Jr., 1958, University of Arizona radiocarbon dates: *Science*, v. 127, p. 72-74.