

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

Contents

MALIGNANT DISEASE OF THE NOSE, PARANASAL SINUSES AND POST-NASAL SPACE IN EAST AFRICA.	PETER CLIFFORD
CHRONIC OTITIS MEDIA AND TETANUS	N. K. APTE
A TRIAL OF SULFADIMETHOXINE, A LONG-ACTING SULPHONAMIDE, AND PENICILLIN IN ACUTE OTITIS MEDIA	PHILIP F. BENSON and MARY L. JELKS
TREATMENT OF CHRONIC ORO-ANTRAL FISTULA BY COMPLETE PALATAL FLAP	L. H. HIRANADANI and H. H. KAMDAR
CLINICAL RECORDS—	
TRANSITIONAL CELL PAPILLOMA OF THE FRONTAL SINUS	H. S. MILLAR ✓
NON-CHROMAFFIN PARAGANGLIOMA OF THE MIDDLE EAR—THE GLOMUS JUGULAR TUMOUR	NALIN R. MERCHANT
LIPOMA OF THE LARYNX	J. H. GRANT
PARAPHARYNGEAL CHEMODUCTOMA WITH AURAL MANIFESTATIONS	J. A. HARPMAN
CLINICAL NOTE—	
A CASE OF NASAL PAIN	FRANCE ROHAN
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR

G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8 The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.



© *Journal of Laryngology and Otology*, 1960

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

WHICH DEAF AID?

Your patient can compare a complete range of aids to hearing at no extra cost.

Mr. D. C. ALLEN, a member of the Society of Hearing Aid Audiologists, will advise your patients impartially and demonstrate a selection of the leading makes of hearing aids without obligation.



FOR YOUR OWN GUIDANCE

Send now for an attractive, specially prepared *Desk Folder* which will tell you at a glance "which deaf aid suits which kind of deafness," complete with a reply-paid referral pad. (Over 50 different fittings are listed.)



HEARING COUNSELLORS LTD

53 GEORGE STREET, LONDON, W.1 Tel.: WELbeck 8493

Signatories to the Code of Commercial Practice of the Hearing Aid Industry approved by the National Institute for the Deaf—Member of the Hearing Aid Manufacturers and Suppliers Association.

PART-TIME AUDIOMETRICIAN

required on Tuesday afternoons. Whitley Council scales and conditions of service. Applications in writing to Assistant Secretary, Westminster Hospital, S.W.1.

For advertisement space in this Journal
apply to:

HEADLEY BROTHERS LTD.

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- announcing a new preparation for mouth and throat infections

PRISTACIN

BACTERICIDAL AND ANTIMYCOTIC CHEWING GUM

Pristacin contains cetyl pyridinium chloride 4 mg. and sodium propionate 10 mg. in a chewing gum base that is carefully flavoured for high acceptability. The packet of 12 pieces costs 1/8d. basic NHS price and the recommended dose is 3 to 4 pieces a day, each piece to be chewed for as long as possible.

**PRISTACIN BATHES
THE THROAT IN A
BACTERICIDAL AND
ANTIMYCOTIC SOLUTION**

PRISTACIN PROMOTES PHYSIOLOGICAL HEALING

increases salivation—the natural way of keeping mouth and teeth clean and healthy, and reducing inflammation.


CHILDREN, ESPECIALLY, WILL LIKE PRISTACIN

Samples and literature may be obtained from
HORLICKS LIMITED, Pharmaceutical Division, Slough, Bucks

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CASE 3.

Fitting HEARING AIDS in DIFFICULT CASES



Case 3: MR. V. AGE: 65 YEARS

History: Deafness caused through measles. Progressive deterioration in hearing over 50 years.

Hearing aid fitting: Amplivox Super 'A' with low-tone earphone.

Remarks: Severity of hearing loss requires constant use of the aid. Very good results have been achieved in varied and often difficult conditions.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many

incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette.

There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a reliable and thorough service for the hard-of-hearing.

For further information and descriptive literature please telephone the local Amplivox Centre or write to:


AMPLIVOX LTD.

80 New Bond Street, London, W.1
Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH,
BRISTOL, CARDIFF, EDINBURGH, GLASGOW,
HULL, LEEDS, LEICESTER, LIVERPOOL,
MANCHESTER, NEWCASTLE, DUBLIN

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

“Hearing Aid?
I always
send
my patients
to
Ingrams”



Largest selection of Different Makes in the Country

**REFER YOUR
PATIENTS TO
Ingrams**

**The Independent
Hearing Aid Suppliers**

*Member of the Society of Hearing
Aid Audiologists.*

**Resident Representatives
in all parts of the country.**

“I know my patients get the best possible choice of aids with Ingrams. Ingrams don’t make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London.”

Ingrams Hearing Aids Limited

**2, Shepherd Street, Shepherd Market,
London, W.1.
HYDe Park 9041 and 9042**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



5 drops

for the removal of **EAR WAX**

Cerumol avoids discomfort to the patient, inconvenience to the doctor and saves time for both.

Cerumol is now routinely used in most hospitals and general practices throughout the country.

Satisfactory results confirm that it is the most efficient agent yet introduced for the purpose and that it is exceptionally reliable and safe.

In 10-30 minutes the softened or disimpacted wax can usually be wiped out with a probe tipped with cotton wool, or by gentle syringing.

Patients can readily be instructed to instil the drops themselves and, in many cases, the loosened wax will run out of its own accord, rendering further attendance at the surgery unnecessary.

CERUMOL

Regd TRADE MARK



Active constituents per 100 ml.	
p-dichlorbenzene B.P.C.	2 G.
Benzocaine B.P.	2.7 G.
Chlorbutol B.P.	5 G.
Ol. Terebinth B.P.	10 ml.

For surgery use—dropper vial

Hospital Pack—2 oz. bottles.



LABORATORIES FOR APPLIED BIOLOGY LTD

91, AMHURST PARK, LONDON, N. 16.

TEL: STAmford Hill 2552/3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

(Category S)

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$15.00 per year Canada \$15.50 per year
Foreign \$16.00 per year


MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**First clinical audiometer
to provide
100% accurate audiograms**



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer


It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

AMPLIVOX LTD

Medical Acoustic Division
80 New Bond St, London W.1. Tel: HYDe Park 9888



**SEND FOR THIS
DESCRIPTIVE
BROCHURE**

Containing full information on the latest audiometric techniques in air and bone conduction.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

The Journal of Laryngology and Otology

CONTENTS

	PAGE
MALIGNANT DISEASE OF THE NOSE, PARANASAL SINUSES AND POST-NASAL SPACE IN EAST AFRICA. Peter Clifford (Nairobi)	707
CHRONIC OTITIS MEDIA AND TETANUS. N. K. Apte (India) . . .	734
A TRIAL OF SULFADIMETHOXINE, A LONG-ACTING SULPHONAMIDE, AND PENICILLIN IN ACUTE OTITIS MEDIA. Philip F. Benson and Mary L. Jelks (Baltimore)	738
TREATMENT OF CHRONIC ORO-ANTRAL FISTULA BY COMPLETE PALATAL FLAP. L. H. Hiranadani and H. H. Kamdar (Bombay)	744
CLINICAL RECORDS—	
Transitional Cell Papilloma of the Frontal Sinus. H. S. Millar (Oxford)	753
Non-Chromaffin Paraganglioma of the Middle Ear—The Glomus Jugular Tumour. Nalin R. Merchant (Bombay)	760
Lipoma of the Larynx. J. H. Grant	765
Parapharyngeal Chemodectoma with Aural Manifestations. J. A. Harpman (Warwick)	768
CLINICAL NOTE—	
A Case of Nasal Pain. France Rohan (Manchester) . . .	779
GENERAL NOTES	783

For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2