

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

The Semon Lecture: The Hypophysis	J. ANGELL JAMES	1283
Management of Ossicular Chain Defects	MICHEL PORTMANN	1309
Management of Ossicular Chain Defects	G. D. L. SMYTH, J. H. JONES and A. G. KERR	1325
Nasopharyngeal and Cervical Chordoma—Some Aspects of their Development and Treatment	DAVID WRIGHT	1337
Fibrous Dysplasia in Relation to the Paranasal Sinuses and the Ear	LEWIS LABIB SAMY, ISKANDER H. GIRGIS and SHAFIK A. WASEF	1357
Laryngological Approach to Cold-Influenza Ab- senteism	J. G. LADÁNYI	1373
Clinical Records—		
Neurofibrosarcoma	L. H. HIRANANDANI, N. L. HIRANANDANI and G. K. HIRANANDANI	1381
Intracranial Extensions of Juvenile Angiofibroma of the Nasopharynx	M. L. BHATIA and S. C. MISHRA	1395
The Blood Supply of Nasopharyngeal Fibromata .	LEWIS LABIB SAMY and ISKANDER H. GIRGIS	1405
Malignant Schwannoma (Neurogenic Sarcoma) .	L. H. HIRANANDANI, N. L. HIRANANDANI and G. K. HIRANANDANI	1409
General Notes		
Index		

Headley Brothers Ltd
Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.


9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent, England.

© *Journal of Laryngology and Otology*, 1967

What do you do about a case like this?



Now, for the profoundly deaf child and the adult with a severe fragmentary loss—a completely new hearing aid. The Zenith 'Vocalizer' enables hearing correction to be maintained down to frequencies previously beyond the scope of all but desk appliances. The 'Vocalizer' actually amplifies down to one hundred cycles. It can prove helpful for children and adults with some residual hearing for low frequencies but a total loss for the medium and high frequencies. It incor-

porates new facilities to provide for Loop Listening simultaneously with the child hearing his own voice for speech training. Because the 'Vocalizer' is light yet robust, he can continue to use the same aid at home as he uses at school.

REFER YOUR PATIENTS TO INGRAMS who will gladly provide this unique hearing aid on trial—or any other aid from their comprehensive range of twenty-six different makes. Patients have the widest choice with Ingrams. If you would like details, please write.

Ingrams

THE DIFFERENT MAKES TO CHOOSE FROM

2 Shepherd St, Shepherd Market, London W1. HYD 9041 Branches throughout Great Britain

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

WHEN RECOMMENDING A HEARING AID WHY MULTITONE?

Because as well as a complete range of hearing aids, to suit all types of deafness, Multitone cater for the specialised needs of those patients who suffer from physical handicaps which preclude them from using normal hearing aids.

For spastic and thalidomide children, special fitting devices have been developed in conjunction with ENT Specialists.

For the very elderly, Electronic Ear Trumpets and Communicators considerably ease the problem of communication.

If you would like to know more about these devices or if you have any fitting problems — please write or telephone us.



A 5 year old boy wearing a Multitone spastic fitting device.

MULTITONE 9 New Cavendish St., London W.1.
Tel. 01-935 1422

Members of the newly formed Hearing Aid Industry Association

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE**

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

14 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE

80 NEW BOND STREET

LONDON, W.1

TEL : 01-493 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

the longest war

in history was the "Hundred Years War" between England and France which lasted from 1338 to 1453.



**for the longest-lasting gentlest
relief of nasal congestion**

OTRIVINE®

xylometazoline hydrochloride

Basic NHS prices:

0.1% Spray and Drops. ½ fl.oz. 3s 4d

Paediatric 0.05% drops 10ml. 3s 0d


Full information available on request.

C I B A
0/5

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

AMPLIVOX


FOR CLINICAL AUDIOMETRY



Audiometer Booths
 prefabricated to ensure correct acoustic environment for threshold audiometry, research, etc. Available in standard and special sizes.


Manual Audiometers

with narrow band masking for highest accuracy and extended resolution. Battery-operated transistor models also available.



Automatic Audiometers

As exclusive U.K. distributors, we are able to offer Rudmose Self-Recording Audiometers from the most simple to the most comprehensive Diagnostic Békésy Audiometer illustrated.



Calibration Service, Screening, Speech & Industrial Audiometers

Please write for technical literature to meet your needs

AMPLIVOX
 HEARING ADVISORY SERVICE LTD
 80 New Bond St, London, W1 Tel: 01-493 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- Robust construction—high grade components
- Portable, battery operated
- Modern transistor circuitry
- Versatile with many facilities



AUDITORY TRAINING UNIT LINGO MK. 3

- Improved performance
- Treble and Bass tone controls
- Compact and light weight
- Reasonably priced—£52 ex works

For further details please write to:

G. C. Johnson, Leyton Instrument Co. Ltd.,
54 Albert Rd., Caversham, Reading, Berks. Reading 72293

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Just one of the reasons why Ceporin has an important place in the ENT unit



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Ceporin[®] (cephaloridine)

Broad spectrum

Ceporin is highly active against most gram-positive organisms—including penicillin-resistant staphylococci—and many gram-negative organisms.

Bactericidal

Ceporin rapidly kills susceptible organisms at or near the minimum inhibitory concentration, leaving little opportunity for resistance to develop.

Safe

Ceporin has very low toxicity and can usually be given safely to penicillin-hypersensitive patients. The injection is remarkably painless.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Clinical success

In the ENT unit, Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. In particular, it is an excellent alternative where penicillin might prove ineffective or dangerous. Ceporin's broad-spectrum activity is also very useful in the mixed infections often encountered in the ear, nose and throat.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Ceporin[®] (cephaloridine)

Presentation

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Ceporin is a Glaxo trade mark
Detailed literature available on request



Glaxo Laboratories Ltd
Greenford, Middlesex




Please mention *The Journal of Laryngology and Otology* when replying to advertisements

when colds
are common

Triominic
oral nasal decongestant

for full
symptomatic relief




Triominic **WANDER** is available as timed-release tablets, each containing 50 mg. of Phenylpropanolamine hydrochloride, 25 mg. of mepyramine maleate B.P. and 25 mg. of pheniramine maleate, in packs of 50 at a basic N.H.S. price of 5s. 9½d.

For children, and for adults who prefer the liquid form, Triominic is available as an orange-flavoured Syrup at a basic N.H.S. price of 2s. 2d. for 4 fl. oz.

Detailed literature and sample available on request
A. WANDER LIMITED, 42 UPPER GROSVENOR STREET, LONDON W.1.

M450

Please mention *The Journal of Laryngology and Otology* when replying to advertisements




**could
removal
of mucus
minimize
post-operative
hypoxia . . .
in those cases
where it
matters most?**

airbron


"...may have a place in the management of chronic bronchitis, tracheostomy and certain post-operative cases." Leading article, *Brit.med.J.*, 1966, 2:603.

Post-operative hypoxia does not normally endanger the healthy patient, but "there are many whose pre-existing desaturation is such that a slight fall in tension cannot be tolerated."¹ An important cause of this pre-existing hypoxia is chronic airways obstruction, due to excess mucus. Thus removal of mucus with AIRBRON* (20 per cent acetylcysteine solution) can be regarded as a way of minimizing hypoxia.

 The British Drug Houses Ltd. London

Detailed information available on request
1. *Lancet*, 1964, 1:220 *trade mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



—that is the triumph of the
MACKIE
 hearing aid

The new Mackie post-aural hearing aid is made in several different circuit versions so that the gain and frequency response can be selected to match the patient's needs; and it is available where required with a unique form of automatic volume control which has proved highly successful in cases of recruitment. The forward pick-up microphone gives maximum

intelligibility of speech without background interference.

It is exported to many countries including the United States of America—a tribute to its high quality and advanced design.

In Great Britain it is available for trial by your patients from *independent* hearing aid dealers in all parts of the country.

MANUFACTURED BY A. G. R. MACKIE LTD. A member of the Bonochord Group of Companies
 FOR FURTHER DETAILS WRITE TO 48 WELBECK STREET, LONDON W1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

U.K.

Instrumentation for Audiology and Psychoacoustics

U.K. Distributors of the World's leading makes



Madsen
Electronics ^A/_S



Kamplex

GRASON-STADLER



Our Range includes:

Portable Audiometers
Clinical Audiometers
Beckesy Audiometers
Speech Audiometers
Acoustic Impedance Meters
Sound Level Meters
Zwislocki Bridge
Psychogalvanometer
Auditory Trainers
Group Hearing Aids
Individual Hearing Aids for
School use
Silicon Based Aural Impression
Materials
Audiometric Examination
Rooms and many other items

Audium

Please let us know your needs

G. C. Johnson, Leyton Instrument Company Limited,
54 Albert Road, Caversham, Reading, Berks Reading 72293

For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

109 Kingsway London WC2

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What clinicians say about ORBENIN

Clinicians have frequently testified to the success of Orbenin in the treatment of penicillin G-resistant, penicillinase-resistant, penicillin-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia Lung Abscess Tonsillitis Pharyngitis Acute bronchitis

Septicaemia

Septicemia Carbuncles Infected dermatoses

Osteomyelitis Osteitis

Post-operative wound infections Burns Skin graft protection

Subacute bacterial endocarditis

Staphylococcal enterocolitis Staphylococcal urinary tract infections
Staphylococcal meningitis

Usage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. 2 to 6 years—half adult dose.

Additional information is available on request.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.


Side-effects

As with other penicillins.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England. Originators of the new penicillins.





THE DROP THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

'OTOSPORIN'

Full information is available on request.



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements