The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

/ THE ÆTIOLOGY OF CHRONIC RHINITIS AND SINUSITIS IN CHILDREN	T. G. WILSON
THE NATURAL HISTORY AND THERAPY OF NASAL BLEEDING PRODUCING GERIATRIC PROBLEMS	E. Szabo
✓ PATHOGENESIS OF CYSTS AND CRYPTS IN THE NASOPHARYNX	M. Y. ALI
JTHE LARYNX IN RHEUMATOID ARTHRITIS	LIONEL WOLMAN,
J DECANNULATION AFTER TRACHEOSTOMY IN INFANTS AND YOUNG CHILDREN	ROLAND S. LEWIS and HAROLD LUDMAN
OCCULT CANDIDIASIS IN THE PATERSON BROWN- KELLY SYNDROME.	O. H. SHAHEEN
Clinical Records— Five Cases of Bilateral Branchial Fistulae in Three Generations of a Family	P. M. BINNS and O. C. LORD
✓ A Case of Bilateral Pneumothorax after Tracheostomy	S. D. PARIKH
FATAL HÆMORRHAGE FROM THE INNOMINATE ARTERY AFTER TRACHEOTOMY	L. Veress and I. Romhányi
J THE EFFECT OF TEMPORARY AUTONOMIC BLOCK ON THE SO-CALLED ALLERGIC CONDITIONS OF THE NASAL MUCOSA, "A PRELIMINARY	
REPORT"	A. EL-BARBARY and K. M. Botros
Eosinophilic Granuloma	N. H. Mahindrakar

London

Headley Brothers

109 Kingsway WC2

GENERAL NOTES

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of f 10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England. O Journal of Laryngology and Otology, 1965

CONTENTS

	PAGE
The Ætiology of Chronic Rhinitis and Sinusitis in Children. T. G. Wilson (Dublin) ,	365
The Natural History and Therapy of Nasal Bleeding Producing Geriatric Problems. E. Szabo (Hatvan, Hungary)	384
Pathogenesis of Cysts and Crypts in the Nasopharynx. M. Y. Ali (Singapore)	391
The Larynx in Rheumatoid Arthritis. Lionel Wolman, Christopher S. Darke, and Austen Young (Sheffield)	403
DECANNULATION AFTER TRACHEOSTOMY IN INFANTS AND YOUNG CHILDREN. Roland S. Lewis and Harold Ludman (London)	435
Occult Candidiasis in the Paterson Brown-Kelly Syndrome. O. H. Shaheen (London)	442
Clinical Records—	
Five Cases of Bilateral Branchial Fistulae in Three Generations of a Family. P. M. Binns and O. C. Lord (Leeds)	455
A Case of Bilateral Pneumothorax after Tracheostomy. S. D. Parikh (Doncaster)	457
FATAL HÆMORRHAGE FROM THE INNOMINATE ARTERY AFTER TRACHEOTOMY. L. Veress and I. Romhányi (Szeged, Hungary)	462
The Effect of Temporary Autonomic Block on the So-called Allergic Conditions of the Nasal Mucosa, "A Preliminary Report". A. El-Barbary and K. M.	
Botros (Cairo)	466
Eosinophilic Granuloma. N. H. Mahindrakar (London) .	468
General Notes	474

The Hallpike Operating Headlamp



This Operating Headlamp has been based on designs and experimental constructions put at our disposal by Mr. C. S. Hallpike, F.R.C.S., F.R.S., of the Otological Research Unit, Medical Research Council, at the National Hospital, Queen Square.

Its lightweight optical system incorporates a heat absorbing filter and projects, at a convenient working distance, a brilliant homogeneous circle of light of 65 mm. diameter. This may be reduced to 12 mm. by means of a built-in iris diaphragm.

Location of the reflector between the surgeon's eyes ensures that his visual axes lie very close to the light beam, thus providing good optical penetration when working in small narrow-neck cavities.

- Convenient screw adjustment for fibre/polythene headband.
- Adjustable "over-band" for increased comfort during long operations.
- Fully adjustable support strut for maximum rigidity of optical system.
- Convenient finger grips for removal of headlamp.
- Vertical and angular adjustment of lamp unit, with positive locking action.
- Pre-centred, compact filament, 6 v. 18 watt lamp.
- Iris diaphragm control, with removable sterilizable sleeve.
- Control knob, with sterilizable sleeve, for adjustment of mirror angle and lateral rotation of lamp.



KEELER

21-27 MARYLEBONE LANE WIGMORE STREET LONDON, W.I

TELEPHONE: WELBECK 8512

WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1



Servo-Motor device

for Zeiss operating microscopes


Simply by pressing a foot control the microscope can be focused either upwards or downwards leaving both hands free for manipulation purposes.

Full details from sole suppliers Degenhardt & Co Ltd

Carl Zeiss House 20/22 Mortimer Street London W1 Langham 6097 (9 lines) Scottish enquiries to

Degenhardt & Co (Scotland) Ltd 22 Burnbank Gardens Glasgow NW Douglas 0520





Triominic

for oral relief of rhinorrhoea and nasal congestion Formula per
Timed-Release Tablet
Phenylpropanolamine-HCI 50 mg,
Mepyramine maleate B.P. 25 mg,
Pheniramine maleate 25 mg,

Part 1 S7

Formula per 4 ml. Syrup
Phenylpropanolamine-HCI 12.5 mg.
Mepyramine maleate B.P. 6.25 mg.
Pheniramine maleate 6.25 mg.

[1 teaspoonful (4 ml.)=\frac{1}{4} Tablet]

Part 1 S7

Triotussic

for colds complicated by cough Formula per
Timed-Release Tablet
'Triominic' 25 mg.
Noscapine 20 mg.
Terpin hydrate B.P.C. 90 mg.
Paracetamol B.P. 160 mg.

Part 1 S7

Formula per 4 ml. Suspension 'Triominic'

'Triominic' 25 mg.

Noscapine 20 mg.

Terpin hydrate B.P.C. 90 mg.

Paracetamol B.P. 160 mg.

[1 teaspoonful (4 ml.) = 1 Tablet]

Part 1 \$7

Triogesic

for relief of painful sinus and aural congestion

Formula per Tablet 'Triominic'

Paracetamol B.P. Part 1 S7 Formula per 4 ml. Suspension

'Triominic' 12.5 mg,
Paracetamol B.P. 250 mg,
[1 teaspoonful (4 ml.)=\frac{1}{2} Tablet]
Part 1 S7

Literature and samples gladly sent on request

M431A

A. WANDER LIMITED · 42 UPPER GROSVENOR ST · LONDON W.1

25 mg.

500 m.g.

Pergamon Press Publications



Offered for sale in the bookshops of

Robert Maxwell & Co. Ltd.

4/5 Fitzroy Square, London W.1; Waynflete Building, Oxford; 2/3 Teviot Place, Edinburgh 1; 2/3 Richmond Street, Glasgow C.1; 44-01 21st Street, Long Island City, New York 11101; 24 rue des Ecoles, Paris Ve; Kaiserstrasse 75, Frankfurt and at all reputable bookshops throughout the world.

The Physics of the Ear

T. S. Littler, Director, Wernher Research Unit on Deafness, King's College Hospital Medical School London All the physical, physiological and neurological information appertaining to hearing is summarized in this book, together with the latest knowledge on defects of hearing and their alleviation.

International Series of Monographs in Physics, Volume 3
392 pages
80s. (\$15.00)

Perception and Communication

D. E. Broadbent, Applied Psychology Unit of the Medical Research Council, Cambridge

A review of recent experimental work within the field broadly known as 'attention', with particular emphasis on hearing rather than vision. The results are discussed in the theoretical framework of information theory, and related to experimental data from animals. Considerable space is given to a re-examination of the problems usually handled by neo-Pavlovian theory, and while some knowledge of current psychological theorizing—particularly that of Hull and Skinner—is desirable, it is not assumed that the reader is familiar with information theory or has any mathematical knowledge at all. 344 pages 55s. (\$8.50)

"... we read with interest a scientist of imagination and intelligence writing about the many subjects to which he has made outstanding contributions." Nature

Ozaena A Manifestation of Iron Deficiency

I. Bernát, Róbert Károly Central Hospital, Budapest
Reviews the past methods of treatment of ozaena and considers
the aetiological factors regarding the incidence of the disease.
Dr. Bernát gives experimental and clinical evidence in the support
of his hypothesis that ozaena is a manifestation of iron
deficiency anaemia and can be cured by giving iron and
furthermore can be prevented by making efforts to secure a
proper diet for all poverty-stricken people.
134 pages 50s. (\$8.50)

When the patient needs a hearing aid—whom do you recommend?

INGRAMS, of course, the firm with the different makes to choose from.

INGRAMS, 2 Shepherd Street, London, W.1

Neuerscheinung!

Atlas der Ohren-, Nasen- und Halskrankheiten

sowie deren Grenzgebiete


Von Prof. Dr. med. habil. Dr. med. dent. *Isolde Kaiser-Meinhardt*, Direktor der Klinik und Poliklinik für Hals-Nasen-Ohrenkrankheiten der Humboldt-Universität (Charité), Berlin. 315 Seiten, 476 größtenteils farb. Abbildungen in 559 Einzeldarstellungen. 18,7×27 cm. 1965. Leinen 164.— MDN.

Der Atlas zeichnet sich dadurch aus, daß er sich vorwiegend auf Originalaufnahmen stützt, also der Auffassung maßgeblicher Wissenschaftler entgegenkommt, die zeichnerischen Darstellungen in Atlanten zugunsten der Originalaufnahmen zurücktreten zu lassen.—Mit dieser Methode wird dem Grundsatz der Praxisnähe weitgehend entsprochen.

Aus einer Fülle von Material hat die Autorin das Wichtigste und Instruktivste systematisch ausgewählt und mit entsprechenden textlichen Erläuterungen zu einem Atlas zusammengestellt, der modernsten Anforderungen gerecht wird. Die Auswahl wurde so getroffen, daß neben den häufigeren Krankheitserscheinungen auch seltener vorkommende in ihren verschiedenen Stadien dargestellt und erläutert werden. Der Text zu den Abbildungen konzentriert sich vorwiegend auf Anamnese, Verlauf und Behandlung originaler Krankengeschichten, aus denen nur das Wesentliche (z. Teil auch die Ätiologie) gebracht wird. Der Atlas soll der Praxis und dem Studium dienen. Das umfangreiche Vergleichsmaterial wird dazu beitragen, schneller und sicherer zu diagnostizieren.

Bestellen Sie bitte bei Ihrem Buchhändler

VEB GEORG THIEME LEIPZIG



when the patient must remain alert

Fabahistin[®]

Mebhydrolin B.P.C.

the non-sedating antihistamine

Children: 1-4 tablets daily · Adults: 2-6 tablets daily



® Registered trade mark of BAYER GERMANY
U.K. Subsidiary FBA PHARMACEUTICALS LTD, Haywards Heath, Sussex

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR


517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

109 Kingsway London WC2





Orbenin is recommended for the immediate treatment of all Hospital Staphylococcal infections

Orbenin, an oral penicillin stable to penicillinase, is bactericidal to resistant and sensitive staphylococci



Orbenin (regd.) (cloxacillin sodium) is a product of British research at

Beecham Research Laboratories

ONLY AMPLIVOX

provides a complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.






PLUS An efficient and speedy calibration service

please write for technical literature to meet your needs

AMPLIVOX

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888



OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND Drops ISSUED IN BOTTLES OF 5 MI.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON