Cambridge Core

Access leading journals in your subject

Explore today at cambridge.org/core

Cambridge Core



Laryngology & Otology

VOLUME 132 OCTOBER 2018

Editorio	
Editoria	ı

Does smoking increase the risk of peritonsillar abscess formation?: J Fishman, E Fisher, M Hussain	857
Review Articles	
Ossicular chain mobilisation versus reconstruction in surgery for isolated malleus and/or incus fixation: systematic review and meta-analysis: WL Crutcher, P Tassone, S Pelosi	858
The use of thalidomide therapy for refractory epistaxis in hereditary haemorrhagic telangiectasia: systematic review: <i>L Harrison, A Kundra, P Jervis</i>	866
Main Articles	
Analysis of smoking behaviour in patients with peritonsillar abscess: a prospective, matched case–control study: D Schwarz, P Wolber, M Balk, JC Luers	872
Variability of vestibular aqueduct measurements among axial, single-oblique and double-oblique computed tomography images: Y Quan, XJ Gao, J Liu, RZ Gong, Q Wang, H Liang, JL Fu, Q Cheng	875
Streamlining grommet pathways for otitis media with effusion and hearing loss in children: our experience: O McLaren, EC Toll, R Easto, E Willis, S Harris, J Rainsbury	881
Comparison of the application of artificial ossicles and autologous ossicles in the reconstruction of a damaged ossicular chain: <i>L Zhao, J Li, S Gong</i>	885
The effects of systemic steroid therapy on macrophage migration inhibitory factor concentrations in patients with nasal polyps: A Ekinci	891
Performing and analysing tone-induced cervical and ocular vestibular-evoked myogenic potentials in traumatic and non-traumatic vestibular pathology: AI Mallinson, NS Longridge	896
Reviewing indications for panendoscopy in the investigation of head and neck squamous cell carcinoma: A Noor, L Stepan, SS-T Kao, N Dharmawardana, EH Ooi, J-C Hodge, S Krishnan, A Foreman	901
Tone-induced cervical and ocular vestibular-evoked myogenic potentials: comparing abnormalities in traumatic and non-traumatic vestibular disease: NS Longridge, AI Mallinson	906
Peritonsillar infiltration of lidocaine with adrenaline is associated with increased risk of secondary post-tonsillectomy haemorrhage: HK Tolska, AJ Takala, J Jero	911
Arterial spin labelling and diffusion-weighted magnetic resonance imaging in differentiation of recurrent head and neck cancer from post-radiation changes: AAK Abdel Razek	923
Clinical Records	
Internal carotid artery aneurysm in skull base osteomyelitis: does the pattern of cranial nerve involvement matter?: F Hassannia, SD Carr, E Yu, JA Rutka	929
Dissociation between caloric and head impulse testing in patients with congenital abnormalities of the semicircular canals: B Shaw, RS Raghavan	932
The management of laryngeal lipoid proteinosis: M Ally, AJ Kinshuck, A Sandison, GS Sandhu	936
Patulous nasolacrimal duct with air reflux: a complication of submucosal diathermy of the inferior turbinate: PM Puttasiddaiah, CR Whittet, GN Shuttleworth	940
Dislocation of cochlear implant magnet during 1.5 Tesla magnetic resonance imaging despite head bandaging, and its repositioning using an endoscopic approach: WJC Leong, HW Yuen	943
Successful hearing improvement with direct acoustic stimulation in a patient with schizophrenia: J Rebol, M Kravos, M Ložar	946
Rook Poviow	040

For further information about this journal please go to cambridge.org/jlo



Erratum

www.jlo.co.uk
Published for JLO (1984) Ltd by Cambridge University Press
Printed in the UK by Bell & Bain Ltd



950