The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

Congenital Cholesteatoma A. Brownlie Smith	1049
Deafness in Acromegaly STEPHEN RICHARDS	1053
Vascular Factors in Pneumatization G. D. BEAUMONT	1067
Sacculotomy in Cats. Conclusions from Experimental Fistula Formation B. H. COLMAN	1083
Steroid Treatment in Congenital Syphilitic Deafness R. S. DAWKINS, M. SHARP	
A Model for the Assessment of the Incidence of	1095
Hearing Impairments in a Population . TAPANI JAUHIAINEN	1109
Cancer of the Naso-Pharynx in Nigeria F. D. MARTINSON	1119
Clinical Records—	
Hypophosphatasia. Histopathology of Human	
Temporal Bones YASUYA NOMURA and WATARU MORI	1129
Intracranial Extensions in Nasopharyngeal Fib-	1129
roma D. L. Chhangani, S. D. Sharma,	
and S. P. Popli	1137
Chondroma of the Larynx with Report of 4 Cases Lewis Labib Samy,	
ADLY YASSIN and Hussein H. Tappozada	1145
Rhinolith Perforating the Hard Palate G. J. CONRAD	1155
Societies' Proceedings	1157
General Notes	
Index	1165

Headley Brothers Ltd

Ashford, Kent

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.


It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent.
- 7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.
- 8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.
- 9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers Ltd., The Invicta Press, Ashford, Kent, England.

O Journal of Laryngology and Otology, 1968



Clinicians have frequently testified to the success of Orbenin in the treatment of Gram-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia 🗌 Lung Abscess 🔲 Tonsillitis 🔲 Pharyngitis 🗌 Acute bronchitis	
Septicaemia	
Boils Carbuncles Infected dermatoses	
Osteomyelitis Osteitis	
Post-operative wound infections 🔲 Burns 🔲 Skin graft protection	
Acute endocarditis	
Staphylococcal enterocolitis Staphylococcal urinary tract infections Staphylococcal meningitis	

Dosage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. 2-10 years—half adult dose.

In severe infections the dosage may be increased.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.

Side-effects

As with other penicillins.

Additional information is available on request.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England. originators of the new penicillins.



Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.


STAINLESS STEEL POLISH

SMR Stainless
Steel Polish
cleans and preserves with
superior results
—ends fingerprints,
watermarks and
surface stains.
22 oz. economy

size \$2.50


SURGICAL MECHANICAL RESEARCH INC.

P.O. Box 1185, Newport Beach, Calif. 92663 FACTORY DIRECT SALES



Please send for our new catalog Direct factory sales, F.O.B. Newport Beach, Calif.

Announcing...an Audiometer of exceptional distinction



THE AMPLIVOX MODEL 103 DIAGNOSTIC AUDIOMETER

to ISO Specification R389:1964

A sophisticated design for the comprehensive evaluation of hearing acuity and the differential diagnosis of hearing impairments

- * Easy-to-use controls for all tests from simple clinical to advanced research levels
- * Narrow band masking for pure tone, wide band white noise for speech
- * Unique masking threshold indicator
- * Plug-in Adaptor for SISI and Lüscher Tests
- * Unique Patient's Signal assists subject's concentration
- * Photo-electric switching for noise-free operation
- * Twin channel facilities with multiple switching for dozens of tests
- * Plug-in circuit boards for ease of service
- * Output for free field audiometry

Please write for technical literature

AMPLIVOX

Hearing Centres, Ltd Beresford Avenue, Wembley, Middx. Tel: 01-902 8991



P. C. WERTH LTD. Contractors to H.M. Government and Local Authorities

Specialist Supply, Maintenance, Calibration Services for Audiological Test and Teaching Equipment

17 STRATFORD PLACE, OXFORD ST., LONDON W1N ODH

Telephone: 01-629 5559

Clinical, Diagnostic, Screening and Bekesy Audiometers. Acoustic Impedance Apparatus. Stereo Auditory Trainers. Visible Speech Apparatus. Artificial Mastoid, etc.

All Transistor Circuit.

Inexpensive, yet Rugged and Utterly Reliable.

Extremely Compact and Liahtweight.

Battery Operated.

Ideal for Peripatetic Use. Retains High Accuracy of Calibration.

Dynamic Double Headphones.

Earphone Selector Switch. Tone Interruptor Reversal Switch.

Headset stores without disassembly.



THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Canada \$19.00 per year Price \$18.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. FOITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.

WHEN A HEARING AID IS RECOMMENDED

REFER YOUR PATIENTS TO THE EXPERTS—

AMPLIVOX

Hearing Aids

A wide selection of hearing aids always available from the world's manufacturers. We are the exclusive agent in the United Kingdom and Eire for Dahlberg, U.S.A., in addition to Amplivox.

Ear Defenders

All types of ear defenders available at all branches.

Medical Acoustic Division

Audiometers, Acoustic Booths, Group and Speech Training Hearing Aids. We are the exclusive agent for the United Kingdom and Eire for Tracor, U.S.A.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY
AMPLIVOX HEARING CENTRES, THE ONLY COMPANY IN THE
WORLD MANUFACTURING AND SUPPLYING A COMPLETE
RANGE OF EQUIPMENT FOR THE PREVENTION, TESTING
AND ALLEVIATION OF DEAFNESS


AMPLIVOX HEARING CENTRES 80 NEW BOND STREET, LONDON, W.1. TEL.: 01-493 9888

Branches at:

 $London \cdot Birmingham \cdot Bournemouth \cdot Bristol \cdot Cardiff \cdot Dublin \\ Edinburgh \cdot Glasgow \cdot Leeds \cdot Liverpool \cdot Manchester \cdot Newcastle \cdot Wembley$

PETERS AP/5 CLINIC AUDIOMETER

WITH SYNCHRONOUS MASKING



This new clinic audiometer of very advanced design offers:

- A continuous frequency range with continuously variable attenuation accurate and readable to less than I db.
- Synchronous masking. A new, accurate and speedier masking technique, which is semi-automatic.
- Narrow band masking for pure-tone measurements and white noise for speech.
- Automatic loudness balance switching.
- The SISI Test, the Rainville B.C. Test, automatic pulsing.
- Full speech facilities.
- Interchangeable slide and plug in sub-chassis.
- Operator checks of output and threshold.

Five additional features are offered by the still more advanced PETERS AP/6 CLINIC AUDIOMETER


Both audiometers can be used with the "PETERS" automatic

BÉKÉSY ACCESSORY

write for full details to:

ALFRED PETERS AND SONS LTD

GELL STREET SHEFFIELD 3



THE DROP

THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually all bacteria commonly found in ear infections. reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

'OTOSPORIN'

Full information is available on request.



Burroughs Wellcome & Co. London (The Wellcome Foundation Ltd.)

MÉNIÈRE'S DISEASE

Edited by: JACK L. PULEC, M.D. The Mayo Clinic

This amazing new monograph will be of major interest to Otolaryngologists and Medical Libraries. It contains the proceedings of an outstanding symposium held at the Mayo Clinic on all important aspects of Ménière's Disease.

Topics range through aetiology, diagnosis and treatment. Sample discussions include: Vestibular Neuronitis—Radiographic Observations on the Vestibular Aqueduct—Pathophysiology of Hearing Loss in Ménière's Disease—Differential Diagnosis of Vertigo Resulting from Retrocochlear Lesions—Streptomycin Sulphate in Management of Ménière's Disease—Ultrasonic Treatment— Decompression of the Endolymphatic Sac for Hydrops—The Otic-Perotic Shunt. 715 pages. illustrated. Published: November 1968, £6 7s, 6d.

This is a special reprinting of the October issue of the Otolaryngologic Clinics of North America. These Clinics can be obtained by an annual subscription to three consecutive issues (June, October and February) Price: £9 6s. 0d. (postage 6s. extra)

W. B. SAUNDERS COMPANY


12 Dyott Street, London, W.C.1.



Instruments for Audiology

Manufacturers and Distributors of the World's leading makes

AUDIOMETER AU-1



A small pure-tone, free-field Audiometer intended for hearing tests of Babies and young Children. Designed by staff of the Atomic Weapons Research Establishment at Aldermaston Berkshire to the specification of Dr. K. P. Murphy of the Audiology Research Unit in Reading. It is manufactured under licence from the United Kingdom Atomic Energy Authority

Price £37 10s. ex works



Our range includes instruments from the most eminent manufacturers throughout the world. Please let us know your needs

G. C. Johnson, Leyton Instrument Co. Ltd., 54 Albert Road, Caversham, Reading, Berks Telephone: 0734 72293 Cables: Linco Reading

CIBA

The leading nasal decongestant

Otrivine[®]

xylometazoline hydrochlorida


Now well established as being clearly superior to ephedrine.....

Exceptionally prolonged effect

In a clinical trial* the decongestant effects of Otrivine and ephedrine were compared, by measurement of nasal air flow in patients with acute rhinitis. From the diagram it can be seen that the duration of action of Otrivine (1:1000) is some three times greater that that of ephedrine (1:100).

The prolonged action of Otrivine means that at night, when nasal congestion is often most troublesome, a single application on retiring is likely to ensure a good night's sleep.

Comparison of the length of effect of Otrivine and ephedrine. *Svenska lktdn. (1964) 61, 378 ▶



Remarkable freedom from rebound hyperaemia

During world-wide clinical use only very occasional instances of rebound congestion have been reported with Otrivine. Rebound phenomena have often been demonstrated with ephedrine, however, occurring after as little as 90-120 minutes.

No sytemic effects

In constrast to ephedrine, which can sometimes produce deleterious effects on circulation, blood pressure, and cardiac activity, such effects are unlikely to occur following the use of Otrivine in the nose when used in the recommended dosage.

Basic NHS prices

0.1% Nasal spray and drops $\frac{1}{2}$ fl. oz. 3s. 4d. Paediatric 0.05% 10ml 3s. 0d. (with special safety dropper)

Detailed information on request CIBA Laboratories Limited, Horsham, Sussex

0/5



INSTRUMENTS FOR MIDDLE EAR SURGERY

Rosen's Slotted Specula, as used by Mr. Angell James; 4 sizes, 4, 5, 6 and 7 mm.

Catalogue reference L 247-16





STRIDE'S WIRE CLOSING FORCEPS

Catalogue reference L 290-13



DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada

410 Dundas Street West, Toronto, 2B, Canada

In U.S.A.

Downs Surgical Inc., 655, 73rd Street, Niagara Falls, N.Y. 14301